Volume 32



Centre de Recherches Mathématiques Montréal

# Random Matrices and the Six-Vertex Model

Pavel Bleher Karl Liechty



American Mathematical Society

Random Matrices and the Six-Vertex Model

Volume 32



Centre de Recherches Mathématiques Montréal

## Random Matrices and the Six-Vertex Model

Pavel Bleher Karl Liechty

The Centre de Recherches Mathématiques (CRM) was created in 1968 to promote research in pure and applied mathematics and related disciplines. Among its activities are special theme years, summer schools, workshops, postdoctoral programs, and publishing. The CRM receives funding from the Natural Sciences and Engineering Research Council (Canada), the FRQNT (Québec), the NSF (USA), and its partner universities (Université de Montréal, McGill, UQAM, Concordia, Université Laval, Université de Sherbrooke and University of Ottawa). It is affiliated with the Institut des Sciences Mathématiques (ISM). For more information visit www.crm.math.ca.



American Mathematical Society Providence, Rhode Island USA The production of this volume was supported in part by the Fonds de recherche du Québec–Nature et technologies (FRQNT) and the Natural Sciences and Engineering Research Council of Canada (NSERC).

2010 Mathematics Subject Classification. Primary 60B20; Secondary 82B23.

For additional information and updates on this book, visit www.ams.org/bookpages/crmm-32

#### Library of Congress Cataloging-in-Publication Data

Bleher, Pavel, 1947– author.
Random matrices and the six-vertex model / Pavel Bleher, Karl Liechty. pages cm. — (CRM monograph series / Centre de Recherches Mathematiques ; 32) Includes bibliographical references.
ISBN 978-1-4704-0961-6 (alk. paper)
1. Random matrices. I. Liechty, Karl, 1981– author. II. Title.

QA188.B54 2013 519.2—dc23

2013032106

**Copying and reprinting.** Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy a chapter for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for such permission should be addressed to the Acquisitions Department, American Mathematical Society, 201 Charles Street, Providence, Rhode Island 02904-2294 USA. Requests can also be made by e-mail to reprint-permission@ams.org.

> © 2014 by the American Mathematical Society. All rights reserved. The American Mathematical Society retains all rights except those granted to the United States Government. Printed in the United States of America.
>  The paper used in this book is acid-free and falls within the guidelines established to ensure permanence and durability.

Visit the AMS home page at http://www.ams.org/

 $10\ 9\ 8\ 7\ 6\ 5\ 4\ 3\ 2\ 1 \\ 19\ 18\ 17\ 16\ 15\ 14$ 

## Contents

Introduction	vii
Chapter 1. Unitary Matrix Ensembles	1
1.1. Unitary ensemble with real analytic interaction	1
1.2. Ensemble of eigenvalues	3
1.3. Recurrence equations and discrete string equations for orthogonal	
polynomials	9
1.4. Deformation equations for the recurrence coefficients	13
1.5. Differential equations and Lax pair for the $\psi$ -functions	16
Chapter 2. The Riemann–Hilbert Problem for Orthogonal Polynomials	19
2.1. The Cauchy transform and its properties	19
2.2. The Riemann–Hilbert problem	20
2.3. Distribution of eigenvalues and equilibrium measure	22
2.4. The Deift–Zhou steepest descent method	27
2.5. Solution of the RHP for $\mathbf{X}_N(z)$	45
2.6. Asymptotics of the recurrence coefficients	47
2.7. Universality in the random matrix model	50
Chapter 3. Discrete Orthogonal Polynomials on an Infinite Lattice	55
3.1. The discrete log gas ensemble	55
3.2. Interpolation problem	56
3.3. Equilibrium measure	57
3.4. The $g$ -function	61
3.5. Reduction of IP to RHP	62
3.6. First transformation of the RHP	65
3.7. Second transformation of the RHP	66
3.8. Model RHP	67
3.9. Parametrix at band-void edge points	68
3.10. Parametrix at the band-saturated region end points	70
3.11. The third and final transformation of the RHP	74
3.12. Asymptotics of recurrence coefficients	75
3.13. Universality in the discrete log gas ensemble	76
Chapter 4. Introduction to the Six-Vertex Model	81
4.1. Definition of the model	81
4.2. Height function and reduction of parameters	82
4.3. Mappings of the six-vertex model onto other ensembles	84
4.4. Exact solution of the six-vertex model for a finite n	88

Chapter 5. The Izergin–Korepin Formula	93
5.1. The Yang–Baxter equation	96
5.2. A proof of Proposition 5.1.1	100
5.3. The recursion equation for $Z_n$	101
5.4. The inhomogeneous model on the free fermion line	103
5.5. The homogeneous limit	105
Chapter 6. Disordered Phase	109
6.1. Main results	109
6.2. Rescaling of the weight	113
6.3. Equilibrium measure	114
6.4. Riemann–Hilbert analysis	128
6.5. Estimates on the jumps for $\mathbf{X}_n$	133
6.6. Evaluation of $\mathbf{X}_1$	135
6.7. Proof of Proposition 6.1.2	139
6.8. The constant term	139
Chapter 7. Antiferroelectric Phase	143
7.1. Introduction	143
7.2. Jacobi theta functions: Definitions and properties	144
7.3. Main result: Asymptotics of the partition function	148
7.4. Equilibrium measure	149
7.5. Riemann – Hilbert analysis	160
7.6. Evaluation of $\mathbf{X}_1$	173
7.7. The constant term	192
Chapter 8. Ferroelectric Phase	197
8.1. Introduction and formulation of the main results	197
8.2. Meixner polynomials	198
8.3. Two interpolation problems	200
8.4. Evaluation of the ratio $h_k/h_k^{\rm Q}$	201
8.5. Evaluation of the constant factor	204
8.6. Ground state configuration	206
Chapter 9. Between the Phases	209
9.1. The critical line between the ferroelectric and disordered phases	209
9.2. The critical line between the antiferroelectric and disordered phases	212
9.3. The order of the phase transitions	214

Bibliography

221

### Introduction

The theory of random matrices has proven to have a wide reach into many areas of mathematics, physics, and statistics, and there are many excellent books on the topic. The book of Mehta [61] has become a classic for anyone interested in the subject, and several excellent books on random matrices have appeared in more recent years: [4] by Bai and Silverstein; [3] by Anderson, Guionnet, and Zeitouni; [42] by Forrester; [66] by Pastur and Shcherbina; the CRM volume of lectures [43] edited by Harnad; [73] by Tao; and the Oxford handbook on random matrix theory [1] edited by Akemann, Baik, and Di Francesco. See also the reviews [34] by Di Francesco, Ginsparg, and Zinn-Justin; the ones in the MSRI volume [12], edited by Bleher and Its; [33] by Di Francesco; and the forthcoming book [38] of Eynard. These books and reviews vary in scope and perspective, and they present different approaches to random matrices and their applications to combinatorics, statistics, and physics. In this book we outline a connection from random matrices to the six-vertex model of statistical physics. In particular, this model is related to the unitary matrix ensembles, which are among the most widely studied of the matrix ensembles. For unitary ensembles there is a direct connection to orthogonal polynomials on the real line, and the asymptotics of partition functions as well as local spectral statistics can be studied using the Riemann-Hilbert approach. The focus of this book is a description of the Riemann–Hilbert method for both continuous and discrete orthogonal polynomials, and applications of this approach to matrix models as well as to the six-vertex model.

The Riemann-Hilbert approach to ensembles of random matrices was initiated in the late 1990s in the papers [10] by Bleher and Its, and [29, 30] by Deift, Kriecherbauer, McLaughlin, Venakides, and Zhou, and it became a powerful tool in the theory of universality and critical phenomena in random matrices. In particular, the Riemann-Hilbert method allows for an asymptotic analysis of a wide class of orthogonal polynomials, which was a vital ingredient in the proof of universality of scaling limits for correlations of eigenvalues. The main ideas of the Riemann-Hilbert approach to orthogonal polynomials and random matrices are nicely described in the the lectures [27] by Deift. Chapter 2 of this book is adapted from the paper [29].

The six-vertex model dates back to Slater [69] in the early 1940s, and is one of the integrable models of 2-d statistical physics, see [7,67]. The domain wall boundary conditions considered in this book were introduced by Korepin [50] in 1982. In that paper certain recursions for the partition function were derived. Subsequently these recursions were used by Izergin [46] to give an explicit determinantal formula for the partition function. This formula is the basis for the asymptotic analysis described in this book, and is known as the Izergin–Korepin formula. The relation of the Izergin–Korepin formula to ensembles of random matrices and orthogonal polynomials was discovered and used by Zinn-Justin [78, 79]. For certain values of the parameters, the relevant orthogonal polynomials are classical. In these cases, the Izergin–Korepin formula was used by Colomo and Pronko [23–26] to give expressions for the 1-, 2-, and 3-enumeration of alternating sign matrices. Outside of these special cases the orthogonal polynomials are not classical, and the Riemann–Hilbert approach was employed in a series of papers by Bleher and coauthors [8,9,13–15].

The general outline for the book is as follows:

• In Chapter 1 we introduce the unitary matrix ensembles and describe their connections to orthogonal polynomials and integrable systems.

• In Chapter 2 we discuss the Riemann-Hilbert (RH) approach to random matrix ensembles, adapted from the original approach of the paper [29] and the book [27]. We give general formulas for asymptotics of recurrence coefficients for orthogonal polynomials, and give a proof of the universality of the sine and Airy kernels in the bulk and at the edge, respectively, of the spectrum.

• In Chapter 3 we consider an extension of the RH approach to discrete orthogonal polynomials on an infinite lattice, which was originally developed in the book [5] of Baik, Kriecherbauer, McLaughlin, and Miller for discrete orthogonal polynomials on a finite lattice, and then extended to an infinite lattice in the paper [16] by Bleher and Liechty. Again we give general formulas for asymptotics of recurrence coefficients. Universality of the local correlations in the discrete orthogonal polynomial ensemble is discussed, and we give a proof of the scaling limit of the correlation kernel at the point which separates a band from a saturated region.

• In Chapter 4 we introduce the six vertex model with with domain wall boundary conditions.

• In Chapter 5 we derive the Izergin – Korepin formula for the partition function of the six vertex model with with domain wall boundary conditions. The proof is based on the Yang – Baxter equations, and we follow the elegant approach of the papers [51, 55].

• In Chapters 6-8 we obtain the large *n* asymptotic formulas for the partition function in different phase regions on the phase diagram. These chapters follow the works [9, 13, 15]. The methods of Chapters 2 and 3 are applied, and all details of the analysis are presented.

• In Chapter 9 we discuss the asymptotics of the partition function on the critical lines between the phases, as well as the phase transitions. The results of the papers [8, 14] for the partition function on the critical lines are discussed, but we do not present detailed proofs in this book.

Acknowledgements. In part, this book is based on lectures which the first author gave at different universities: Indiana University – Purdue University Indianapolis; Centre de recherches mathématiques, Montréal; Katholieke Universiteit of Leuven, Belgium; and the National University of Singapore, Singapore. The initial work on this book was done during the semester long program *Random Matrix Theory*, *Interacting Particle Systems and Integrable Systems* at the Mathematical Sciences Research Institute (MSRI) in Berkeley, California, in the fall of 2010. We would like to thank MSRI and the organizers of that program, Jinho Baik, Alexei Borodin, Percy Deift, Alice Guionnet, Craig Tracy, and Pierre van Moerbeke, for allowing us the opportunity to be there. We would also like to thank various people for useful comments and discussions over the years, including Thomas Bothner, Percy Deift, Bertrand Eynard, John Harnad, Alexander Its, Vladimir Korepin, Arno Kuijlaars, Ken McLaughlin, and Paul Zinn-Justin.

## Bibliography

- 1. G. Akemann, J. Baik, and P. Di Francesco (eds.), *The Oxford handbook of random matrix theory*, Oxford Univ. Press, Oxford, 2011.
- G. W. Anderson, Spectral statistics of unitary ensembles, The Oxford Handbook of Random Matrix Theory (G. Akemann, J. Baik, and P. Di Francesco, eds.), Oxford Univ. Press, Oxford, 2011, pp. 66–85.
- G. W. Anderson, A. Guionnet, and O. Zeitouni, An introduction to random matrices, Cambridge Stud. Adv. Math., vol. 118, Cambridge Univ. Press, Cambridge, 2010.
- Z. Bai and J. W. Silverstein, Spectral analysis of large dimensional random matrices, 2nd ed., Springer Ser. Statist., Springer, New York, 2010.
- J. Baik, T. Kriecherbauer, K. T.-R. McLaughlin, and P. D. Miller, *Discrete orthogonal polynomials: Asymptotics and applications*, Ann. of Math. Stud., vol. 164, Princeton Univ. Press, Princeton, NJ, 2007.
- M. T. Batchelor, R. J. Baxter, M. J. O'Rourke, and C. M. Yung, Exact solution and interfacial tension of the six-vertex model with anti-periodic boundary conditions, J. Phys. A 28 (1995), no. 10, 2759–2770.
- 7. R. J. Baxter, Exactly solved models in statistical mechanics, Academic Press, London, 1982.
- P. Bleher and T. Bothner, Exact solution of the six-vertex model with domain wall boundary conditions: Critical line between disordered and antiferroelectric phases, Random Matrices Theory Appl. 1 (2012), no. 4, 1250012.
- P. Bleher and V. V. Fokin, Exact solution of the six-vertex model with domain wall boundary conditions. Disordered phase, Comm. Math. Phys. 268 (2006), no. 1, 223–284.
- P. Bleher and A. Its, Semiclassical asymptotics of orthogonal polynomials, Riemann-Hilbert problem, and universality in the matrix model, Ann. of Math. (2) 150 (1999), no. 1, 185–266.
- 11. \_\_\_\_\_, Double scaling limit in the random matrix model: the Riemann-Hilbert approach, Comm. Pure Appl. Math. 56 (2003), no. 4, 433–516.
- (ed.), Random matrix models and their applications, Math. Sci. Res. Inst. Publ., vol. 40, Cambridge Univ. Press, Cambridge, 2001.
- P. Bleher and K. Liechty, Exact solution of the six-vertex model with domain wall boundary conditions: Ferroelectric phase, Comm. Math. Phys. 286 (2009), no. 2, 777–801.
- <u>—</u>, Exact solution of the six-vertex model with domain wall boundary conditions: Critical line between ferroelectric and disordered phases, J. Stat. Phys. 134 (2009), no. 3, 463–485.
- <u>—</u>, Exact solution of the six-vertex model with domain wall boundary conditions: Antiferroelectric phase, Comm. Pure Appl. Math. 63 (2010), no. 6, 779–829.
- \_\_\_\_\_, Uniform asymptotics for discrete orthogonal polynomials with respect to varying exponential weights on a regular infinite lattice, Int. Math. Res. Not. IMRN 2 (2011), 342– 386.
- N. M. Bogoliubov, A. V. Kitaev, and M. B. Zvonarev, Boundary polarization in the six-vertex model, Phys. Rev. E (3) 65 (2002), no. 2, 026126, 4.
- A. Borodin, *Determinantal point processes*, The Oxford Handbook of Random Matrix Theory (G. Akemann, J. Baik, and P. Di Francesco, eds.), Oxford Univ. Press, Oxford, 2011, pp. 231– 249.
- A. Borodin and D. Boyarchenko, Distribution of the first particle in discrete orthogonal polynomial ensembles, Comm. Math. Phys. 234 (2003), no. 2, 287–338.
- A. Borodin and A. Soshnikov, Janossy densities. I: Determinantal ensembles, J. Statist. Phys. 113 (2003), no. 12, 595–610.
- D. M. Bressoud, Proofs and confirmations: The story of the alternating sign matrix conjecture, MAA Spectrum, Math. Assoc. America, Washington, DC, 1999.

#### BIBLIOGRAPHY

- R. C. Brower, N. Deo, S. Jain, and C. I Tan, Symmetry breaking in the double-well Hermitian matrix models, Nuclear Phys. B 405 (1993), no. 1, 166–187.
- F. Colomo and A. G. Pronko, On some representations of the six vertex model partition function, Phys. Lett. A 315 (2003), no. 3-4, 231–236.
- On the partition function of the six-vertex model with domain wall boundary conditions, J. Phys. A 37 (2004), no. 6, 1987–2002.
- \_\_\_\_\_, Square ice, alternating sign matrices, and classical orthogonal polynomials, J. Stat. Mech. Theory Exp. 1 (2005), 005, 33 pp. (electronic).
- The role of orthogonal polynomials in the six-vertex model and its combinatorial applications, J. Phys. A 39 (2006), no. 28, 9015–9033.
- P. Deift, Orthogonal polynomials and random matrices: a Riemann-Hilbert approach, Courant Lect. Notes Math., vol. 3, New York Univ., Courant Inst. Math. Sci., New York, 1999.
- P. Deift, T. Kriecherbauer, and K. T.-R. McLaughlin, New results on the equilibrium measure for logarithmic potentials in the presence of an external field, J. Approx. Theory 95 (1998), no. 3, 388–475.
- P. Deift, T. Kriecherbauer, K. T.-R. McLaughlin, S. Venakides, and X. Zhou, Uniform asymptotics for polynomials orthogonal with respect to varying exponential weights and applications to universality questions in random matrix theory, Comm. Pure Appl. Math. 52 (1999), no. 11, 1335–1425.
- Strong asymptotics of orthogonal polynomials with respect to exponential weights, Comm. Pure Appl. Math. 52 (1999), no. 12, 1491–1552.
- P. Deift and K. T-R McLaughlin, A continuum limit of the Toda lattice, Mem. Amer. Math. Soc. 131 (1998), no. 624, x+216.
- P. Deift and X. Zhou, A steepest descent method for oscillatory Riemann-Hilbert problems. Asymptotics for the MKdV equation, Ann. of Math. (2) 137 (1993), no. 2, 295–368.
- 33. P. Di Francesco, 2D quantum gravity, matrix models and graph combinatorics, Applications of Random Matrices in Physics (Les Houches, 2004) (É. Brézin, V. Kazakov, D. Serban, P. Wiegmann, and A. Zabrodin, eds.), NATO Sci. Ser. II Math. Phys. Chem., vol. 221, Springer, Dordrecht, 2006, pp. 33–88.
- P. Di Francesco, P. Ginsparg, and J. Zinn-Justin, 2D gravity and random matrices, Phys. Rep. 254 (1995), no. 1-2, 133.
- P. D. Dragnev and E. B. Saff, Constrained energy problems with applications to orthogonal polynomials of a discrete variable, J. Anal. Math. 72 (1997), 223–259.
- 36. F. J. Dyson, Statistical theory of the energy levels of complex systems. I, J. Mathematical Phys. 3 (1962), 140–156; II, 157–165; III, 166–175.
- B. Eynard, A concise expression for the ODE's of orthogonal polynomials, arXiv:math-ph/ 0109018.
- Counting surfaces: Combinatorics, matrix models and algebraic geometry, Prog. Math. Phys., vol. 114, Birkhäuser, Basel, 2012.
- H. M. Farkas and I. Kra, *Riemann surfaces*, 2nd ed., Grad. Texts in Math., vol. 71, Springer, New York, 1992.
- P. L. Ferrari and H. Spohn, Domino tilings and the six-vertex model at its free-fermion point, J. Phys. A 39 (2006), no. 33, 10297–10306.
- A. S. Fokas, A. R. Its, and A. V. Kitaev, The isomonodromy approach to matrix models in 2D quantum gravity, Comm. Math. Phys. 147 (1992), no. 2, 395–430.
- P. J. Forrester, Log-gases and random matrices, London Math. Soc. Monogr. Ser., vol. 34, Princeton Univ. Press, Princeton, NJ, 2010.
- J. Harnad (ed.), Random matrices, random processes and integrable systems, CRM Ser. Math. Phys, Springer, New York, 2011.
- J. B. Hough, M. Krishnapur, Y. Peres, and B. Virág, *Determinantal processes and indepen*dence, Probab. Surv. 3 (2006), 206–229.
- 45. \_\_\_\_\_, Zeros of Gaussian analytic functions and determinantal point processes, Univ. Lecture Ser., vol. 51, Amer. Math. Soc., Providence, RI, 2009.
- 46. A. G. Izergin, Partition function of a six-vertex model in a finite volume, Dokl. Akad. Nauk SSSR 297 (1987), no. 2, 331–333 (Russian); English transl., Soviet Phys. Dokl. 32 (1987), no. 11, 878–879.

#### BIBLIOGRAPHY

- A. G. Izergin, D. A. Coker, and V. E. Korepin, *Determinant formula for the six-vertex model*, J. Phys. A 25 (1992), no. 16, 4315–4334.
- S. Kamvissis, K. D. T.-R. McLaughlin, and P. D. Miller, Semiclassical soliton ensembles for the focusing nonlinear Schrödinger equation, Ann. of Math. Stud., vol. 154, Princeton Univ. Press, Princeton, NJ, 2003.
- R. Koekoek, P. A. Lesky, and R. F. Swarttouw, *Hypergeometric orthogonal polynomials and their q-analogues*, with a foreword by T. H. Koornwinder, Springer Monogr. Math., Springer, Berlin, 2010.
- V. E. Korepin, Calculation of norms of Bethe wave functions, Comm. Math. Phys. 86 (1982), no. 3, 391–418.
- V. Korepin and P. Zinn-Justin, Thermodynamic limit of the six-vertex model with domain wall boundary conditions, J. Phys. A 33 (2000), no. 40, 7053–7066.
- T. Kriecherbauer and K. T.-R. McLaughlin, Strong asymptotics of polynomials orthogonal with respect to Freud weights, Internat. Math. Res. Notices 6 (1999), 299–333.
- A. B. J. Kuijlaars, On the finite-gap ansatz in the continuum limit of the Toda lattice, Duke Math. J. 104 (2000), no. 3, 433–462.
- 54. A. B. J. Kuijlaars and K. T-R McLaughlin, Generic behavior of the density of states in random matrix theory and equilibrium problems in the presence of real analytic external fields, Comm. Pure Appl. Math. 53 (2000), no. 6, 736–785.
- G. Kuperberg, Another proof of the alternating-sign matrix conjecture, Internat. Math. Res. Notices 3 (1996), 139–150.
- E. H. Lieb, Exact solution of the problem of the entropy of two-dimensional ice, Phys. Rev. Lett. 18 (1967), no. 17, 692–694.
- 57. \_\_\_\_\_, Exact solution of the F model of an antiferroelectric, Phys. Rev. Lett. 18 (1967), no. 24, 1046–1048.
- Exact solution of the two-dimensional Slater KDP model of a ferroelectric, Phys. Rev. Lett. 19 (1967), no. 3, 108–110.
- 59. \_\_\_\_\_, Residual entropy of square ice, Phys. Rev. **162** (1967), no. 1, 162–172.
- E. H. Lieb and F.-Y. Wu, *Two dimensional ferroelectric models*, Phase Transitions and Critical Phenomena (C. Domb and M. S. Green, eds.), Vol. 1, Academic Press, New York, 1972, pp. 331–490.
- 61. M. L. Mehta, Random matrices, 2nd ed., Academic Press Inc., Boston, MA, 1991.
- W. H. Mills, D. P. Robbins, and H. Rumsey Jr., Alternating sign matrices and descending plane partitions, J. Combin. Theory Ser. A 34 (1983), no. 3, 340–359.
- P. D. Miller, Asymptotics of semiclassical soliton ensembles: rigorous justification of the WKB approximation, Int. Math. Res. Not. 8 (2002), 383–454.
- 64. N. I. Muskhelishvili, Singular integral equations. Boundary problems of function theory and their application to mathematical physics, translated by J. R. M. Radok, P. Noordhoff N. V., Groningen, 1953.
- F. W. J. Olver, Asymptotics and special functions, AKP Class., A K Peters Ltd., Wellesley, MA, 1997. Reprint of the 1974 original.
- L. Pastur and M. Shcherbina, *Eigenvalue distribution of large random matrices*, Math. Surveys Monogr., vol. 171, Amer. Math. Soc., Providence, RI, 2011.
- 67. N. Reshetikhin, Lectures on the integrability of the six-vertex model, Exact Methods in Low-Dimensional Statistical Physics and Quantum Computing (Les Houches, 2008) (J. Jacobsen, Ouvry Stéphane, V. Pasquier, D. Serban, and L. F. Cugliandolo, eds.), Oxford Univ. Press, Oxford, 2010, pp. 197–266.
- E. B. Saff and V. Totik, *Logarithmic potentials with external fields*, with Appendix B by T. Bloom, Grundlehren Math. Wiss., vol. 316, Springer, Berlin, 1997.
- 69. J. C. Slater, Theory of the transition of KH<sub>2</sub>PO<sub>4</sub>, J. Chem. Phys. 9 (1941), no. 1, 16–33.
- K. Sogo, Toda molecule equation and quotient-difference method, J. Phys. Soc. Japan 62 (1993), no. 4, 1081–1084.
- B. Sutherland, Exact solution of a two-dimensional model for hydrogen-bonded crystals, Phys. Rev. Lett. 19 (1967), 103-104.
- G. Szegő, Orthogonal polynomials, 4th ed., Amer. Math. Soc. Colloq. Publ., vol. 23, Amer. Math. Soc., Providence, RI, 1975.
- T. Tao, Topics in random matrix theory, Grad. Stud. Math., vol. 132, Amer. Math. Soc., Providence, RI, 2012.

#### BIBLIOGRAPHY

- M. Vanlessen, Strong asymptotics of Laguerre-type orthogonal polynomials and applications in random matrix theory, Constr. Approx. 25 (2007), no. 2, 125–175.
- F.-Y. Wu and K. Y. Lin, Staggered ice-rule vertex model The Pfaffian solution, Phys. Rev. B 12 (1975), no. 1, 419–428.
- E. T. Whittaker and G. N. Watson, A course of modern analysis, Cambridge Univ. Press, Cambridge, 2000. Reprint of the fourth (1927) edition.
- D. Zeilberger, Proof of the refined alternating sign matrix conjecture, New York J. Math. 2 (1996), 59–68, electronic.
- P. Zinn-Justin, Six-vertex model with domain wall boundary conditions and one-matrix model, Phys. Rev. E (3) 62 (2000), no. 3, 3411–3418.
- 79. \_\_\_\_\_, Six-vertex, loop and tiling models: Integrability and combinatorics, LAP Lambert Acad. Publ., 2010.

## Published Titles in This Series

- 32 Pavel Bleher and Karl Liechty, Random Matrices and the Six-Vertex Model, 2013
- 31 Jean-Pierre Labesse and Jean-Loup Waldspurger, La Formule des Traces Tordue d'après le Friday Morning Seminar, 2013
- 30 Joseph H. Silverman, Moduli Spaces and Arithmetic Dynamics, 2012
- 29 Marcelo Aguiar and Swapneel Mahajan, Monoidal Functors, Species and Hopf Algebras, 2010
- 28 Saugata Ghosh, Skew-Orthogonal Polynomials and Random Matrix Theory, 2009
- 27 Jean Berstel, Aaron Lauve, Christophe Reutenauer, and Franco V. Saliola, Combinatorics on Words, 2008
- 26 Victor Guillemin and Reyer Sjamaar, Convexity Properties of Hamiltonian Group Actions, 2005
- 25 Andrew J. Majda, Rafail V. Abramov, and Marcus J. Grote, Information Theory and Stochastics for Multiscale Nonlinear Systems, 2005
- 24 Dana Schlomiuk, AndreĭA. Bolibrukh, Sergei Yakovenko, Vadim Kaloshin, and Alexandru Buium, On Finiteness in Differential Equations and Diophantine Geometry, 2005
- 23 J. J. M. M. Rutten, Marta Kwiatkowska, Gethin Norman, and David Parker, Mathematical Techniques for Analyzing Concurrent and Probabilistic Systems, 2004
- 22 Montserrat Alsina and Pilar Bayer, Quaternion Orders, Quadratic Forms, and Shimura Curves, 2004
- 21 Andrei Tyurin, Quantization, Classical and Quantum Field Theory and Theta Functions, 2003
- 20 Joel Feldman, Horst Knörrer, and Eugene Trubowitz, Riemann Surfaces of Infinite Genus, 2003
- 19 L. Lafforgue, Chirurgie des grassmanniennes, 2003
- 18 G. Lusztig, Hecke Algebras with Unequal Parameters, 2003
- 17 Michael Barr, Acyclic Models, 2002
- 16 Joel Feldman, Horst Knörrer, and Eugene Trubowitz, Fermionic Functional Integrals and the Renormalization Group, 2002
- 15 José I. Burgos Gil, The Regulators of Beilinson and Borel, 2002
- 14 Eyal Z. Goren, Lectures on Hilbert Modular Varieties and Modular Forms, 2002
- 13 Michael Baake and Robert V. Moody, Editors, Directions in Mathematical Quasicrystals, 2000
- 12 Masayoshi Miyanishi, Open Algebraic Surfaces, 2000
- 11 **Spencer J. Bloch,** Higher Regulators, Algebraic K-Theory, and Zeta Functions of Elliptic Curves, 2000
- 10 James D. Lewis and B. Brent Gordon, A Survey of the Hodge Conjecture, Second Edition, 1999
- 9 Yves Meyer, Wavelets, Vibrations and Scalings, 1998
- 8 Ioannis Karatzas, Lectures on the Mathematics of Finance, 1997
- 7 John Milton, Dynamics of Small Neural Populations, 1996
- 6 Eugene B. Dynkin, An Introduction to Branching Measure-Valued Processes, 1994
- 5 Andrew Bruckner, Differentiation of Real Functions, 1994
- 4 David Ruelle, Dynamical Zeta Functions for Piecewise Monotone Maps of the Interval, 1994
- 3 V. Kumar Murty, Introduction to Abelian Varieties, 1993
- 2 M. Ya. Antimirov, A. A. Kolyshkin, and Rémi Vaillancourt, Applied Integral Transforms, 1993
- 1 Dan Voiculescu, Kenneth J. Dykema, and Alexandru Nica, Free Random Variables, 1992

This book provides a detailed description of the Riemann-Hilbert approach (RH approach) to the asymptotic analysis of both continuous and discrete orthogonal polynomials, and applications to random matrix models as well as to the six-vertex model. The RH approach was an important ingredient in the proofs of universality in unitary matrix models. This book gives an introduction to the unitary matrix models and discusses bulk and edge universality. The six-vertex model is an exactly solvable two-dimensional model in statistical physics, and thanks to the Izergin-Korepin formula for the model with domain wall boundary conditions, its partition function matches that of a unitary matrix model and include a proof of the Izergin-Korepin formula. Using the RH approach, they explicitly calculate the leading and subleading terms in the thermodynamic asymptotic behavior of the partition function of the six-vertex model with domain wall boundary conditions in all the three phases: disordered, ferroelectric, and antiferroelectric.





