

A Modern Theory of Integration

Robert G. Bartle

**Graduate Studies
in Mathematics**

Volume 32



American Mathematical Society

*To Carolyn
with love and thanks*

This page intentionally left blank

Selected Titles in This Series

- 32 **Robert G. Bartle**, A modern theory of integration, 2001
- 31 **Ralf Korn and Elke Korn**, Option pricing and portfolio optimization: Modern methods of financial mathematics, 2001
- 30 **J. C. McConnell and J. C. Robson**, Noncommutative Noetherian rings, 2001
- 29 **Javier Duoandikoetxea**, Fourier analysis, 2001
- 28 **Liviu I. Nicolaescu**, Notes on Seiberg-Witten theory, 2000
- 27 **Thierry Aubin**, A course in differential geometry, 2001
- 26 **Rolf Berndt**, An introduction to symplectic geometry, 2001
- 25 **Thomas Friedrich**, Dirac operators in Riemannian geometry, 2000
- 24 **Helmut Koch**, Number theory: Algebraic numbers and functions, 2000
- 23 **Alberto Candel and Lawrence Conlon**, Foliations I, 2000
- 22 **Günter R. Krause and Thomas H. Lenagan**, Growth of algebras and Gelfand-Kirillov dimension, 2000
- 21 **John B. Conway**, A course in operator theory, 2000
- 20 **Robert E. Gompf and András I. Stipsicz**, 4-manifolds and Kirby calculus, 1999
- 19 **Lawrence C. Evans**, Partial differential equations, 1998
- 18 **Winfried Just and Martin Weese**, Discovering modern set theory. II: Set-theoretic tools for every mathematician, 1997
- 17 **Henryk Iwaniec**, Topics in classical automorphic forms, 1997
- 16 **Richard V. Kadison and John R. Ringrose**, Fundamentals of the theory of operator algebras. Volume II: Advanced theory, 1997
- 15 **Richard V. Kadison and John R. Ringrose**, Fundamentals of the theory of operator algebras. Volume I: Elementary theory, 1997
- 14 **Elliott H. Lieb and Michael Loss**, Analysis, 1997
- 13 **Paul C. Shields**, The ergodic theory of discrete sample paths, 1996
- 12 **N. V. Krylov**, Lectures on elliptic and parabolic equations in Hölder spaces, 1996
- 11 **Jacques Dixmier**, Enveloping algebras, 1996 Printing
- 10 **Barry Simon**, Representations of finite and compact groups, 1996
- 9 **Dino Lorenzini**, An invitation to arithmetic geometry, 1996
- 8 **Winfried Just and Martin Weese**, Discovering modern set theory. I: The basics, 1996
- 7 **Gerald J. Janusz**, Algebraic number fields, second edition, 1996
- 6 **Jens Carsten Jantzen**, Lectures on quantum groups, 1996
- 5 **Rick Miranda**, Algebraic curves and Riemann surfaces, 1995
- 4 **Russell A. Gordon**, The integrals of Lebesgue, Denjoy, Perron, and Henstock, 1994
- 3 **William W. Adams and Philippe Loustau**, An introduction to Gröbner bases, 1994
- 2 **Jack Graver, Brigitte Servatius, and Herman Servatius**, Combinatorial rigidity, 1993
- 1 **Ethan Akin**, The general topology of dynamical systems, 1993

This page intentionally left blank

A Modern Theory of Integration

Robert G. Bartle

*University of Illinois, Urbana-Champaign
Eastern Michigan University, Ypsilanti*

Graduate Studies
in Mathematics

Volume 32



American Mathematical Society
Providence, Rhode Island

Editorial Board

James Humphreys (Chair)
David Saltman
David Sattinger
Ronald Stern

2000 *Mathematics Subject Classification*. Primary 26–01;
Secondary 26A39, 26A42, 28–01.

ABSTRACT. This book gives an introduction to integration theory via the “generalized Riemann integral” due to Henstock and Kurzweil. The class of integrable functions coincides with those of Denjoy and Perron and includes all conditionally convergent improper integrals as well as the Lebesgue integrable functions. Using this general integral the author gives a full treatment of the Lebesgue integral on the line.

The book is designed for students of mathematics and of the natural sciences and economics. An understanding of elementary real analysis is assumed, but no familiarity with topology or measure theory is needed. The author provides many examples and a large collection of exercises—many with solutions.

Library of Congress Cataloging-in-Publication Data

Bartle, Robert Gardner, 1927–

A modern theory of integration / Robert G. Bartle.

p. cm. — (Graduate studies in mathematics ; v. 32)

Includes bibliographical references and indexes.

ISBN 0-8218-0845-1 (alk. paper)

1. Integrals. I. Title. II. Series.

QA312 .B32 2001
515'.42—dc21

00-065063

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy a chapter for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for such permission should be addressed to the Assistant to the Publisher, American Mathematical Society, P. O. Box 6248, Providence, Rhode Island 02940-6248. Requests can also be made by e-mail to reprint-permission@ams.org.

© 2001 by the American Mathematical Society. All rights reserved.

The American Mathematical Society retains all rights
except those granted to the United States Government.

Printed in the United States of America.

∞ The paper used in this book is acid-free and falls within the guidelines
established to ensure permanence and durability.

Visit the AMS home page at URL: <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 1 06 05 04 03 02 01

Contents

Preface	ix
Part 1. Integration on compact intervals	1
1. Gauges and integrals	3
2. Some examples	23
3. Basic properties of the integral	41
4. The Fundamental Theorems of Calculus	55
5. The Saks-Henstock lemma	75
6. Measurable functions	89
7. Absolute integrability	101
8. Convergence theorems	115
9. Integrability and mean convergence	135
10. Measure, measurability and multipliers	151
11. Modes of convergence	171
12. Applications to calculus	187
13. Substitution theorems	209
14. Absolute continuity	229
Part 2. Integration on infinite intervals	247
15. Introduction to Part 2	249
16. Infinite intervals	255
17. Further re-examination	275

18. Measurable sets	299
19. Measurable functions	323
20. Sequences of functions	347
Appendixes	
A Limits superior and inferior	365
B Unbounded sets and sequences	371
C The arctangent lemma	373
D Outer measure	375
E Lebesgue's differentiation theorem	379
F Vector spaces	383
G Semimetric spaces	387
H The Riemann-Stieltjes integral	391
I Normed linear spaces	401
Some partial solutions	413
References	443
Index	449
Symbol Index	457

Preface

It is hardly possible to overemphasize the importance of the theory of integration to mathematical analysis; indeed, it is one of the twin pillars on which analysis is built. Granting that, it is surprising that new developments continue to arise in this theory, which was originated by the great Newton and Leibniz over three centuries ago, made rigorous by Riemann in the middle of the nineteenth century, and extended by Lebesgue at the beginning of the twentieth century.

The purpose of this monograph is to present an exposition of a relatively new theory of the integral (variously called the “generalized Riemann integral”, the “gauge integral”, the “Henstock-Kurzweil integral”, etc.) that corrects the defects in the classical Riemann theory and both simplifies and extends the Lebesgue theory of integration. Not wishing to tell only the easy part of the story, we give here a complete exposition of a theory of integration, initiated around 1960 by Jaroslav Kurzweil and Ralph Henstock. Although much of this theory is at the level of an undergraduate course in real analysis, we are aware that some of the more subtle aspects go slightly beyond that level. Hence this monograph is probably most suitable as a text in a first-year graduate course, although much of it can be readily mastered by less advanced students, or a teacher may simply skip over certain proofs.

The principal defects in the Riemann integral are several. The most serious one is that the class of Riemann integrable functions is too small. Even in calculus courses, one needs to extend the integral by defining “improper integrals”, either because the integrand has a singularity, or because the interval of integration is infinite. In addition, by taking pointwise limits of Riemann integrable functions, one quickly encounters functions that are no

longer Riemann integrable. Even when one requires uniform convergence, there are problems on infinite intervals.

Other difficulties center around the Fundamental Theorem(s) of Calculus. The Newton-Leibniz formula that we learn in calculus is that

$$\int_a^x f(t) dt = F(x) - F(a) \quad \text{for all } x \in [a, b],$$

when f and F are related by the formula $F'(x) = f(x)$ for all $x \in [a, b]$; that is, when F is a *primitive* (or *antiderivative*) of f on $[a, b]$. Unfortunately, this “theorem” is not always valid; or at least, it requires further hypotheses to be satisfied. The first disappointment a student encounters is that not every Riemann integrable function has a primitive — not only that he or she can’t find one, but that such a primitive may not exist. The second potential disappointment (often not learned), is that even when a function has a primitive on $[a, b]$, the function may not be Riemann integrable. Thus, not only is the derivative of the integral not always the function in the integrand (which is perhaps not such a surprise if integration is to be a “smoothing process”), but the integral of the derivative does not always exist.

Towards the end of the nineteenth century, many mathematicians attempted to remedy some of these defects. The most successful was Henri Lebesgue, whose theory enabled one to remove the restriction that the integrand be bounded and the interval be compact. In addition his theory enlarged the class of integrable functions, and gave more satisfactory conditions under which one could take limits, or differentiate under the integral sign.

Unfortunately, Lebesgue’s theory did little to simplify the Fundamental Theorem. Spurred by the desire to get an integral in which every derivative was integrable, in the early part of the twentieth century Arnaud Denjoy and Oskar Perron developed integrals that solved this problem — in two very different ways. Surprisingly, their integrals turned out to be equivalent! Moreover, the Denjoy-Perron integrable functions also include conditionally convergent integrals, such as the important Dirichlet integral

$$\int_0^\infty \frac{\sin x}{x} dx,$$

that are not included in the Lebesgue theory.

However, there is a price that had to be paid even for the Lebesgue integral: one must first construct a rather considerable theory of measure of sets in \mathbb{R} . Consequently, it has long been thought that an adequate theory of

integration is necessarily based on notions that are beyond the undergraduate level of real analysis. (The demands imposed by the Denjoy or Perron theories are considerably greater!) However, Kurzweil and Henstock's integral, which is equivalent to the Denjoy-Perron integral, has a definition that is a slight modification of the definition of the classical Riemann integral. This new integral, which is still not well known, often comes as a surprise to mathematicians whose work is based on the Lebesgue theory.

One of the virtues of the presentation here is that *no measure theory* and virtually *no topology* is required. While some familiarity with the Riemann theory is anticipated as a background, we do not require a mastery of that theory. The only prerequisites are that the reader have good understanding of ε - δ arguments common in a first serious course in real analysis — at the level of the book by the author and D. R. Sherbert [B-S], for example. It will be seen that, by modifying very slightly the definition of the Riemann integral, one obtains an integral that (1) integrates all functions that have primitives, (2) integrates all Riemann integrable functions, (3) integrates all Lebesgue integrable functions, (4) integrates (without further limiting processes) all functions that can be obtained as “improper integrals”, and (5) integrates all Denjoy-Perron integrable functions. In addition, this integral has theorems that generalize the Monotone Convergence Theorem and the Dominated Convergence Theorems associated with the Lebesgue integral; thus, it possesses satisfactory convergence theorems.

Although the author has long been familiar with the Riemann and Lebesgue integrals, he has become acquainted only recently with the theory presented here by reading the (relatively) few expositions of it. Most notable of these are: the monograph of McLeod [McL], the relevant chapters in the book of DePree and Swartz [DP-S], the booklets of Henstock [H-5] and P.-Y. Lee [Le-1] and the treatise of Mawhin [M]. In addition, some research articles have been found to be useful to the author. Since work on this monograph was started, the books of Gordon [G], Pfeffer [P], Schechter [Sch] and Lee and Výborný [L-V] have been published; we strongly recommend these books. The author makes few claims for originality, and will be satisfied if this monograph is successful in helping to make this theory better known to the mathematical world.

* * *

In answer to questions about the title of the book, we chose the word “modern” to suggest that we think the theory given here is appropriate for present-day students who will need to combine important concepts from the past with their new ideas. It is not likely that these students will be able to make significant progress in analysis by successive abstraction or further

axiomatization. It is our opinion that a student who thinks of the integral only as a linear functional on a class of functions, but who doesn't know what AC and BV mean has been deprived of fundamental tools from the past. We also think that those whose integration theory does not include the Dirichlet integral are doomed to miss some of the most interesting parts of analysis.

* * *

A few words about the structure of this book are in order. We have chosen to develop rather fully the theory of the integral of functions defined on a compact interval in Part 1, since we think that is the case of greatest interest to the student. In addition, this case does not exhibit some of the technical problems that, in our opinion, only distract and impede the understanding of the reader. In Part 2, we show that this theory can be extended to functions defined on all of the real line. We then develop the theory of Lebesgue measure from the integral, and we make a connection with some of the traditional approaches to the Lebesgue integral.

We believe that the generalized Riemann integral provides a good background for integration theory, since the class of integrable functions is so inclusive. However, there is no doubt that the collection of Lebesgue integrable (i.e., absolutely integrable) functions remains of central importance for many applications. Therefore, we have taken pains to ensure that this class of functions is thoroughly discussed. We have developed the theory sufficiently far that, after reading this book, a reader should be able to continue a study of some of the more specialized (or more general) aspects of the theory of integration, or the applications of the integral to other parts of mathematical analysis.

* * *

Since we believe that one learns best by doing, we have included a large collection of exercises; some are very easy and some are rather demanding. Partial solutions of almost one-third of these exercises are given in the back of the book. A pamphlet, designed for instructors, with partial solutions of all of the exercises can be obtained from the publisher.

In preparing this manuscript, we have obtained useful suggestions from a number of people; we wish to thank Professors Nicolae Dinculeanu, Ivan Dobrakov, Donald R. Sherbert and, especially, Eric Schechter. Two groups of students at Eastern Michigan University worked through the early stages of the initial material and made useful suggestions.

We also wish to thank the staff of the American Mathematical Society for their admirable patience in awaiting the completion of the manuscript and for expeditiously turning it into a published book.

* * *

A number of people helped us to obtain photographs and permissions for use here. We wish to thank Dr. Patrick Muldowney of the University of Ulster for permission to use his photograph (taken in August 1988) of Professors Henstock and Kurzweil, Professor Bernd Wegner and Herr H. J. Becker of the University Library in Göttingen for the portrait of Riemann, Dr. D. J. H. Garling and Ms. Susan M. Oakes of the London Mathematical Society for the photograph of Lebesgue, Professor Jean-Pierre Kahane and M. Cl. Pouret of the Academy of Sciences in Paris for the photograph of Denjoy, and Professor Jürgen Batt and Frau Irmgard Hellerbrand for her photograph of her grandfather, Otto Perron.

September 14, 2000
Urbana and Ypsilanti

Robert G. Bartle

THE GREEK ALPHABET

A	α	Alpha	N	ν	Nu
B	β	Beta	Ξ	ξ	Xi
Γ	γ	Gamma	O	o	Omicron
Δ	δ	Delta	Π	π	Pi
E	ε	Epsilon	P	ρ	Rho
Z	ζ	Zeta	Σ	σ	Sigma
H	η	Eta	T	τ	Tau
Θ	θ, ϑ	Theta	Υ	υ	Upsilon
I	ι	Iota	Φ	φ	Phi
K	κ	Kappa	X	χ	Chi
Λ	λ	Lambda	Ψ	ψ	Psi
M	μ	Mu	Ω	ω	Omega

References

- [A-B] Asplund, Edgar, and Lutz Bungart, *A first course in integration*, Holt, Rinehart and Winston, New York, 1966.
- [B-1] Bartle, Robert G., *The elements of integration and Lebesgue measure*, Wiley Classics Library, John Wiley & Sons Inc., New York, 1995.
- [B-2] ———, *The elements of real analysis*, Second Edition, John Wiley & Sons Inc., New York, 1974.
- [B-3] ———, *An extension of Egorov's theorem*, Amer. Math. Monthly **87** (1980), no. 8, 628–633.
- [B-4] ———, *A convergence theorem for generalized Riemann integrals*, Real Analysis Exchange **20** (1994-95), no. 1, 119–124.
- [B-5] ———, *Return to the Riemann integral*, Amer. Math. Monthly **103** (1996), no. 8, 625–632.
- [B-6] ———, *The concept of 'negligible variation'*, Real Analysis Exchange **23** (1997-98), no. 1, 47–48.
- [B-J] ——— and James T. Joichi, *The preservation of convergence of measurable functions under composition*, Proc. Amer. Math. Soc. **12** (1961), 122–126.
- [B-S] ——— and Donald R. Sherbert, *Introduction to real analysis*, Third edition, John Wiley & Sons Inc., New York, 2000.

- [Br-1] Bruckner, Andrew M., *Differentiation of integrals*, Slaughter Memorial Paper, no. 12, Math. Assn. America, Washington, 1971. Supplement to Amer. Math. Monthly **78** (1971), no. 9.
- [Br-2] ———, *Differentiation of real functions*, CRM Monograph Series, no. 4, American Mathematical Society, Providence, 1994.
- [BBT] Bruckner, Andrew M., Judith B. Bruckner and Brian M. Thomson, *Real analysis*, Prentice-Hall, Upper Saddle River, NJ, 1997.
- [C-D] Čelidze, V. G. and A. G. Džvaršeišvili, *The theory of the Denjoy integral and some applications*, English translation by P. S. Bullen, World Scientific Pub. Co., Singapore, 1989.
- [D-1] Denjoy, Arnaud, *Une extension de l'intégrale de M. Lebesgue*, C. R. Acad. Sci. Paris **154** (1912), 859–862.
- [DP-S] DePree, John D., and Charles W. Swartz, *Introduction to analysis*, John Wiley & Sons Inc., New York, 1988.
- [Dd] Dudley, Richard M., *Real analysis and probability*, Wadsworth & Brooks/Cole, Pacific Grove, CA, 1989.
- [D-S] Dunford, Nelson, and Jacob T. Schwartz, *Linear operators, Part I*, Interscience Pub., Inc., New York, 1958.
- [Fo-1] Foran, James, *Fundamentals of real analysis*, Marcel Dekker, New York, 1991.
- [G-1] Gordon, Russell A., *Another look at a convergence theorem for the Henstock integral*, Real Analysis Exchange **15** (1989-1990), no. 2, 724–728.
- [G-2] ———, *A general convergence theorem for non-absolute integrals*, J. London Math. Soc. (2) **44** (1991), 301–309.
- [G-3] ———, *The integrals of Lebesgue, Denjoy, Perron, and Henstock*, Graduate Studies in Math., vol. 4, American Math. Soc., Providence, 1994.
- [G-3] ———, *An iterated limits theorem applied to the Henstock integral*, Real Analysis Exchange **21** (1995-96), no. 2, 774–781.
- [G-4] ———, *The use of tagged partitions in elementary analysis*, Amer. Math. Monthly **105** (1998), no.2, 107–117 and 886.

- [Ha] Hake, Heinrich, *Über de la Vallée Poussins Ober- und Unterfunktionen einfacher Integrale und die Integraldefinitionen von Perron*, Math. Annalen **83** (1921), 119–142.
- [Hl] Halmos, Paul R., *Measure theory*, D. Van Nostrand, New York, 1950; Second edition, Springer-Verlag, New York, 1988.
- [Hw-1] Hawkins, Thomas, *Lebesgue's theory of integration, its origins and development*, University of Wisconsin Press, Madison, 1970. Reprinted by Amer. Math. Soc., Chelsea Series, 1998.
- [H-1] Henstock, Ralph, *The efficiency of convergence factors for functions of a continuous real variable*, J. London Math. Soc. **30** (1955), 273–286.
- [H-2] ———, *Definitions of Riemann type of the variational integrals*, Proc. London Math. Soc. (**3**)**11** (1961), 402–418.
- [H-3] ———, *Theory of integration*, Butterworths, London, 1963.
- [H-4] ———, *A Riemann-type integral of Lebesgue power*, Canadian J. Math. **20** (1968), 79–87.
- [H-5] ———, *Lectures on the theory of integration*, World Scientific Pub. Co., Singapore, 1988.
- [H-6] ———, *The general theory of integration*, Clarendon Press, Oxford University Press, New York, 1991.
- [He-St] Hewitt, Edwin, and Karl Stromberg, *Real and abstract analysis*, Springer-Verlag, New York, 1965.
- [Hb-1] Hobson, E. W., *The theory of functions of a real variable*, Volume 1, Third edition, Cambridge University Press, 1927. Reprint, Dover Pub. Inc., New York, 1957.
- [Hb-2] Hobson, E. W., *The theory of functions of a real variable*, Volume 2, Second edition, Cambridge University Press, 1926. Reprint, Dover Pub. Inc., New York, 1957.
- [K-1] Kurzweil, Jaroslav, *Generalized ordinary differential equations and continuous dependence on a parameter*, Czechoslovak Math. J. **7(82)** (1957), 418–446.
- [K-2] ———, *Nichtabsolut konvergente Integrale*, Teubner-Texte, Band 26, Teubner Verlag, Leipzig, 1980.

- [K-3] ———, *Appendix*, in Konrad Jacob's book *Measure and integral*, Academic Press, New York, 1978.
- [K-4] ———, *On multiplication of Perron-integrable functions*, Czechoslovak Math. J. **23(98)** (1973), 542–566.
- [K-5] ———, *Henstock-Kurzweil integration: Its relation to topological vector spaces*, World Scientific Pub. Co., Singapore, 2000.
- [K-*] (By J. Jarník, Š. Schwabik, M. Tvrdý and I. Vrkoč) *Sixty years of Jaroslav Kurzweil*, Czech. Math. J. **36 (111)** (1986), 147–166.
- [L-1] Lebesgue, Henri, *Intégrale, longueur, aire*, Annali Mat. Pura Appl. **7** (3) (1902), 231–359. Reprint, Chelsea Pub. Co., New York, 1973.
- [L-2] ———, *Leçons sur l'intégration et la recherche des fonctions primitives*, Gauthiers-Villars, Paris, 1904; 2nd ed., 1928. Reprinted by Amer. Math. Soc., Chelsea Series, no. 267.
- [Le-1] Lee Peng-Yee, *Lanzhou lectures on Henstock integration*, World Scientific Pub. Co., Singapore, 1989.
- [Le-2] ———, *On ACG* functions*, Real Analysis Exchange **15** (1989-90), no. 2, 754–759.
- [L-V] Lee Peng-Yee and Rudolf Výborný, *The integral. An easy approach after Kurzweil and Henstock*, Cambridge University Press, Cambridge, 2000.
- [M-1] Mawhin, Jean, *Analyse. Fondements, techniques, évolution*, De Boeck Université, Brussels, 1992. Second edition, 1997.
- [McL] McLeod, Robert M., *The generalized Riemann integral*, Carus Monograph, No. 20, Mathematical Association of America, Washington, 1980.
- [McS-1] McShane, Edward J., *A Riemann-type integral that includes Lebesgue-Stieltjes, Bochner and stochastic integrals*, Memoirs Amer. Math. Soc., Number 88 (1969).
- [McS-2] ———, *A unified theory of integration*, Amer. Math. Monthly **80** (1973), no. 4, 349–359.
- [McS-3] ———, *Unified integration*, Academic Press, Inc., Orlando, FL, 1983.
- [N-1] Natanson, I. P., *Theory of functions of a real variable*, English translation (by Leo F. Boron), Volume 1, F. Ungar Pub. Co., New York, 1955. Fourth printing, 1974.

- [Ni] Nielsen, Ole A., *An introduction to integration and measure theory*, Canadian Math. Soc., John Wiley & Sons, New York, 1997.
- [Pe-1] Perron, Oskar, *Über den Integralbegriff*, Sitzber. Heidelberg Akad. Wiss., Math.-Naturw. Klasse Abt. A **16** (1914), 1–16.
- [Ps-1] Pesin, Ivan N., *Classical and modern integration theories*, English transl., Academic Press, New York, 1970.
- [P-1] Pfeffer, Washek F., *The Riemann approach to integration: Local geometric theory*, Cambridge Univ. Press, Cambridge, 1993.
- [Ph-1] Phillips, Esther R., *An introduction to analysis and integration theory*, Revised edition, Dover Pub. Inc., New York, 1984.
- [R] Riemann, Bernhard, *Über die Darstellbarkeit einer Funktion durch eine trigonometrische Reihe*, Read in 1854, published in 1867. Republished in Riemann's *Gesammelte Math. Werke*, 1892, pp. 227–271. Reprint, Dover Pub. Inc., New York, 1953.
- [S-1] Saks, Stanisław, *Sur les fonctions d'intervalle*, Fundamenta Math. **10** (1927), 211–224.
- [S-2] ———, *Theory of the integral*, 2nd English edition, Warsaw, 1937. Reprint, Dover Pub. Co., New York, 1964.
- [Sr] Sargent, W. L. C., *On the integrability of a product*, J. London Math. Soc. **23** (1948), 28–34.
- [Sch] Schechter, Eric, *Handbook of analysis and its foundations*, Academic Press, San Diego, 1997. (See also CD-ROM Version 1.)
- [Schw] Schwabik, Štefan, *Generalized ordinary differential equations*, World Scientific Pub. Co., Singapore, 1992.
- [S-V] Serrin, James B., and Dale E. Varberg, *A general chain rule for derivatives and the change of variables formula for the Lebesgue integral*, Amer. Math. Monthly **76** (1969), 514–520.
- [St] Stromberg, Karl R., *An introduction to classical real analysis*, Wadsworth Inc., Belmont, CA, 1981.
- [T-1] Talvila, Erik, *Limits and Henstock integrals of products*, Real Analysis Exchange **25** (1999-2000), no. 2, 907–918.
- [T-2] ———, *The Riemann-Lebesgue lemma and some divergent integrals*, (to appear).

- [V] Výborný, Rudolf, *Some applications of Kurzweil-Henstock integration*, Math. Bohemica **118** (1993), no. 4, 425–441.
- [Wa] Wang Pujie, *Equi-integrability and controlled convergence for the Henstock integral*, Real Analysis Exchange **19** (1993-94), no. 1, 236–241.
- [W-Z] Wheeden, Richard L., and Antoni Zygmund, *Measure and integral*, Marcel Dekker, Inc., New York, 1977.
- [X-L] Xu Dongfu, and Lu Shipan, *Henstock integrals and Lusin's condition (N)*, Real Analysis Exchange **15** (1987-88), no. 2, 451–453.
- [Z] Zygmund, Antoni, *Trigonometrical series*, Monografie Matematyczne, Warsaw, 1935. Reprint, Dover Pub. Inc., New York, 1955.

Index

- a-primitive, of a function, 56, 276
- a.e., almost everywhere, 30
- Abel, Niels H., 269
 - summation formula, 168
 - Test, for integrals, 269
 - Test, for series, 168
- Absolute continuity, of indefinite integrals, 161, 336, 356
 - of a charge or measure, 340
 - for a function, 231, 295, 402, 409
 - uniform, 178, 246, 356
- Absolute integrability, characterization of, 104, 281
 - comparison test for, 107
 - of a function, 37, Section 7 (esp. 101), 258
- Absolutely convergent series,
 - space of, 147, 166
- AC_δ, ACG_δ function, 243
- Additivity, of the integral over intervals, 44
 - of the measure function, 302
- Algebra, of sets, 318
- Almost everywhere, definition, 30
- Almost uniform,
 - Cauchy sequence, 172, 347
 - convergence, 171, 347
- Antiderivative, of a function, 56
- Approximation Theorem, for sets, 312–315
- Arcsine function, 71
- Arctangent function, 71
 - Lemma, 373
- Arzelà, Cesare, 116
- Arzelà-Young Theorem, 165
- Ascoli, Giulio, 7
- Baire, René, 320
 - Category Theorem, 320
- Ball, closed, 4
 - open, 4
- Banach, Stefan, 239, 407
- Banach-Zarecki Theorem, 239
- Base point, of an indefinite integral, 56, 276
- Beta function, 95, 222
- Bielawski, Marie, 217
- Bonnet Mean Value Theorem, 194, 204
- Borel sets, 311
- Borel-Cantelli Lemma, 156, 306, 362
- Botsko, Michael W., 163
- Bounded interval, 4
 - sequences, space of, 146
 - variation, function, 103, 294, 402, 408
 - sequences, 166
- c-primitive, of a function, 56, 63 ff., 276
- c.e., countably many exceptions, 30

- Cantelli Lemma, 156, 306, 362
 Cantor set, 64 ff.
 Cantor-Lebesgue function, 65 ff., 86, 230
 Category Theorem, of Baire, 320
 Cauchy Criterion, 43, 267, 389, 392
 dominating function, 350
 in mean, 139, 353
 in measure, 174, 352
 tail, 359
 Cauchy-Bunyakovskiĭ-Schwarz Inequality, 148
 Change of variable theorems, Section 13 (241–242), 291 ff.
 Characteristic function of a set, 97, 299
 Characterization, of absolute integrability, 104, 233
 for indefinite integrals, 83 ff.
 of measurability of functions, 156, 324
 of null functions, 82, 279, 313
 Charge, on a measure space, 338
 Chartier-Dirichlet Test, 269
 Chebyshev Inequality, 166
 Closed ball, 4
 interval, 4
 neighborhood, 3
 Compact sets, approximation by, 315
 properties, 308
 Compactification of \mathbb{R} , 255
 Comparison Test, for absolute integrability, 107, 282
 Complement, relative, 3, 303
 Completeness, in $\mathcal{L}(I)$, 142, 287
 of $\mathcal{M}(I)$ under semimetric, 183, 184
 in certain seminormed spaces, 407 ff.
 Complex-valued functions, 21, 39, 54, 73, 87, 113, 134
 Condition (N), of Luzin, 238
 Conditional integrability, of a function, 101
 Congugate pairs, 405
 Consistency Theorem, 14
 Continuity, at infinity, 276
 of the indefinite integral, 78
 with a parameter, 199
 Continuous functions, integrability of, 50
 Controlled convergence, 129
 Convergence in mean, 124, 139, 177 ff., 284, 353 ff.
 in measure, 174, 352
 in probability, 174
 Convergent series, space of, 168
 Countable additivity of the measure, 154, 303 ff.
 subadditivity of the measure, 154, 303 ff.
 Counting measure, 337
 Cousin, Pierre, 11, 257
 Theorem of, 11, 19
 Covering, dyadic, 311
 Vitali, 79, 377
 Darboux, Gaston, 7
 Decreasing sequence of functions, 119
 Degenerate interval, 4
 (δ, E) -fine subpartition, 76, 83
 δ -fine partition, 9
 partition, existence of, 11
 subpartition, 76
 δ -ring, of sets, 317
 Denjoy, Arnaud, 15, 58, 74, 242, 243
 Density, of continuous functions in $\mathcal{L}(I)$, 144, 287
 of step functions in $\mathcal{L}(I)$, 143, 287
 Derived number, 379
 Descriptive characterization, 233
 Devil's staircase, 65
 Diagrams for convergence, 177, 354, 355
 Difference set, 321
 Differentiation, of indefinite integrals, 61 ff.
 Lebesgue's Theorem, 229, 381
 Theorem for $\mathcal{R}^*(I)$, 80, 278
 with a parameter, 199
 Dirac measure, 337
 Direct image, 325
 Dirichlet, Peter G. L., 29
 function, 15, 29, 68, 71
 Test for integrals, 269
 Test for series, 168

- Disjoint intervals, 3
- Distance, between numbers, 3
between a point and a set, 3
- Division (= partition), of an interval, 4
- Dominated Convergence Theorems, 123, 133, 148, 177, 284, 354
- Dominating function, 350
- Du Bois-Reymond, Paul, 270
- Dyadic Covering Lemma, 311
- Egorov (= Egoroff), Dmitriï Fedorovich, 172, 347 ff.
Theorem, 172, 289, 354
- Empty tail, property, 349, 359
- Endpoint, of an interval, 4
- Equi-integrability Theorem, 125, 284
- Equicontinuity, of a family of functions, 133–134
- Equifinite family of functions, 356
- Equivalence Theorem, 13
classes, 140
- Essentially bounded function, 167, 406
- Exceptional set, 30, 56, 276
- Extended real number system, 255
- f -primitive, of a function, 56, 276
- F_σ -set, 310
- f.e., finitely many exceptions, 30
- Fatou, Pierre, 121
Lemma, 122, 132, 147, 183, 284
- Fineness Theorem, 11, 19, 257
- Finite measure space, 337
tail property, 349, 360
- Fischer, Ernst, 142
- Fleissner, Richard J., 163
- Full subpartition, 250
- Function, \mathcal{A} -measurable, 328 ff.
 \mathcal{A} -simple, 328
absolutely continuous, 231, 344–345, 402, 409
absolutely integrable, 37, 101, 403
antiderivative of, 56
arcsine, 71
arctangent, 71
beta, 95
Borel measurable, 328
bounded variation, 103, 281, 294, 402, 408
Cantor-Lebesgue, 65 ff., 86
characteristic, 97, 299
complex-valued, 21, 39, 54, 73, 87, 113, 134
conditionally integrable, 101
Dirichlet, 15, 29, 68, 71
essentially bounded, 167, 406, 411
generated by a series, 33
greatest integer, 73
indefinite integral, 334 ff.
indicator, 299
maximum, 91
measurable, Section 6, 280, Section 19
middle, 91
minimum, 91
negative part, 91
nonabsolutely integrable, 33 ff., 101
null, 30
oscillation of, 244, 246, 340
positive part, 91
primitive of, 56, 276
regulated, 48
semicontinuous, 343
signum, 57, 70
simple, 158, 328
singular, 65, 235
square integrable, 148
step, 26 ff., 48, 279, 323
Thomae, 29, 71
translate of, 51
- Fundamental Theorems, for integrals, Section 4 (esp. 58–63), 272, 277
- G_δ -set, 310
- Gauge, on an interval, 8, 250 ff., 256
- Generalized Riemann Integral, 12 ff., Section 15, 258
- Gordon, Russell A., 125, 127, 161, 236, 243, 284
- Hake, Heinrich, 195, 265
Theorem, 128, 195 ff., 264 ff.
- Harnack, Axel, 231

- Henstock, Ralph, 2, 7
 Lemma (see Saks-Henstock), Section 5
- Hilbert, David, 406
 space, 406
- Hölder, Otto, 404
 Inequality, 404
- Identification of equivalent functions, 140
- Image, direct, 325
 inverse, 325
- Improper integrals, 195 ff., 259, 264
- Increasing sequences of functions, 119
 Sequence Theorem, 137, 286
- Indefinite integral, as a set function, 334 ff.
 base point of, 56, 276
 characterization of, 84 ff.
 of a function, 56, 159, 276
- Inequality,
 Cauchy-Bunyakovskiï-Schwarz, 148
 Chebyshev, 166
 Minkowski, 405
 Schwarz, 148
- Inner measure, 375
- Integrability, of continuous functions, 50
 of measurable functions, 94
 of monotone functions, 50
 of regulated functions, 48
 of step functions, 48
 Theorem, 135, 286
 uniform, 178
- Integrable function, measurability of, 94
 set, 97, 300
- Integral, generalized Riemann, 12 ff., Section 15, 258 ff.
 improper, 195 ff., 259, 264
 Lebesgue, 16, 258
 Lebesgue-Stieltjes, 398
 McShane, 17
 on a measure space, 339
 properties of, Section 3, 41 ff.
 refinement Riemann-Stieltjes, 398
 Riemann, definition of, 12
 Riemann-Stieltjes, 161, Appendix H
 upper and lower, 7
- Integration, with a parameter, 198 ff., 291
 of derivatives, 58 ff.
 by parts, 67, 187–192, 240, 290, 394
 with a parameter, 198 ff.
- Integrator function, 392
- Interior point, of a set, 319
- Interval, bounded, 4
 closed, 4, 256
 compact, 4
 infinite, 256
 length of, 5
 nonoverlapping, 4
 open, 4, 256
 unbounded, 249, 256
- Interval gauge, 20, 217
- Invariance Theorem, 51, 315
- Inverse image, 325
- Jordan, Camille, 104
 Theorem for BV, 104, 111
- Kurzweil, Jaroslav, 2, 7, 124, 410
- Lebesgue, Henri, 16, 40
 Decomposition Theorem for BV, 237, 297
 Differentiation Theorem, 229, 294, 381
 Dominated Convergence Theorem, 123, 133, 177, 284, 354
 measure, Sections 10 and 18
- Lebesgue-Stieltjes measure, 338
 integral, 398
- Leibniz, Theorem of, 201
- Length, of an interval, 5
- Levi, Beppo, 118
 Theorem, 118, 138, 287
- Lieb, Elliott, 147
- Limit, of a sequence of sets, 155
 Theorem, with a parameter, 198
- Limit inferior,
 of a sequence of reals, 366, 372
 of a sequence of sets, 154
- Limit superior,
 of a function at a point, 343

- of a sequence of reals, 366, 372
- of a sequence of sets, 154
- Linearity, of the integral, 41, 53
- Local absolute continuity, 295
 - bounded variation, 294
- Lu Shipan, 240
- Luzin (= Lebesgue), Nikolai Nikolaevich, 173, 238, 289, 333
- M*-convergent sequence, 361
- Maximum, of functions, 91
- McLeod, Robert M., 127, 217
- McShane, Edward J., 16
- Mean Cauchy sequence, 142, 353
 - convergence, 124, 139, 177 ff., 284, 353 ff.
- Mean Value Theorem, for integrals, 54, 193–195, 204, 290
 - Bonnet, 194, 204, 291
 - for Riemann-Stieltjes integral, 395
- Measurable function, Sections 6 and 19, 280
 - function, integrability of, 94
 - space, 327
 - Limit Theorem, 136, 286
- Measurable-Closed Set Theorem, 314
- Measurable-Open Set Theorem, 313
- Measurability, general notion of, 327
 - of integrable functions, 94
- Measure, convergence in, 174 ff., 352 ff.
 - counting, 337
 - Dirac, 337
 - inner, 375
 - Lebesgue, Sections 10 and 18
 - Lebesgue-Stieltjes, 338
 - of a set, 97, 151 ff., 300 ff.
 - on a σ -algebra, 337, 358 ff.
 - outer, 375
 - properties of, 152 ff., 358 ff.
 - space, 337
 - zero, 30
- Metric, function, 387
 - space, 387
- Minkowski, Hermann, 405
 - Inequality, 405
- Minimum, of functions, 91
- Monotone Convergence Theorem, 119, 282 ff.
 - functions, integrability of, 50
 - property of a measure, 152–154, 302
- Monotonicity, of the integral, 43
- Multiplier Theorem, 95, 161, 288
- Munroe, M. Evans, 176
- Nearly uniformly bounded, 183
- Negative part, 91
- Negligible variation, 83
- Newton-Leibniz formula, 55
- Nikodym, Otton M., 340
- Nonabsolutely integrable function, 33 ff.
- Non-Borel set, 311, 342
- Nondegenerate interval, 4
- Nonoverlapping intervals, 4
- Nonmeasurable set, 316, 321
- Norm, 139, 401 ff.
- Nowhere dense set, 320
- Null set, 30, 306, 313
 - function, 30, 32–33, 82, 278
- Open ball, 4
 - interval, 4
 - neighborhood, 4
 - set, 307
- Oscillation of a function, at a point, 245, 340
 - on a set, 243
- Osgood, William Fogg, 320
- Outer, measure, 375
- Parameters in integrands, 198–203
- Partial integration, 67, 185 ff., 240
- Partition, δ -fine, 9
 - of an interval, 4
 - subordinate to a gauge, 9
 - subpartition, 7
 - tagged, 5
- Perron, Oskar, 15, 58, 88, 195, 242, 243, 265
- Positive part, 91
- Positivity of the integral, 42
- Primitive of a function, 56, 276
- Probability, convergence in, 174
- Procedure, right-left, 6
- Radius, of a ball, 4

- of a neighborhood, 4
- Radon, Johann, 340
- Radon-Nikodým Theorem, 340
- Regulated function, 48, 63
 - integrability of, 48
 - characterization of, 49
- Relativization Theorem, 159
- Restriction, of the integral to intervals, 46
- Riemann, Bernhard, 15, 22
 - integral, definition of, 12
 - sum, 6
- Riemann-Lebesgue Lemma, 144, 192, 287
- Riemann-Stieltjes integral, 161, 193, Appendix H
- Riesz, Frigyes (= Frédéric), 142
 - Representation Theorem, 340, 391
 - spaces, 403 ff.
 - Subsequence Theorem, 143, 175, 352
- Riesz-Fischer Theorem, 142
- Right-left procedure, 6
- Ring, of sets, 317
- Saks-Henstock Lemma, Section 5 (esp. 76–78)
- Sargent, W. L. C., 163
- Schwarz Inequality, 148
- Semicontinuous function, 343
- Semimetric space, 387 ff.
 - on \mathcal{M} , 183, 184
- Seminorm, 139, 353, 401 ff.
- Series, generating a function, 33
- Serrin, James B., 240
- Set(s), algebra of, 318
 - Borel, 311
 - Cantor, 64 ff., 309 ff.
 - closed, 308
 - compact, 308
 - difference, 321
 - exceptional, 30, 276
 - F_σ , 310
 - G_δ , 310
 - integrable, in I , 97
 - measure of, in I , 97
 - measure zero, 30, 313
 - non-Borel, 342
 - nonmeasurable, 316, 321
 - null, 30, 313
 - open, 307
 - ring of, 317
- σ -algebra, of sets, 310, 318
- σ -finite measure, 337
- Signum function, 57, 70
- Simple function, on I , 158
- Singular function, 235
- Smith, Henry J. S., 7, 64
- Spaces of functions, Appendix I
- Square integrable function, 148
- Squeeze Theorem, 47
- Staircase, Devil's, 65
- Steinhaus Theorem, 321
- Step function, 26, 48, 279, 323
- Stieltjes, Thomas J., 391
 - integrals, Appendix H
- Straddle Lemma, 57, 219
- Subadditivity, of a measure, 154, 302 ff.
- Subpartition, of an interval, 7, 76
 - full, 250
- Substitution theorems, Section 13, 240–242, 291–294
- Subtractive property of a measure, 302, 337
- Sum, Riemann, 6
- Supremum, essential, 167
- Symmetric difference of two sets, 165, 315
- Tag, of an interval, 5
- Tagged partition, 5
 - subpartition, 7, 76
- Tail, of a sequence of functions, 348
- Tchebycheff (see Chebyshev)
- Thomae, Karl J., 7, 29
 - function, 29, 71
- Tietze Extension Theorem, 344
- Total variation, of a charge, 336, 339
 - of an indefinite integral, 337
- Translate of a function, 51
- Translation invariance, 315
- Truncate of a function, 113, 143, 287
- Uniform absolute continuity, of indefinite integrals, 178, 246, 356

- Convergence Theorem, for integrals, 117, 282
- differentiability, for a family of functions, 129
- equicontinuity, for a family of functions, 134
- integrability, for a family of functions, 178
- Uniqueness Theorem, 13
- Unit measure, 337
- Varberg, Dale E., 240
- Vanishing tail property, 349, 360
- Variation, of a charge, 339
- negligible, 83
- of a function, 103
- Vector space, 383 ff.
- Vitali, Giuseppe, 231
- Convergence Theorems, 178–180, 355–358
- Covering Theorem, 79, 242, 377–378
- nonmeasurable set, 316
- Výborný, Rudolf, 83
- Weight function, 392
- Xu Dongfu, 242
- Zero measure (see Null set)

This page intentionally left blank

Symbol Index

$A \cup B, A \cap B, 3$
 $A - B, A^c, 3$
 $\text{dist}(x, y), \text{dist}(x, A), 3$
 $B[x; r], B(x; r), 3, 4$
 $l(I), 5$
 $\mathcal{P}, 5$
 $S(f; \dot{\mathcal{P}}), 6$
 $\dot{\mathcal{P}} \ll \delta, 9$
 $\mathcal{R}(I), \mathcal{R}^*(I), 12, 13$
 $\int_I f, \int_a^b f, 14$
 $Q(x)$ holds a.e., 30
a.e. = [a.e.], 30
 $\bullet, \diamond, 41$
 $I_r, f_r, 51$
 $I_{(r)}, f_{(r)}, 51$
 $\text{sgn}(x), 57$
 $\Gamma, 64$
 $\Lambda, 65$
 $\lfloor x \rfloor, 73$
 $(\delta, E), 76$
 $NV_I(E), 83$

$\mathcal{M}(I), 89$
 $f \vee g, f \wedge g, 91$
 $f^+, f^-, 91$
 $\text{mid}\{f, g, h\}, 91$
 $B(p, q), 95$
 $\mathbf{1}_E(x), 97$
 $\mathbb{M}(I), \mathbb{I}(I), 97$
 $|E|, 97$
 $\mathcal{R}^*(E), 97$
 $\int_E f, 97$
 $\mathcal{L}(I), 101$
 $\text{Var}(\varphi; I), 103$
 $BV(I), 103$
 $f^{[n]}, 113$
 $\|f\| = \|f\|_1, 139$
 $l^\infty, 146$
 $l^1, 147$
 $\mathcal{L}^2(I), 148$
 $\|f\|_2, 148$
 $\liminf_{n \rightarrow \infty} E_n, 154$
 $\limsup_{n \rightarrow \infty} E_n, 154$

- $\lim_{n \rightarrow \infty} E_n$, 155
 $\{f < r\}$, etc., 156
 ν_f , 159
 $E \Delta F$, 165
 N_1, N_∞ , 166
 $\|f\|_\infty$, 167
 cs, bv , 168
 N_{cs}, N_{bv} , 169
[\[a.u.\]](#), 172
[\[meas\]](#), [\[mean\]](#), 174
 $H|_\alpha^\beta = H(\beta) - H(\alpha)$, 187
(H), 198
 $\acute{\Delta}, \acute{\mathcal{P}}$, 218
 $\grave{\Delta}, \grave{\mathcal{P}}$, 218
 $AC(I)$, 231
(N), 238
 $AC_\delta(E), ACG_\delta(E)$, 243
 $\omega_F(A)$, 243
 $\omega_F(c)$, 245
 (δ, d^*) , 250
 (d_*, δ) , 251
 $\bar{\mathbb{R}}$, 255
 $U[a; r]$, 257
 I_0 , 275
 $F(\infty)$, 276
 $LBV(I)$, 294
 $LAC(I)$, 295
 $\mathbb{I}(\mathbb{R})$, 300
 $\mathbb{M}(\mathbb{R})$, 303
 $\lambda(E)$, 304
 F_σ, G_δ , 310
 $\Delta(A)$, 321
 $f(E), f^{-1}(H)$, 325
 $\#(E)$, 337
 $|\gamma|$, 339
 $\limsup_{x \rightarrow c} f, \text{Lim sup}_{x \rightarrow c} f$, 343
 $T_n(r)$, 348
 $\psi_n(x)$, 350
 $\tilde{T}_n(r)$, 359
 $\tilde{\psi}_n(x)$, 360
 $\limsup_{n \rightarrow \infty} x_n$, 366, 372
 $\liminf_{n \rightarrow \infty} x_n$, 366, 372
 $\vartheta(I)$, 374
 $|A|_e, |A|_i$, 375
 $\Sigma(f, \varphi; \dot{\mathcal{P}})$, 391
 $\int_I f d\varphi, \int_a^b f d\varphi$, 392
 $C^1(I)$, 402
 $\|\varphi\|_{BV}$, 402
 $\|f\|_*$, 403
 $\mathcal{L}^p(I)$, 403–404
 $\|f\|_p$, 404
 $\langle f, g \rangle$, 406

ISBN 0-8218-0845-1



9 780821 808450

GSM/32

AMS *on the Web*
www.ams.org