

A Course in Convexity

Alexander Barvinok

**Graduate Studies
in Mathematics**

Volume 54



American Mathematical Society

A Course in Convexity

Alexander Barvinok

Graduate Studies
in Mathematics
Volume 54



American Mathematical Society
Providence, Rhode Island

Editorial Board

Walter Craig
Nikolai Ivanov
Steven G. Krantz
David Saltman (Chair)

2000 *Mathematics Subject Classification*. Primary 52–01, 52–02, 52B45, 52C07, 46A20, 46N10, 90C05, 90C08, 90C22, 49N15.

Library of Congress Cataloging-in-Publication Data

Barvinok, Alexander, 1963–

A course in convexity / Alexander Barvinok.

p. cm. — (Graduate studies in mathematics, ISSN 1065-7339 ; v. 54)

Includes bibliographical references and index.

ISBN 0-8218-2968-8 (alk. paper)

1. Convex geometry. 2. Functional analysis. 3. Programming (Mathematics) I. Title.
II. Series.

QA639.5.B37 2002

2002028208

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy a chapter for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for such permission should be addressed to the Acquisitions Department, American Mathematical Society, 201 Charles Street, Providence, Rhode Island 02904-2294, USA. Requests can also be made by e-mail to reprint-permission@ams.org.

© 2002 by the American Mathematical Society. All rights reserved.

The American Mathematical Society retains all rights
except those granted to the United States Government.

Printed in the United States of America.

∞ The paper used in this book is acid-free and falls within the guidelines
established to ensure permanence and durability.

Visit the AMS home page at <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 16 15 14 13 12 11

Contents

Preface	vii
Chapter I. Convex Sets at Large	1
1. Convex Sets. Main Definitions, Some Interesting Examples and Problems	1
2. Properties of the Convex Hull. Carathéodory's Theorem	7
3. An Application: Positive Polynomials	12
4. Theorems of Radon and Helly	17
5. Applications of Helly's Theorem in Combinatorial Geometry	21
6. An Application to Approximation	24
7. The Euler Characteristic	28
8. Application: Convex Sets and Linear Transformations	33
9. Polyhedra and Linear Transformations	37
10. Remarks	39
Chapter II. Faces and Extreme Points	41
1. The Isolation Theorem	41
2. Convex Sets in Euclidean Space	47
3. Extreme Points. The Krein-Milman Theorem for Euclidean Space	51
4. Extreme Points of Polyhedra	53

5. The Birkhoff Polytope	56
6. The Permutation Polytope and the Schur-Horn Theorem	58
7. The Transportation Polyhedron	60
8. Convex Cones	65
9. The Moment Curve and the Moment Cone	67
10. An Application: “Double Precision” Formulas for Numerical Integration	70
11. The Cone of Non-negative Polynomials	73
12. The Cone of Positive Semidefinite Matrices	78
13. Linear Equations in Positive Semidefinite Matrices	83
14. Applications: Quadratic Convexity Theorems	89
15. Applications: Problems of Graph Realizability	94
16. Closed Convex Sets	99
17. Remarks	103
Chapter III. Convex Sets in Topological Vector Spaces	105
1. Separation Theorems in Euclidean Space and Beyond	105
2. Topological Vector Spaces, Convex Sets and Hyperplanes	109
3. Separation Theorems in Topological Vector Spaces	117
4. The Krein-Milman Theorem for Topological Vector Spaces	121
5. Polyhedra in L^∞	123
6. An Application: Problems of Linear Optimal Control	126
7. An Application: The Lyapunov Convexity Theorem	130
8. The “Simplex” of Probability Measures	133
9. Extreme Points of the Intersection. Applications	136
10. Remarks	141
Chapter IV. Polarity, Duality and Linear Programming	143
1. Polarity in Euclidean Space	143
2. An Application: Recognizing Points in the Moment Cone	150
3. Duality of Vector Spaces	154
4. Duality of Topological Vector Spaces	157
5. Ordering a Vector Space by a Cone	160
6. Linear Programming Problems	162
7. Zero Duality Gap	166
8. Polyhedral Linear Programming	172

9. An Application: The Transportation Problem	176
10. Semidefinite Programming	178
11. An Application: The Clique and Chromatic Numbers of a Graph	182
12. Linear Programming in L^∞	185
13. Uniform Approximation as a Linear Programming Problem	191
14. The Mass-Transfer Problem	196
15. Remarks	202
Chapter V. Convex Bodies and Ellipsoids	203
1. Ellipsoids	203
2. The Maximum Volume Ellipsoid of a Convex Body	207
3. Norms and Their Approximations	216
4. The Ellipsoid Method	225
5. The Gaussian Measure on Euclidean Space	232
6. Applications to Low Rank Approximations of Matrices	240
7. The Measure and Metric on the Unit Sphere	244
8. Remarks	248
Chapter VI. Faces of Polytopes	249
1. Polytopes and Polarity	249
2. The Facial Structure of the Permutation Polytope	254
3. The Euler-Poincaré Formula	258
4. Polytopes with Many Faces: Cyclic Polytopes	262
5. Simple Polytopes	264
6. The h -vector of a Simple Polytope. Dehn-Sommerville Equations	267
7. The Upper Bound Theorem	270
8. Centrally Symmetric Polytopes	274
9. Remarks	277
Chapter VII. Lattices and Convex Bodies	279
1. Lattices	279
2. The Determinant of a Lattice	286
3. Minkowski's Convex Body Theorem	293

4. Applications: Sums of Squares and Rational Approximations	298
5. Sphere Packings	302
6. The Minkowski-Hlawka Theorem	305
7. The Dual Lattice	309
8. The Flatness Theorem	315
9. Constructing a Short Vector and a Reduced Basis	319
10. Remarks	324
Chapter VIII. Lattice Points and Polyhedra	325
1. Generating Functions and Simple Rational Cones	325
2. Generating Functions and Rational Cones	330
3. Generating Functions and Rational Polyhedra	335
4. Brion's Theorem	341
5. The Ehrhart Polynomial of a Polytope	349
6. Example: Totally Unimodular Polytopes	353
7. Remarks	356
Bibliography	357
Index	363

Preface

Convexity is very easy to define, to visualize and to get an intuition about. A set is called convex if for every two points a and b in the set, the straight line interval $[a, b]$ is also in the set. Thus the main building block of convexity theory is a straight line interval.



Convexity is more intuitive than, say, linear algebra. In linear algebra, the interval is replaced by the whole straight line. We have some difficulty visualizing a straight line because it runs unchecked in both directions.

On the other hand, the structure of convexity is richer than that of linear algebra. It is already evident in the fact that all points on the line are alike whereas the interval has two points, a and b , which clearly stand out.

Indeed, convexity has an immensely rich structure and numerous applications. On the other hand, almost every “convex” idea can be explained by a two-dimensional picture. There must be some reason for that apart from the tautological one that all our pictures are two-dimensional. One possible explanation is that since the definition of a convex set involves only three points (the two points a and b and a typical point x of the interval) and every three points lie in some plane, whenever we invoke a convexity argument in our reasoning, it can be properly pictured (moreover, since our three points a , b and x lie on the same line, we have room for a fourth point which often plays the role of the origin). Simplicity, intuitive appeal and universality of applications make teaching convexity (and writing a book on convexity) a rather gratifying experience.

About this book. This book grew out of sets of lecture notes for graduate courses that I taught at the University of Michigan in Ann Arbor since 1994. Consequently, this is a graduate textbook. The textbook covers several directions, which,

although not independent, provide enough material for several one-semester three-credit courses.

One possibility is to follow discrete and combinatorial aspects of convexity: combinatorial properties of convex sets (Chapter I) – the structure of some interesting polytopes and polyhedra (the first part of Chapter II, some results of Chapter IV and Chapter VI) – lattice points and convex bodies (Chapter VII) – lattice points and polyhedra (Chapter VIII).

Another possibility is to follow the analytic line: basic properties of convex sets (Chapter I) – the structure of some interesting non-polyhedral convex sets, such as the moment cone, the cone of non-negative polynomials and the cone of positive semidefinite matrices (Chapter II and some results of Chapter IV) – metric properties of convex bodies (Chapter V).

Yet another possibility is to follow infinite-dimensional and dimension-free applications of convexity: basic properties of convex sets in a vector space (Chapter I) – separation theorems and the structure of some interesting infinite-dimensional convex sets (Chapter III) – linear inequalities and linear programming in an abstract setting (Chapter IV).

The main focus of the book is on applications of convexity rather than on studying convexity for its own sake. Consequently, mathematical applications range from analysis and probability to algebra to combinatorics to number theory. Finite- and infinite-dimensional optimization problems, such as the Transportation Problem, the Diet Problem, problems of optimal control, statistics and approximation are discussed as well.

The choice of topics covered in the book is entirely subjective. It is probably impossible to write a textbook that covers “all” convexity just as it is impossible to write a textbook that covers all mathematics. I don’t even presume to claim to cover all “essential” or “important” aspects of convexity, although I believe that many of the topics discussed in the book belong to both categories.

The audience. The book is intended for graduate students in mathematics and other fields such as operations research, electrical engineering and computer science. That was the typical audience for the courses that I taught. This is, of course, reflected in the selection of topics covered in the book. Also, a significant portion of the material is suitable for undergraduates.

Prerequisites. The main prerequisite is linear algebra, especially the coordinate-free linear algebra. Knowledge of basic linear algebra should be sufficient for understanding the main convexity results (called “Theorems”) and solving problems which address convex properties per se.

In many places, knowledge of some basic analysis and topology is needed. In most cases, some general understanding coupled with basic computational skills will be sufficient. For example, when it comes to the topology of Euclidean space, it suffices to know that a set in Euclidean space is compact if and only if it is closed and bounded and that a linear functional attains its maximum and minimum on such a set. Whenever the book says “Lebesgue integral” or “Borel set”, it does so for the sake of brevity and means, roughly, “the integral makes sense” and “the

set is nice and behaves predictably”. For the most part, the only properties of the integral that the book uses are linearity (the integral of a linear combination of two functions is the linear combination of the integrals of the functions) and monotonicity (the integral of a non-negative function is non-negative). The relative abundance of integrals in a textbook on convexity is explained by the fact that the most natural way to define a linear functional is by using an integral of some sort. A few exercises openly require some additional skills (knowledge of functional analysis or representation theory).

When it comes to applications (often called “Propositions”), the reader is expected to have some knowledge in the general area which concerns the application.

Style. The numbering in each chapter is consecutive: for example, Theorem 2.1 is followed by Definition 2.2 which is followed by Theorem 2.3. When a reference is made to another chapter, a roman numeral is included: for example, if Theorem 2.1 of Chapter I is referenced in Chapter III, it will be referred to as Theorem I.2.1. Definitions, theorems and other numbered objects in the text (except figures) are usually followed by a set of problems (exercises). For example, Problem 5 following Definition 2.6 in Chapter II will be referred to as Problem 5 of Section 2.6 from within Chapter II and as Problem 5 of Section II.2.6 from everywhere else in the book. Figures are numbered consecutively throughout the book. There is a certain difference between “Theorems” and “Propositions”. Theorems state some general and fundamental convex properties or, in some cases, are called “Theorems” historically. Propositions describe properties of particular convex sets or refer to an application.

Problems. There are three kinds of problems in the text. The problems marked by * are deemed difficult (they may be so marked simply because the author is unaware of an easy solution). Problems with straightforward solutions are marked by °. Solving a problem marked by ° is essential for understanding the material and its result may be used in the future. Some problems are not marked at all. There are no solutions at the end of the book and there is no accompanying solution manual (that I am aware of), which, in my opinion, makes the book rather convenient for use in courses where grades are given. On the other hand, many of the difficult and some of the easy problems used later in the text are supplied with a hint to a solution.

Acknowledgment. My greatest intellectual debt is to my teacher A.M. Vershik. As a student, I took his courses on convexity and linear programming. Later, we discussed various topics in convex analysis and geometry and he shared his notes on the subject with me. We planned to write a book on convexity together and actually started to write one (in Russian), but the project was effectively terminated by my relocation to the United States. The overall plan, structure and scope of the book have changed since then, although much has remained the same. All unfortunate choices, mistakes, typos, blunders and other slips in the text are my own. A.M. Vershik always insisted on a “dimension-free” approach to convexity, whenever possible, which simplifies and makes transparent many fundamental facts, and on stressing the idea of duality in the broadest sense. In particular, I learned the algebraic approach to the Hahn-Banach Theorem (Sections II.1, III.1–3) and

the general view of infinite-dimensional linear programming (Chapter IV) from him. This approach makes the exposition rather simple and elegant. It makes it possible to deduce a variety of strong duality results from a single simple theorem (Theorem IV.7.2). My interest in quadratic convexity (Section II.14) and other “hidden convexity” results (Section III.7) was inspired by him. He also encouraged my preoccupation with lattice points (Chapter VIII) and various peculiar polytopes (Sections II.5–7).

On various stages of the project I received encouragement from A. Björner, L. Billera, R. Pollack, V. Klee, J.E. Goodman, G. Kalai, A. Frieze, L. Lovász, W.T. Gowers and I. Bárány.

I am grateful to my colleagues in the Department of Mathematics at the University of Michigan in Ann Arbor, especially to P. Hanlon, B.A. Taylor, J. Stembridge and S. Fomin with whose blessings I promoted convexity within the Michigan combinatorics curriculum. I thank the students who took Math 669 convexity classes in 1994–2001. Special thanks to G. Blekherman who contributed some of his interesting results on the metric structure of the set of non-negative multivariate polynomials (Problems 8 and 9 of Section V.2.4).

Since the draft of this book was posted on the web, I received very useful and detailed comments from R. Connelly, N. Ivanov, J. Lawrence, L. Lovász, G. Ziegler and A.M. Vershik. I am particularly grateful to J. Lawrence who suggested a number of essential improvements, among them are the greater generality of the “polarity as a valuation” theorem (Theorem IV.1.5), a simplified proof of the Euler-Poincaré Formula (Corollary VI.3.2) and an elegant proof of Gram’s relations (Problem 1 of Section VIII.4.4) and many mathematical, stylistic and bibliographical corrections.

I thank A. Yong for reading the whole manuscript carefully and suggesting numerous mathematical and stylistic corrections. I thank M. Wendt for catching a mistake and alerting me by e-mail.

I thank S. Gelfand (AMS) for insisting over a number of years that I write the book and for believing that I was able to finish it.

I am grateful to the National Science Foundation for its support.

Ann Arbor, 2002
Alexander Barvinok

Bibliography

- [AEZ93] G.E. Andrews, S.B. Ekhad and D. Zeilberger, *A short proof of Jacobi's formula for the number of representations of an integer as a sum of four squares*, Amer. Math. Monthly **100** (1993), 274–276.
- [AN87] E.J. Anderson and P. Nash, *Linear Programming in Infinite-Dimensional Spaces. Theory and Applications*, Wiley, Interscience, 1987.
- [AP79] Y.H. Au-Yeung and Y.T. Poon, *A remark on the convexity and positive definiteness concerning Hermitian matrices*, Southeast Asian Bull. Math. **3** (1979), 85–92.
- [B97] K. Ball, *An elementary introduction to modern convex geometry*, Flavors of Geometry, Math. Sci. Res. Inst. Publ., vol. 31, Cambridge Univ. Press, Cambridge, 1997, pp. 1–58.
- [Ba95] W. Banaszczyk, *Inequalities for convex bodies and polar reciprocal lattices in \mathbb{R}^n* , Discrete Comput. Geom. **13** (1995), 217–231.
- [Ba96] W. Banaszczyk, *Inequalities for convex bodies and polar reciprocal lattices in \mathbb{R}^n . II. Application of K -convexity*, Discrete Comput. Geom. **16** (1996), 305–311.
- [Bar82] I. Bárány, *A generalization of Carathéodory's theorem*, Discrete Math. **40** (1982), 141–152.
- [Barv92] A. Barvinok, *Combinatorial complexity of orbits in representations of the symmetric group*, Representation Theory and Dynamical Systems, Adv. Soviet Math., vol. 9, Amer. Math. Soc., Providence, RI, 1992, pp. 161–182.
- [Barv93] A. Barvinok, *Computing the volume, counting integral points, and exponential sums*, Discrete Comput. Geom. **10** (1993), 123–141.
- [Barv95] A. Barvinok, *Problems of distance geometry and convex properties of quadratic maps*, Discrete Comput. Geom. **13** (1995), 189–202.
- [Barv01] A. Barvinok, *A remark on the rank of positive semidefinite matrices subject to affine constraints*, Discrete Comput. Geom. **25** (2001), 23–31.
- [BC98] J. Bochnak, M. Coste and M.-F. Roy, *Real Algebraic Geometry*, A Series of Modern Surveys in Mathematics 36, Springer-Verlag, Berlin, 1998.

- [BH75] A.E. Bryson, Jr. and Y.C. Ho, *Applied Optimal Control. Optimization, Estimation, and Control. Revised printing*, Hemisphere Publishing Corp. Distributed by Halsted Press [John Wiley & Sons], 1975.
- [Bl02] G. Blekherman, *Convexity properties of the cone of non-negative polynomials*, preprint (2002), Univ. of Michigan.
- [BL81] L.J. Billera and C.W. Lee, *A proof of the sufficiency of McMullen's conditions for f -vectors of simplicial convex polytopes*, J. Combin. Theory Ser. A **31** (1981), 237–255.
- [BLP99] W. Banaszczyk, A.E. Litvak, A. Pajor and S.J. Szarek, *The flatness theorem for nonsymmetric convex bodies via the local theory of Banach spaces*, Math. Oper. Res. **24** (1999), 728–750.
- [Bo98] V.I. Bogachev, *Gaussian Measures*, Mathematical Surveys and Monographs, vol. 62, American Mathematical Society, Providence, RI, 1998.
- [Bou87] N. Bourbaki, *Topological Vector Spaces, Chapters 1–5*, Elements of Mathematics, Springer-Verlag, 1987.
- [BP99] A. Barvinok and J.E. Pommersheim, *An algorithmic theory of lattice points in polyhedra*, New Perspectives in Algebraic Combinatorics (Berkeley, CA, 1996–97), Math. Sci. Res. Inst. Publ., vol. 38, Cambridge Univ. Press, Cambridge, 1999, pp. 91–147.
- [Br61] L. Brickman, *On the field of values of a matrix*, Proc. Amer. Math. Soc. **12** (1961), 61–66.
- [Bri88] M. Brion, *Points entiers dans les polyèdres convexes*, Ann. Sci. École Norm. Sup. (4) **21** (1988), 653–663.
- [Bri92] M. Brion, *Polyèdres et réseaux*, Enseign. Math. (2) **38** (1992), 71–88.
- [Brø83] A. Brøndsted, *An Introduction to Convex Polytopes*, Graduate Texts in Mathematics, vol. 90, Springer-Verlag, New York-Berlin, 1983.
- [BS96] L.J. Billera and A. Sarangarajan, *The combinatorics of permutation polytopes*, Formal Power Series and Algebraic Combinatorics (New Brunswick, NJ, 1994), DIMACS Ser. Discrete Math. Theoret. Comput. Sci., vol. 24, Amer. Math. Soc., Providence, RI, 1996, pp. 1–23.
- [BV97] M. Brion and M. Vergne, *Residue formulae, vector partition functions and lattice points in rational polytopes*, J. Amer. Math. Soc. **10** (1997), 797–833.
- [C97] J.W.S. Cassels, *An Introduction to the Geometry of Numbers*, Classics in Mathematics, Springer-Verlag, Berlin, 1997.
- [CH88] G.M. Crippen and T.F. Havel, *Distance Geometry and Molecular Conformation*, Chemometrics Series 15, Wiley, New York, 1988.
- [Co90] J.B. Conway, *A Course in Functional Analysis. Second edition*, Graduate Texts in Mathematics, vol. 96, Springer-Verlag, New York, 1990.
- [CS99] J.H. Conway and N.J.A. Sloane, *Sphere Packings, Lattices and Groups. Third edition. With additional contributions by E. Bannai, R. E. Borcherds, J. Leech, S. P. Norton, A. M. Odlyzko, R. A. Parker, L. Queen and B. B. Venkov*, Grundlehren der Mathematischen Wissenschaften, vol. 290, Springer-Verlag, New York, 1999.
- [Da71] Ch. Davis, *The Toeplitz-Hausdorff theorem explained*, Canad. Math. Bull. **14** (1971), 245–246.

- [DG63] L. Danzer, B. Grünbaum and V. Klee, *Helly's theorem and its relatives*, Proc. Sympos. Pure Math., vol. VII, Amer. Math. Soc., Providence, R.I., 1963, pp. 101–180.
- [DL97] M.M. Deza and M. Laurent, *Geometry of Cuts and Metrics*, Algorithms and Combinatorics 15, Springer, 1997.
- [Do73] J.-P. Doignon, *Convexity in crystallographical lattices*, J. Geometry **3** (1973), 71–85.
- [DR97] R. Diaz and S. Robins, *The Ehrhart polynomial of a lattice polytope*, Ann. of Math. (2) **145** (1997), 503–518.
- [DS+] J.A. De Loera and B. Sturmfels, *Algebraic unimodular counting*, to appear, Math. Programming.
- [E93] J. Eckhoff, *Helly, Radon, and Carathéodory type theorems*, Handbook of Convex Geometry (P.M. Gruber and J.M. Wills, eds.), vol. A, Elsevier, North-Holland, 1993, pp. 389–448.
- [F93] W. Fulton, *Introduction to Toric Varieties*, Annals of Mathematics Studies, vol. 131, Princeton University Press, Princeton, NJ, 1993.
- [FK99] A. Frieze and R. Kannan, *Quick approximation to matrices and applications*, Combinatorica **19** (1999), 175–220.
- [FL76] S. Friedland and R. Loewy, *Subspaces of symmetric matrices containing matrices with a multiple first eigenvalue*, Pacific J. Math. **62** (1976), 389–399.
- [FLM77] T. Figiel, J. Lindenstrauss and V.D. Milman, *The dimension of almost spherical sections of convex bodies*, Acta Math **139** (1977), 53–94.
- [G92] M.B. Gromova, *The Birkhoff-von Neumann theorem for polystochastic matrices*; translation of Operations research and statistical simulation, No. 2 (Russian), 3–15, Leningrad. Univ., Leningrad, 1974. Selecta Math. Soviet. **11** (1992), 145–158.
- [GL87] P.M. Gruber and C.G. Lekkerkerker, *Geometry of Numbers. Second Edition*, North-Holland Mathematical Library, vol. 37, North-Holland Publishing Co., Amsterdam, 1987.
- [GLS93] M. Grötschel, L. Lovász and A. Schrijver, *Geometric Algorithms and Combinatorial Optimization. Second Edition*, Algorithms and Combinatorics, vol. 2, Springer-Verlag, Berlin, 1993.
- [Gr67] B. Grünbaum, *Convex Polytopes. With the cooperation of Victor Klee, M. A. Perles and G. C. Shephard*, Pure and Applied Mathematics, vol. 16, Interscience Publishers, John Wiley & Sons, Inc., New York, 1967.
- [H95] B. Hendrickson, *The molecule problem: exploiting structure in global optimization*, SIAM J. Optim. **5** (1995), 835–857.
- [Hå88] J. Håstad, *Dual vectors and lower bounds for the nearest lattice point problem*, Combinatorica **8** (1988), 75–81.
- [JL84] W.B. Johnson and J. Lindenstrauss, *Extensions of Lipschitz mappings into a Hilbert space*, Conference in modern analysis and probability (New Haven, Conn., 1982), Contemp. Math., vol. 26, Amer. Math. Soc., Providence, RI, 1984, pp. 189–206.
- [K95] G. Kalai, *Combinatorics and convexity*, Proceedings of the International Congress of Mathematicians Vol. 1, 2 (Zürich, 1994), Birkhäuser, Basel, 1995, pp. 1363–1374.

- [Kh97] A. Ya. Khinchin, *Continued Fractions*, Dover Publications, Inc., Mineola, NY, 1997.
- [Kho95] A.G. Khovanskii, *Sums of finite sets, orbits of commutative semigroups and Hilbert functions. (Russian)*, Funktsional. Anal. i Prilozhen. **29** (1995), 36–50; translation in Funct. Anal. Appl. **29** (1995), 102–112.
- [Kl63] V. Klee, *The Euler characteristic in combinatorial geometry*, Amer. Math. Monthly **70** (1963), 119–127.
- [KN77] M.G. Krein and A.A. Nudelman, *The Markov Moment Problem and Extremal Problems. Ideas and Problems of P. L. Chebyshev and A. A. Markov and their Further Development*, Translations of Mathematical Monographs, vol. 50, American Mathematical Society, Providence, R.I., 1977.
- [KR97] D.A. Klain and G.-C. Rota, *Introduction to Geometric Probability*, Cambridge University Press, 1997.
- [KS66] S. Karlin and W.J. Studden, *Chebyshev Systems: with Applications in Analysis and Statistics*, Wiley, Interscience, 1966.
- [L88] J. Lawrence, *Valuations and polarity*, Discrete Comput. Geom. **3** (1988), 307–324.
- [L91a] J. Lawrence, *Polytope volume computation*, Math. Comp. **57** (1991), 259–271.
- [L91b] J. Lawrence, *Rational-function-valued valuations on polyhedra*, Discrete and computational geometry (New Brunswick, NJ, 1989/1990), DIMACS Ser. Discrete Math. Theoret. Comput. Sci., vol. 6, Amer. Math. Soc., Providence, RI, 1991, pp. 199–208.
- [L97] J. Lawrence, *A short proof of Euler’s relation for convex polytopes*, Canad. Math. Bull. **40** (1997), 471–474.
- [Le01] M. Ledoux, *The Concentration of Measure Phenomenon*, Mathematical Surveys and Monographs, vol. 89, Amer. Math. Soc., Providence, RI, 2001.
- [Li66] J. Lindenstrauss, *A short proof of Liapounoff’s convexity theorem*, J. Math. Mech. **15** (1966), 971–972.
- [LLL82] A.K. Lenstra, H.W. Lenstra, Jr. and L. Lovász, *Factoring polynomials with rational coefficients*, Math. Ann. **261** (1982), 515–534.
- [LLS90] J.C. Lagarias, H.W. Lenstra, Jr. and C.-P. Schnorr, *Korkin-Zolotarev bases and successive minima of a lattice and its reciprocal lattice*, Combinatorica **10** (1990), 333–348.
- [Lo79] L. Lovász, *On the Shannon capacity of a graph*, IEEE Trans. Inform. Theory **25** (1979), 1–7.
- [Lo86] L. Lovász, *An Algorithmic Theory of Numbers, Graphs and Convexity*, CBMS-NSF Regional Conference Series in Applied Mathematics, vol. 50, SIAM, Philadelphia, PA, 1986.
- [LS92] L. Lovász and H.E. Scarf, *The generalized basis reduction algorithm*, Math. Oper. Res. **17** (1992), 751–764.
- [M56] J.C. Mairhuber, *On Haar’s theorem concerning Chebychev approximation problems having unique solutions*, Proc. Amer. Math. Soc. **7** (1956), 609–615.
- [Ma80] W.S. Massey, *Singular Homology Theory*, Graduate Texts in Mathematics, vol. 70, Springer-Verlag, 1980.

- [Mat02] J. Matoušek, *Lectures on Discrete Geometry*, Graduate Texts in Mathematics, vol. 212, Springer-Verlag, 2002.
- [Mc93a] P. McMullen, *Valuations and dissections*, Handbook of Convex Geometry (P.M. Gruber and J.M. Wills, eds.), vol. B, Elsevier, North-Holland, 1993, pp. 933–990.
- [Mc93b] P. McMullen, *On simple polytopes*, Invent. Math. **113** (1993), 419–444.
- [Mc96] P. McMullen, *Weights on polytopes*, Discrete Comput. Geom. **15** (1996), 363–388.
- [MiS86] V.D. Milman and G. Schechtman, *Asymptotic Theory of Finite-Dimensional Normed Spaces. With an Appendix by M. Gromov*, Lecture Notes in Mathematics, vol. 1200, Springer-Verlag, Berlin, 1986.
- [MO79] A.W. Marshall and I. Olkin, *Inequalities: Theory of Majorization and its Applications*, Academic Press, New York, 1979.
- [MR95] R. Motwani and P. Raghavan, *Randomized Algorithms*, Cambridge University Press, Cambridge, 1995.
- [MS83] P. McMullen and R. Schneider, *Valuations on convex bodies*, Convexity and Applications (P.M. Gruber and J.M. Wills, eds.), Birkhäuser, Basel, 1983, pp. 170–247.
- [MSh71] P. McMullen and G.C. Shephard, *Convex Polytopes and the Upper Bound Conjecture. Prepared in collaboration with J. E. Reeve and A. A. Ball*, London Mathematical Society Lecture Note Series, vol. 3, Cambridge University Press, London-New York, 1971.
- [MT93] A. Megretsky and S. Treil, *Power distribution inequalities in optimization and robustness of uncertain systems*, J. Math. Systems Estim. Control **3** (1993), 301–319.
- [N96] M.B. Nathanson, *Additive Number Theory. The Classical Bases*, Graduate Texts in Mathematics, vol. 164, Springer-Verlag, New York, 1996.
- [NN94] Yu. Nesterov and A. Nemirovskii, *Interior-Point Polynomial Algorithms in Convex Programming*, SIAM Studies in Applied Mathematics, vol. 13, Society for Industrial and Applied Mathematics (SIAM), Philadelphia, PA, 1994.
- [P94] G. Pisier, *The Volume of Convex Bodies and Banach Space Geometry*, Cambridge Tracts in Mathematics, vol. 94, Cambridge University Press, Cambridge, 1989.
- [PK92] A.V. Pukhlikov and A.G. Khovanskii, *The Riemann-Roch theorem for integrals and sums of quasipolynomials on virtual polytopes. (Russian)*, Algebra i Analiz **4** (1992), 188–216; translation in St. Petersburg Math. J. **4** (1993), 789–812.
- [PS98] C.H. Papadimitriou and K. Steiglitz, *Combinatorial Optimization: Algorithms and Complexity*, Dover, Mineola, New York, 1998.
- [R95] B. Reznick, *Uniform denominators in Hilbert’s seventeenth problem*, Math. Z. **220** (1995), 75–97.
- [R00] B. Reznick, *Some concrete aspects of Hilbert’s 17th Problem*, Real Algebraic Geometry and Ordered Structures (Baton Rouge, LA, 1996), Contemp. Math., vol. 253, Amer. Math. Soc., Providence, RI, 2000, pp. 251–272.
- [Ru91] W. Rudin, *Functional Analysis. Second Edition*, International Series in Pure and Applied Mathematics, McGraw-Hill, Inc., New York, 1991.

- [S85] H.E. Scarf, *Integral polyhedra in three space*, Math. Oper. Res. **10** (1985), 403–438.
- [Sc93] R. Schneider, *Convex Bodies: the Brunn-Minkowski Theory*, Encyclopedia of Mathematics and its Applications, vol. 44, Cambridge University Press, Cambridge, 1993.
- [Sch87] C.-P. Schnorr, *A hierarchy of polynomial time lattice basis reduction algorithms*, Theoret. Comput. Sci. **53** (1987), 201–224.
- [Schr86] A. Schrijver, *Theory of Linear and Integer Programming*, Wiley-Interscience Series in Discrete Mathematics, John Wiley & Sons, Chichester, 1986.
- [Se95] R. Seidel, *The upper bound theorem for polytopes: an easy proof of its asymptotic version*, Comput. Geom. **5** (1995), 115–116.
- [Sk98] M.M. Skriyanov, *Ergodic theory on $SL(n)$, Diophantine approximations and anomalies in the lattice point problem*, Invent. Math. **132** (1998), 1–72.
- [St80] R.P. Stanley, *The number of faces of a simplicial convex polytope*, Adv. in Math. **35** (1980), 236–238.
- [St97] R.P. Stanley, *Enumerative Combinatorics. Vol. 1. With a foreword by Gian-Carlo Rota. Corrected reprint of the 1986 original*, Cambridge Studies in Advanced Mathematics, vol. 49, Cambridge University Press, Cambridge, 1997.
- [V01] R.J. Vanderbei, *Linear Programming. Foundations and Extensions. Second Edition*, International Series in Operations Research & Management Science, vol. 37, Kluwer Academic Publishers, Boston, MA, 2001.
- [VB96] L. Vandenberghe and S. Boyd, *Semidefinite programming*, SIAM Rev. **38** (1996), 49–95.
- [Ve70] A.M. Vershik, *Some remarks on infinite-dimensional problems in linear programming (Russian)*, Uspehi Mat. Nauk **25** (1970), 117–124.
- [Ve84] A.M. Vershik, *Quadratic forms that are positive on the cone and quadratic duality*, Zap. Nauchn. Sem. Leningrad. Otdel. Mat. Inst. Steklov. (LOMI) **134** (1984), 59–83 (Russian); English transl. in Journal of Soviet Mathematics **36**, 39–56.
- [VT68] A.M. Vershik and V. Temel't, *Certain questions on approximation of the optimal value of infinite-dimensional linear programming problems. (Russian)*, Sibirsk. Mat. Z. **9** (1968), 790–803.
- [W94] R. Webster, *Convexity*, Oxford University Press, New York, 1994.
- [We97] R. Wenger, *Helly-type theorems and geometric transversals*, Handbook of Discrete and Computational Geometry (J.E. Goodman and J. O'Rourke, eds.), CRC Press, Boca Raton, New York, 1997, pp. 63–82.
- [YKK84] V.A. Yemelichev, M.M. Kovalëv and M.K. Kravtsov, *Polytopes, Graphs and Optimization*, Cambridge University Press, Cambridge, 1984.
- [Z95] G.M. Ziegler, *Lectures on Polytopes*, Graduate Texts in Mathematics, vol. 152, Springer-Verlag, Berlin, 1995.
- [Ž97] R. Živaljević, *Topological methods*, Handbook of Discrete and Computational Geometry (J.E. Goodman and J. O'Rourke, eds.), CRC Press, Boca Raton, New York, 1997, pp. 209–224.

Index

- δ -net, 219
- f -vector, 260
- h -vector, 267

- affine
 - hull, 42
 - hyperplane, 42
 - independence, 42
 - subspace, 42
- algebra
 - of closed convex sets, 29
 - of compact convex sets, 29
 - of polyhedra, 39
 - of rational polyhedra, 337

- Borsuk conjecture, 214
- boundary, 47

- chromatic number, 182
- clique number, 182
- closure, 111
- codimension, 43
- combination
 - affine, 42
 - conic, 65
 - convex, 2
- condition
 - interior point, 170
 - Kuhn-Tucker, 170
 - Slater's, 171
 - stability, 170
- cone, 65
 - C_+ , 161
 - L_+^1 , 161
 - L_+^∞ , 161
 - V_+ , 161

- \mathbb{R}_+^d , 160
- S_+ , 160
 - base of, 66
 - dual, 162
 - homogeneous, 79
 - moment, 68, 151
 - of feasible directions, 100
 - of non-negative polynomials, 73, 151
 - of positive semidefinite Hermitian matrices, 91
 - of positive semidefinite matrices, 79
 - of powers of linear forms, 151
 - polyhedral, 147
 - rational, 330
 - simple, 326
 - recession, 99
 - support, 341
 - unimodular, 353
- conic hull, 65
- contingency tables, 353
- convex
 - body, 207, 210
 - symmetric about the origin, 207
 - combination, 5
 - hull, 2, 5
 - set, 2, 5
 - algebraically open, 45
- convolution, 34
- coset, 288
- crosspolytope, 9
- cube, 9

- dilation, 6
- dimension, 42, 49
- direct product, 110
- distance, 2

- distortion, 243
 duality
 gap, 165, 168
 of L^1 and L^∞ , 155
 of continuous functions and signed measures, 155
 of Euclidean spaces, 155
 of spaces of symmetric matrices, 155
 of topological vector spaces, 159
 of vector spaces, 154
 strong, 173
- edge, 252
 ellipsoid, 203
 center of, 203
 maximum volume, 209
 minimum volume, 209, 216
 Euler characteristic, 29, 31
 Eulerian numbers, 269
 extreme ray, 65
- face, 50
 figure, 253
 proper, 50
 facet, 252
 Farkas Lemma, 174
 feasible flow, 61
 forest, 63
 Formula
 double precision, 71
 Euler-Poincaré, 259
 Gauss-Bonnet, 261
 Inclusion-Exclusion, 28
 Pick's, 291
 Stirling's, 297
 Fourier-Motzkin elimination, 38
 function
 Gamma, 297
 generating, 325
 indicator, 6, 28
 Lovász's theta, 182
 support, 36, 207
- graph
 d -realizable, 94
 chordal, 97
 realizable, 94
 Grassmannian, 36, 246
- halfspace
 closed, 23, 43
 open, 23, 43
 hyperoctahedron, 9
 hyperplane, 21, 42
 dense, 112, 113
 isolating, 44
 strictly, 44
- separating, 44
 strictly, 44
 support, 50
- identity
 Fleck's, 14
 Liouville's, 14
 index of a vertex, 267
 inequality
 active, 54
 Brunn-Minkowski, 206, 234
 functional, 206
 concentration
 for Lipschitz functions, 237, 247
 for the Gaussian measure, 236
 for the unit sphere, 247
 Firey, 207
 isoperimetric
 for the Gaussian measure, 234
 for the sphere, 246
- interior, 47, 111
 algebraic, 109
 interval, 2, 5
- kissing number, 304
- lattice, 280
 A_d , 280
 D_n , 281
 D_n^+ , 281
 E_6 , 281
 E_7 , 281
 E_8 , 281
 basis of, 280
 fundamental parallelepiped of, 286
 reduced, 319
 covering radius of, 311
 determinant of, 287
 dual, 309
 fundamental parallelepiped of, 286
 packing density of, 302
 packing radius of, 302
 rank of, 280
 standard integer, 280
 unimodular, 288
- linear functional, 42
 positive, 134, 161, 197
- map
 continuous, 110
 moment, 4
 rigidity, 98
- matrix
 r -diagonal, 93, 181
 doubly stochastic, 56
 Gram, 94
 permutation, 56

- polystochastic, 64
- positive definite, 79
- positive semidefinite, 79
 - Hermitian, 91
- measure
 - Borel probability, 22, 134
 - counting, 23
 - delta, 134, 197
 - moments of, 139
 - standard Gaussian, 232, 233
- Minkowski sum, 5
- moment curve, 68
- neighborhood, 110
- neighbors, 252
 - lower, 268
 - upper, 268
- norm, 119, 216
 - ℓ^1 , 217, 223
 - ℓ^2 , 217
 - ℓ^∞ , 217
 - Euclidean, 2
- numerical range, 90
- order, 160
 - lexicographic, 161
- orthogonal labeling, 183
- parallel subspace, 42
- permutohedron, 256
- plan
 - feasible
 - dual, 163
 - primal, 163
 - optimal
 - dual, 163
 - primal, 163
- point, 1, 5
 - exposed, 50
 - extreme, 51
- polar, 143, 156
- polyhedron, 3, 8
 - in $L^\infty[0, 1]$, 124
 - rational, 330
 - transportation, 61
- polynomial
 - of M.-D. Choi and T.-Y. Lam, 78
 - Ehrhart, 349
 - Motzkin's, 78
 - non-negative, 15, 214
 - positive, 15
- polytopal complex, 261
- polytope, 8
 - 24-cell, 147
 - Birkhoff, 57, 138
 - centrally symmetric, 274
 - cyclic, 262
 - integer, 330
 - multiindex transportation, 103
 - permutation, 59
 - self-dual, 147
 - simple, 264
 - simplicial, 264
 - totally unimodular, 353
 - transportation, 61
 - Traveling Salesman, 213
- principle
 - discretization, 139
 - maximum, 189
- problem
 - Assignment, 58
 - cycloheptane, 94
 - cyclohexane, 95
 - Diet, 55, 175
 - Mass-Transfer, 196
 - min-cost, 103
 - of linear programming, 55, 128, 163
 - dual, 163
 - in the canonical form, 166
 - in the standard form, 166
 - primal, 163
 - of uniform (Chebyshev) approximation, 24, 191
 - Transportation, 64, 176
 - Waring's, 15
- projection, 43
- projective plane, 145
- randomized rounding, 89
- ray, 99
- reciprocity relation, 329, 334, 351
- ridge, 252
- scalar product, 2
 - in the space of polynomials, 16
- scaling, 6, 111
- semidefinite programming, 179
- semigroup, 282, 330, 337
- set
 - balanced, 111
 - closed, 110
 - compact, 110
 - extreme, 121
 - open, 109
- simplex, 264
 - d -dimensional, 48
 - standard, 9
- space
 - \mathbb{R}^∞ , 155
 - \mathbb{R}_∞ , 47, 49, 108, 117, 155
 - dual, 115
 - Euclidean, 1
 - subgroup of, 279
 - normed, 119

- of continuous functions, 113, 133
- of signed Borel measures, 133
- projective, 86
- quotient, 42
- topological, 109
 - vector, 110
- topological vector
 - locally convex, 119
- vector, 5
- spherical angle, 149
 - exterior, 149
- straight line, 42
- sublattice, 288
 - index of, 288
- tensor product, 219
- Theorem
 - Alaoglu's, 116
 - Bipolar, 144, 159
 - Birkhoff-von Neumann, 4, 57
 - Blichfeldt's, 293
 - Bohnenblust's, 93
 - Brianchon-Gram, 344
 - Brickman's, 4, 89
 - Brion's, 346
 - Carathéodory's, 10
 - colored, 11
 - dual, 137
 - Center Transversal, 24
 - Dines', 84
 - Doignon's, 318
 - Dvoretzky's, 247
 - dual, 247
 - Eberhard's, 266
 - Gauss-Lucas, 8
 - Ham Sandwich, 24
 - Helly's, 18
 - colored, 21
 - fractional, 20
 - measure of the intersection, 20
 - hidden convexity, 84
 - Hilbert's, 77
 - Howe's, 318
 - Isolation, 45
 - Jung's, 24
 - Kirchberger's, 21
 - Krasnoselsky's, 24
 - Krein-Milman, 121
 - for cones, 66
 - in Euclidean space, 52
 - Kronecker's, 314
 - Lagrange's, 299
 - Lyapunov's, 130
 - M.B. Gromova's, 63
 - Milman's QS, 248
 - Minkowski's Convex Body, 294
 - Minkowski's Extremal Convex Body, 296
 - Minkowski's Second, 296
 - Minkowski-Hlawka, 306
 - of Bakonyi and Johnson, 97
 - of Friedland and Loewy, 93
 - of Li and Tam, 85
 - of Pukhlikov, Khovanskii and Lawrence, 338
 - Piercing, 20
 - polarity is a valuation, 147
 - Polya's, 16
 - Rado's, 257
 - Radon's, 17
 - Schur-Horn, 4
 - Straszewicz', 50
 - Tikhonov's, 110
 - Toeplitz-Hausdorff, 90
 - Tverberg's, 18
 - Volume Ratio, 248
 - Weak Duality, 164
 - Weyl-Minkowski, 9, 55, 145
- topology, 110
 - stronger, 110
 - weak*, 115
 - weak, of the duality, 157
 - weaker, 110
- transformation
 - linear
 - adjoint, 156
 - dual, 156
 - projective, 253
- translation, 6, 111
- tree, 63
- triangulation, 332
- valuation, 29
- variance, 141
- vector, 1, 5
- vertex, 54, 252
- volume, 2, 35
 - dual, 149, 207
 - intrinsic, 35, 36
- volumetric barrier, 207
- zonotope, 256, 292

Convexity is a simple idea that manifests itself in a surprising variety of places. This fertile field has an immensely rich structure and numerous applications. Barvinok demonstrates that simplicity, intuitive appeal, and the universality of applications make teaching (and learning) convexity a gratifying experience. The book will benefit both teacher and student: It is easy to understand, entertaining to the reader, and includes many exercises that vary in degree of difficulty. Overall, the author demonstrates the power of a few simple unifying principles in a variety of pure and applied problems.


The prerequisites are minimal amounts of linear algebra, analysis, and elementary topology, plus basic computational skills. Portions of the book could be used by advanced undergraduates. As a whole, it is designed for graduate students interested in mathematical methods, computer science, electrical engineering, and operations research. The book will also be of interest to research mathematicians, who will find some results that are recent, some that are new, and many known results that are discussed from a new perspective.

ISBN 978-0-8218-2968-4



9 780821 829684

GSM/54

For additional information
and updates on this book, visit 
www.ams.org/bookpages/gsm-54

AMS *on the Web*
www.ams.org