

Hilbert's Fifth Problem and Related Topics

Terence Tao

**Graduate Studies
in Mathematics**

Volume 153



American Mathematical Society

Hilbert's Fifth Problem and Related Topics

Hilbert's Fifth Problem and Related Topics

Terence Tao

Graduate Studies
in Mathematics

Volume 153



American Mathematical Society
Providence, Rhode Island

EDITORIAL COMMITTEE

Dan Abramovich
Daniel S. Freed
Rafe Mazzeo (Chair)
Gigliola Staffilani

2010 *Mathematics Subject Classification*. Primary 22D05, 22E05, 22E15, 11B30, 20F65.

For additional information and updates on this book, visit
www.ams.org/bookpages/gsm-153

Library of Congress Cataloging-in-Publication Data

Tao, Terence, 1975–

Hilbert's fifth problem and related topics / Terence Tao.

pages cm. – (Graduate studies in mathematics ; volume 153)

Includes bibliographical references and index.

ISBN 978-1-4704-1564-8 (alk. paper)

1. Hilbert, David, 1862–1943. 2. Lie groups. 3. Lie algebras. Characteristic functions.

I. Title.

QA387.T36 2014
512'.482–dc23

2014009022

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy a chapter for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for such permission should be addressed to the Acquisitions Department, American Mathematical Society, 201 Charles Street, Providence, Rhode Island 02904-2294 USA. Requests can also be made by e-mail to reprint-permission@ams.org.

© 2014 by Terence Tao. All right reserved.

Printed in the United States of America.

∞ The paper used in this book is acid-free and falls within the guidelines established to ensure permanence and durability.

Visit the AMS home page at <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 1 19 18 17 16 15 14

To Garth Gaudry, who set me on the road;
To my family, for their constant support;
And to the readers of my blog, for their feedback and contributions.

Contents

Preface	xi
Notation	xii
Acknowledgments	xiii
Part 1. Hilbert's Fifth Problem	
Chapter 1. Introduction	3
§1.1. Hilbert's fifth problem	7
§1.2. Approximate groups	14
§1.3. Gromov's theorem	20
Chapter 2. Lie groups, Lie algebras, and the Baker-Campbell-Hausdorff formula	25
§2.1. Local groups	26
§2.2. Some differential geometry	30
§2.3. The Lie algebra of a Lie group	34
§2.4. The exponential map	35
§2.5. The Baker-Campbell-Hausdorff formula	43
Chapter 3. Building Lie structure from representations and metrics	53
§3.1. The theorems of Cartan and von Neumann	57
§3.2. Locally compact vector spaces	60
§3.3. From Gleason metrics to Lie groups	64
Chapter 4. Haar measure, the Peter-Weyl theorem, and compact or abelian groups	73

§4.1.	Haar measure	76
§4.2.	The Peter-Weyl theorem	87
§4.3.	The structure of locally compact abelian groups	94
Chapter 5.	Building metrics on groups, and the Gleason-Yamabe theorem	99
§5.1.	Warmup: the Birkhoff-Kakutani theorem	101
§5.2.	Obtaining the commutator estimate via convolution	103
§5.3.	Building metrics on NSS groups	106
§5.4.	NSS from subgroup trapping	112
§5.5.	The subgroup trapping property	114
§5.6.	The local group case	117
Chapter 6.	The structure of locally compact groups	125
§6.1.	Van Dantzig's theorem	127
§6.2.	The invariance of domain theorem	131
§6.3.	Hilbert's fifth problem	133
§6.4.	Transitive actions	136
Chapter 7.	Ultraproducts as a bridge between hard analysis and soft analysis	139
§7.1.	Ultrafilters	144
§7.2.	Ultrapowers and ultralimits	148
§7.3.	Nonstandard finite sets and nonstandard finite sums	157
§7.4.	Asymptotic notation	158
§7.5.	Ultra approximate groups	161
Chapter 8.	Models of ultra approximate groups	167
§8.1.	Ultralimits of metric spaces (Optional)	169
§8.2.	Sanders-Croot-Sisask theory	176
§8.3.	Locally compact models of ultra approximate groups	184
§8.4.	Lie models of ultra approximate groups	190
Chapter 9.	The microscopic structure of approximate groups	197
§9.1.	Gleason's lemma	204
§9.2.	A cheap version of the structure theorem	208
§9.3.	Local groups	212
Chapter 10.	Applications of the structural theory of approximate groups	219

§10.1. Sets of bounded doubling	220
§10.2. Polynomial growth	223
§10.3. Fundamental groups of compact manifolds (optional)	225
§10.4. A Margulis-type lemma	229
Part 2. Related Articles	
Chapter 11. The Jordan-Schur theorem	233
§11.1. Proofs	234
Chapter 12. Nilpotent groups and nilprogressions	237
§12.1. Some elementary group theory	239
§12.2. Nilprogressions	244
Chapter 13. Ado's theorem	249
§13.1. The nilpotent case	252
§13.2. The solvable case	254
§13.3. The general case	258
Chapter 14. Associativity of the Baker-Campbell-Hausdorff-Dynkin law	259
Chapter 15. Local groups	265
§15.1. Lie's third theorem	269
§15.2. Globalising a local group	270
§15.3. A nonglobalisable group	274
Chapter 16. Central extensions of Lie groups, and cocycle averaging	277
§16.1. A little group cohomology	279
§16.2. Proof of theorem	285
Chapter 17. The Hilbert-Smith conjecture	289
§17.1. Periodic actions of prime order	290
§17.2. Reduction to the p -adic case	293
Chapter 18. The Peter-Weyl theorem and nonabelian Fourier analysis	297
§18.1. Proof of the Peter-Weyl theorem	298
§18.2. Nonabelian Fourier analysis	302
Chapter 19. Polynomial bounds via nonstandard analysis	307
Chapter 20. Loeb measure and the triangle removal lemma	313

§20.1. Loeb measure	316
§20.2. The triangle removal lemma	321
Chapter 21. Two notes on Lie groups	325
Bibliography	329
Index	335

Preface

Hilbert's fifth problem, from his famous list of twenty-three problems in mathematics from 1900, asks for a topological description of Lie groups, without any direct reference to smooth structure. As with many of Hilbert's problems, this question can be formalised in a number of ways, but one commonly accepted formulation asks whether any locally Euclidean topological group is necessarily a Lie group. This question was answered affirmatively by Montgomery and Zippin [**MoZi1952**] and Gleason [**G11952**]; see Theorem 1.1.9. As a byproduct of the machinery developed to solve this problem, the structure of locally compact groups was greatly clarified, leading in particular to the very useful *Gleason-Yamabe theorem* (Theorem 1.1.13) describing such groups. This theorem (and related results) have since had a number of applications, most strikingly in Gromov's celebrated theorem [**Gr1981**] on groups of polynomial growth (Theorem 1.3.1), and in the classification of finite approximate groups (Theorem 1.2.12). These results in turn have applications to the geometry of manifolds, and on related topics in geometric group theory.

In the fall of 2011, I taught a graduate topics course covering these topics, developed the machinery needed to solve Hilbert's fifth problem, and then used it to classify approximate groups and then finally to develop applications such as Gromov's theorem. Along the way, one needs to develop a number of standard mathematical tools, such as the Baker-Campbell-Hausdorff formula relating the group law of a Lie group to the associated Lie algebra, the Peter-Weyl theorem concerning the representation-theoretic structure of a compact group, or the basic facts about ultrafilters and ultra-products that underlie nonstandard analysis.

This text is based on the lecture notes from that course, as well as from some additional posts on my blog at terrytao.wordpress.com on further topics related to Hilbert's fifth problem. Part 1 of this text can thus serve as the basis for a one-quarter or one-semester advanced graduate course, depending on how much of the optional material one wishes to cover. The material here assumes familiarity with basic graduate real analysis (such as measure theory and point set topology), as covered for instance in my texts [Ta2011], [Ta2010], and including topics such as the Riesz representation theorem, the Arzelá-Ascoli theorem, Tychonoff's theorem, and Urysohn's lemma. A basic understanding of linear algebra (including, for instance, the spectral theorem for unitary matrices) is also assumed.

The core of the text is Part 1. The first part of this section of the book is devoted to the theory surrounding Hilbert's fifth problem, and in particular in fleshing out the long road from locally compact groups to Lie groups. First, the theory of Lie groups and Lie algebras is reviewed, and it is shown that a Lie group structure can be built from a special type of metric known as a *Gleason metric*, thanks to tools such as the Baker-Campbell-Hausdorff formula. Some representation theory (and in particular, the Peter-Weyl theorem) is introduced next, in order to classify compact groups. The two tools are then combined to prove the fundamental Gleason-Yamabe theorem, which among other things leads to a positive solution to Hilbert's fifth problem.

After this, the focus turns from the "soft analysis" of locally compact groups to the "hard analysis" of approximate groups, with the useful tool of *ultraproducts* serving as the key bridge between the two topics. By using this bridge, one can start imposing approximate Lie structure on approximate groups, which ultimately leads to a satisfactory classification of approximate groups as well. Finally, Part 1 ends with applications of this classification to geometric group theory and the geometry of manifolds, and in particular in reproving Gromov's theorem on groups of polynomial growth.

Part 2 contains a variety of additional material that is related to one or more of the topics covered in Part 1, but which can be omitted for the purposes of teaching a graduate course on the subject.

Notation

For reasons of space, we will not be able to define every single mathematical term that we use in this book. If a term is italicised for reasons other than emphasis or for definition, then it denotes a standard mathematical object, result, or concept, which can be easily looked up in any number of references. (In the blog version of the book, many of these terms were linked to their Wikipedia pages, or other on-line reference pages.)

Given a subset E of a space X , the *indicator function* $1_E : X \rightarrow \mathbf{R}$ is defined by setting $1_E(x)$ equal to 1 for $x \in E$ and equal to 0 for $x \notin E$.

The cardinality of a finite set E will be denoted $|E|$. We will use the asymptotic notation $X = O(Y)$, $X \ll Y$, or $Y \gg X$ to denote the estimate $|X| \leq CY$ for some absolute constant $C > 0$. In some cases we will need this constant C to depend on a parameter (e.g., d), in which case we shall indicate this dependence by subscripts, e.g., $X = O_d(Y)$ or $X \ll_d Y$. We also sometimes use $X \sim Y$ as a synonym for $X \ll Y \ll X$. (Note though that once we deploy the machinery of nonstandard analysis in Chapter 7, we will use a closely related, but slightly different, asymptotic notation.)

Acknowledgments

I am greatly indebted to my students of the course on which this text was based, as well as many further commenters on my blog, including Marius Buliga, Tony Carbery, Nick Cook, Alin Galatan, Pierre de la Harpe, Ben Hayes, Richard Hevener, Vitali Kapovitch, E. Mehmet Kiral, Allen Knutson, Mateusz Kwasnicki, Fred Lunnon, Peter McNamara, William Meyerson, Joel Moreira, John Pardon, Ravi Raghunathan, David Roberts, David Ross, Olof Sisask, David Speyer, Benjamin Steinberg, Neil Strickland, Lou van den Dries, Joshua Zelinsky, Pavel Zorin, and several anonymous commenters. These comments can be viewed online at:

terrytao.wordpress.com/category/teaching/254a-hilberts-fifth-problem/

The author was supported by a grant from the MacArthur Foundation, by NSF grant DMS-0649473, and by the NSF Waterman award. Last, but not least, I thank Emmanuel Breuillard and Ben Green for introducing me to the beautiful interplay between geometric group theory, additive combinatorics, and topological group theory that arises in this text.

Bibliography

- [Ar1950] K. Arrow, *A Difficulty in the Concept of Social Welfare*, Journal of Political Economy **58** (1950), 328–346.
- [BoChLoSoVe2008] C. Borgs, J. Chayes, L. Lovász, V. Sós, K. Vesztegombi, *Convergent sequences of dense graphs. I. Subgraph frequencies, metric properties and testing*, Adv. Math. **219** (2008), no. 6, 1801–1851.
- [Bo1968] N. Bourbaki, *Éléments de mathématique*. Fasc. XXXIV. Groupes et algèbres de Lie. Chapitre IV: Groupes de Coxeter et systèmes de Tits. Chapitre V: Groupes engendrés par des réflexions. Chapitre VI: systèmes de racines. Actualités Scientifiques et Industrielles, No. 1337 Hermann, Paris 1968.
- [BrGrTa2011] E. Breuillard, B. Green, T. Tao, *The structure of approximate groups*, Publ. Math. Inst. Hautes Études Sci. **116** (2012), 115–221.
- [Ch2003] M. Chang, *Factorization in generalized arithmetic progressions and applications to the Erdos-Szemerédi sum-product problems*, Geom. Funct. Anal. **13** (2003), no. 4, 720–736.
- [ChCo1996] J. Cheeger, T. Colding, *Lower bounds on Ricci curvature and the almost rigidity of warped products*, Ann. of Math. **144** (1996), no. 1, 189–237.
- [ChGr1972] J. Cheeger, D. Gromoll, *On the structure of complete manifolds of nonnegative curvature*, Ann. of Math. **96** (1972), 413–443.
- [CoMi1997] T. Colding, W. Minicozzi, *Harmonic functions on manifolds*, Ann. of Math. **146** (1997), no. 3, 725–747.
- [CrSi2010] E. Croot, O. Sisask, *A probabilistic technique for finding almost-periods of convolutions*, Geom. Funct. Anal. **20** (2010), 1367–1396.
- [Dr1969] A. Dress, *Newman’s theorems on transformation groups*, Topology **8** (1969), 203–207.
- [ElSz2006] G. Elek, B. Szegedy, *A measure-theoretic approach to the theory of dense hypergraphs*, Adv. Math. **231** (2012), 1731–1772.
- [FuHa1991] W. Fulton, J. Harris, *Representation theory. A first course*. Graduate Texts in Mathematics, 129. Readings in Mathematics. Springer-Verlag, New York, 1991.

- [Fr1973] G. A. Freiman, *Foundations of a structural theory of set addition*, American Mathematical Society, Providence, R. I., 1973. Translated from the Russian, *Translations of Mathematical Monographs*, Vol 37.
- [Fr1936] H. Freudenthal, *Einige Sätze über topologische Gruppen*, *Annals of Math.* **37** (1936), 46–56.
- [Gl1950] A. M. Gleason, *Spaces with a compact Lie group of transformations*, *Proc. Amer. Math. Soc.* **1** (1950), 35–43.
- [Gl1952] A. M. Gleason, *Groups without small subgroups*, *Ann. of Math.* **56** (1952), 193–212.
- [Gl1951] A. M. Gleason, *The structure of locally compact groups*, *Duke Math. J.* **18** (1951), 85–104.
- [Go1938] K. Gödel, *Consistency of the axiom of choice and of the generalized continuum-hypothesis with the axioms of set theory*, *Proc. Nat. Acad. Sci.* **24** (1938), 556–557.
- [Go2009] I. Goldbring, *Nonstandard methods in lie theory*. Ph.D. Thesis, University of Illinois at Urbana-Champaign, 2009.
- [Go2010] I. Goldbring, *Hilbert’s fifth problem for local groups*, *Ann. of Math.* **172** (2010), no. 2, 1269–1314.
- [GoSa1964] E. D. Golod, I. R. Shafarevich, *On the class field tower*, *Izv. Akad. Nauk SSSR Ser. Mat.* **28** (1964) 261–272.
- [GrRu2007] B. Green, I. Z. Ruzsa, *Freiman’s theorem in an arbitrary abelian group*, *J. Lond. Math. Soc.* **75** (2007), 163–175.
- [Gr1984] R.I. Grigorchuk, *Degrees of growth of finitely generated groups and the theory of invariant means*, *Math. USSR Izv.* **25** (1985), 259–300; Russian original: *Izv. Akad. Nauk SSSR Sr. Mat.* **48** (1984), 939–985.
- [Gr1981] M. Gromov, *Groups of polynomial growth and expanding maps*, *Inst. Hautes Études Sci. Publ. Math. No.* **53** (1981), 53–73.
- [HeRo1979] E. Hewitt, K. Ross, *Abstract harmonic analysis*. Vol. I. *Structure of topological groups, integration theory, group representations*. Second edition. *Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences]*, 115. Springer-Verlag, Berlin-New York, 1979.
- [Hi1990] J. Hirschfeld, *The nonstandard treatment of Hilbert’s fifth problem*, *Trans. Amer. Math. Soc.* **321** (1990), no. 1, 379–400.
- [Ho1991] B. Host, *Mixing of all orders and pairwise independent joinings of systems with singular spectrum*, *Israel J. Math.* **76** (1991), no. 3, 289–298.
- [Hr2012] E. Hrushovski, *Stable group theory and approximate subgroups*, *J. Amer. Math. Soc.* **25** (2012), no. 1, 189–243.
- [Jo1878] C. Jordan, *Mémoire sur les équations différentielles linéaires à intégrale algébrique*, *J. Reine Angew. Math.* **84** (1878), 89–215.
- [KaPeTu2010] V. Kapovitch, A. Petrunin, W. Tuschmann, *Nilpotency, almost nonnegative curvature, and the gradient flow on Alexandrov spaces*, *Ann. of Math.* **171** (2010), no. 1, 343–373.
- [KaWi2011] V. Kapovitch, B. Wilking, *Structure of fundamental groups of manifolds with Ricci curvature bounded below*, preprint.
- [KiSo1972] A. Kirman, D. Sondermann, *Arrow’s theorem, many agents, and invisible dictators*, *Journal of Economic Theory* **5** (1972), 267–277.
- [Kl2010] B. Kleiner, *A new proof of Gromov’s theorem on groups of polynomial growth*, *J. Amer. Math. Soc.*, **23** (2010), 815–829.

- [Ku1998] W. Kulpa, *Poincaré and domain invariance theorem*, Acta Univ. Carolin. Math. Phys. **39** (1998), no. 1-2, 127–136.
- [Ku1950] M. Kuranishi, *On Euclidean local groups satisfying certain conditions*, Proc. Amer. Math. Soc. **1** (1950), 372–380.
- [Le1997] J. S. Lee, *Totally disconnected groups, p -adic groups and the Hilbert-Smith conjecture*, Commun. Korean Math. Soc. **12** (1997), no. 3, 691–699.
- [Lo1975] P. Loeb, *Conversion from nonstandard to standard measure spaces and applications in probability theory*, Trans. Amer. Math. Soc. **211** (1975), 113–122.
- [Lo1955] J. Los, *Quelques remarques, théorèmes et problèmes sur les classes définissables d'algèbres*, in: Mathematical Interpretation of Formal Systems, North-Holland, Amsterdam, 1955, 98–113.
- [LoSz2006] L. Lovász, B. Szegedy, *Limits of dense graph sequences*, J. Combin. Theory Ser. B **96** (2006), no. 6, 933–957.
- [Ma1941] A. Malcev, *Sur les groupes topologiques locaux et complets*, C. R. (Doklady) Acad. Sci. URSS (N.S.) **32**, (1941). 606–608.
- [Mi1956] J. Milnor, *On manifolds homeomorphic to the 7-sphere*, Annals of Mathematics **64** (1956), 399–405.
- [MoZi1952] D. Montgomery, L. Zippin, *Small subgroups of finite-dimensional groups*, Ann. of Math. **56** (1952), 213–241.
- [MoZi1974] D. Montgomery, L. Zippin, *Topological transformation groups*. Reprint of the 1955 original. Robert E. Krieger Publishing Co., Huntington, N.Y., 1974. xi+289 pp.
- [My1941] S. B. Myers, *Riemannian manifolds with positive mean curvature*, Duke Mathematical Journal **8** (1941), 401–404.
- [Ne1931] M. H. A. Newman, *A theorem on periodic transformations of spaces*, Quart. J. Math **2** (1931), 1–9.
- [Ol1996] P. Olver, *Non-associative local Lie groups*, J. Lie Theory **6** (1996), no. 1, 23–51.
- [Pa2013] J. Pardon, *The Hilbert–Smith conjecture for three-manifolds*, J. Amer. Math. Soc. **26** (2013), no. 3, 879–899.
- [Pe2006] P. Petersen, *Riemannian geometry*. Second edition. Graduate Texts in Mathematics, 171. Springer, New York, 2006.
- [ReSc97] D. Repovš, E. Ščepin, *A proof of the Hilbert–Smith conjecture for actions by Lipschitz maps*, Math. Ann. **308** (1997), no. 2, 361–364.
- [Ro1966] A. Robinson, *Non-standard analysis*. North-Holland Publishing Co., Amsterdam 1966.
- [Ro1953] K.F. Roth, *On certain sets of integers*, J. London Math. Soc. **28** (1953), 245–252.
- [Ru1962] W. Rudin, *Fourier analysis on groups*. Interscience Tracts in Pure and Applied Mathematics, No. 12 Interscience Publishers (a division of John Wiley and Sons), New York-London 1962 ix+285 pp.
- [Ru1978] I. Ruzsa, E. Szemerédi, *Triple systems with no six points carrying three triangles*, Combinatorics (Proc. Fifth Hungarian Colloq., Keszthely, 1976), Vol. II, pp. 939–945, Colloq. Math. Soc. János Bolyai, 18, North-Holland, Amsterdam-New York, 1978.
- [Sa2009] T. Sanders, *On a non-abelian Balog-Szemerédi-type lemma*, J. Aust. Math. Soc. **89** (2010), no. 1, 127–132.
- [Sa2010] T. Sanders, *On the Bogolyubov-Ruzsa lemma*, Anal. PDE **5** (2012), 627–655.
- [Sc1995] J. Schmid, *On the affine Bezout inequality*, Manuscripta Math. **88** (1995), no. 2, 225–232.

- [Sc1989] K. Schmidt-Götsch, *Polynomial bounds in polynomial rings over fields*, J. Algebra **125** (1989), no. 1, 164–180.
- [Se1931] H. Seifert, *Konstruktion drei dimensionaler geschlossener Räume*, Berichte Sachs. Akad. Leipzig, Math.-Phys. Kl. **83** (1931) 26–66.
- [Se1964] J.-P. Serre, *Lie algebras and Lie groups*. 1964 lectures given at Harvard University. Corrected fifth printing of the second (1992) edition. Lecture Notes in Mathematics, 1500. Springer-Verlag, Berlin, 2006.
- [ShTa2010] Y. Shalom, T. Tao, *A finitary version of Gromov’s polynomial growth theorem*, Geom. Funct. Anal. **20** (2010), no. 6, 1502–1547.
- [Sm1941] P. A. Smith, *Transformations of finite period. III. Newman’s theorem*, Ann. of Math. **42** (1941), 446–458.
- [Sz1978] E. Szemerédi, *Regular partitions of graphs*, in “Problèmes Combinatoires et Théorie des Graphes, Proc. Colloque Inter. CNRS,” (Bermond, Fournier, Las Vergnas, Sotteau, eds.), CNRS Paris, 1978, 399–401.
- [Ta2007] T. Tao, *A correspondence principle between (hyper)graph theory and probability theory, and the (hyper)graph removal lemma*, J. Anal. Math. **103** (2007), 1–45.
- [Ta2008] T. Tao, *Structure and Randomness: pages from year one of a mathematical blog*, American Mathematical Society, Providence RI, 2008.
- [Ta2008b] T. Tao, *Product set estimates for non-commutative groups*, Combinatorica **28** (2008), 547–594.
- [Ta2009] T. Tao, *Poincaré’s Legacies: pages from year two of a mathematical blog*, Vol. I, American Mathematical Society, Providence RI, 2009.
- [Ta2009b] T. Tao, *Poincaré’s Legacies: pages from year two of a mathematical blog*, Vol. II, American Mathematical Society, Providence RI, 2009.
- [Ta2010] T. Tao, *An epsilon of room*, Vol. I, American Mathematical Society, Providence RI, 2010.
- [Ta2010b] T. Tao, *An epsilon of room*, Vol. II, American Mathematical Society, Providence RI, 2010.
- [Ta2011] T. Tao, *An introduction to measure theory*, American Mathematical Society, Providence RI, 2011.
- [Ta2011b] T. Tao, *Higher order Fourier analysis*, American Mathematical Society, Providence RI, 2011.
- [Ta2011c] T. Tao, *Compactness and contradiction*, American Mathematical Society, Providence, RI, 2013.
- [TaVu2006] T. Tao, V. Vu, *Additive combinatorics*. Cambridge Studies in Advanced Mathematics, 105. Cambridge University Press, Cambridge, 2006.
- [TaYu2005] P. Tauvel, R. Yu, *Lie algebras and algebraic groups*, Springer Monographs in Mathematics, Springer-Verlag, Berlin, 2005.
- [vDa1936] D. van Dantzig, *Zur topologischen Algebra. III, Brouwersche und Cantorsche Gruppen*, Compositio Math. **3** (1936), 408–426.
- [vdDrGo2010] L. van den Dries, I. Goldbring, *Globalizing locally compact local groups*, J. Lie Theory **20** (2010), no. 3, 519–524.
- [vKa1833] E. R. van Kampen, *On the connection between the fundamental groups of some related spaces*, Amer. J. Math., **55** (1933), 261–267.
- [vdDrWi1984] L. van den Dries, A. J. Wilkie, *Gromov’s theorem on groups of polynomial growth and elementary logic*, J. Algebra, **89** (1984), 349–374.

-
- [vEsKo1964] W. T. van Est, Th. J. Korthagen, *Non-enlargible Lie algebras*, Nederl. Akad. Wetensch. Proc. Ser. A 67, Indag. Math. **26** (1964), 15–31.
- [We1973] B. A. F. Wehrfritz, *Infinite linear groups. An account of the group-theoretic properties of infinite groups of matrices*. Ergebnisse der Mathematik und ihrer Grenzgebiete, Band 76. Springer-Verlag, New York-Heidelberg, 1973.
- [Ya1953] H. Yamabe, *On the conjecture of Iwasawa and Gleason*, Ann. of Math. **58**, (1953), 48–54.
- [Ya1953b] H. Yamabe, *A generalization of a theorem of Gleason*, Ann. of Math. **58** (1953), 351–365.
- [Ze1990] E. I. Zel'manov, *Solution of the restricted Burnside problem for groups of odd exponent*, Izv. Akad. Nauk SSSR Ser. Mat. **54** (1990), no. 1, 42–59.

Index

- $C^{1,1}$ local group, 36
- p -adic norm, 11
- *-homomorphism, 146

- A group is virtually nilpotent if it
 - contains a finite index subgroup
 - which is nilpotent., 21
- abstract Lie algebra, 249
- additive combinatorics, 14
- adjoint representation, 44, 85
- Ado's theorem, 250
- almost period, 179
- approximate group, 162, 212
- arrow's theorem, 147
- associated neighbourhood, 119
- asymptotic notation, xiii, 159

- baby Peter-Weyl theorem, 91
- Baker-Campbell-Hausdorff formula, 43
- Baker-Campbell-Hausdorff-Dynkin formula, 48
- Birkoff-Kakutani theorem, 101
- Borel measure, 77
- Brouwer fixed point theorem, 131
- Burnside's theorem, 235

- cancellative local group, 118
- Cartan's theorem, 54
- Cayley graph, 20
- central element, 6
- centraliser, 6
- chain rule, 31
- character, 304
- characteristic subgroup, 240

- cheap structure theorem, 210
- class function, 304
- classification of one-parameter subgroups, 57
- clopen set, 127
- closed graph theorem, 57
- cocompact subgroup, 94
- cocompact topology, 61
- cocycle, 280
- cocycle equation, 280
- cohomologous, 281
- commutator, 6, 239
- compact operator, 89
- compact-open topology, 66
- compactness of integral operators, 89
- compactness theorem, 157
- complete measure space, 313
- concretely nilpotent Lie algebra, 254
- conjugate, 239
- connected component, 128
- connected space, 127
- continuous action, 127
- convolution, 88
- coset nilprogression, 165
- coset progression, 17, 164
- countable saturation, 151

- degree, 291
- derivation, 256
- derivations and vector fields, 33
- derivative map, 31
- directional derivative, 32

- edge density, 314
 elementary set, 322
 equivariant map, 298
 escape norm, 201
 existence and uniqueness of Haar
 measure, 78
 exponential coordinates, 41
 exponential map, 69
 extension problem, 277
- faithful action, 127
 finite trapping, 114
 formal commutator word, 243
 formal predicate, 157
 Fourier analysis on compact abelian
 groups, 94
 Fourier inversion formula, 303
 Freiman's theorem, 17, 164
 Fubini-Tonelli theorem, 314
- gauge transformation, 281
 general linear group, 9
 generalised arithmetic progression, 16,
 164
 Gleason lemma, 202
 Gleason metric, 55
 Gleason-Yamabe theorem for abelian
 groups, 96
 Gleason-Yamabe theorem for compact
 groups, 92
 good model, 185, 213
 Gromov's theorem, 21, 224
 Gromov-Hausdorff distance, 171
 group cohomology, 281
 group germ, 267
 group of polynomial growth, 21
- Haar measure, 77, 87
 Hadamard lemma, 46
 half-open topology, 62
 Hall-Witt identity, 240
 hard analysis, 139
 Hausdorff distance, 116, 170
 height, 308
 Heisenberg group, 9
 Helfgott-Lindenstrauss conjecture, 216
 Hilbert's fifth problem, 10, 133
 Hilbert-Smith conjecture, 289
 homogeneous space, 86
 homomorphism, 29
 Hrushovski Lie model theorem, 213
- Hrushovski's Lie model theorem, 192,
 195
 Hrushovski's structure theorem, 194
 hyperreal, 149
- indicator function, xiii
 infinitesimal, 159
 infinitesimal part, 159
 inner regularity, 77
 internal function, 152
 internal set, 149
 invariance of dimension, 126
 invariance of domain, 126, 132
 inverse limit, 93
 irreducible representation, 298
 isotypic component, 300
- Jacobi identity, 249
 Jordan's theorem, 6, 233
 Jordan-Schur theorem, 233
- Keisler-Fubini theorem, 319
- lamplighter group, 191
 left-invariant vector field, 34
 Leibniz rule, 33
 Levi's theorem, 258
 Lie algebra, 33
 Lie algebra of a Lie group, 34
 Lie bracket, 33
 Lie group, 8
 Lie groups are analytic, 49
 Lie's first theorem, 40
 Lie's second theorem, 50
 Lie's third theorem, 35, 50, 270
 lifting lemma, 215
 local finiteness, 77
 local Gleason metric, 121
 local Gleason-Yamabe theorem, 121
 local group, 26
 local Haar measure, 86
 local homomorphism, 29
 local Lie group, 27
 Local Lie implies Lie, 43
 local section, 283
 local topological group, 26
 Loeb measure, 317
 Los's theorem, 154
 lower central series, 241
- Margulis-type lemma, 229
 matrix exponential, 4
 measure space, 313

- monad, 267
- Newman's first theorem, 291
- Newman's second theorem, 292
- nilpotent Lie algebra, 251
- nilprogression, 165
- nilradical, 257
- no small subgroups, 106
- noncommutative progression, 18, 165
- nonstandard finite set, 158
- nonstandard function, 152
- nonstandard object, 149
- nonstandard space, 149
- nonstandard universe, 149
- normal Sanders lemma, 182
- normal sub-local group, 119
- normalising neighbourhood, 119
- notation, xii
- NSS, 106
- NSS approximate group, 208
- one-parameter subgroup, 41, 57
- open mapping theorem, 56
- orthogonal group, 9
- outer regularity, 77
- overspill principle, 155
- periodic group, 233
- Peter-Weyl theorem, 298
- Plancherel identity, 303
- Poincaré-Birkhoff-Witt theorem, 250
- pointed Gromov-Hausdorff convergence, 174
- pointed metric space, 174
- probability space, 313
- profinite group, 130, 134
- projective limit, 93
- pseudometric, 100
- pushforward, 32
- quotient space, 120
- quotiented commutator map, 242
- radially homogeneous $C^{1,1}$ local group, 39
- radical, 255
- Radon measure, 77
- regular representation, 74, 88
- restricted Burnside problem, 235
- restriction of a local group, 27
- Riesz lemma, 64
- Riesz representation theorem, 78
- Ruzsa covering lemma, 183
- Ruzsa triangle inequality, 221
- Sanders lemma, 168, 212
- Schur's lemma, 298
- Schur's theorem, 233
- smooth action, 87
- smooth atlas, 8
- smooth manifold, 8
- smooth structure, 8
- soft analysis, 139
- solenoid, 12
- special orthogonal group, 9
- special unitary group, 9
- spectral theorem, 90
- stabiliser subgroup, 86
- standard function, 152
- standard object, 148
- standard part, 159
- standard universe, 148
- Stone-Cech compactification, 146
- strictly nonstandard, 150
- sub-local group, 119
- subgroup trapping, 112, 122
- submanifold, 54
- syndetic set, 95
- tangent bundle, 31
- tangent space, 30
- tangent vector, 31
- Tonelli theorem, 319
- topological group, 10
- topological manifold, 8
- topological vector space, 61
- torsion group, 162
- totally disconnected space, 128
- transitive action, 86, 127
- triangle removal lemma, 315, 321
- ultra approximate group, 162, 212
- ultrafilter, 145
- ultralimit, 149
- ultrapower, 149
- ultraproduct, 149
- uniform total boundedness, 172
- uniqueness of Lie structure, 42
- unitary group, 9
- universal cover, 226
- universal enveloping algebra, 249
- van Dantzig's theorem, 128
- vector field, 32
- von Neumann's theorem, 54

weak Gleason metric, 104
Weil-Heisenberg group, 9
well-defined word, 30
well-formed formula, 156
word metric, 20


In the fifth of his famous list of 23 problems, Hilbert asked if every topological group which was locally Euclidean was in fact a Lie group. Through the work of Gleason, Montgomery-Zippin, Yamabe, and others, this question was solved affirmatively; more generally, a satisfactory description of the (mesoscopic) structure of locally compact groups was established. Subsequently, this structure theory was used to prove Gromov's theorem on groups of polynomial growth, and more recently in the work of Hrushovski, Breuillard, Green, and the author on the structure of approximate groups.



Courtesy of Reed Hutchinson/UCLA

In this graduate text, all of this material is presented in a unified manner, starting with the analytic structural theory of real Lie groups and Lie algebras (emphasising the role of one-parameter groups and the Baker-Campbell-Hausdorff formula), then presenting a proof of the Gleason-Yamabe structure theorem for locally compact groups (emphasising the role of Gleason metrics), from which the solution to Hilbert's fifth problem follows as a corollary. After reviewing some model-theoretic preliminaries (most notably the theory of ultraproducts), the combinatorial applications of the Gleason-Yamabe theorem to approximate groups and groups of polynomial growth are then given. A large number of relevant exercises and other supplementary material are also provided.

ISBN 978-1-4704-1564-8



9 781470 415648

GSM/I53



For additional information
and updates on this book, visit

www.ams.org/bookpages/gsm-153

AMS on the Web
www.ams.org