



Applied
Mathematics

Singular Perturbation in the Physical Sciences

John C. Neu

**Graduate Studies
in Mathematics**

Volume 167



American Mathematical Society

Singular Perturbation in the Physical Sciences

Singular Perturbation in the Physical Sciences

John C. Neu

Graduate Studies
in Mathematics

Volume 167



American Mathematical Society
Providence, Rhode Island

EDITORIAL COMMITTEE

Dan Abramovich
Daniel S. Freed
Rafe Mazzeo (Chair)
Gigliola Staffilani

2010 *Mathematics Subject Classification*. Primary 34-XX, 35-XX, 37-XX, 41-XX, 76-XX, 97-XX.

For additional information and updates on this book, visit
www.ams.org/bookpages/gsm-167

Library of Congress Cataloging-in-Publication Data

Neu, John C., 1952–

Singular perturbation in the physical sciences / John C. Neu.

pages cm1. — (Graduate studies in mathematics ; volume 167)

Includes bibliographical references and index.

ISBN 1-4704-2555-5 (alk. paper)

1. Singular perturbations (Mathematics) 2. Asymptotic expansions. I. Title.

QA372.N476 2015

515'.352—dc23

2015023206

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy select pages for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Permissions to reuse portions of AMS publication content are handled by Copyright Clearance Center's RightsLink® service. For more information, please visit: <http://www.ams.org/rightslink>.

Send requests for translation rights and licensed reprints to reprint-permission@ams.org.

Excluded from these provisions is material for which the author holds copyright. In such cases, requests for permission to reuse or reprint material should be addressed directly to the author(s). Copyright ownership is indicated on the copyright page, or on the lower right-hand corner of the first page of each article within proceedings volumes.

© 2015 by the American Mathematical Society. All rights reserved.

The American Mathematical Society retains all rights
except those granted to the United States Government.

Printed in the United States of America.

♾ The paper used in this book is acid-free and falls within the guidelines
established to ensure permanence and durability.

Visit the AMS home page at <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 1 20 19 18 17 16 15

Contents

Acknowledgments	ix
Introduction	xi
Chapter 1. What is a singular perturbation?	1
Prototypical examples	1
Singularly perturbed polynomial equations	1
Radiation reaction	4
Problem 1.1: Bad truncations	7
Problem 1.2: Harmonic oscillator with memory, and even worse truncations	9
Convection-diffusion boundary layer	11
Problem 1.3: A simple boundary layer	16
Problem 1.4: Pileup near $x = 0$	17
Modulated oscillations	19
Problem 1.5: Secular terms	23
Problem 1.6: Approach to limit cycle	25
Problem 1.7: Adiabatic invariant for particle in a box	28
Guide to bibliography	29
Chapter 2. Asymptotic expansions	31
Problem 2.1: Uniqueness	33
A divergent but asymptotic series	34
Problem 2.2: Divergent outer expansion	35
Problem 2.3: Another outrageous example	37
Asymptotic expansions of integrals — the usual suspects	38
Problem 2.4: Simple endpoint examples	42
Problem 2.5: Stirling approximation to $n!$	43

Problem 2.6: Endpoint and minimum both contribute	43
Problem 2.7: Central limit theorem	44
Steepest descent method	48
Chasing the waves with velocity $v > 0$	51
No waves for $v < 0$	53
Problem 2.8: Steepest descent asymptotics	54
A primer on linear waves	57
Problem 2.9: Amplitude transport	60
Problem 2.10: How far was that meteor?	61
Problem 2.11: Wave asymptotics in non-uniform medium	62
A hard logarithmic expansion	66
Problem 2.12: Logarithmic expansion	69
Guide to bibliography	71
Chapter 3. Matched asymptotic expansions	73
Problem 3.1: Physical scaling analysis of boundary layer thickness	74
Problem 3.2: Higher-order matching	81
Problem 3.3: Absorbing boundary condition	83
Matched asymptotic expansions in practice	84
Problem 3.4: Derivative layer	85
Corner layers and internal layers	88
Problem 3.5: Phase diagram	93
Problem 3.6: Internal derivative layer	97
Problem 3.7: Where does the kink go?	101
Guide to bibliography	103
Chapter 4. Matched asymptotic expansions in PDE's	105
Moving internal layers	105
Chapman–Enskog asymptotics	109
Problem 4.1: Relaxation of kink position	113
Problem 4.2: Hamilton–Jacobi equation from front motion	114
Problem 4.3: Chapman–Enskog asymptotics	120
Projected Lagrangian	123
Problem 4.4: Circular fronts in nonlinear wave equation	127
Problem 4.5: Solitary wave dynamics in two dimensions	131
Problem 4.6: Solitary wave diffraction	135
Singularly perturbed eigenvalue problem	138
Homogenization of swiss cheese	142
Problem 4.7: Neumann boundary conditions and effective dipoles	144
Problem 4.8: Two dimensions	147
Guide to bibliography	149

Chapter 5. Prandtl boundary layer theory	151
Stream function and vorticity	155
Preliminary non-dimensionalization	157
Outer expansion and “dry water”	157
Inner expansion	158
Problem 5.1: Vector calculus of boundary layer coordinates	161
Leading order matching and a first integral	163
Problem 5.2: The body surface is a source of vorticity	164
Problem 5.3: Downstream evolution	166
Displacement thickness	167
Solutions based on scaling symmetry	168
Blasius flow over flat plate	171
Nonzero wedge angles ($m \neq 0$)	172
Precursor of boundary layer separation	173
Problem 5.4: Wedge flows with source	174
Problem 5.5: Mixing by vortex	177
Guide to bibliography	180
Chapter 6. Modulated oscillations	183
Physical flavors of modulated oscillations	184
Problem 6.1: Beats	185
Problem 6.2: The beat goes on	186
Problem 6.3: Wave packets as beats in spacetime	188
Problem 6.4: Adiabatic invariant of harmonic oscillator	189
Problem 6.5: Passage through resonance for harmonic oscillator	192
Problem 6.6: Internal resonance between waves on a ring	193
Method of two scales	197
Problem 6.7: Nonlinear parametric resonance	203
Problem 6.8: Forced van der Pol ODE	206
Problem 6.9: Inverted pendulum	214
Strongly nonlinear oscillations and action	216
Problem 6.10: Energy, action and frequency	220
Problem 6.11: Hamiltonian analysis of the adiabatic invariant	222
Problem 6.12: Poincaré analysis of nonlinear oscillations	223
A primer on nonlinear waves	227
Modulation Lagrangian	230
Problem 6.13: Nonlinear geometric attenuation	230
Problem 6.14: Modulational instability	233
A primer on homogenization theory	238
Problem 6.15: Direct homogenization	242
Guide to bibliography	245
Chapter 7. Modulation theory by transforming variables	247

Transformations in classical mechanics	247
Problem 7.1: Geometry of action-angle variables	250
Problem 7.2: Stokes expansion for quadratically nonlinear oscillator	254
Problem 7.3: Frequency-action relation	257
Problem 7.4: Follow the bouncing ball	258
Near-identity transformations	262
Problem 7.5: van der Pol ODE by near-identity transformations	267
Problem 7.6: Subtle balance between positive and negative damping	270
Problem 7.7: Adiabatic invariants again	273
Dissipative perturbations of the Kepler problem	275
Modulation theory of damped orbits	279
Guide to bibliography	285
Chapter 8. Nonlinear resonance	287
Problem 8.1: Modulation theory of resonance	290
A prototype example	292
What resonance looks like	295
Problem 8.2: Resonance of the bouncing ball	299
Problem 8.3: Resonance by rebounds off a vibrating wall	302
Generalized resonance	307
Energy beats	308
Modulation theory of generalized resonance	309
Problem 8.4: Modulation theory for generalized resonance	312
Thickness of the resonance annulus	313
Asymptotic isolation of resonances	315
Guide to bibliography	316
Bibliography	319
Index	321

Acknowledgments

This book exists because Craig Evans asked me to write it, and this request was reinforced by Sergei Gelfand. I am indebted to their gracious interest and encouragement.

This book is full of beautiful figures which illustrate the physics and geometry of the singular perturbation problems that are addressed. Many are quantitatively accurate numerical simulations. I thank my former students Adrian Down and Yossi Farjoun, who contributed many figures to the early and middle chapters. My wife, Wanda Krassowska Neu, contributed the figures to the later chapters and helped with the final editing of the manuscript, all amid her demanding work at Duke University.

I also thank Faye Yeager, who produced prompt and professional drafts of the manuscript as it progressed.

Introduction

Though the natural world is an interconnected whole, our models usually treat small pieces of that whole as if they were isolated from everything else. For instance, in an elementary physics class, we are used to conservation of energy and momentum for *isolated* systems. Isolation can be more than just physical: we are used to the notion of *separation* between time and/or spatial scales. The flow around a body inherits a characteristic length from the body itself. At a typically much smaller characteristic distance from the body's surface, the flow is modified strongly by the action of viscous stresses. This is of course the archetypal example of a *boundary layer*. In physical systems exhibiting oscillations, the properties of the oscillation sometimes change in a characteristic time much longer than the local period, and this slow cumulative change is called *modulation* of the oscillations.

The mathematical models of phenomena with widely separated scales are often *singularly perturbed*, meaning that the solution of the equations doesn't converge uniformly as the ratio of scales becomes large or small. This is the conceptual frame of singular perturbation theory. As a practice or art, singular perturbation theory is a body of analysis that exploits the separation of scales in phenomena: First, describe small and large scale happenings as if isolated or separate from each other. Then join them so they talk to each other, and larger meanings emerge. This characterization of singular perturbation theory begs a question: What happens if there is a hierarchy of many scales with no clear large and small separation? Like turbulence. Maybe this larger sphere of problems is the future of the subject. In any case, it is beyond the pay grade of this book. So here is what this book *is* going to do:

First and generally, like the preceding text by the author, *Training Manual on Transport and Fluids*, there is a main text of basic material and a subtext of worked problems that go deeper and present engaging examples. Think of the main text as the trunk of the tree and the problems as the branches (with many bifurcations, as you will see).

Chapter 1 is a traditional introduction based on simple, preferably exactly solvable, examples of singular perturbation. We gain first impressions of scaling, dominant balances, distinguished limits, boundary layers, matching, and modulated oscillations.

All perturbation analysis is approximation, and Chapter 2 spells out the specific sense of *asymptotic* approximation in which “the error is much smaller than the smallest term we keep,” as the perturbation parameter goes to zero. There is a brief overview of a very traditional subject: the asymptotic expansion of integrals. The long-time analysis of the Fourier integrals representing wavefields is a jumping-off point for a mini-course on WKB at the end of the chapter.

Chapter 3 is a traditional presentation of matched asymptotic expansions for ODE boundary value problems with localized small scale structure, such as boundary layers, internal layers, derivative layers, etc. The discussion of higher-order matching and how the overlap domain shrinks as the order of matching increases is based on the intention to make it the simplest possible, but no simpler.

Chapter 4 on moving internal layers introduces Chapman–Enskog asymptotics: There are dynamical systems in which a relatively small set of state variables dominates the solution. If you know the evolutions of these dominant variables, you know the evolution of the whole system. The flow vector field of the dominant variables is to be determined as an asymptotic expansion. Also, we construct asymptotic expansions of the other non-dominant variables, taking the dominant variables as given. The solvability conditions encountered in constructing the latter expansions dictate, order by order, the flow vector field of the dominant variables. In the first Chapter 4 example, the dominant variable is the centerline curve of the internal layer of a director field in two dimensions, and the asymptotic construction of the internal layer solution about this curve dictates, order by order, the dynamics of the centerline curve. At leading order, we get the familiar motion by curvature. The remaining content of Chapter 4 on projected Lagrangians is easiest to discuss in the context of Chapter 6.

Chapter 5 is a (nearly) traditional presentation of the Prandtl boundary layer theory for the Navier-Stokes equations and of the solutions of the

boundary layer equations that can be constructed because of scaling symmetry. The most original part of this chapter is the last problem (Problem 5.5) on a spiral diffusion layer in a vortex flow.

Chapter 6 is the first attempt at analysis of modulated oscillations. It starts with an expansive repertoire of elementary examples (Problems 6.1–6.6). Even though their methodology is extremely simple (elementary exact solutions, WKB, perturbed ODE eigenvalue problem), we can present engaging examples, such as passage through resonance. The mathematical technique in the body of this chapter is the *method of two scales*. The literature often refers to the *multiple* scale method, because we might want to consider more than two characteristic times explicitly. It is this author's belief that the method of two scales is an introductory method, to be eventually superseded by averaging and its big brothers, which we introduce in Chapter 7. Once you are in the realm of these methods, the need for more than two characteristic times is moot. In Chapter 6, we'll see how the two scale analysis of nonlinear oscillations leads to the insight that the *action* in the sense of classical mechanics *is* the proper variable of modulation theory. In this sense, the two scale analysis is a precursor to the methods related to averaging in Chapter 7. These methods start with action as a state variable right away. The discovery of action by the method of two scales derives from Whitham's analysis of nonlinear waves, so the Whitham modulation theory of waves is a core subject of Chapter 6. Finally, there is Whitham's packaging of modulation theory for nonlinear variational equations by means of the *averaged Lagrangian*. Our main use of the averaged Lagrangian happens in two places: here in Chapter 6, we apply it to the homogenization theory of the effective diffusion tensor in a periodic medium. In the last problem (Problem 6.15), it is shown that the Lagrangian flavor of homogenization used in this example is equivalent to the traditional direct analysis. The projected Lagrangian in Chapter 4 is essentially averaging the original full Lagrangian over the internal layer. It is just like the Whitham analysis, except that the wave has only one crest.

Chapter 7 is about modulation theory of a perturbed Hamiltonian dynamics with one degree of freedom, based on perturbation of its action-angle variables. This is a special case of the more general class of problems treated by the *averaging method*. Our focus is a bit narrow in the interest of staying clear and simple in a textbook. The essential idea: When a perturbation is applied to the original Hamiltonian dynamics, the action variable tends to undergo large, slow drifts, with a small-amplitude, rapid oscillation superpositioned on top of it. The idea in this chapter is to perform a near-identity transformation of the original action-angle variables, so the new action has no rapid, oscillatory component. In a process very reminiscent of the Chapman–Enskog method of Chapter 4, the governing ODE of the new

action and the small oscillatory correctors in the near-identity transformation have intertwined asymptotic expansions. If we restrict the analysis to leading order, the resulting modulation theory is completely equivalent to the well-known averaging method. As we proceed to higher order, we make ever more refined corrections to the dynamics of the new action, and it is hoped that the characteristic time of validity of the asymptotics is increased. This is why this book has not pursued multiple scale theory with more than two characteristic times. The chapter closes with an analysis of dissipative perturbations of the Kepler problem. Those of you who have donated a coin to the gravity well exhibit in a planetarium will appreciate the result of this analysis: you'll know why the orbit of your dime is almost circular just before it spirals into the "black hole" of the donation box.

Chapter 8 introduces into the perturbed Hamiltonian dynamics a feature that is expressly avoided in Chapter 7, and that is explicit periodic time dependence of the perturbation. Why is that a big deal? If the frequency of the unperturbed Hamiltonian orbit is sufficiently close to a rational multiple of the perturbation frequency, formal asymptotics as in Chapter 7 predicts *resonance*. A sure sign of resonance is deviations from the unperturbed orbit that *don't* scale in direct proportion to the perturbation. They are much larger, and their characteristic time is much longer than the perturbation frequency. The perplexing issue is that the rational numbers are dense, so the ability of simple asymptotics to isolate one resonance at a time seems dubious. Chapter 8 carries out the obvious program: Just *do* the simple resonance asymptotics anyway, and compare with direct numerical solutions of the full ODE. In the elementary cases examined, the asymptotics displays clear robustness within the formal order of approximation and over characteristic times for which the asymptotics is valid. At the end of Chapter 8 we "look through a glass darkly" by means of a simple formal estimate: The resonance associated with a given rational frequency ratio is felt in a narrow band of the phase plane about a given unperturbed orbit. As the strength of the perturbation decreases, so does the bandwidth. If the resonance associated with the rational number M/N wants to be in the bandwidth of another resonance, say M^*/N^* , M and N generally go to infinity as the difference from M^*/N^* goes to zero. If M and N are large, the formal perturbation theory shows that the bandwidth and strength of the M/N resonance goes to zero. In summary, when M/N is close enough so its resonance is in the bandwidth of the M^*/N^* resonance, the latter resonance can't resolve it. The great and perplexing questions about resonance at the level of rigorous analysis remain, and no claim is made here in relation to them.

Bibliography

- [1] V. I. Arnold (1988), “Geometrical Methods in the Theory of Ordinary Differential Equations”, Springer–Verlag, New York, NY.
- [2] V. I. Arnold (1989), “Mathematical Methods of Classical Mechanics. Second Edition”, Springer–Verlag, New York, NY.
- [3] G. I. Barenblatt (2003), “Scaling”, Cambridge University Press, Cambridge, UK.
- [4] G. K. Batchelor (1967), “An Introduction to Fluid Dynamics”, Cambridge University Press, Cambridge, UK.
- [5] C. M. Bender and S. A. Orszag (1978), “Advanced Mathematical Methods for Scientists and Engineers”, McGraw–Hill, New York, NY.
- [6] T. B. Benjamin and J. E. Feir (1967), *The disintegration of wavetrains in deep water. 1. Theory*, J. Fluid Mech., vol. 27, pp. 417–430.
- [7] N. N. Bogoliubov and Y. A. Mitropolsky (1961), “Asymptotic Methods in the Theory of Non-linear Oscillations”, Gordon and Breach, New York, NY.
- [8] L. L. Bonilla and S. W. Teitsworth (2010), “Nonlinear Wave Methods for Charge Transport”, Wiley–VCH, Weinheim, Germany.
- [9] G. M. Corcos (1988), *The role of cartoons in turbulence*, in “Perspectives in Fluid Mechanics”, Springer–Verlag, Berlin, Germany.
- [10] P. A. M. Dirac (1938), *Classical theory of radiating electrons*, Proc. Roy. Soc. A, vol. 167, pp. 148–169.
- [11] W. Eckhaus (1979), “Asymptotic Analysis of Singular Perturbations”, North Holland, Amsterdam, Netherlands.
- [12] A. Erdélyi (1956), “Asymptotic Expansions”, Dover Publications, Inc., New York, NY.
- [13] R. P. Feynman, R. B. Leighton, and M. Sands (1963), “The Feynman Lectures in Physics”, Volumes I, II, Addison–Wesley, Reading, MA.
- [14] E. J. Hinch (1991), “Perturbation Methods”, Cambridge University Press, Cambridge, UK.
- [15] M. H. Holmes (2013), “Introduction to Perturbation Methods. Second Edition”, Springer, New York, NY.

-
- [16] E. M. De Jager and J. Furu (1996), “The Theory of Singular Perturbation”, Elsevier Science, Amsterdam, Netherlands.
- [17] S. Kaplun (1967), “Fluid Mechanics and Singular Perturbations”, Academic Press, New York, NY.
- [18] J. Kevorkian and J. D. Cole (1981), “Perturbation Methods in Applied Mathematics”, Springer–Verlag, New York, NY.
- [19] J. Kevorkian and J. D. Cole (1996), “Multiple Scale and Singular Perturbation Problems”, Springer–Verlag, New York, NY.
- [20] P. Lagerstrom and R. Casten (1972), *Basic concepts underlying singular perturbation techniques*, SIAM, Rev. 14, pp. 63–120.
- [21] L. D. Landau and E. M. Lifshitz (1959), *Fluid mechanics*, in “Course of Theoretical Physics”, Vol. 6, Pergamon Press, Oxford, UK.
- [22] P. Lochak and C. Meunier (1988), “Multiphase Averaging for Classical Systems. With Applications to Adiabatic Theorems”, Springer–Verlag, New York, NY.
- [23] P. Lochak (1993), *Hamiltonian perturbation theory: Periodic orbits, resonances and intermittency*, Nonlinearity, vol. 6, pp. 885–904.
- [24] R. E. O’Malley, Jr. (1974), “Introduction to Singular Perturbations”, Academic Press, New York, NY.
- [25] R. E. O’Malley, Jr. (1991), “Singular Perturbation Methods for Ordinary Differential Equations”, Springer–Verlag, New York, NY.
- [26] P. D. Miller (2006), “Applied Asymptotic Analysis”, American Mathematical Society, Providence, RI.
- [27] G. C. Papanicolaou (1995), *Diffusion in random media*, Surveys in Applied Mathematics, vol. 1, Springer, New York, NY.
- [28] J. Rubinstein and P. Sternberg (1995), *On the slow motion of vortices in the Ginzburg–Landau heat flow*, SIAM J. Math. Anal., vol. 26, pp. 1452–1466.
- [29] J. Rubinstein, P. Sternberg, and J. B. Keller (1989), *Fast reaction, slow diffusion, and curve shortening*, SIAM J. Appl. Math., vol. 49, pp. 116–133.
- [30] J. Rubinstein, P. Sternberg, and J. B. Keller (1989), *Reaction diffusion processes and evolution to harmonic maps*, SIAM J. Appl. Math., vol. 49, pp. 1722–1733.
- [31] D. R. Smith (1985), “Singular Perturbation Theory, An Introduction with Applications”, Cambridge University Press, Cambridge, UK.
- [32] M. Van Dyke (1975), “Perturbation Methods in Fluid Mechanics”, Parabolic Press, Stanford, CA.
- [33] F. Verhulst (2005), “Methods and Applications of Singular Perturbations”, Springer, New York, NY.
- [34] G. B. Whitham (1974), “Linear and Nonlinear Waves”, John Wiley and Sons, New York, NY.

Index

- absorbing boundary condition for
diffusion, 83
- action
 - action-angle variables, 287
 - action-angle variables of Kepler
problem, 276
 - as a function of energy quantifies
frequency of orbits, 219
 - as natural variable of modulation
theory, 219, 247
 - dependence of frequency on, 257, 293
 - geometry of action-angle variables,
250
 - in projected Lagrangian analysis of
nonlinear wave equation, 126
 - of closed phase plane orbits of
nonlinear oscillator, 216, 219
 - of nonlinear waves, 228
 - perturbations bounded for
 - exponentially long times, 318
 - relation to energy and frequency, 220
 - resonance-induced drift of, 308, 309
 - slow drift of, 263, 305
 - transformation to new action-angle
variables, 263
- action-angle variables
 - definition, 250
 - geometry of, 250
 - new, 263
 - of Kepler problem, 276
- adiabatic invariant
 - by method of near-identity
transformation, 273
 - for particle in a box, 28
 - Hamiltonian analysis, 222
 - of harmonic oscillator, 189
- algebraic scalings
 - of roots of polynomial equation, 2
- amplitude
 - of harmonic oscillator with varying
frequency, 19
- area preserving
 - property of transformation in
classical mechanics, 248, 249
- asymptotic expansion, 31
 - definition, 32, 33
 - divergent, 34
 - logarithmic, 66
 - matched asymptotic expansions, 73
 - matched asymptotic expansions in
PDE, 105
 - N-term, 32
 - of integrals, 38
 - of modulated oscillations, 184
 - optimum number of terms for
smallest error, 34
 - uniqueness of, 33
- asymptotic sequence, 32
 - of inner and outer expansions may be
different, 79
- backflow
 - in solution of boundary layer
equations, 173
- bad truncations, 7, 9
- beats

- descriptive definition, 185
- energy beats, 287
- in solutions of forced harmonic oscillator, 185
- wave packets as beats in spacetime, 188
- Benjamin and Feir
 - analysis of modulational instability, 238
- Blasius flow, 171
- bouncing ball
 - as a nonlinear oscillator, 258
 - resonance of, 299
- boundary layer
 - Blasius flow, 171
 - convection-diffusion, 11
 - coordinates, 161
 - downstream evolution, 166
 - essential equations of Prandtl's
 - boundary layer theory, 163
 - in models of flow-enhanced condensation, 173
 - induces displacement thickness, 158, 168
 - physical scaling analysis, 74
 - Prandtl, 73
 - rapid increase in, 14
 - separates into a vortex layer, 173
 - separation, 173
 - separation due to deceleration, 173
 - subject to decelerating outer flow, 169
 - thickness depends on downstream distance, 74, 157
 - thickness from dimensional analysis, 14
- boundary layer theory
 - Prandtl, 151
- central limit theorem, 44
- Chapman–Enskog asymptotics, 109, 120
 - in relation to near-identity transformations in modulation theory, 285
 - the essential idea, 109
- characteristic velocity, 135, 137
- classical mechanics
 - transformations in, 247
- common part of the inner and outer expansions, 15
- conservation of waves, 228
- convection, 11
 - of squared amplitude in WKB theory, 61
- convection-diffusion
 - boundary layer, 11
 - boundary value problem, 76
- coordinate-momentum pairs, 247
- corner layer, 85, 88
- Cornu spiral, 188, 193
- correctors
 - difference between exact and averaged dynamics, 285
 - in near-identity transformation, 290
- cylinder
 - with phase and slow time as circumferential and axial coordinates, 198
- dam break problem, 136
- derivative layer, 85
- diffraction
 - of solitary wave, 135
- diffusion
 - absorbing boundary condition, 83
 - effective diffusion tensor derived from homogenization theory, 238
 - in a slowly varying channel, 120
- dimensional analysis
 - of boundary layer thickness, 14
 - of boundary layer thickness over moving plate, 74
 - yields separated time or space scales, 85
- displacement thickness, 167
 - definition and explanation, 167
 - of Blasius flow, 172
- distinguished limit
 - between inner and outer limits, 85
 - characterized by balances between two or more terms, 14
 - of polynomial equation, 3
- dominant balances, 80
 - decide asymptotic sequences of inner and outer expansions, 85
- double periodicity
 - of flow vector field in angle variable and time, 288
- doubly periodic
 - diffusion coefficient, 238
- downstream evolution
 - in Prandtl's boundary layer theory, 166
- dry water

- as ideal fluid, 73
- dry water as inviscid fluid, 157
- Duffing equation, 197
- effective dipoles, 144
- effective eigenvalue problem
 - of swiss cheese, 144
- effective flux for channel diffusion, 121
- effective Lagrangian
 - of circular wavefront, 127, 129
- eigenvalue problem
 - singularly perturbed, 138
- electrostatic potential due to a line
 - charge, 66
- energy beats, 308
 - scalings of their size and period, 308
- energy density
 - of nonlinear wave equation, 127, 129
- energy-momentum singularity, 6
- Feynman, 73, 157
- force per unit mass
 - equals acceleration of fluid particle, 152
 - total, 154
 - viscous, 154
- Fourier cosine series
 - in Stokes expansion of nonlinear oscillator, 253
- Fredholm solvability condition, 105, 112
- free particle
 - character of dynamics in action-angle variables, 249
- Fresnel integral, 48, 188
- frictional stress
 - quantified by kinematic viscosity, 73
- gas dynamics
 - one-dimensional, 135
- gauge functions, 32
 - of asymptotic sequence, 32
- geometric attenuation
 - of nonlinear waves, 230
- gradient flow, 106
- group lines, 59
- group velocity, 59
 - as convection velocity of squared amplitude of waves, 59
 - as propagation velocity of beats in spacetime, 189
 - splitting in nonlinear wave propagation, 229
- Hamilton-Jacobi equation, 114
- Hamiltonian, 247
 - for nonlinear parametric resonance, 203
 - from Legendre transformation, 220
 - of Duffing ODE, 199
 - of harmonic oscillator, 251
 - of Kepler problem, 276
 - of nonlinear oscillator, 252
 - perturbation theory, 286, 317
- harmonic oscillator, 287
 - action-angle variables of, 251
 - adiabatic invariant of, 189
 - drift of action analogous to resonance of harmonic oscillator, 288
 - its damping analyzed by method of near-identity transformation, 266
 - passage through resonance, 192
 - with memory, 9
 - with varying frequency, 19, 183, 184
- higher-order matching, 78, 81
- homogenization
 - of swiss cheese, 142
- ideal fluid
 - called “dry water”, 73, 157
- incompressible fluid, 151
- inner expansions, 15
 - in Prandtl’s boundary layer theory, 76, 157, 158
 - of convection-diffusion problem, 77
 - possibly non-unique, 85, 105
- integer lattice
 - in the theory of resonance, 315
- intermediate limit, 76
 - definition, 78
- internal layer, 88
 - definition, 85
 - moving internal layer in solutions of PDE, 105
- internal resonance
 - between waves on a ring, 193
- inversion symmetry, 88
- inverted pendulum, 214
- inviscid fluid
 - called “dry water”, 73, 157
- KAM theory, 316
- kinematic viscosity, 73
 - as diffusion of viscosity, 74
- kink in director field, 101, 113
 - its topological character, 108

- Lagrangian
 of Kepler problem, 275
 of modulation equations, 230
- Lagrangian density
 for solitary waves in two dimensions, 132
 for time independent diffusion, 240
 of nonlinear wave equation, 123
- Laplace equation, 66
- Laplace method, 38
- Laplacian
 as a variational derivative, 161
 eigenpair with zero boundary condition, 105, 138
 in boundary layer coordinates, 161
- Larmor, 4
- leading order matching, 77
 in Prandtl's boundary layer theory, 163
- Legendre transformation, 220
- lightcone, 125
- limit cycle
 of van der Pol ODE, 25
 visualization in phase plane, 27
- linear functional analysis, 142
- linear waves
 WKB analysis of, 57
- liquid crystal, 101, 105
- little "o" and big "O" notation, 32
- local amplitude
 of modulated oscillations, 183
- local frequency
 in modulation theory of linear waves, 58
 in modulation theory of nonlinear waves, 227
 of harmonic oscillator, 21, 22
 of modulated oscillations, 183, 184
 of nonlinear oscillations, 217
- local wavenumber
 conservation of, 58, 228
 in modulation theory of linear waves, 58
 in modulation theory of nonlinear waves, 227
- logarithmic expansion, 66, 69
- matched asymptotic expansions, 73
 in PDE, 105
 in Prandtl's boundary layer theory, 157
- matching, 15
 and displacement thickness, 167
 effective boundary condition, 142, 158
 higher-order, 77, 78, 81
 in Prandtl's boundary layer theory, 76
 leading order matching principle, 15, 77
 naive generalizations of leading order matching come to grief, 77
 non-uniqueness resolved by matching, 105
 method of two scales, 184, 197
 modulated oscillation
 definition, 21
 modulated oscillations, 183
 definition, 183
 in solutions of Duffing equation, 197
 in solutions of van der Pol ODE, 206
 introductory example, 19
 of fully nonlinear oscillator, 217
 physical flavors of, 184
 representation in WKB analysis, 57
 modulational instability, 229, 233
 monkey saddle, 52
 motion by curvature, 113
- Navier–Stokes equation, 154
- near-identity transformation, 262
 autonomous case, 262
- Neumann boundary conditions, 144
- no-slip condition, 155
- non-uniform validity
 degree of, 85
 of inner and outer expansions, 76
 of steepest descent asymptotics, 56
- nonlinear wave equation, 123
 circular fronts, 127
 geometric attenuation in, 230
 modulational instability, 233
- normal velocity
 of moving internal layer, 113
- oblique solitary wave, 131
- oscillations
 forced, nonlinear, 292
 of energy due to resonance, 287
- outer expansions, 15
 divergent, 35
 in Prandtl's boundary layer theory, 76, 157
 of convection-diffusion problem, 77
 possibly non-unique, 85, 105

- overlap domains, 78
- parametric resonance, 203
- passage through resonance, 187
 - for harmonic oscillator, 192
- phase
 - as angle variable of action-angle variables, 250
 - as natural variable of modulation theory, 219, 247
 - averaging over, 271
 - difference, 183
 - in WKB form, 267
 - of explicit periodic time dependence, 288
 - of forcing of Duffing oscillations, 197
 - of harmonic oscillator with varying frequency, 19
 - of nonlinear oscillations, 217
 - of nonlinear waves, 227
 - of periodic forcing, 292
 - of slowly varying harmonic oscillator, 184
 - of wavefield, 57
 - oscillation is 2π -periodic in the phase, 184
- phase diagram
 - of nonlinear boundary value problem, 93
- phase locking, 296, 311
 - annulus of phase locked trajectories, 313
- Poincaré
 - analysis of nonlinear oscillations, 223
- polynomial equation
 - singularly perturbed, 1, 4
- power series
 - convergent, 31
 - divergent, 34
 - expansion of an integral, 38
- Prandtl boundary layer theory, 151
- pressure, 153
 - force per unit mass, 153
- projected Lagrangian, 123
- pure resonance
 - definition, 288
- radiation damping, 5
- radiation reaction, 4
 - breakdown of standard model, 6
 - force, 4
- reduced equation, 2
 - of convection-diffusion ODE, 14
 - of outer limit, 12
- reduced Lagrangian
 - of two-dimensional solitary wave, 132
- relative error, 31
- relaxation
 - of kink position, 113
- resonance, 185
 - as energy beats, 287
 - asymptotic isolation of, 308, 315
 - generalized, 307
 - geometry of, 295
 - internal, 185
 - modulation theory of generalized resonance, 309, 312
 - modulation theory of resonance, 290
 - nonlinear, 287
 - of bouncing ball, 299
 - of rebounds off a vibrating wall, 302
 - resolution of, 318
 - resonance Hamiltonian, 300
 - resonance orbits, 297
- resonance annulus, 313
- resonance manifold (or hypersurface), 317
- Reynolds number, 74
 - definition, 157
- Riemann invariant, 135, 137
- saddle points
 - simultaneous contributions from multiple saddle points, 51
 - their role in steepest descent method, 48
- Schrödinger equation, 50, 59, 62
 - as a model of modulational instability, 238
 - nonlinear, 236
- secular terms, 23
 - suppression of, 285
- singular perturbation, 1
 - as “practice” first and “field of knowledge” second, 85
 - preview of real-world examples, 84
- solid body rotation, 156
- solitary wave in two dimensions, 131
- steepest descent method, 48
- steepest descent path, 48
- Stirling approximation
 - to $n!$, 34, 43
- Stokes expansion
 - of nonlinear oscillator, 253, 254

- strain flow, 172
- strain rate, 172
- stream function, 155
 - vorticity as a source of the stream function, 156
- streamlines, 73
 - as integral curves of velocity field, 155
 - as level curves of stream function, 155
 - of flow about the wedge, 75
- time inversion symmetry
 - of nonlinear oscillator, 252
- timelike surface, 125
- uniform motion
 - of angle variable, 248
- uniformly valid expansion
 - definition, 16
- van der Pol ODE
 - analyzed by near-identity transformation, 267
 - approach to limit cycle, 25
 - forced, 206
- variational boundary value problem, 112
- variational operator, 112
- viscosity
 - dynamic, 154
 - kinematic, 154
- viscous stress tensor, 153
- vortex layer
 - due to separated boundary layer, 173
- vorticity, 155
 - as source of stream function, 156
 - definition, 156
 - measures local rotation of flow, 156
- wave packets as beats in spacetime, 188
- wave propagation
 - in non-uniform medium, 62
- waves
 - nonlinear, 227
- wedge flow with source, 74, 174
- wet water
 - as actual viscous fluid, 73
- wrap-around trajectories
 - in the phase plane of resonance
 - modulation equation, 296

Selected Published Titles in This Series

- 167 **John C. Neu**, Singular Perturbation in the Physical Sciences, 2015
- 166 **Alberto Torchinsky**, Problems in Real and Functional Analysis, 2015
- 164 **Terence Tao**, Expansion in Finite Simple Groups of Lie Type, 2015
- 163 **Gérald Tenenbaum**, Introduction to Analytic and Probabilistic Number Theory, Third Edition, 2015
- 162 **Firas Rassoul-Agha and Timo Seppäläinen**, A Course on Large Deviations with an Introduction to Gibbs Measures, 2015
- 161 **Diane Maclagan and Bernd Sturmfels**, Introduction to Tropical Geometry, 2015
- 160 **Marius Overholt**, A Course in Analytic Number Theory, 2014
- 159 **John R. Faulkner**, The Role of Nonassociative Algebra in Projective Geometry, 2014
- 158 **Fritz Colonius and Wolfgang Kliemann**, Dynamical Systems and Linear Algebra, 2014
- 157 **Gerald Teschl**, Mathematical Methods in Quantum Mechanics: With Applications to Schrödinger Operators, Second Edition, 2014
- 156 **Markus Haase**, Functional Analysis, 2014
- 155 **Emmanuel Kowalski**, An Introduction to the Representation Theory of Groups, 2014
- 154 **Wilhelm Schlag**, A Course in Complex Analysis and Riemann Surfaces, 2014
- 153 **Terence Tao**, Hilbert's Fifth Problem and Related Topics, 2014
- 152 **Gábor Székelyhidi**, An Introduction to Extremal Kähler Metrics, 2014
- 151 **Jennifer Schultens**, Introduction to 3-Manifolds, 2014
- 150 **Joe Diestel and Angela Spalsbury**, The Joys of Haar Measure, 2013
- 149 **Daniel W. Stroock**, Mathematics of Probability, 2013
- 148 **Luis Barreira and Yakov Pesin**, Introduction to Smooth Ergodic Theory, 2013
- 147 **Xingzhi Zhan**, Matrix Theory, 2013
- 146 **Aaron N. Siegel**, Combinatorial Game Theory, 2013
- 145 **Charles A. Weibel**, The K -book, 2013
- 144 **Shun-Jen Cheng and Weiqiang Wang**, Dualities and Representations of Lie Superalgebras, 2012
- 143 **Alberto Bressan**, Lecture Notes on Functional Analysis, 2013
- 142 **Terence Tao**, Higher Order Fourier Analysis, 2012
- 141 **John B. Conway**, A Course in Abstract Analysis, 2012
- 140 **Gerald Teschl**, Ordinary Differential Equations and Dynamical Systems, 2012
- 139 **John B. Walsh**, Knowing the Odds, 2012
- 138 **Maciej Zworski**, Semiclassical Analysis, 2012
- 137 **Luis Barreira and Claudia Valls**, Ordinary Differential Equations, 2012
- 136 **Arshak Petrosyan, Henrik Shahgholian, and Nina Uraltseva**, Regularity of Free Boundaries in Obstacle-Type Problems, 2012
- 135 **Pascal Cherrier and Albert Milani**, Linear and Quasi-linear Evolution Equations in Hilbert Spaces, 2012
- 134 **Jean-Marie De Koninck and Florian Luca**, Analytic Number Theory, 2012
- 133 **Jeffrey Rauch**, Hyperbolic Partial Differential Equations and Geometric Optics, 2012
- 132 **Terence Tao**, Topics in Random Matrix Theory, 2012
- 131 **Ian M. Musson**, Lie Superalgebras and Enveloping Algebras, 2012
- 130 **Viviana Ene and Jürgen Herzog**, Gröbner Bases in Commutative Algebra, 2011
- 129 **Stuart P. Hastings and J. Bryce McLeod**, Classical Methods in Ordinary Differential Equations, 2012

For a complete list of titles in this series, visit the
AMS Bookstore at www.ams.org/bookstore/gsmseries/.

This book is the testimony of a physical scientist whose language is singular perturbation analysis. Classical mathematical notions, such as matched asymptotic expansions, projections of large dynamical systems onto small center manifolds, and modulation theory of oscillations based either on multiple scales or on averaging/transformation theory, are included. The narratives of these topics are carried by physical examples: Let's say that the moment when we "see" how a mathematical pattern fits a physical problem is like "hitting the ball." Yes, we want to hit the ball. But a powerful stroke includes the follow-through. One intention of this book is to discern in the structure and/or solutions of the equations their geometric and physical content. Through analysis, we come to sense directly the shape and feel of phenomena.

The book is structured into a main text of fundamental ideas and a subtext of problems with detailed solutions. Roughly speaking, the former is the initial contact between mathematics and phenomena, and the latter emphasizes geometric and physical insight. It will be useful for mathematicians and physicists learning singular perturbation analysis of ODE and PDE boundary value problems as well as the full range of related examples and problems. Prerequisites are basic skills in analysis and a good junior/senior level undergraduate course of mathematical physics.

ISBN 978-1-4704-2555-5



9 781470 425555

GSM/167



For additional information
and updates on this book, visit

www.ams.org/bookpages/gsm-167

AMS on the Web
www.ams.org