

Translations of  
**MATHEMATICAL  
MONOGRAPHS**

---

Volume 190

**Dynamical Systems on  
Homogeneous Spaces**

Alexander N. Starkov




American Mathematical Society

## Selected Titles in This Series

- 190 **Alexander N. Starkov**, Dynamical systems on homogeneous spaces, 2000
- 189 **Mitsuru Ikawa**, Hyperbolic partial differential equations and wave phenomena, 2000
- 188 **V. V. Buldygin and Yu. V. Kozachenko**, Metric characterization of random variables and random processes, 2000
- 187 **A. V. Fursikov**, Optimal control of distributed systems. Theory and applications, 2000
- 186 **Kazuya Kato, Nobushige Kurokawa, and Takeshi Saito**, Number theory 1: Fermat's dream, 2000
- 185 **Kenji Ueno**, Algebraic Geometry 1: From algebraic varieties to schemes, 1999
- 184 **A. V. Mel'nikov**, Financial markets, 1999
- 183 **Hajime Sato**, Algebraic topology: an intuitive approach, 1999
- 182 **I. S. Krasil'shchik and A. M. Vinogradov, Editors**, Symmetries and conservation laws for differential equations of mathematical physics, 1999
- 181 **Ya. G. Berkovich and E. M. Zhmud'**, Characters of finite groups. Part 2, 1999
- 180 **A. A. Milyutin and N. P. Osmolovskii**, Calculus of variations and optimal control, 1998
- 179 **V. E. Voskresenskiĭ**, Algebraic groups and their birational invariants, 1998
- 178 **Mitsuo Morimoto**, Analytic functionals on the sphere, 1998
- 177 **Satoru Igari**, Real analysis—with an introduction to wavelet theory, 1998
- 176 **L. M. Lerman and Ya. L. Umanskiy**, Four-dimensional integrable Hamiltonian systems with simple singular points (topological aspects), 1998
- 175 **S. K. Godunov**, Modern aspects of linear algebra, 1998
- 174 **Ya-Zhe Chen and Lan-Cheng Wu**, Second order elliptic equations and elliptic systems, 1998
- 173 **Yu. A. Davydov, M. A. Lifshits, and N. V. Smorodina**, Local properties of distributions of stochastic functionals, 1998
- 172 **Ya. G. Berkovich and E. M. Zhmud'**, Characters of finite groups. Part 1, 1998
- 171 **E. M. Landis**, Second order equations of elliptic and parabolic type, 1998
- 170 **Viktor Prasolov and Yuri Solovyev**, Elliptic functions and elliptic integrals, 1997
- 169 **S. K. Godunov**, Ordinary differential equations with constant coefficient, 1997
- 168 **Junjiro Noguchi**, Introduction to complex analysis, 1998
- 167 **Masaya Yamaguti, Masayoshi Hata, and Jun Kigami**, Mathematics of fractals, 1997
- 166 **Kenji Ueno**, An introduction to algebraic geometry, 1997
- 165 **V. V. Ishkhanov, B. B. Lur'e, and D. K. Faddeev**, The embedding problem in Galois theory, 1997
- 164 **E. I. Gordon**, Nonstandard methods in commutative harmonic analysis, 1997
- 163 **A. Ya. Dorogovtsev, D. S. Silvestrov, A. V. Skorokhod, and M. I. Yadrenko**, Probability theory: Collection of problems, 1997
- 162 **M. V. Boldin, G. I. Simonova, and Yu. N. Tyurin**, Sign-based methods in linear statistical models, 1997
- 161 **Michael Blank**, Discreteness and continuity in problems of chaotic dynamics, 1997
- 160 **V. G. Osmolovskii**, Linear and nonlinear perturbations of the operator div, 1997
- 159 **S. Ya. Khavinson**, Best approximation by linear superpositions (approximate nomography), 1997
- 158 **Hideki Omori**, Infinite-dimensional Lie groups, 1997
- 157 **V. B. Kolmanovskii and L. E. Shaikhet**, Control of systems with aftereffect, 1996
- 156 **V. N. Shevchenko**, Qualitative topics in integer linear programming, 1997
- 155 **Yu. Safarov and D. Vassiliev**, The asymptotic distribution of eigenvalues of partial differential operators, 1997

*(Continued in the back of this publication)*

*This page intentionally left blank*



# Dynamical Systems on Homogeneous Spaces

*This page intentionally left blank*

Translations of  
**MATHEMATICAL  
MONOGRAPHS**

---

Volume 190

**Dynamical Systems on  
Homogeneous Spaces**

Alexander N. Starkov



**American Mathematical Society**  
Providence, Rhode Island

## EDITORIAL COMMITTEE

### AMS Subcommittee

Robert D. MacPherson

Grigori A. Margulis

James D. Stasheff (Chair)

ASL Subcommittee Steffen Lempert (Chair)

IMS Subcommittee Mark I. Freidlin (Chair)

А. Н. Старков

## ДИНАМИЧЕСКИЕ СИСТЕМЫ НА ОДНОРОДНЫХ ПРОСТРАНСТВАХ

Издательство ФАЗИС, Москва, 1999

Translated from the Russian by the author.

2000 *Mathematics Subject Classification*. Primary 37A17;  
Secondary 11H55, 22E40, 37-02, 37A45.

ABSTRACT. The book provides an extensive survey of the theory of dynamical systems on homogeneous spaces (the so-called homogeneous flows). In particular, the author discusses ergodicity and mixing of homogeneous flows, the theory of unipotent flows (including recent proofs of the Raghunathan and Dani conjectures), and the dynamics of nonunipotent flows. The final chapter covers applications of homogeneous flows to number theory, mainly to the theory of Diophantine approximations. In particular, the author describes in detail the famous proof of the Oppenheim-Davenport conjecture using ergodic properties of homogeneous flows.

The book will be useful to graduate students and research mathematicians working in dynamical systems, ergodic theory, and number theory.

---

### Library of Congress Cataloging-in-Publication Data

Starkov, Alexander N., 1960–

[Dinamicheskie sistemy na odnorodnykh prostranstvakh. English]

Dynamical systems on homogeneous spaces / Alexander N. Starkov.

p. cm. — (Translations of mathematical monographs, ISSN 0065-9282 ; v. 190)

Includes bibliographical references and index.

ISBN 0-8218-1389-7 (hardcover : alk. paper)

1. Flows (Differentiable dynamical systems) 2. Ergodic theory. 3. Number theory. I. Title.

II. Series.

QA614.82 .S7313 2000

515'.352—dc21

00-022001

---

**Copying and reprinting.** Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy a chapter for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for such permission should be addressed to the Assistant to the Publisher, American Mathematical Society, P. O. Box 6248, Providence, Rhode Island 02940-6248. Requests can also be made by e-mail to [reprint-permission@ams.org](mailto:reprint-permission@ams.org).

© 2000 by the American Mathematical Society. All rights reserved.

The American Mathematical Society retains all rights  
except those granted to the United States Government.

Printed in the United States of America.

∞ The paper used in this book is acid-free and falls within the guidelines  
established to ensure permanence and durability.

Visit the AMS home page at URL: <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 1 05 04 03 02 01 00

# Contents

Introduction	ix
List of Notations	xv
Preliminaries	1
A. Ergodic theory	1
B. Topological dynamics	6
C. Lie groups and Lie algebras	10
D. Linear algebraic groups	13
E. Finite volume spaces	16
F. Mahler's criterion	20
Chapter 1. Ergodicity and Mixing of Homogeneous Flows	23
§1. General constructions in the theory of homogeneous flows	25
§2. The Mautner phenomenon and the ergodic decomposition	29
§3. Nilpotent homogeneous flows	32
§4. Toral automorphisms and examples of solvable flows	40
§5. Construction of the semisimple splitting	49
§6. Algebraic groups and homogeneous spaces of finite volume	54
§7. Solvable homogeneous flows	60
§8. Flows on semisimple homogeneous spaces	67
§9. The Mautner phenomenon, ergodicity, and mixing in the general case	70
§10. The ergodic decomposition	75
§11. Spectral theory of homogeneous flows	81
Chapter 2. Dynamics of Unipotent Flows	93
§12. Homecoming of unipotent trajectories	95
§13. Horospherical flows on homogeneous spaces	99
§14. The geodesic and horocycle flows on surfaces of constant negative curvature	102
§15. Rigidity of the horocycle flow	111
§16. Classification of ergodic measures of the horocycle flow	115
§17. Classification of ergodic measures of unipotent flows	121
§18. Rigidity, quotients, and joinings of unipotent flows	127
§19. Uniform distribution of unipotent trajectories	131
§20. Various problems of convergence in the space of measures	139



Chapter 3. Dynamics of Nonunipotent Flows	147
§21. Structure of orbits, invariant sets, and ergodic measures of homogeneous flows	148
§22. Multiple mixing	157
§23. Partial rigidity of quasi-unipotent flows	162
§24. Topological equivalence and time changes	165
§25. Divergent and bounded trajectories	173
§26. Ergodic measures and orbit closures for actions of arbitrary subgroups	179
§27. Exponential mixing	183
Chapter 4. Applications to Number Theory	189
§28. The Oppenheim–Davenport conjecture	190
§29. Foundations of the theory of Diophantine approximation	199
§30. Diophantine approximation from the ergodic viewpoint	209
§31. Counting lattice points in $\mathbb{R}^n$	216
References	227
Index	239

## Introduction

In 1980, while a third year student at Moscow State University, the author was given<sup>1</sup> a rather simply formulated problem to solve. Take a connected Lie group  $G$  and a discrete subgroup  $\Gamma$  with the manifold  $G/\Gamma$  compact (such a subgroup  $\Gamma$  is called a *uniform lattice* in  $G$ ). Now multiply  $\Gamma$  on the left by a one-parameter subgroup  $g_{\mathbb{R}} \subset G$  and take the closure  $\overline{g_{\mathbb{R}}\Gamma} \subset G/\Gamma$ . The question: Is this closure a submanifold in  $G/\Gamma$ ? If one lifts everything to the group  $G$ , the problem seems purely algebraic (and easy to solve if  $G$  is commutative or compact).

One can somewhat extend the problem and consider all *orbits*  $g_{\mathbb{R}}x$ ,  $x \in G/\Gamma$ , of the action  $(t, x) \rightarrow g_t x$ , called a *homogeneous flow*. A more cautious formulation is the following: Is it true that the closure  $\overline{g_{\mathbb{R}}x} \subset G/\Gamma$  is a manifold for a generic orbit (that is, for almost all  $x \in G/\Gamma$ )? This question is related to ergodic theory (an area about which the author then had only a rather vague idea). Experts advised him in this connection to read the book of Auslander, Green and Hahn [AGH] “Flows on homogeneous spaces”, written in the early sixties. This is how the author found himself in the area that combines ergodic theory and Lie groups. As became clear later, the problem of orbit closures was already at the focus of attention of experts due to applications in number theory, but the main events were yet to follow.

Having no idea about the story, the author first decided to study the case of nilpotent Lie groups  $G$ , the next in complexity after the commutative case. Fortunately, the book [AGH] contained all the information necessary to solve the problem: Green’s ergodicity criterion and a result due to Auslander saying that any ergodic nilflow  $(G/\Gamma, g_{\mathbb{R}})$  is *minimal*, that is, all orbits are dense in  $G/\Gamma$ . An easy induction shows that in the nonergodic case, the closures  $\overline{g_{\mathbb{R}}x}$ , as for commutative groups  $G$ , are not only submanifolds but even *homogeneous subspaces* (that is, for every point  $x \in G/\Gamma$  there exists a subgroup  $F \subset G$  such that  $\overline{g_{\mathbb{R}}x} = Fx$ ). The next class – compact extensions of nilpotent groups – revealed that all orbit closures are still smooth but not always algebraic.

To report the results obtained, the author came to (and became a constant participant in) the seminar on dynamical systems headed by D. V. Anosov and A. M. Stepin. It became clear at once that in the general case one cannot hope that all orbits are “good”. As an example one takes either the geodesic flow on a compact surface of constant curvature  $-1$  (here  $G = \mathrm{SL}(2, \mathbb{R})$ ), or the suspension over the automorphism  $\begin{pmatrix} 2 & 1 \\ 1 & 1 \end{pmatrix}$  of the torus  $\mathbb{T}^2$  (this gives rise to a three-dimensional solvable group of exponential type). In both cases one obtains *Anosov flows*, the theory of which was developed by Anosov, Sinai, Smale, et al. Orbits of such flows were studied in detail by means of symbolic dynamics (see, for instance, [AI] or

---

<sup>1</sup>In connection with integration of Hamiltonian systems [N, KK, MF].

[Bo79]). Moreover, long ago, back in the twenties, Morse had constructed an orbit of the geodesic flow whose closure is nowhere locally connected (and locally looks like the product of a Cantor set and an interval)! (Note that the algebraic origin of the geodesic flow was first explored only in the fifties by Gelfand and Fomin [GF], and this led to the modern theory of dynamical systems on homogeneous spaces.)

Still, one could hope that the closure of a generic orbit is a manifold. This is supported by the easy observation that almost all orbits of an ergodic flow are everywhere dense. Moreover, it is natural to extend the class of homogeneous spaces under question by considering all spaces  $G/D$  of *finite volume*, that is, those carrying a smooth finite  $G$ -invariant measure (such spaces need not be compact, as is seen from the example  $SL(2, \mathbb{R})/SL(2, \mathbb{Z})$ ). Thus, one has to study *nonergodic* flows on spaces of finite volume. It turned out that the ergodicity criterion for homogeneous flows was essentially known by that time. More precisely, in the sixties Moore [Mo66] examined the semisimple case, and Auslander [Au] the solvable case. Spectral invariants of ergodic flows in these cases were found by Stepin [Ste69,73] and Safonov [Saf]. The key step in reducing the general case to the semisimple and solvable cases was made by Dani [Da77]. This stage of the theory of homogeneous flows was summarized in the paper of Brezin and Moore [BM], where they found the ergodicity criterion and calculated the spectrum of homogeneous flows on the so-called admissible spaces of finite volume.<sup>2</sup> It remained to construct explicitly the *ergodic decomposition* of homogeneous flows. The fact that the space  $G/\Gamma$  breaks into closed invariant (not necessarily homogeneous) submanifolds such that the flow on each of them is ergodic relative to a smooth invariant measure was not difficult to prove [St83]. But even this implies that the closure of a generic orbit is smooth (more specifically, is equal to the corresponding ergodic submanifold). More surprising was that every ergodic manifold can be finitely covered (together with the flow thereon) by a homogeneous space of finite volume (see [St86b,89]). Therefore the theory of homogeneous flows was reduced to the ergodic case.

These results are expounded in a fairly detailed way in Chapter 1 of the present book. It is worth noting that the ergodicity criterion is based on the Mautner phenomenon [Mo80] for unitary representations; to establish the latter we apply a nice argument suggested by Margulis [Ma91b] which does not involve spectral theory. While studying homogeneous spaces we apply the methods of algebraic groups.

As for *individual orbits*, it became clear after the example with the geodesic flow that everything depends on the subgroup  $g_{\mathbb{R}} \subset G$ . On one hand, it may be the case that the action of  $g_{\mathbb{R}}$  by left translations on the group  $G$  has at most a polynomial rate of divergence of close orbits relative to the right-invariant metric (then  $g_{\mathbb{R}}$  is called a *quasi-unipotent* subgroup). Considering the adjoint action of  $g_t$  on the Lie algebra of the group  $G$  shows that such a subgroup must have all eigenvalues of absolute value 1 (if all eigenvalues are equal to 1, the subgroup  $g_{\mathbb{R}}$  is called *unipotent*). On the other hand, the rate of divergence may be exponential (then  $g_{\mathbb{R}}$  is said to be *partially-hyperbolic*). In this case the flow on  $G/\Gamma$  induced

---

<sup>2</sup>Still, the author was there in time to make “one or two lucky misimprovements” [St86a,87a]. In particular, he proved that every space of finite volume is admissible (see also [Wu, Wi87, Z87]). Thus, this subject was closed.

by  $g_{\mathbb{R}}$  is *uniformly partially-hyperbolic*.<sup>3</sup> Such a flow possesses the *contracting and expanding* smooth foliations formed by orbits of the associated *horospherical* subgroups. For homogeneous actions, the techniques of partially-hyperbolic flows were already applied in the sixties by Auslander, Moore and Stepin; the general theory of smooth uniformly partially-hyperbolic flows was built in the late seventies by Pesin and Brin. An impression emerged that all orbit closures of a quasi-unipotent flow are always smooth (this was supported by examining the class of solvable groups  $G$ ), whereas a partially-hyperbolic flow must have a “bad” orbit (see [St87b]).

In the spring of 1985, G. A. Margulis gave a talk at the seminar about a certain application of homogeneous flows to number theory, and clarified the situation with the orbit closures conjecture. First, any (not necessarily homogeneous) uniformly partially-hyperbolic flow on a compact manifold has an orbit which does not come back to a neighborhood of the original point (and hence its closure is not a manifold). Second, as followed from the talk, the situation with (quasi)unipotent flows is much more delicate. More precisely, in the seventies Raghunathan noticed a connection between unipotent orbits on  $\mathrm{SL}(3, \mathbb{R})/\mathrm{SL}(3, \mathbb{Z})$  and the long-standing Oppenheim–Davenport conjecture on values of quadratic forms at integral points: the latter would be settled if one managed to prove that closures of all bounded orbits of the unipotent subgroup

$$u_t = \begin{pmatrix} 1 & t & t^2/2 \\ 0 & 1 & t \\ 0 & 0 & 1 \end{pmatrix}$$

are algebraic. The solution of this problem was precisely the subject of the talk (see [Ma87]). There is a more general conjecture (let us call it the *Raghunathan topological conjecture*, though it was formulated by Dani in [Da81]) stating that all orbits of a unipotent flow must have algebraic closures (that is, they must be homogeneous subspaces of finite volume).<sup>4</sup> Moreover, all ergodic measures of such a flow must have an algebraic origin (the *Dani measure conjecture*).

By that time, the case of a solvable group  $G$  was completely understood (see [St84a]). However, the most important affirmations of these conjectures come from the study of the *horocycle flow* induced by the subgroup  $h_t = \begin{pmatrix} 1 & t \\ 0 & 1 \end{pmatrix} \subset G = \mathrm{SL}(2, \mathbb{R})$ . Back in the thirties, Hedlund (by purely geometric methods) had proved that  $h_t$  has only periodic and everywhere dense orbits provided that the space  $G/\Gamma$  is of finite volume; moreover, the flow  $h_t$  is minimal if  $G/\Gamma$  is a compact space! The corresponding results on ergodic measures were obtained by Furstenberg [Fu72] and by Dani and Smillie [DS]. The conjectures were also supported by results of [Bo76, V75, V77, EP] on actions of horospherical subgroups on compact homogeneous spaces. Every horospherical subgroup is unipotent, but not vice versa: for instance, the main difficulty in the study of the flow  $(\mathrm{SL}(3, \mathbb{R})/\mathrm{SL}(3, \mathbb{Z}), u_{\mathbb{R}})$  is that the subgroup  $u_{\mathbb{R}}$  is not horospherical. In the general case, as was mentioned by Margulis, the Raghunathan–Dani conjectures seem to be very difficult to prove (especially the measure part).

---

<sup>3</sup>Experts in smooth dynamical systems will notice at once that the quasi-unipotent and partially-hyperbolic cases correspond to whether or not the entropy of the flow is trivial.

<sup>4</sup>Thanks to the above remark of Margulis, the Raghunathan conjecture easily implies the criterion for all orbit closures to be smooth [St90].

The difficulties in studying unipotent actions were already clear from an early result of Margulis [Ma71] saying that no unipotent trajectory in  $SL(n, \mathbb{R})/SL(n, \mathbb{Z})$  exits to infinity (this was utilized in one of the proofs of his celebrated arithmeticity theorem). The proof was highly nontrivial (now it is more accessible – see [DM90b, KM98]), but the result did not even ensure that such a trajectory is recurrent (that is, comes back to any neighborhood of the original point)! Nevertheless, it proved to be one of the most important tools for studying dynamics of unipotent flows – especially after Dani [Da84,86b] established a general result of this kind stating that any unipotent trajectory on a space of finite volume visits a compact subset with positive density of times.

In the eighties and nineties the study of unipotent actions took the central position in the theory. Partial results (again for horospherical subgroups) were obtained in [Da86a] and [St91], and for unipotent subgroups of  $SL(3, \mathbb{R})$  in [DM89,90a,b]. On the other hand, in the early eighties Ratner discovered surprising rigidity properties of the horocycle flow [R82a,b,83]. For instance, a measure-theoretic isomorphism of two horocycle flows turned out to have an algebraic origin.<sup>5</sup> The proof utilized an  $H$ -property of the horocycle flow which made the polynomial nature of divergence more precise and, like the Margulis homecoming theorem, was based on certain properties of polynomials (subsequently Witte [Wi85], by exploring Ratner’s idea, established the measure-theoretic rigidity of all ergodic unipotent flows). It was Ratner who by applying the so-called  $R$ -property of arbitrary unipotent flows (a modification of the  $H$ -property of the horocycle flow) managed to prove the measure conjecture in a series of papers [R90a,b,c,91a] whose length totals more than 100 pages. It is important to emphasize that the algebraicity of finite ergodic measures was proved in a much more general situation than it was originally conjectured: for *arbitrary* discrete subgroups  $\Gamma \subset G$ . Quite soon, by applying the measure conjecture and the Dani–Margulis results on homecoming, she managed to settle the topological conjecture as well [R91b] (simultaneously, Shah [Sh91], making use of [R91a], proved the conjecture for regular unipotent subgroups of semisimple groups of rank 1). In a sense, these two theorems of Ratner topped off the present stage of the theory of homogeneous flows. Margulis and Tomanov [MT94,96] (by using some ideas of Ratner as well as some from earlier papers of Dani and Margulis) suggested a more accessible proof of Ratner’s measure theorem. Earlier Dani and Margulis [DM93] gave an alternative proof of the topological theorem.

In Chapter 2 we try to give an idea of what is involved in studying unipotent flows. The exposition starts with a detailed treatment of the geodesic and horocycle flows. Unfortunately, in the general case the proof of the measure conjecture is too complicated to reproduce within the framework of this book. To give its flavour, we examine the proof on the examples  $G = SL(2, \mathbb{R})$  and  $G = SL(2, \mathbb{C})$ , following [R92] and [MT96] respectively. The proof of Margulis’ homecoming theorem for unipotent trajectories is also demonstrated on the simplest example  $G = SL(2, \mathbb{R})$ . The topological conjecture is proved in full scope along the lines of [DM93].

For one-parameter unipotent flows there is a stronger result: every trajectory not only has its closure homogeneous, but is uniformly distributed therein [R91b]. We expound various generalizations of the assertion which are due to Dani and Margulis [DM93], Ratner [R94], Eskin, Mozes and Shah [MS], [Sh94], [EMS96,97].

---

<sup>5</sup>For nilflows, the corresponding results were earlier proved by Parry [P71,73].

Essentially, all of them are concerned with the convergence in the weak\* topology on the space of probability measures on  $G/\Gamma$ .

Of course, the proof of the Raghunathan–Dani conjectures gave a new stimulus to research in this area and served as a base for numerous applications. For instance, in the class of arbitrary one-parameter homogeneous flows one managed to settle Rokhlin’s problem on multiple mixing and to better understand their minimal sets (Starkov [St93,95a]). There has been great progress in studying orbits and ergodic measures for actions of arbitrary subgroups  $F \subset G$  (Ratner [R94], Mozes [Moz95a], Shah and Weiss [Sh96, W, SW], Katok and Spatzier [KS96], Margulis and Tomanov [MT96]).

Also, in Chapter 3 we discuss the following topics. After Dani [Da85,86c] found the Hausdorff dimension of the family of bounded orbits in a special case, the full solution of the problem was given by Kleinbock and Margulis [KM96]. Nice results on topological rigidity are due to Markus [Mar83], Benardete [Ben] and Witte [Wi90]. The structure of time changes for homogeneous flows is not well understood: we only mention results of Livshitz [Liv] and Katok and Spatzier [KS94] for Anosov actions, a classical theorem of Kolmogorov [Ko] for rectilinear flows on the 2-torus (subsequently developed by many authors) and a result of Ratner [R78,79] for horocycle flows. In recent times, the phenomenon of exponential mixing of certain homogeneous  $K$ -flows became one of the most powerful tools (Moore [Mo87], Ratner [R87a], Katok and Spatzier [KS94], Kleinbock and Margulis [KM96,99]).

It is worth emphasizing that, due to newly found *applications in number theory*, the interest in homogeneous flows rose considerably. For instance, at two recent International Congresses of Mathematicians three lectures were devoted to the theory of homogeneous flows, and two of them (those of Margulis at ICM-90 and of Ratner at ICM-94) were plenary ones. One of the first applications of homogeneous flows in number theory was given in [AGH], where nilflows were utilized to prove Weyl’s theorem on uniform distribution of the fractional parts of values of polynomials. A classical result due to Kolmogorov [Ko] on time changes for rectilinear flows on the 2-torus reveals a connection with Diophantine properties of the rotation number. Dani [Da85] showed how Diophantine properties of reals affect the behavior of corresponding orbits of the geodesic flow. There exist numerous refinements of this connection; in particular, a well-known conjecture of Littlewood reduces to a certain (not yet established) statement on the structure of orbits of the Cartan diagonal subgroup on  $SL(3, \mathbb{R})/SL(3, \mathbb{Z})$ . After Margulis settled the Oppenheim–Davenport conjecture, Dani and Margulis [DM93], and also Eskin, Mozes and Margulis [EMM], found the exact asymptotics of the number of Diophantine solutions of the inequality  $a < Q(x) < b$  for indefinite quadratic forms.

Kleinbock and Margulis [KM98] obtained remarkable results proving a general conjecture of Sprindzhuk [Sp80] on Diophantine approximation on manifolds. Skriganov [Skr98] used homogeneous flows to obtain asymptotic estimates of the number of lattice points inside polyhedra (the first results in the two-dimensional case go back to the twenties and are due to Hardy and Littlewood [HL] and Khintchine [Kh23]). Eskin, Mozes and Shah [EMS96] sharpened results of [DRS] and [EM] on the asymptotics of the number of lattice points on homogeneous manifolds in  $\mathbb{R}^n$ . All of these questions are discussed in Chapter 4. Before that, we give preliminaries from the theory of Diophantine approximation.

A considerable number of recently found applications show that the theory of homogeneous flows is far from being completed. The reader especially interested in number theory is referred to surveys of Borel [B] and Margulis [Ma97].

For various reasons, we do not touch upon certain subjects. These are Bernoulli properties of homogeneous flows, Markov partitions and symbolic dynamics (see [Si68], [Kat], [Bo79], [OW]); the Bernoullicity criterion was studied by Dani [Da76a] but in the general case it is not yet proved. All Lie groups throughout the book are real; hence we are not concerned with dynamical systems on homogeneous spaces over other local fields; we only note that the Raghunathan–Dani conjectures are settled in this setup as well (see [R93,95a,98] and [MT94,96]). Entropy theory will also play a minor role. We do not touch upon the theory of flows on spaces of infinite volume. Whereas the solvable case is completely understood [St87b], the case  $G = \mathrm{SO}(1, n)$  presents an independent and rather delicate object of research in the theory of Fuchsian and Kleinian groups. Here the results are not definitive; see the book [Ni] and the survey [St95b].

Other subjects we try to present in as much detail as possible. In addition to [AGH], we intensively used the surveys [Da96,99], [Gh], [Ma91b,97], [R84,95b], [SSS], [St97]. The reader may consult the list of open problems given in [Ma99] to find directions for future research.

The author is very grateful to A. S. Mishchenko, whose question introduced him into the topic. Since then, the author had a happy opportunity to interact with many remarkable experts in ergodic theory and Lie groups: D. V. Anosov, S. Dani, A. B. Katok, G. A. Margulis, M. E. Ratner, A. M. Stepin, E. B. Vinberg. The author is also happy to acknowledge the great impact of conversations with A. Eskin, D. Kleinbock, S. Mozes, V. V. Ryzhikov, N. Shah, G. Tomanov, D. Witte, and many others.

The author was supported by the Russian Foundation of Basic Research (grant No 95-01-02804).

## List of Notations

- $\mathbb{Z}$  — the ring of integers  
 $\mathbb{N}$  — the semigroup of positive integers  
 $\mathbb{Q}, \mathbb{R}, \mathbb{C}$  — the fields of rational, real and complex numbers  
 $G, H, F$ , etc. — Lie groups  
 $\mathfrak{g}, \mathfrak{h}, \mathfrak{f}$ , etc. — Lie algebras  
 $\Gamma \subset G$  — discrete subgroup of a Lie group  $G$   
 $G_s$  — the semisimple splitting of a Lie group  $G$   
 $\text{Ad}$  — the adjoint representation  
 $\text{Aut}(G)$  — the automorphism group of a Lie group  $G$   
 $D_0 \subset G$  — the identity component of a closed subgroup  $D \subset G$   
 $\overline{D} \subset G$  — the closure of a subset  $D \subset G$   
 $g_{\mathbb{R}} \subset G$  — one-parameter subgroup of a Lie group  $G$   
 $g^{\mathbb{Z}} \subset G$  — the cyclic group generated by an element  $g \in G$   
 $G/D$  — the homogeneous space of a Lie group  $G$  by a closed subgroup  $D \subset G$   
 $(G/D, g_{\mathbb{R}})$  — one-parameter homogeneous flow  
 $E(g_{\mathbb{R}}), \tilde{E}(g_{\mathbb{R}})$  — the ergodic partition and decomposition of a homogeneous flow  
 $\text{SL}(n, \mathbb{R})$  — the group of unimodular real  $n \times n$  matrices  
 $A^T$  — the transpose matrix  
 $\text{diag}(t_1, \dots, t_n)$  — the diagonal matrix with elements  $t_1, \dots, t_n$   
 $\det$  — the determinant of a matrix  
 $\text{card}$  — the cardinality of a set  
 $(X, \mu)$  — measure space  
 $\mathcal{P}(X)$  — the space of Borel probability measures on a topological space  
 $C_c(X)$  — the space of continuous functions with compact support on a topological space  
 $\mathbb{H}$  — Hilbert space  
 $\text{Im}(\phi)$  — the image of a homomorphism  $\phi$   
 $\text{Ker}(\phi)$  — the kernel of a homomorphism  $\phi$   
 $\mathbb{H}^n$  — the  $n$ -dimensional Lobachevskii space  
 $\mathcal{H}^n$  — the  $n$ -dimensional Hausdorff measure



*This page intentionally left blank*

*This page intentionally left blank*

## References

- [AB68] L. Auslander and J. Brezin, *Almost algebraic Lie algebras*, *J. Algebra* **8** (1968), 295–313.
- [AB71] ———, *Uniform distribution in solvmanifolds*, *Adv. Math.* **7** (1971), 111–144.
- [AG] L. Auslander and L. Green, *G-induced flows*, *Amer. J. Math.* **88** (1966), 43–60.
- [AGH] L. Auslander, L. Green, and F. Hahn, *Flows on homogeneous spaces*, Princeton Univ. Press, Princeton, NJ, 1963.
- [Al] V. M. Alekseev, *Symbolic dynamics*, Eleventh Math. Summer School (Kolomyia, 1973), *Izдание Inst. Mat. Akad. Nauk Ukrain. SSR, Kiev*, 1976, pp. 5–210. (Russian)
- [An67] D. V. Anosov, *Geodesic flows on closed Riemannian manifolds of negative curvature*, *Trudy Mat. Inst. Steklov.* **90** (1967); English transl., *Proc. Steklov Inst. Math.* **90** (1969).
- [An73] ———, *The additive functional homology equation that is connected with an ergodic rotation of the circle*, *Izv. Akad. Nauk SSSR Ser. Mat.* **37** (1973), 1259–1274; English transl., *Math. USSR-Izv.* **7** (1973), 1257–1271.
- [Ar] V. I. Arnold, *Small denominators. I: Mapping the circle onto itself*, *Izv. Akad. Nauk SSSR Ser. Mat.* **25** (1961), 21–86; English transl., *Amer. Math. Soc. Transl. (2)* **46** (1965), 213–284.
- [AS] D. V. Anosov and V. V. Solodov, *Hyperbolic manifolds*, *Itogi Nauki i Tekhn.: Sovremennye Problemy Matematiki: Fundamental'nye Napravleniya*, vol. 66, VINITI, Moscow, 1991, pp. 12–99; English transl. in *Encyclopaedia of Math. Sci.*, vol. 66 (Dynamical Systems, IX), Springer-Verlag, Berlin, 1995.
- [Au] L. Auslander, *An exposition of the structure of solvmanifolds*, *Bull. Amer. Math. Soc.* **79** (1973), 227–285.
- [B] A. Borel, *Values of indefinite quadratic forms at integral points and flows on spaces of lattices*, *Bull. (N. S.) Amer. Math. Soc.* **32** (1995), 184–204.
- [BB] F. Bien and A. Borel, *Sous-groupes épimorphiques de groupes algébriques linéaires. I*, *C. R. Acad. Sci. Paris Sér. I Math.* **315** (1992), 649–655.
- [Be] D. Berend, *Minimal sets on tori*, *Ergodic Theory Dynam. Systems* **4** (1984), 499–507.
- [BeB] V. Beresnevich and V. Bernik, *On a metrical theorem of W. Schmidt*, *Acta Arith.* **75** (1996), 219–233.
- [Ben] D. Benardete, *Topological equivalence of flows on homogeneous spaces, and divergence of one-parameter subgroups of Lie groups*, *Trans. Amer. Math. Soc.* **306** (1988), 499–527.
- [BG] V. Bentkus and F. Gotze, *Lattice point problems and distribution of values of quadratic forms*, *Ann. of Math.* (to appear).
- [BG97] ———, *On the lattice point problem for ellipsoids*, *Acta Arith.* **80** (1997), 101–125.
- [Bi] B. J. Birch, *Forms in many variables*, *Proc. Roy. Soc. London Ser. A* **265** (1962), 245–263.
- [BM] J. Brezin and C. C. Moore, *Flows on homogeneous spaces: a new look*, *Amer. J. Math.* **103** (1981), 571–613.
- [Do71] R. Downen, *Entropy for group endomorphisms and homogeneous spaces*, *Trans. Amer. Math. Soc.* **153** (1971), 401–414.
- [Bo75] ———, *Equilibrium states and the ergodic theory of Anosov diffeomorphisms*, Springer-Verlag, Berlin, 1975.
- [Bo76] ———, *Weak mixing and unique ergodicity on homogeneous spaces*, *Israel J. Math.* **23** (1976), 267–273.

- [Bo79] ———, *Methods of symbolic dynamics*, “Mir”, Moscow, 1979 (Russian); see also *Symbolic dynamics for hyperbolic flows*, Amer. J. Math. **95** (1973), 429–460.
- [BP] A. Borel and G. Prasad, *Values of isotropic quadratic forms at  $S$ -integral points*, Compositio Math. **83** (1992), 347–372.
- [BR] M. Borovoi and Z. Rudnick, *Hardy-Littlewood varieties and semisimple groups*, Invent. Math. **119** (1995), 37–66.
- [Bre] T. Brennan, *Distribution of values of diagonal quadratic at integer points*, Undergraduate Thesis, Princeton Univ., 1994.
- [BS] M. Burger and P. Sarnak, *Ramanujan duals. II*, Invent. Math. **106** (1991), 1–11.
- [BSh] Z. I. Borevich and I. R. Shafarevich, *Number theory*, “Nauka”, Moscow, 1964; English transl., Academic Press, New York, 1966.
- [Bu] M. Burger, *Horocycle flow on geometrically finite surfaces*, Duke Math. J. **61** (1990), 779–803.
- [Ca57] J. W. S. Cassels, *An introduction to Diophantine approximation*, Cambridge Univ. Press, Cambridge, 1957.
- [Ca59] ———, *An introduction to the geometry of numbers*, Springer-Verlag, Berlin, 1959.
- [Ca78] ———, *Rational quadratic forms*, Academic Press, New York, 1978.
- [Cow] M. Cowling, *Sur les coefficients des représentations unitaires des groupes de Lie simples*, Analyse Harmonique sur les Groupes de Lie (Sém., Nancy/Strasbourg, 1976–1978), Lecture Notes in Math., vol. 739, Springer-Verlag, Berlin, 1979, pp. 132–178.
- [Cr] C. Croke, *Rigidity for surfaces of nonpositive curvature*, Comment. Math. Helv. **65** (1990), 150–169.
- [CS] J. W. S. Cassels and H. P. F. Swinnerton-Dyer, *On the product of three homogeneous forms and indefinite ternary quadratic forms*, Philos. Trans. Roy. Soc. London Ser. A **248** (1955), 73–96.
- [Da76a] S. G. Dani, *Bernoullian translations and minimal horospheres on homogeneous spaces*, J. Indian Math. Soc. **40** (1976), 245–284.
- [Da76b] ———, *Kolmogorov automorphisms on homogeneous spaces*, Amer. J. Math. **98** (1976), 119–163.
- [Da77] ———, *Spectrum of an affine transformations*, Duke Math. J. **44** (1977), 125–156.
- [Da80a] ———, *A simple proof of Borel’s density theorem*, Math. Z. **174** (1980), 81–94.
- [Da80b] ———, *Strictly nonergodic actions on homogeneous spaces*, Duke Math. J. **47** (1980), 633–639.
- [Da81] ———, *Invariant measures and minimal sets of horospherical flows*, Invent. Math. **64** (1981), 357–385.
- [Da82] ———, *On uniformly distributed orbits of certain horocycle flows*, Ergodic Theory Dynam. Systems **2** (1982), 139–158.
- [Da84] ———, *On orbits of unipotent flows on homogeneous spaces*, Ergodic Theory Dynam. Systems **4** (1984), 25–34.
- [Da85] ———, *Divergent trajectories of flows on homogeneous spaces*, J. Reine Angew Math. **359** (1985), 55–89.
- [Da86a] ———, *Orbits of horospherical flows*, Duke Math. J. **53** (1986), 177–188.
- [Da86b] ———, *On orbits of unipotent flows on homogeneous spaces. II*, Ergodic Theory Dynam. Systems **6** (1986), 167–182.
- [Da86c] ———, *Bounded orbits of flows on homogeneous spaces*, Comment. Math. Helv. **61** (1986), 636–660.
- [Da88] ———, *On orbits of endomorphisms of tori and the Schmidt game*, Ergodic Theory Dynam. Systems **8** (1988), 523–529.
- [Da89] ———, *Dense orbits of horospherical flows*, Dynamical Systems and Ergodic Theory (Warsaw, 1986), Banach Center Publ., vol. 23, PWN, Warsaw, 1989, pp. 173–195.
- [Da96] ———, *Flows on homogeneous spaces: a review*, Ergodic Theory of  $\mathbb{Z}_d$ -actions (Warwick, 1993–1994), London Math. Soc. Lecture Note Ser., vol. 228, Cambridge Univ. Press, Cambridge, 1996, pp. 63–112.
- [Da99] ———, *Dynamical systems on homogeneous spaces*, Encyclopaedia of Math. Sci., vol. 100, Springer-Verlag, Berlin, 1999, pp. 63–112.
- [DM89] S. G. Dani and G. A. Margulis, *Values of quadratic forms at primitive integral points*, Invent. Math. **98** (1989), 405–424.

- [DM90a] ———, *Orbit closures of generic unipotent flows on homogeneous spaces of  $SL(3, \mathbb{R})$* , Math. Ann. **286** (1990), 101–128.
- [DM90b] ———, *Values of quadratic forms at integral points: an elementary approach*, Enseignement Math. **36** (1990), 143–174.
- [DM93] ———, *Limit distributions of orbits of unipotent flows and values of quadratic forms*, I. M. Gelfand Seminar, Advances in Soviet Math., vol. 16, part 1, Amer. Math. Soc., Providence, RI, 1993, pp. 91–137.
- [Dod] M. M. Dodson, *Geometric and probabilistic ideas in metric Diophantine approximation*, Uspekhi Mat. Nauk **48** (1993), no. 5, 77–106; English transl., Russian Math. Surveys **48** (1993), no. 5, 73–102.
- [DR] H. Davenport and H. Ridout, *Indefinite quadratic forms*, Proc. London Math. Soc. (3) **9** (1959), 544–555.
- [DRS] W. Duke, Z. Rudnick, and P. Sarnak, *Density of integer points on affine homogeneous varieties*, Duke Math. J. **71** (1993), 143–180.
- [DS] S. G. Dani and J. Smillie, *Uniform distribution of horocycle flows for Fuchsian groups*, Duke Math. J. **51** (1984), 185–194.
- [EK] A. Eskin and J. Katznelson, *Singular symmetric matrices*, Duke Math. J. **79** (1995), 515–547.
- [EM] A. Eskin and C. McMullen, *Mixing, counting and equidistribution in Lie groups*, Duke Math. J. **71** (1993), 181–209.
- [EMM] A. Eskin, G. A. Margulis, and S. Mozes, *Upper bounds and asymptotics in a quantitative version of the Oppenheim conjecture*, Ann. of Math. (2) **147** (1998), 93–141.
- [EMS96] A. Eskin, S. Mozes, and N. Shah, *Unipotent flows and counting lattice points on homogeneous varieties*, Ann. of Math. (2) **143** (1996), 253–299.
- [EMS97] ———, *Non-divergence of translates of certain algebraic measures*, Geom. Funct. Anal. **7** (1997), 48–80.
- [EP] R. Ellis and W. Perrizo, *Unique ergodicity of flows on homogeneous spaces*, Israel J. Math. **29** (1978), 276–284.
- [F] L. Flaminio, *An extension of Ratner’s rigidity theorem to  $n$ -dimensional hyperbolic space*, Ergodic Theory Dynam. Systems **7** (1987), 73–92.
- [Fed] H. Federer, *Geometric measure theory*, Springer–Verlag, Berlin, 1969.
- [FO] J. Feldman and D. Ornstein, *Semi-rigidity of horocycle flows over compact surfaces of variable negative curvature*, Ergodic Theory Dynam. Systems **7** (1987), 49–72.
- [FS] L. Flaminio and R. Spatzier, *Geometrically finite groups, Patterson–Sullivan measures and Ratner’s rigidity theorem*, Invent. Math. **99** (1990), 601–626.
- [Fu61] H. Furstenberg, *Strict ergodicity and transformations of the torus*, Amer. J. Math. **83** (1961), 573–601.
- [Fu63] ———, *The structure of distal flows*, Amer. J. Math. **85** (1963), 477–515.
- [Fu72] ———, *The unique ergodicity of the horocycle flow*, Recent Advances in Topological Dynamics (A. Besk, ed.), Springer–Verlag, Berlin, 1972, pp. 95–115.
- [G] L. Green, *Spectra of nilflows*, Bull. Amer. Math. Soc. **67** (1961), 414–415.
- [GF] I. M. Gelfand and S. V. Fomin, *Geodesic flows on manifolds of constant negative curvature*, Uspekhi Mat. Nauk **7** (1952), no. 1, 118–137; English transl., Amer. Math. Soc. Transl. (2) **1** (1955), 49–65.
- [GGP] I. M. Gelfand, M. I. Graev, and I. I. Piatetskii-Shapiro, *Generalized functions*. Vol. 6: *Representation theory and automorphic functions*, "Nauka", Moscow, 1966; English transl., W. B. Saunders, Philadelphia, PA, 1969.
- [GH] W. Gottschalk and G. Hedlund, *Topological dynamics*, Colloquium Publ., vol. 38, Amer. Math. Soc., Providence, RI, 1955.
- [Gh] E. Ghys, *Dynamique des flots unipotents sur les espaces homogènes*, Astérisque **206** (1992), 93–136.
- [GNS] A. I. Galochkin, Yu. V. Nesterenko, and A. B. Shidlovskii, *Introduction to number theory*, Izdat. Moskov. Gos. Univ., Moscow, 1984. (Russian)
- [Go] V. V. Gorbatsevich, *Splitting of Lie groups and its applications to the study of homogeneous spaces*, Izv. Akad. Nauk SSSR Ser. Mat. **43** (1979), 1127–1158; English transl., Math. USSR–Izv. **15** (1979), 441–467.
- [GR] H. Garland and M. S. Raghunathan, *Fundamental domains for lattices in  $\mathbb{R}$ -rank 1 semisimple Lie groups*, Ann. of Math. (2) **92** (1970), 279–326.

- [Gro] A. V. Groshev, *Une théorème sur les systèmes des formes linéaires*, C. R. (Dokl.) Acad. Sci. URSS **19** (1938), 151–152.
- [Gu] B. M. Gurevich, *The entropy of a horocycle flow*, Dokl. Akad. Nauk SSSR **136** (1961), 768–770; English transl., Soviet Math. Dokl. **2** (1961), 124–126.
- [GW] ———, *Minimal transformations with no common factors need not be disjoint*, Israel J. Math. **45** (1983), 1–8.
- [H] M. Herman, *Construction of a minimal diffeomorphism with nonzero topological entropy*, Ergodic Theory Dynam. Systems **1** (1981), 65–76.
- [He36] G. A. Hedlund, *Fuchsian groups and transitive horocycles*, Duke Math. J. **2** (1936), 530–542.
- [He39] ———, *The dynamics of geodesic flows*, Bull. Amer. Math. Soc. **45** (1939), 241–260.
- [HL] G. H. Hardy and J. E. Littlewood, *Some problems of Diophantine approximation: the lattice points of a right-angled triangle*, Proc. London Math. Soc. (2) **20** (1922), 15–36.
- [HM] G. Hochschild and G. D. Mostow, *Representations and representative functions of Lie groups*, Ann. of Math. (2) **66** (1957), 495–542.
- [Ho36] E. Hopf, *Fuchsian groups and ergodic theory*, Trans. Amer. Math. Soc. **39** (1936), 299–314.
- [How] R. Howe, *A notion of rank for unitary representations of the classical groups*, Harmonic Analysis and Group Representations, Liguori, Naples, 1982, pp. 223–331.
- [Hu] J. E. Humphreys, *Linear algebraic groups*, Springer-Verlag, Berlin, 1975.
- [Ja] N. Jacobson, *Lie algebras*, Interscience, New York, 1962.
- [Jo] R. Johnson, *On almost periodic linear differential systems of Millionshchikov and Vinograd*, J. Math. Anal. **85** (1982), 452–461.
- [K75] A. B. Katok, *Time change, monotone equivalence and standard dynamical systems*, Dokl. Akad. Nauk SSSR **223** (1975), 789–792; English transl., Soviet Math. Dokl. **16** (1975), 986–990.
- [K82] ———, *Entropy and closed geodesics*, Ergodic Theory Dynam. Systems **2** (1982), 339–365.
- [Ka] S. A. Kalikow, *Twofold mixing implies threefold mixing for rank one transformations*, Ergodic Theory Dynam. Systems **4** (1984), 237–259.
- [Kat] Y. Katznelson, *Ergodic automorphisms of  $T^n$  are Bernoulli shifts*, Israel J. Math. **10** (1971), 186–195.
- [Kh23] A. Khintchine, *Ein Satz über Kettenbrüche, mit arithmetischen Anwendungen*, Math. Z. **18** (1923), 289–306.
- [Kh48] ———, *Regular systems of linear equations*, Izv. Akad. Nauk SSSR Ser. Mat. **12** (1948), 249–258. (Russian)
- [Kh78] ———, *Continued fractions*, University of Chicago Press, Chicago, IL, 1964.
- [Kir] A. A. Kirillov, *Elements of the theory of representations*, “Nauka”, Moscow, 1978; English transl., Springer-Verlag, Berlin, 1976.
- [KK] V. V. Kozlov and N. N. Kolesnikov, *Integrability of Hamiltonian systems*, Vestnik Moskov Univ. Ser. I Mat. Mekh. **1979**, no. 6, 88–91; English transl., Moscow Univ. Math. Bull. **34** (1979), no. 5/6, 48–51.
- [Kl98a] D. Y. Kleinbock, *Nondense orbits of homogeneous flows*, Ergodic Theory Dynam. Systems **18** (1998), 373–396.
- [Kl98b] ———, *Flows on homogeneous spaces and Diophantine properties of matrices*, Duke Math. J. **95** (1998), 107–124.
- [KM96] D. Y. Kleinbock and G. A. Margulis, *Bounded orbits of non-quasiunipotent flows on homogeneous spaces*, Sinai’s Moscow Seminar on Dynamical Systems, Amer. Math. Soc. Transl. (2) **171** (1996), 141–171.
- [KM98] ———, *Flows on homogeneous spaces and Diophantine approximation on manifolds*, Ann. of Math. (2) **148** (1998), 339–360.
- [KM99] ———, *Logarithm laws for flows on homogeneous spaces*, Invent. Math. (to appear).
- [Ko] A. N. Kolmogorov, *On dynamical systems with integral invariant on a torus*, Dokl. Akad. Nauk SSSR **93** (1953), 763–766; English transl. in his *Selected Works*. Vol. I: *Mathematics and Mechanics*, Kluwer, Dordrecht, 1991, pp. 344–348.
- [KS94] A. Katok and R. J. Spatzier, *First cohomology of Anosov actions of higher rank abelian groups and applications to rigidity*, Inst. Hautes Études Sci. Publ. Math. **79** (1994), 131–156.

- [KS96] ———, *Invariant measures for higher rank hyperbolic abelian actions*, Ergodic Theory Dynam. Systems **16** (1996), 751–778.
- [KSF] I. P. Kornfel'd, Ya. G. Sinai, and S. V. Fomin, *Ergodic theory*, “Nauka”, Moscow, 1980; English transl. (by Cornfeld, Fomin, and Sinai), Springer–Verlag, Berlin, 1982.
- [Ku] A. G. Kushnirenko, *An estimate from above of the entropy of a classical dynamical systems*, Dokl. Akad. Nauk SSSR **161** (1965), 37–38; English transl., Soviet Math. Dokl. **6** (1965), 360–362.
- [KW] Y. Katznelson and B. Weiss, *When all points are recurrent/generic*, Ergodic Theory and Dynamical Systems. I (College Park, MD, 1979–80) (A. Katok, ed.), Birkhäuser, Boston, 1981, pp. 195–210.
- [L] F. Ledrappier, *Un champ markovien peut être d'entropie nulle et mélangeant*, C. R. Acad. Sci. Paris Ser. A **287** (1978), 561–563.
- [Le] E. Lesigne, *Théorèmes ergodiques pour une translation sur un nilvariété*, Ergodic Theory Dynam. Systems **9** (1989), 115–126.
- [Li] Yu. V. Linnik, *Ergodic properties of algebraic fields*, Izdat. Leningrad. Univ., Leningrad, 1967; English transl., Springer–Verlag, Berlin, 1968.
- [Lin] D. A. Lind, *Dynamical properties of quasihyperbolic toral automorphisms*, Ergodic Theory Dynam. Systems **2** (1982), 49–68.
- [Liv] A. N. Livshitz, *Cohomology of dynamical systems*, Izv. Akad. Nauk SSSR Ser. Mat. **36** (1972), 1296–1320; English transl., Math. USSR–Izv. **6** (1972), 1278–1301.
- [LW] E. Lindenstrauss and B. Weiss, *On sets invariant under the action of the diagonal group*, Preprint (1999).
- [LY] F. Ledrappier and L.-S. Young, *The metric theory of diffeomorphisms*, Ann. of Math. (2) **122** (1985), 509–539.
- [M] A. I. Mal'tsev, *On solvable Lie algebras*, Izv. Akad. Nauk SSSR Ser. Mat. **9** (1945), 329–352; English transl., Amer. Math. Soc. Transl. (1) **9** (1962), 228–262.
- [Ma70] G. A. Margulis, *On some measures related to  $U$ -flows on compact manifolds*, Funktsional. Anal. i Prilozhen. **4** (1970), no. 1, 62–76; English transl. in Functional Anal. Appl. **4** (1970).
- [Ma71] ———, *On the action of unipotent subgroups in a space of lattices*, Mat. Sb. **86** (1971), 552–556; English transl., Math. USSR–Sb. **15** (1972), 549–554.
- [Ma87] ———, *Formes quadratiques indéfinies et flots unipotents sur les espaces homogènes*, C. R. Acad. Sci. Paris Sér. I Math. **304** (1987), 249–253.
- [Ma88] ———, *Lie groups and ergodic theory*, Algebra–Some Current Trends (Varna, 1986), Springer–Verlag, Berlin, 1988, pp. 130–146.
- [Ma89] ———, *Discrete subgroups and ergodic theory*, Proc. Conf. in Honour of A. Selberg (Oslo, 1987), Academic Press, New York, 1989, pp. 377–398.
- [Ma90] ———, *Orbits of group actions and values of quadratic forms at integral points*, Festschrift in Honour of I. I. Piatetski-Shapiro (Ramat Aviv, 1989), Israel Math. Conf. Proc., vol. 3, Weizmann Science Press, Jerusalem, 1990, pp. 127–150.
- [Ma91a] ———, *Compactness of minimal closed invariant sets of actions of unipotent groups*, Geom. Dedicata **37** (1991), 1–7.
- [Ma91b] ———, *Dynamical and ergodic properties of subgroups actions on homogeneous spaces with applications to number theory*, Proc. Internat. Congress Math. (Kyoto, 1990), Math. Soc. Japan, Kyoto, 1991, pp. 193–215.
- [Ma91c] ———, *Discrete subgroups of semisimple Lie groups*, Springer–Verlag, Berlin, 1991.
- [Ma97] ———, *Oppenheim conjecture*, Fields Medalists Lectures, World Sci. Publ., River Edge, NJ, 1997, pp. 272–327.
- [Ma99] ———, *Problems and conjectures in rigidity theory*, Mathematics: Frontiers and Perspectives, Amer. Math. Soc., Providence, RI, 2000, pp. 161–174.
- [Mar75] B. Marcus, *Unique ergodicity of the horocycle flow: the variable curvature case*, Israel J. Math. **21** (1975), 131–144.
- [Mar78] ———, *The horocycle flow is mixing of all degrees*, Invent. Math. **46** (1978), 201–209.
- [Mar83] ———, *Topological conjugacy of horocycle flows*, Amer. J. Math. **105** (1983), 623–632.
- [Mau] F. Mautner, *Geodesic flows on symmetric Riemann spaces*, Ann. of Math. (2) **65** (1957), 416–431.

- [MF] A. S. Mishchenko and A. T. Fomenko, *A generalized Liouville method for the integration of Hamiltonian systems*, Funktsional. Anal. i Prilozhen. **12** (1978), no. 2, 45–56; English transl., Funct. Anal. Appl. **12** (1978), 113–121.
- [Mi68] V. M. Millionshchikov, *Proof of the existence of irregular systems of linear differential equations with almost periodic coefficients*, Differentsial'nye Uravneniya **4** (1968), 391–396; English transl. in Differential Equations **4** (1968).
- [Mi76] ———, *A formula for the entropy of a smooth dynamical system*, Differentsial'nye Uravneniya **12** (1976), 2188–2192; English transl. in Differential Equations **12** (1977).
- [Mo66] C. C. Moore, *Ergodicity of flows on homogeneous spaces*, Amer. J. Math. **88** (1966), 154–178.
- [Mo80] ———, *The Mautner phenomenon for general unitary representations*, Pacific J. Math. **86** (1980), 154–169.
- [Mo87] ———, *Exponential decay of correlation coefficients for geodesic flows*, Group Representations, Ergodic Theory, Operator Algebras, and Mathematical Physics (Berkeley, Calif, 1984), Math. Sci. Res. Inst. Publ., vol. 6, Springer-Verlag, Berlin, 1987, pp. 163–181.
- [Mor] H. M. Morse, *Recurrent geodesics on surface of negative curvature*, Trans. Amer. Math. Soc. **22** (1921), 84–100.
- [Moz92] S. Mozes, *Mixing of all orders of Lie group actions*, Invent. Math. **107** (1992), 235–241.
- [Moz95a] ———, *Epimorphic subgroups and invariant measures*, Ergodic Theory Dynam. Systems **15** (1995), 1207–1210.
- [Moz95b] ———, *Correction to the paper “Mixing of all orders of Lie group actions”*, Invent. Math. **119** (1995), 399.
- [MS] S. Mozes and N. Shah, *On the space of ergodic invariant measures of unipotent flows*, Ergodic Theory Dynam. Systems **15** (1995), 149–159.
- [MT94] G. A. Margulis and G. Tomanov, *Invariant measures for actions of unipotent groups over local fields on homogeneous spaces*, Invent. Math. **116** (1994), 347–392.
- [MT96] ———, *Measure rigidity for almost linear groups and its applications*, J. Analyse Math. **69** (1996), 25–54.
- [MW] S. Mozes and B. Weiss, *Minimality and unique ergodicity for subgroup actions*, Ann. Inst. Fourier (Grenoble) **48** (1998), 1533–1541.
- [N] N. N. Nekhoroshev, *Action-angle variables and their generalizations*, Trudy Moskov. Mat. Obshch. **26** (1972), 181–198; English transl., Trans. Moscow Math Soc. **26** (1974), 180–198.
- [Ne] V. V. Nemytskii, *Topological questions of the theory of dynamical systems*, Uspekhi Mat. Nauk **4** (1949), no. 6, 91–153; English transl, Amer. Math. Soc. Transl. (1) **5** (1962), 414–497.
- [Ni] P. J. Nicholls, *The ergodic theory of discrete groups*, London Math. Soc. Lecture Note Ser., vol. 148, Cambridge Univ. Press, Cambridge, 1989.
- [O] D. S. Ornstein, *Ergodic theory, randomness, and dynamical systems*, Yale Univ. Press, New Haven, CT, 1994.
- [Op] A. Oppenheim, *Values of quadratic forms. I,II*, Quart. J. Math. Oxford Ser. (2) **4** (1953), 54–59, 60–66.
- [Ot] J.-P. Otal, *Le spectre marqué des longueurs des surfaces à courbure négative*, Ann. of Math. (2) **131** (1990), 151–162.
- [OW] D. Ornstein and B. Weiss, *Geodesic flows are Bernoullian*, Israel J. Math. **14** (1973), 184–198.
- [P69] W. Parry, *Ergodic properties of affine transformations and flows on nilmanifolds*, Amer. J. Math. **91** (1969), 751–777.
- [P70] ———, *Spectral analysis of  $G$ -extensions of dynamical systems*, Topology **9** (1970), 217–224.
- [P71] ———, *Metric classification of ergodic nilflows and unipotent affines*, Amer. J. Math. **93** (1971), 819–828.
- [P72] ———, *Cocycles and velocity changes*, J. London Math. Soc. **5** (1972), 511–516.
- [P73] ———, *Dynamical representation in nilmanifolds*, Compositio Math. **26** (1973), 150–174.
- [Pa] O. S. Parasjuk, *Horocycle flow on surfaces of constant negative curvature*, Uspekhi Mat. Nauk **8** (1953), no. 3, 124–126. (Russian)



- [Pe] Ya. B. Pesin, *Characteristic Lyapunov exponents and smooth ergodic theory*, Uspekhi Mat. Nauk **32** (1977), no. 4, 55–111; English transl., Russian Math. Surveys **32** (1977), no. 4, 55–114.
- [Pi] M. S. Pinsker, *Dynamical systems with completely positive or zero entropy*, Dokl. Akad. Nauk SSSR **133** (1960), 1025–1026; English transl., Soviet Math. Dokl. **1** (1960), 937–938.
- [PR] G. Prasad and M. S. Raghunathan, *Cartan subgroups and lattices in semisimple Lie groups*, Ann. of Math. (2) **96** (1972), 296–317.
- [PS] C. Pugh and M. Shub, *Ergodic elements of ergodic actions*, Compositio Math. **23** (1971), 115–122.
- [R78] M. Ratner, *Horocycle flows are loosely Bernoullian*, Israel J. Math. **31** (1978), 122–132.
- [R79] ———, *The Cartesian square of the horocycle flow is not loosely Bernoullian*, Israel J. Math. **34** (1978), 72–96.
- [R82a] ———, *Rigidity of horocycle flows*, Ann. of Math. (2) **115** (1982), 597–614.
- [R82b] ———, *Factors of horocycle flows*, Ergodic Theory Dynam. Systems **2** (1982), 465–489.
- [R83] ———, *Horocycle flows, joinings and rigidity of products*, Ann. of Math. (2) **118** (1983), 277–313.
- [R84] ———, *Ergodic theory in hyperbolic space*, Conf. Modern Anal. Probab., Contemp. Math., vol. 26, Amer. Math. Soc., Providence, RI, 1984, pp. 309–334.
- [R86] ———, *Rigidity of time changes for horocycle flows*, Acta Math. **156** (1986), 1–32.
- [R87a] ———, *The rate of mixing for geodesic and horocycle flows*, Ergodic Theory Dynam. Systems **7** (1987), 267–288.
- [R87b] ———, *Rigid reparametrizations and cohomology for horocycle flows*, Invent. Math. **88** (1987), 341–374.
- [R90a] ———, *Invariant measures for unipotent translations on homogeneous spaces*, Proc. Nat. Acad. Sci. USA **87** (1990), 4309–4311.
- [R90b] ———, *Strict measure rigidity for unipotent subgroups of solvable groups*, Invent. Math. **101** (1990), 449–482.
- [R90c] ———, *On measure rigidity of unipotent subgroups of semisimple groups*, Acta Math. **165** (1990), 229–309.
- [R91a] ———, *On Raghunathan’s measure conjecture*, Ann. of Math. (2) **134** (1991), 545–607.
- [R91b] ———, *Raghunathan’s topological conjecture and distributions of unipotent flows*, Duke Math. J. **63** (1991), 235–280.
- [R92] ———, *Raghunathan’s conjecture for  $SL(2, \mathbb{R})$* , Israel J. Math. **80** (1992), 1–31.
- [R93] ———, *Raghunathan’s conjectures for  $p$ -adic Lie groups*, Internat. Math. Res. Notices **1993**, 141–146.
- [R94] ———, *Invariant measures and orbit closures for unipotent actions on homogeneous spaces*, Geom. and Funct. Anal. **4** (1994), 236–256.
- [R95a] ———, *Raghunathan’s conjectures for cartesian products of real and  $p$ -adic Lie groups*, Duke Math. J. **77** (1995), 275–382.
- [R95b] ———, *Interactions between ergodic theory, Lie groups, and number theory*, Proc. Internat. Congress Math. (Zürich, 1994), Birkhäuser, Basel, 1995, pp. 157–182.
- [R98] ———, *On the  $p$ -adic and  $S$ -arithmetic generalizations of Raghunathan’s conjectures*, Proc. Internat. Colloq. Lie Groups and Ergodic Theory (Mumbai 1996), Narosa, New Delhi, 1998, pp. 167–202.
- [Rag] M. Raghunathan, *Discrete subgroups of Lie groups*, Springer-Verlag, Berlin, 1972.
- [Re] R. Remage, *On minimal sets in the plane*, Proc. Amer. Math. Soc. **13** (1962), 41–47.
- [Ree] M. Rees, *Some  $\mathbb{R}^2$ -Anosov flows*, Univ. of Minnesota Math. Report 82–123.
- [Ro] V. A. Rokhlin, *On a decomposition of dynamical systems into transitive components*, Mat. Sb. **25** (1949), 235–249. (Eussian)
- [Ry91] V. V. Ryzhikov, *On a connection between the mixing properties of a flow with an isomorphism entering into its translations*, Mat. Zametki **49** (1991), no. 6, 98–106; English transl. in Math. Notes **49** (1991).
- [Ry93] ———, *Joinings and multiple mixing of actions of finite rank*, Funktsional. Anal. i Prilozhen. **27** (1993), no. 2, 63–78; English transl. in Funct. Anal. Appl. **27** (1993).
- [Ry97] ———, *Polymorphisms, joinings and tensor simplicity of dynamical systems*, Funktsional. Anal. i Prilozhen. **31** (1997), no. 2, 45–57; English transl., Funct. Anal. Appl. **31** (1977), 42–57.

- [Sa81] P. Sarnak, *Asymptotic behavior of periodic orbits of the horocycle flow and Eisenstein series*, Comm. Pure Appl. Math. **34** (1981), 719–739.
- [Sa91] ———, *Diophantine problems and linear groups*, Proc. Internat. Congress Math. (Kyoto, 1990), Math. Soc. Japan, Kyoto, 1991, pp. 459–471.
- [Saf] A. V. Safonov, *On the spectral type of ergodic  $G$ -induced flows*, Izv. Vyssh. Uchebn. Zaved. Mat. **1982**, no. 6, 42–47; English transl., Soviet Math. (Izv. VUZ) **26** (1982), no. 6, 47–54.
- [Sc] K. Schmidt, *Dynamical systems of algebraic origin*, Birkhäuser, Basel, 1995.
- [Sch69] W. M. Schmidt, *Badly approximable systems of linear forms*, J. Number Theory **1** (1969), 139–154.
- [Sch80] ———, *Diophantine approximation*, Lecture Notes in Math., vol. 785, Springer-Verlag, Berlin, 1980.
- [Sch85] ———, *The density of integer points on homogeneous varieties*, Acta Math. **154** (1985), 243–296.
- [Sco] E. J. Scourfield, *The divisors of a quadratic polynomial*, Proc. Glasgow Math. Assoc. **5** (1961), 8–20.
- [Se73] J.-P. Serre, *A course in arithmetic*, Springer-Verlag, Berlin, 1973.
- [Sh91] N. Shah, *Uniformly distributed orbits of certain flows on homogeneous spaces*, Math. Ann. **289** (1991), 315–334.
- [Sh94] ———, *Limit distributions of polynomial trajectories on homogeneous spaces*, Duke Math. J. **75** (1994), 711–732.
- [Sh96] ———, *Limit distributions of expanding translates of certain orbits on homogeneous spaces*, Proc. Indian Acad. Sci. Math. Sci. **106** (1996), 105–125.
- [Sh98] ———, *Invariant measures and orbit closures on homogeneous spaces for actions of subgroups generated by unipotent elements*, Proc. Internat. Colloq. Lie Groups and Ergodic Theory (Mumbai, 1996), Narosa, New Delhi, 1998, pp. 229–271.
- [Si60] Ya. G. Sinai, *Geodesic flows on manifolds of negative curvature*, Dokl. Akad. Nauk SSSR **131** (1960), 752–755; English transl., Soviet Math. Dokl. **1** (1960), 335–339.
- [Si66] ———, *Dynamical system with Lebesgue spectrum of countable multiplicity. II*, Izv. Akad. Nauk SSSR Ser. Mat. **30** (1966), 15–68; English transl., Amer. Math. Soc. Transl. (2) **68** (1968), 54–88.
- [Si68] ———, *Construction of Markov partitions*, Funktsional. Anal. i Prilozhen. **2** (1968), no. 3, 70–80; English transl. in Functional Anal. Appl. **2** (1968).
- [Si72] ———, *Gibbs measures in ergodic theory*, Uspekhi Mat. Nauk **27** (1972), no. 4, 21–63; English transl., Russian Math. Surveys **27** (1972), no. 4, 21–69.
- [Si96] ———, *Lectures in ergodic theory*, Phasis, Moscow, 1996. (Russian)
- [Sk1] M. D. Šklover, *Classical dynamical systems on the torus with continuous spectrum*, Izv. Vyss. Uchebn. Zaved., Matematika **1967**, no. 10, 113–124. (Russian)
- [Skr89] M. M. Skriganov, *Lattices in algebraic number fields and uniform distribution modulo 1*, Algebra i Analiz **1** (1989), no. 2, 207–228; English transl., Leningrad Math. J. **1** (1990), 535–558.
- [Skr93] ———, *On integer points in polygons*, Ann. Inst. Fourier (Grenoble) **43** (1993), no. 2, 313–323.
- [Skr98] ———, *Ergodic theory on  $SL(n)$ , Diophantine approximations and anomalies in the lattice point problem*, Invent. Math. **132** (1998), 1–72.
- [Sp77] V. G. Sprindzhuk, *Metric theory of Diophantine approximation*, “Nauka”, Moscow, 1977; English transl., Wiley, New York, 1979.
- [Sp80] ———, *Achievements and problems in Diophantine approximation theory*, Uspekhi Mat. Nauk **35** (1980), no. 4, 3–68; English transl., Russian Math. Surveys **35** (1980), no. 4, 1–80.
- [Spen] D. Spencer, *The lattice points of tetrahedra*, J. Math. and Phys. Mass. Inst. Tech. **21** (1942), 189–197.
- [SS] M. M. Skriganov and A. N. Starkov, *A remark on logarithmically small errors in the lattice point problem*, Preprint, POMI, St. Petersburg, 1998.
- [SSS] A. V. Safonov, A. N. Starkov, and A. M. Stepin, *Dynamical systems with transitive symmetry group*, Itogi Nauki i Tekhn.: Sovremennyye Problemy Mat.: Fundamental’nye

- Napravleniya, vol. 66, VINITI, Moscow, 1991, pp. 187–243; English transl. in Encyclopaedia of Math. Sci., vol. 66 (Dynamical Systems, IX), Springer–Verlag, Berlin, 1995.
- [St83] A. N. Starkov, *Ergodic behavior of flows on homogeneous spaces*, Dokl. Akad. Nauk SSSR **273** (1983), 538–540; English transl., Soviet Math. Dokl. **28** (1983), 675–676.
- [St84a] ———, *Flows on compact solvmanifolds*, Mat. Sb. **123** (1984), 549–556; English transl., Math. USSR–Sb. **51** (1985), 549–556.
- [St84b] ———, *A counterexample to a theorem on lattices in Lie groups*, Vestnik Moskov. Univ. Ser. I Mat. Mekh. **1984**, no. 5, 68–69; English transl., Moscow Univ. Math. Bull. **39** (1984), no. 5, 65–67.
- [St86a] ———, *On spaces of finite volume*, Vestnik Moskov. Univ. Ser. I Mat. Mekh. **1986**, no. 5, 64–66; English transl., Moscow Univ. Math. Bull. **41** (1986), no. 5, 56–58.
- [St86b] ———, *Nonergodic homogeneous flow*, Dokl. Akad. Nauk SSSR **288** (1986), 560–562; English transl., Soviet Math. Dokl. **33** (1986), 729–731.
- [St87a] ———, *On a criterion for the ergodicity of  $G$ -induced flows*, Uspekhi Mat. Nauk **42** (1987), no. 3, 197–198; English transl., Russian Math. Surveys **42** (1987), no. 3, 233–234.
- [St87b] ———, *Solvable homogeneous flows*, Mat. Sb. **134** (1987), 242–259; English transl., Math. USSR–Sb. **62** (1989), 243–260.
- [St88] ———, *Reduction of the theory of homogeneous flows to the case of a discrete isotropy subgroup*, Dokl. Akad. Nauk SSSR **301** (1988), 1328–1331; English transl., Soviet Math. Dokl. **38** (1989), 232–236.
- [St89] ———, *Ergodic decomposition of flows on homogeneous spaces of finite volume*, Mat. Sb. **180** (1989), 1614–1633; English transl., Math. USSR–Sb. **68** (1991), 483–502.
- [St90] ———, *Structure of orbits of homogeneous flows and the Raghunathan conjecture*, Uspekhi Mat. Nauk **45** (1990), no. 2, 219–220; English transl., Russian Math. Surveys **45** (1990), no. 2, 227–228.
- [St91] ———, *Horospherical flows on homogeneous finite-volume spaces*, Mat. Sb. **182** (1991), 774–784; English transl., Math. USSR–Sb. **73** (1992), 161–170.
- [St93] ———, *Multiple mixing of homogeneous flows*, Dokl. Ross. Akad. Nauk **333** (1993), 442–445; English transl., Russian Acad. Sci. Dokl. Math. **48** (1994), 573–578.
- [St94] ———, *Rigidity of lattices in solvable Lie groups*, Proc. Indian Acad. Sci. Math. Sci. **104** (1994), 495–514.
- [St95a] ———, *Minimal sets of homogeneous flows*, Ergodic Theory Dynam. Systems **15** (1995), 361–377.
- [St95b] ———, *Fuchsian groups from the dynamical viewpoint*, J. Dynam. Contr. Syst. **3** (1995), 427–445.
- [St95c] ———, *On mutual isomorphisms of translations of a homogeneous flow*, Mat. Zametki **58** (1995), 98–110; English transl., Math. Notes **58** (1995), 744–751.
- [St97] ———, *New progress in the theory of homogeneous flows*, Uspekhi Mat. Nauk **52** (1997), no. 4, 87–192; English transl., Russian Math. Surveys **52** (1997), 721–818.
- [St98] ———, *The first cohomology group, mixing, and minimal sets of the commutative group of algebraic actions on a torus*, J. Math. Sci. (New York) **95** (1999), 2576–2582.
- [St99a] ———, *On Anosov infra-homogeneous actions*, Preprint, 1999.
- [St99b] ———, *Minimality and unique ergodicity of homogeneous actions*, Matem. Zametki **66** (1999), 293–301; English transl. in Math. Notes **66** (1999).
- [Ste69] A.M. Stepin, *Flows on solvable manifolds*, Uspekhi Mat. Nauk **24** (1969), no. 2, 241–242. (Russian)
- [Ste73] ———, *Dynamical systems on homogeneous spaces of semisimple Lie groups*, Izv. Akad. Nauk SSSR Ser. Mat. **37** (1973), 1091–1107; English transl., Math. USSR–Izv. **7** (1975), 1089–1104.
- [Ste82] ———, *On a homology equation in the theory of dynamical systems*, Researches in the Theory of Functions of Several Real Variables, Izdat. Yaroslav. Gos. Univ., Yaroslavl', 1982, pp. 106–117. (Russian)
- [SW] N. Shah and B. Weiss, *On actions of epimorphic subgroups on homogeneous spaces*, Ergodic Theory Dynam. Systems (to appear).
- [T] G. Tomanov, *On unique ergodicity for subgroup actions on homogeneous spaces*, Preprint (1998).

- [Th] J.-P. Thouvenot, *Some properties and applications of joinings in ergodic theory*, Ergodic Theory and Its Connections with Harmonic Analysis (Alexandria, 1993), London Math. Soc. Lecture Note Ser., vol. 205, Cambridge Univ. Press, Cambridge, 1995, pp. 207–235.
- [Tom] P. Tomter, *On the classification of Anosov flows*, Topology **14** (1975), 179–189.
- [V75] W. A. Veech, *Minimality of horospherical flows*, Israel J. Math. **21** (1975), 233–239.
- [V77] ———, *Unique ergodicity of horospherical flows*, Amer. J. Math. **99** (1977), 827–859.
- [V86] ———, *Periodic points and invariant pseudomeasures for toral endomorphisms*, Ergodic Theory Dynam. Systems **6** (1986), 449–473.
- [Ve] A. Verjovsky, *Arithmetic, geometry and dynamics in the unit tangent bundle of the modular orbifold*, Dynamical Systems (Santiago, 1990), Pitman Res Notes Math., vol. 285, Longman Sci. Tech., Harlow, 1993, pp. 263–298.
- [Ven] B. A. Venkov, *On Markov's extremal problem for ternary quadratic forms*, Izv. Akad. Nauk SSSR, Ser. Mat. **9** (1945), 429–434. (Russian)
- [Ver] A. M. Vershik, *A measurable realization of continuous groups of automorphisms of a unitary ring*, Izv. Akad. Nauk SSSR Ser. Mat. **29** (1965), 127–136; English transl., Amer. Math. Soc. Transl. (2) **84** (1969), 69–81.
- [VGO] E. B. Vinberg, V. V. Gorbatsevich, and A. L. Onishchik, *Structure of Lie groups and Lie algebras*, Itogi Nauki i Tekhn.: Sovremennye Problemy Mat.: Fundamental'nye Napravleniya, vol. 41, VINITI, Moscow, 1990; English transl., Encyclopaedia of Math. Sci., vol. 41 (Lie Groups and Lie Algebras, III), vol. 41, Springer-Verlag, Berlin, 1994.
- [VGS] E. B. Vinberg, V. V. Gorbatsevich, and O. V. Shvartsman, *Discrete subgroups of Lie groups*, Itogi Nauki i Tekhn.: Sovremennye Problemy Mat.: Fundamental'nye Napravleniya, vol. 21, VINITI, Moscow, 1988, pp. 5–120; English transl. in Encyclopaedia of Math. Sci., vol. 21 (Lie Groups and Lie Algebras, I), Springer-Verlag, Berlin, 1993.
- [Vi] R. E. Vinograd, *On a problem of N. P. Erugin*, Differentsial'nye Uravneniya **11** (1975), 632–638; English transl. in Differential Equations **11** (1975).
- [Vin] I. M. Vinogradov, *Elements of number theory*, "Nauka", Moscow, 1972; English transl. of earlier ed., Dover, New York, 1954.
- [VO] E. B. Vinberg and A. L. Onishchik, *Seminar on Lie groups and algebraic groups*, "Nauka", Moscow, 1988; English transl., *Lie groups and algebraic groups*, Springer-Verlag, Berlin, 1990.
- [VS] E. B. Vinberg and O. V. Shvartsman, *Discrete groups of motions of spaces of constant curvature*, Itogi Nauki i Tekhn.: Sovremennye Problemy Mat.: Fundamental'nye Napravleniya, vol. 29, VINITI, Moscow, 1988, pp. 147–259; English transl. in Encyclopaedia of Math. Sci., vol. 29 (Geometry, II), Springer-Verlag, Berlin, 1993.
- [W] B. Weiss, *Finite dimensional representations and subgroup actions on homogeneous spaces*, Israel J. Math. **106** (1998), 189–207.
- [We] A. Weil, *L'intégration dans les groupes topologiques et ses applications*, Hermann, Paris, 1940.
- [Wi85] D. Witte, *Rigidity of some translations on homogeneous spaces*, Invent. Math. **81** (1985), 1–27.
- [Wi87] ———, *Zero-entropy affine maps on homogeneous spaces*, Amer. J. Math. **109** (1987), 927–961.
- [Wi90] ———, *Topological equivalence of foliations of homogeneous spaces*, Trans. Amer. Math. Soc. **317** (1990), 143–166.
- [Wi94] ———, *Measurable quotients of unipotent translations on homogeneous spaces*, Trans. Amer. Math. Soc. **345** (1994), 577–594.
- [Wi96] ———, *Zero-entropy affine maps on homogeneous spaces: corrections*, Amer. J. Math. **118** (1996), 1137–1140.
- [Win] A. Wintner, *The linear difference equation of first order for angular variables*, Duke Math. J. **12** (1945), 445–449.
- [Wu] T. S. Wu, *Products of subgroups in Lie groups*, Illinois J. Math. **29** (1985), 687–695.
- [Z] R. Zimmer, *Ergodic theory and semisimple groups*, Birkhäuser, Boston, 1984.
- [Z87] ———, *Amenable actions and dense subgroups of Lie groups*, J. Funct. Anal. **72** (1987), 58–64.

- [Za] D. Zagier, *Eisenstein series and the Riemann zeta-function*, Automorphic Forms, Representation Theory and Arithmetic (Internat. Colloq., Bombay, 1979), Tata Inst. Fund. Res. Stud. Math., vol. 10, Springer-Verlag, Berlin, 1981, pp. 275–301.
- [Ze] A. Zeghib, *Ensembles invariants des flots géodésiques des variétés localement symétriques*, Ergodic Theory Dynam. Systems **15** (1995), 379–412.

*This page intentionally left blank*

# Index

- $\alpha$ -dimensional Hausdorff measure, 25.3
  - Automorphism of a measurable space, A.2
  - Basis
    - regular, 20.6
    - triangular, 20.6
  - Canonical system of conditional measures, A.10
  - Circle at infinity, 14.1
  - Classification
    - of ergodic joinings of unipotent flows, 15.2, 18.3
    - of ergodic measures of unipotent flows, 16.1, 17.1
    - of homogeneous Anosov flows, 24.3
    - of minimal sets of homogeneous flows, 21.4
    - of solvable Lie groups, C.3
    - of unitary representations of nilpotent groups, 11.4
  - Cochain, 24.3
  - Cocycle, 24.3
    - constant, 24.3
    - multiplicative, 11.4
  - Coefficient
    - correlation, 27.0
    - matrix, 27.2
  - Commutator, C.1
  - Conjecture
    - Baker, 29.3, 30.4
    - Brezin–Moore, 9.2
    - Dani, 2.0
    - Katok–Spatzier, 26.1
    - Kleinbock–Margulis, 27.2
    - Littlewood, 30.3
    - Mahler, 29.3
    - Marcus, 22.2
    - Margulis, 17.1, 19.5, 30.3
    - Oppenheim–Davenport, 28.0
    - Raghunathan, 2.0
    - Ratner, 19.1, 19.6
    - Riemann, 20.1
    - Sinai, 22.1
    - Sprindžuk, 29.3, 30.4
  - Conjugacy of flows, A.8
  - Continued fraction, 29.2
  - Criterion
    - ergodicity
      - Auslander, 7.3
      - Brezin–Moore, 7.5, 9.2
      - Dani, 9.2
      - Green, 3.2
      - Halmos, 4.3
      - Kronecker, A.4, 3.1
      - Moore, 8.3
      - Parry, 4.3
    - for boundedness of a geodesic, 14.6
    - for discreteness of spectrum, 11.7
    - for divergence of a geodesic, 14.6
    - for existence of a mixing flow, 9.3
    - for Lebesgue property of spectrum, 11.7
    - for triviality of entropy, 1.6
    - for smoothness of orbit closures, 21.1
    - for thickness of the family of bounded orbits, 25.2
    - for weak mixing, A.5
  - Mahler, F.1
  - mixing, 9.3
- Decomposition
    - Cartan, 27.2
    - ergodic
      - abstract, 2.3
      - of a homogeneous flow, 2.3, 10.1
    - into compact and noncompact parts, C.4
    - into irreducible components, E.4
    - Iwasawa, C.4
    - Jordan, D.1
    - Levi, C.5
  - Direct integral of Hilbert spaces, 11.1
  - Eigenfunction, A.3, 2.1
  - Eigenvalue, 1.2
  - Element
    - of algebraic group
      - quasi-unipotent, D.1
      - $\mathbb{R}$ -diagonalizable, D.1
      - reductive, D.1
      - semisimple, D.1
      - unipotent, D.1
    - of Lie group
      - class  $\mathcal{A}$ , 17.3
      - diagonal, 17.1

- horocycle, 17.1
- partially-hyperbolic, 1.2
- quasi-unipotent, 1.2
- $\mathbb{R}$ -diagonalizable, C.1
- reductive, C.1
- regular, D.1
- semisimple, C.1, 1.2
- unipotent, C.1, 1.2
- End of geodesic, 14.2
- Entropy, A.7
- Equivalence of flows
  - affine orbit, 24.1
  - Kakutani, A.8
  - topological, B.6
- Example
  - Anosov, 4.4, 24.5
  - Auslander, 4.4
  - Bebutov, 21.4
  - Furstenberg, B.5
  - Glasner–Weiss, 15.2
  - Herman, 21.4
  - Johnson, 21.4
  - Kolmogorov, 24.5
  - Ledrappier, 22.1
  - Raghunathan, 26.2
  - Rees, 26.1
  - Sarnak, 28.3
  - Vinberg, E.4
  - von Neumann, 24.5
- Flag of a polyhedron, 31.1
- Flow, A.2
  - covering, A.8
  - distal, B.3
  - ergodic, A.2
  - geodesic, 14.2
  - horocycle, 14.2
  - $k$ -mixing, A.5
  - minimal, B.2
  - mixing, A.5
  - rectilinear, A.4
  - topologically mixing, B.2
  - topologically transitive, B.2
  - uniformly continuous, B.3
  - uniquely ergodic, B.5
  - weak mixing, A.5
  - with  $K$ -property, A.7
- Formula
  - entropy, 1.6
  - Lagrange interpolation, 12.1
  - Poisson summation, 31.1
  - Stokes, 31.1
  - Taylor, 3.7
- Function
  - $(C, \alpha)$ -good, 30.4
  - Hölder, 24.3
  - invariant, A.3, 2.1
  - modular, C.1
  - multiplicity, 11.1
- Generator, 11.1
- Group
  - Ad-proper, 22.2
  - amenable, B.5
  - Euclidean, 4.5
  - first cohomology, 24.3
  - Fuchsian, 14.3
  - Heisenberg, 3.2
  - Mautner, 5.5
  - modular, 14.6
  - nilpotent, C.2
  - semisimple, C.4
  - simple, C.4
  - solvable, C.3
    - class (E), C.3
    - class (I), C.3
    - class (R), C.3
  - triangularizable, C.3
  - unimodular, C.1
- Group action
  - Anosov, 24.3
  - continuous, A.2, B.1
  - ergodic, A.2
  - homogeneous, 1.1
  - $k$ -mixing, 22.1
  - minimal, B.2
  - standard Anosov, 24.3
  - topologically transitive, B.2
- $\mathcal{H}^n$ -rectifiable set, 21.4
- Hausdorff dimension, 25.3
- Hilbert–Schmidt norm, 31.2
- Homology equation, 24.5
- Hull
  - Ad-algebraic, 6.2
  - algebraic, D.1
  - $\psi$ -algebraic, 6.3
- Isomorphism
  - of flows
    - measure-theoretic, A.8
    - topological, B.6
  - of groups, local, C.1
- Joining, A.9, 15.2
  - diagonal, A.9
- $K$ -flow, A.7
- $k$ -mixing, 22.1
- Kazhdan  $T$ -property, 27.2
- Killing metric, 14.1
- Klein bottle, 7.5
- Lattice, E.1
  - admissible, 31.1
  - arithmetic, E.4
  - dual, 31.1
  - faithful, E.1
  - irreducible, E.4
  - uniform, E.1



- unimodular, F.1
- weakly admissible, 31.1
- Lemma
  - Borel–Cantelli, 29.1
  - Fatou, 16.3
  - Hedlund, B.4
  - Jacobson–Morozov, C.4, 8.2
  - Margulis, 21.1
  - Marstrand, 25.3
  - Mautner, 11.5
  - Minkowski, 29.3
  - Mostow–Prasad, 13.1
  - Schur, 11.1
  - Zorn, B.1, 12.4
- Manifold
  - curved, 29.3
  - Euclidean, 4.5
- Map
  - affine, 18.1
  - equivariant, A.8
  - Lipschitz, 21.5
  - measurable, A.1
  - measure-preserving, A.1
  - polynomial, 19.6
  - quasi-regular, 17.3
  - visual, 14.2
- Matrix
  - badly approximable, 29.4
  - singular, 29.4
  - very well approximable, 29.4
- Mautner phenomenon, 2.1
- Mautner property, 3.2, 9.1
- Measure, A.1
  - absolutely continuous, A.1
  - Borel, B.4
  - complete, A.1
  - diagonal, 22.1
  - ergodic, A.2
  - finite, A.1
  - Haar, C.1
  - Hausdorff, 25.3
  - Lebesgue–Stieltjes, A.
    - absolutely continuous, A.1
    - discrete, A.1
    - singular, A.1
  - Liouville, 14.3
  - locally finite, B.4
  - maximal spectral type, 11.1
  - probability, A.1
  - projection, 11.1
  - regular, B.4
  - $\sigma$ -finite, A.1
  - smooth, B.4
  - strictly positive, B.4
  - Zariski-dense, 17.3
- Measures
  - disjoint, A.9
  - equivalent, A.1
  - mutually singular, A.1
- Mixing, A.5
  - exponential, 27.0
  - multiple, A.5, 22.1
  - super-exponential, 27.1
  - topological, B.3
  - weak, A.5
- Nilradical, C.3, C.5
- Nilshadow, 5.1, 5.4
- Normal subgroup
  - Auslander, 1.2
  - Dani, 1.3
  - Moore, 1.3
- Number
  - badly approximable, 14.6, 29.1
  - very well approximable, 29.1
- One-generator action, A.2
- Orbifold, 14.3
- Orbit
  - bounded, B.2
  - degenerate, 25.1
  - divergent, B.2
  - essentially divergent, 17.1
  - homoclinic, 4.4, 14.6
  - not exiting to infinity inside the neutral leaf, 21.3
  - recurrent, B.2
  - uniformly distributed, B.5, 19.1
- Order of approximation, 29.1
- Partition
  - ergodic of a homogeneous flow, 2.4, 10.1
  - measurable, A.10
  - Pinsker, A.7
  - topological, B.3
- Peano curve, 21.5
- Point
  - Hecke, 20.2
  - homoclinic, 4.4
  - nondegenerate, 30.4
  - of self-intersection, 19.4
  - wandering, B.2
- Principle
  - Dirichlet, 29.1
  - Khintchine transference, 29.4
- $\mathbb{Q}$ -character, D.2
- $\mathbb{Q}$ -defined subgroup, D.2
- $\mathbb{Q}$ -rank, D.2
- $\mathbb{Q}$ -split subgroup, D.2
- Quadratic form
  - irrational, 28.0
  - rational, 28.0
- Quasilattice, E.1
- Quotient flow, A.8
- $R$ -property, 16.2
- $\mathbb{R}$ -rank, C.4

- Radical, C.5
  - unipotent, D.1
- Representation
  - adjoint, C.1
  - induced, 11.4
  - rational, D.3
  - regular, 11.3
  - unipotent, D.3
- Rigidity
  - of cocycles, 24.3
  - of homogeneous flows
    - measure-theoretic, 15.1, 18.1, 23.1
    - partial, 23.1
    - topological, 15.1, 24.1, 24.2
  - of lattices, 24.2
  - of quotients, 15.2, 18.2
- Rokhlin's problem, A.5, 22.1
- Section of flow, B.6
- Self-joining, A.9
- Semidirect product
  - of measures, 2.3
  - of subgroups, C.1
- Semiorbit
  - bounded, B.2
  - degenerate, 25.1, 30.1
  - divergent, B.2
  - essentially divergent, 17.1
  - recurrent, B.2
- Semisimple splitting
  - of Lie algebras, 5.1, 5.3
  - of Lie groups, 5.4, 5.7
- Sequence
  - focusing, 31.2
  - uniformly distributed, 3.7
- Set
  - $(\alpha, \beta)$ -winning, 29.3
  - birecurrent, 21.4
  - Borel, A.0
  - invariant, A.2
  - limit, B.2
  - locally closed, A.0
  - locally connected, A.0
  - measurable, A.1
  - minimal, B.1
  - Morse, 14.5
  - non-wandering, B.2
  - of uniform convergence, 17.3
  - rectifiable, 21.5
  - singular, 19.1
  - $\xi$ -measurable, A.10
- Skew shift, 3.3
- Space
  - admissible, 9.2
  - Gårding, 27.2
  - infra-homogeneous, 21.0
  - Lebesgue, A.1
  - locally compact, A.0
  - measure, A.1
    - of finite volume, E.1
    - probability, A.1
    - separable, A.0
    - Teichmüller, 14.3
    - with countable base, A.0
- Spectrum
  - absolutely continuous, 11.1
  - discrete, 11.1
  - homogeneous, 11.1
  - Lebesgue, 11.1
  - Markov, 28.2
  - of finite multiplicity, 11.1
  - singular, 11.1
- Stabilizer, A.3
- Standard suspension, B.6
- Subgroup
  - Ad-algebraic, 6.2
  - algebraic, D.1
  - Cartan, C.4
  - contracting, 1.2
  - epimorphic, 26.2
  - essentially reductive, 25.3
  - expanding, 1.2
  - horospherical, C.5
  - isotropy, 1.1
  - Levi, C.5
  - maximal, C.4
  - neutral, 1.2
  - parabolic, D.1
    - minimal, D.1
  - $\psi$ -algebraic, 6.3
  - reductive, D.1
  - uniform, E.1
  - unipotent, C.1
  - weakly horocyclic, 22.2
- Subgroups
  - commensurable, E.1
  - divergent, 24.1
- Subspace
  - cyclic, 11.1
  - root, 1.2
- Support of measure, B.4
- Theorem
  - Anosov structural stability, 4.4, 15.1
  - Auslander, E.5
  - Bieberbach, E.5
  - Birkhoff embedding, 6.1
  - Birkhoff–Khinchine ergodic, A.6, 17.3, 31.1
  - Borel density, E.4
  - Borel–Harish-Chandra, E.4, 12.2
  - Burger–Sarnak, 20.2
  - Chevalley, D.2
  - Dani density, E.5
  - Dani homecoming, 12.1
  - Dirichlet, 29.1
  - Dixmier, E.3
  - Ellis, B.3

- ergodic decomposition, 10.1
- Furstenberg, B.5
- Garland–Raghuathan, 12.4
- Gelfand–Gårding, 27.2
- Gelfand–Naimark, 11.5
- Glimm, B.4
- Hardy–Littlewood, 3.7
- Howe–Moore, 22.1
- Khintchine, 29.1
- Khintchine–Groshev, 29.3
- Kolmogorov, 24.5
- Kolmogorov–Mautner, 11.3
- Kryloff–Bogoluboff, B.5
- Lebesgue convergence, 16.3
- Liouville, 29.1
- Livshitz, 24.3, 27.1
- Maltsev, E.5
- Maltsev density, E.2
- Margulis arithmeticity, E.4
- Margulis homecoming, 12.1
- Meyer, 28.2
- Mostow, E.3, 6.1
- Mostow–Margulis–Prasad rigidity, 24.1
- on ergodic decomposition, 10:1
- on joinings, 19.3
- on rigidity, 18.1
- on spectral decomposition, 11.1, 11.2
- Ornstein, 15.1
- Poincaré recurrence, B.4, 21.1
- Prasad–Raghuathan, E.4
- Pugh–Shub, 17.1
- Ratner
  - countability, 19.2
  - measure, 17.1
  - topological, 19.5
  - uniform distribution, 19.1
- Rokhlin, A.10
- Roth, 29.1
- Saito rigidity, 24.1
- Sarnak, 20.1
- Sinai, 11.5
- Stone, 11.2
- Takenouchi, 11.4
- Tychonoff–Schauder, B.4
- Wang, E.5
- Weyl, 3.3, 3.7, 20.6
- Time change, 24.4
  - reducing to a linear one, 24.4
- Topology
  - Euclidean, D.1
  - Fell, 27.2
  - weak\*, B.5
  - Zariski, D.1
- Transform
  - Fourier, 11.1
  - Gauss, 29.2
- Vector
  - badly approximable, 29.1
  - $C^\infty$ -smooth, 27.2
  - $K$ -finite, 27.2
  - primitive, 12.1, 28.1
  - very well approximable, 29.3
  - very well multiplicatively approximable, 29.3
- Zariski closure, D.1
- Zariski-density, D.1
  - in representation, D.3

*This page intentionally left blank*

## Selected Titles in This Series

*(Continued from the front of this publication)*

- 154 **V. V. Prasolov and A. B. Sossinsky**, Knots, links, braids and 3-manifolds. An introduction to the new invariants in low-dimensional topology, 1997
- 153 **S. Kh. Aranson, G. R. Belitsky, and E. V. Zhuzhoma**, Introduction to the qualitative theory of dynamical systems on surfaces, 1996
- 152 **R. S. Ismagilov**, Representations of infinite-dimensional groups, 1996
- 151 **S. Yu. Slavyanov**, Asymptotic solutions of the one-dimensional Schrödinger equation, 1996
- 150 **B. Ya. Levin**, Lectures on entire functions, 1996
- 149 **Takashi Sakai**, Riemannian geometry, 1996
- 148 **Vladimir I. Piterbarg**, Asymptotic methods in the theory of Gaussian processes and fields, 1996
- 147 **S. G. Gindikin and L. R. Volevich**, Mixed problem for partial differential equations with quasihomogeneous principal part, 1996
- 146 **L. Ya. Adrianova**, Introduction to linear systems of differential equations, 1995
- 145 **A. N. Andrianov and V. G. Zhuravlev**, Modular forms and Hecke operators, 1995
- 144 **O. V. Troshkin**, Nontraditional methods in mathematical hydrodynamics, 1995
- 143 **V. A. Malyshev and R. A. Minlos**, Linear infinite-particle operators, 1995
- 142 **N. V. Krylov**, Introduction to the theory of diffusion processes, 1995
- 141 **A. A. Davydov**, Qualitative theory of control systems, 1994
- 140 **Aizik I. Volpert, Vitaly A. Volpert, and Vladimir A. Volpert**, Traveling wave solutions of parabolic systems, 1994
- 139 **I. V. Skrypnik**, Methods for analysis of nonlinear elliptic boundary value problems, 1994
- 138 **Yu. P. Razmyslov**, Identities of algebras and their representations, 1994
- 137 **F. I. Karpelevich and A. Ya. Kreinin**, Heavy traffic limits for multiphase queues, 1994
- 136 **Masayoshi Miyanishi**, Algebraic geometry, 1994
- 135 **Masaru Takeuchi**, Modern spherical functions, 1994
- 134 **V. V. Prasolov**, Problems and theorems in linear algebra, 1994
- 133 **P. I. Naumkin and I. A. Shishmarev**, Nonlinear nonlocal equations in the theory of waves, 1994
- 132 **Hajime Urakawa**, Calculus of variations and harmonic maps, 1993
- 131 **V. V. Sharko**, Functions on manifolds: Algebraic and topological aspects, 1993
- 130 **V. V. Vershinin**, Cobordisms and spectral sequences, 1993
- 129 **Mitsuo Morimoto**, An introduction to Sato's hyperfunctions, 1993
- 128 **V. P. Orevkov**, Complexity of proofs and their transformations in axiomatic theories, 1993
- 127 **F. L. Zak**, Tangents and secants of algebraic varieties, 1993
- 126 **M. L. Agranovskii**, Invariant function spaces on homogeneous manifolds of Lie groups and applications, 1993
- 125 **Masayoshi Nagata**, Theory of commutative fields, 1993
- 124 **Masahisa Adachi**, Embeddings and immersions, 1993
- 123 **M. A. Akivis and B. A. Rosenfeld**, Élie Cartan (1869–1951), 1993
- 122 **Zhang Guan-Hou**, Theory of entire and meromorphic functions: deficient and asymptotic values and singular directions, 1993
- 121 **I. B. Fesenko and S. V. Vostokov**, Local fields and their extensions: A constructive approach, 1993

For a complete list of titles in this series, visit the  
AMS Bookstore at [www.ams.org/bookstore/](http://www.ams.org/bookstore/).

ISBN 0-8218-1389-7



9 780821 813898

**MMONO/190**

*AMS on the Web*  
**www.ams.org**