

Translations of
**MATHEMATICAL
MONOGRAPHS**

Volume 224

**Stochastic
Analysis**

Ichiro Shigekawa



American Mathematical Society

IWANAMI SERIES IN MODERN MATHEMATICS

Translations of

10.1090/mmono/224

MATHEMATICAL MONOGRAPHS

Volume 224

Stochastic Analysis

Ichiro Shigekawa

Translated by
Ichiro Shigekawa



American Mathematical Society

Providence, Rhode Island

Editorial Board

Shoshichi Kobayashi (Chair)
Masamichi Takesaki

確率解析

KAKURITSU KAISEKI
(STOCHASTIC ANALYSIS)

by Ichiro Shigekawa

Copyright ©1998 by Ichiro Shigekawa
Originally published in Japanese

by Iwanami Shoten, Publishers, Tokyo, 1998

Translated from the Japanese by Ichiro Shigekawa

2000 *Mathematics Subject Classification*. Primary 60H07;
Secondary 60H30.

For additional information and updates on this book, visit
www.ams.org/bookpages/mmono-224

Library of Congress Cataloging-in-Publication Data

Shigekawa, Ichiro, 1953–

[Kakuritsu kaiseki. English]

Stochastic analysis / Ichiro Shigekawa ; translated by Ichiro Shigekawa

p. cm. – (Translations of mathematical monographs, ISSN 0065-9282 ;
v. 224)

Includes bibliographical references and index.

ISBN 0-8218-2626-3 (pbk. : acid-free paper)

1. Stochastic analysis. I. Title. II. Series. III. Series: Iwanami series in
modern mathematics.

QA274.2 .S4813 2004

519.2'2–dc22

2004047722

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy a chapter for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for such permission should be addressed to the Acquisitions Department, American Mathematical Society, 201 Charles Street, Providence, Rhode Island 02904-2294, USA. Requests can also be made by e-mail to reprint-permission@ams.org.

© 2004 by the American Mathematical Society. All rights reserved.

The American Mathematical Society retains all rights
except those granted to the United States Government.

Printed in the United States of America.

⊗ The paper used in this book is acid-free and falls within the guidelines
established to ensure permanence and durability.

Visit the AMS home page at <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 1 09 08 07 06 05 04

Contents

Preface to the English Edition	v
Preface to the Japanese Edition	vii
Outline of the Theory and the Objectives	ix
Chapter 1. Wiener Space	1
1.1. The Wiener process	1
1.2. Multiple Wiener integral	13
Chapter 2. Ornstein-Uhlenbeck Process	21
2.1. Ornstein-Uhlenbeck semigroup	21
2.2. Hypercontractivity and logarithmic Sobolev inequality	31
Chapter 3. The Littlewood-Paley-Stein Inequality	47
3.1. Fundamental inequalities	47
3.2. The Littlewood-Paley-Stein inequality	56
Chapter 4. Sobolev Spaces on an Abstract Wiener Space	79
4.1. Equivalence of norms	79
4.2. Sobolev spaces $W^{r,p}(K)$	86
Chapter 5. Absolute Continuity of Distributions and Smoothness of Density Functions	103
5.1. Absolute continuity of distributions and smoothness	103
5.2. Smoothness of distributions defined by Wiener functionals	111
Chapter 6. Application to Stochastic Differential Equations	121
6.1. Stochastic differential equations	121
6.2. Degenerate stochastic differential equations	151
6.3. Fundamental estimate	165
Perspectives on Current Research	175

Bibliography	179
Index	181

Preface to the English Edition

This book is a translation of my book originally published in Japanese by Iwanami Shoten, Publishers. The aim of this book is to provide the reader with a concise introduction to stochastic analysis, in particular, the Malliavin calculus. I hope that the material of this book will reach more readers by this translation.

I would like to express my deep appreciation to the American Mathematical Society for publishing this translation, and to their staff for excellent support.

February 2004

Ichiro Shigekawa

This page intentionally left blank

Preface to the Japanese Edition

This book is an introduction to stochastic analysis. What stochastic analysis means is rather wide: here we roughly regard it as an analysis based on the Wiener space. It takes in various techniques of probability theory and is necessarily related to other parts of probability. In this book we concentrate on infinite dimensional analysis, in particular, the Malliavin calculus. Its main stage is really the Wiener space; to be more precise, our object is Wiener functionals. We have to analyze functionals on an infinite dimensional space, and we are forced to develop a calculus as in a finite dimensional space. As for integral, we have an abstract measure theory, which works efficiently even on an infinite dimensional space. We also have a theory of differentiation on an infinite dimensional space, but it does not match with the integration.

In the 1970's, Paul Malliavin made a breakthrough in this area. He presented a new calculus to realize a probabilistic approach to a question of hypoellipticity of Hörmander type. It was exactly a theory of differentiation for the Wiener space. The theory turned out to have applications not only to partial differential equations but also many other fields. Due to his contribution, the theory is usually called the Malliavin calculus. The theme of this book is a stochastic analysis which contains the Malliavin calculus as a main part. I have tried to make the description elementary, which at times may make this book rather redundant.

From the pioneering work of P. Malliavin this book seems to remain at a fundamental level. The research frontier is still far beyond this book, but I hope that it will prepare the reader to proceed to recent further topics. I am convinced that the reader will have enough tools at hand to do so after reading this book.

I wish to dedicate the book to Professor Shinzo Watanabe, who brought me to this area. I also wish to express sincere thanks to Professor Yoichiro Takahashi, who recommended that I write this

book. Special thanks are due Professor Masanori Hino, who read the entire manuscript carefully and made numerous helpful suggestions. Finally, I would like to express my deep gratitude to all the editorial staff of Iwanami Shoten, Publishers, for their efforts.

August 1998

Ichiro Shigekawa

Outline of the Theory and the Objectives

The aim of this book is to give an introduction to stochastic calculus, in particular, the Malliavin calculus. The main aim of the Malliavin calculus is to analyze functionals defined on the Wiener space in which a Wiener process is realized.

In probability theory it is called a Wiener process, but it is usually called a Brownian motion. It originated in a discovery of Robert Brown in 1882, who found an extremely irregular movement of minute particles coming out of a pollen. Since then, this phenomenon has been much studied by physicists, and Norbert Wiener established it as a rigorous mathematical object. One reason for the importance of the Wiener process is that it describes various mathematical models. Among them, the most important is stochastic differential equations, developed by Kiyosi Itô. In fact, many concrete models, e.g., in physics, genetics, economics, etc., are described by stochastic differential equations. For the theory of stochastic differential equations, see, for instance, Ikeda and Watanabe [7], Karatzas and Shreve [8], Revuz and Yor [22], and others. In this book we are dealing with Wiener functionals such as those defined by stochastic differential equations.

Wiener functionals are realized on the Wiener space, which is an infinite dimensional space. What we need is a calculus on an infinite dimensional space, and consisting of two things: differentiation and integration. Integration is based on well-developed measure theory. It works even on infinite dimensional spaces. But differentiation is not as easy as integration. Of course we had a theory of Fréchet differentiation in Banach spaces. Many other attempts were also made, but they are not organically connected to the integration theory. For instance, differentiation is the inverse operation of integration in the one-dimensional case. Even in the multi-dimensional case, Stokes' formula is an exquisite combination of integration and differentiation. On the Wiener space, such a harmonious theory appeared only recently.

In 1976, an international symposium on stochastic differential equations was held at the Research Institute of Mathematical Sciences of Kyoto University. At that symposium, P. Malliavin mentioned, rather informally, a new theory of calculus on the Wiener space. The full details appeared in the proceedings of the symposium (see [14]). The preprint had been circulated a little earlier, and the author came to know it. It was really lucky for the author to learn the theory at such an early stage. In Japan, N. Ikeda and S. Watanabe noticed the importance of this work at once and started the study of this theory, which is now called the Malliavin calculus. Malliavin himself visited Japan many times and gave stimulation to Japanese probabilists. With such an opportunity, the study of the Malliavin calculus in Japan is still active. This is another example of the importance of international communication.

The Malliavin calculus is based on the Ornstein-Uhlenbeck operator, which is a second order differential operator. It is a counterpart of the Laplace operator in Euclidean space. Malliavin also captured the gradient operator through the square field operator (called *opérateur de carré du champ* in French literature) associated with the Ornstein-Uhlenbeck operator. The gradient operator is connected to the notion of differentiation and nowadays is formulated in the framework of H -differentiation on the Wiener space. Here H is the Cameron-Martin space, which we will explain later. The differentiation is considered only in a subspace H , and derivatives are extended by means of the completion in L^p spaces. So to speak, derivatives are formulated in the sense of distributions. Through this procedure we could develop a flexible theory. The idea is simple, but what it brought is big.

In the Malliavin calculus, there appear two fundamental operators: one is the Ornstein-Uhlenbeck L and the other is H -differentiation D . In accordance with them, we can define two kinds of Sobolev spaces. They are closely related to each other, and in fact we can prove equivalence in the L^p ($p > 1$) setting. This is due to P. A. Meyer and brought a neat basis in the Malliavin calculus. We discuss Meyer's result in Chapters 3 and 4. At present, two kinds of proof are known; we give a proof along the original idea of Meyer in the framework of Littlewood-Paley theory. The proof is probabilistic, and it is an good example that shows the power of martingale theory and Itô's formula.

To develop a calculus on an infinite dimensional space, it is a natural and effective way to extend results from finite dimensional space. As a matter of fact, there are some analogies between them.

We list some of them below; rigorous definitions will be given later. Our object is the Wiener space, and a typical finite dimensional model is the Euclidean space.

Euclidean space	Wiener space
Lebesgue measure dx	Wiener measure μ
Brownian motion	Ornstein-Uhlenbeck process
Laplace operator Δ	Ornstein-Uhlenbeck operator L
gradient operator ∇	H -differentiation D
$H^{r,p} = (1 - \Delta)^{-r/2} L^p(dx)$	$W^{r,p} = (1 - L)^{-r/2} L^p(\mu)$
Sobolev inequality	logarithmic Sobolev inequality

We make some remarks on Sobolev spaces. In finite dimensional space, better differentiability improves the degree of integrability. But in the Wiener space, better differentiability improves the integrability only by the logarithmic order. We cannot expect more than this, but it is still powerful. Applications of this fact are not given in this book, but its importance is stressed in recent literature not only on the Wiener space but also on the general finite dimensional spaces. Historically E. Nelson first proved the hypercontractivity of the Ornstein-Uhlenbeck semigroup, and then L. Gross found the equivalence between hypercontractivity and the logarithmic Sobolev inequality. Incidentally, a primitive notion of H -differentiation is due to Gross.

In this framework, we can build a theory of differential calculus on the Wiener space, e.g., the chain rule of the composite function, integration by parts formula. On the other hand, the powerful method of the Fourier transform is available in Euclidean space. There is no correspondence on the Wiener space. This remains as a future problem. Along the way, there are some aspects of the Fourier transform. One is that it gives a spectral decomposition. From this viewpoint, the spectrum of the Ornstein-Uhlenbeck operator is completely known, and in fact, the eigenspaces are exactly the spaces of multiple Wiener integrals. We discuss this topic in §1.2.

If we consider the Hilbert transform in connection with the Fourier transform, its L^p theory corresponds to Meyer's equivalence. In fact, Meyer proved his equivalence by using martingale theory, which has its origin in Fourier analysis. The spirit of analysis, including classical Fourier analysis, flows here as well.

The central part of this book is Chapter 6, where we discuss the issue of hypoellipticity of Hörmander type. Malliavin originally built his theory to give a probabilistic proof to this problem. His work was followed up by S. Kusuoka and D. Stroock. They investigated

Malliavin's work and sharpened it to its present form. We discuss this problem following the Kusuoka-Stroock method. They piled up enormous estimates towards the non-degeneracy of Malliavin's covariance matrix. The reader will find here the real taste of analysis.

Some Frequently-used Notation.

- \mathbb{N} , \mathbb{Z} , \mathbb{Q} , \mathbb{R} , \mathbb{C} denote the set of natural numbers, integers, rational numbers, real numbers, complex numbers, respectively. A suffix $+$ refers to non-negative numbers. For instance, $\mathbb{Z}_+ = \{0, 1, 2, \dots\}$.
- \forall means "for all" and \exists means "there exist."
- $C^n(\mathbb{R}^d)$ stands for the space of all functions on \mathbb{R}^d of class C^n . A suffix b refers to bounded functions, a suffix 0 to functions with compact support and a suffix $+$ to non-negative functions. In general, functions are real valued. To specify the space of values, we write, e.g., $C^n(\mathbb{R} \rightarrow \mathbb{R}^k)$. L^p stands for the space of all p -th integrable functions, and we write $L^p(\mu)$ if we need to specify the measure μ . If the measure is clear in the context, we sometimes write, e.g., $L^p([0, \infty))$. L^p functions are usually real valued. To specify a space of values, we write, e.g., $L^p(\mu; K)$.
- A point in \mathbb{R}^d is denoted by $x = (x^1, \dots, x^d)$ with superscript. A partial derivative of function f is denoted by $\frac{\partial f}{\partial x^j}$ or simply by $\partial_j f$.
- δ_{ij} is Kronecker's delta.
- $a \wedge b$ stands for the minimum of a and b , $a \vee b$ for the maximum.

Bibliography

We restrict ourselves to closely related references. Refere to [16, 21, 7] for detailed references.

- [1] S. Aida, Stochastic analysis on loop spaces, *Sugaku Expositions* **13** (2000), 197–214.
- [2] J. M. Bismut, The Atiyah-Singer theorems, A probabilistic approach. I. The index theorem, *J. Funct. Anal.*, **57** (1984), 56–99.
- [3] J. M. Bismut, The Atiyah-Singer theorems, A probabilistic approach. II. The Lefschetz fixed point formulas, *J. Funct. Anal.*, **57** (1984), 329–348.
- [4] N. Bouleau and F. Hirsch, “*Dirichlet forms and analysis on Wiener space*,” Walter de Gruyter, Berlin, 1991.
- [5] L. Gross, Abstract Wiener spaces, *Proceedings of Fifth Berkeley Symp. Math. Statist. Prob. II, Part 1*, 31–41, Univ. Calif. Press, Berkeley, 1965.
- [6] L. Gross, Logarithmic Sobolev inequalities, *Amer. J. Math.*, **97** (1975), 1061–1083.
- [7] N. Ikeda and S. Watanabe, “*Stochastic differential equations and diffusion processes*,” Second edition, Kodansha/North-Holland, Tokyo/Amsterdam, 1989.
- [8] I. Karatzas and S. E. Shreve, “*Brownian motion and stochastic calculus*,” Second edition, Springer-Verlag, New York, 1991.
- [9] S. Kusuoka, More recent theory of Malliavin calculus, *Sugaku Expositions* **5** (1992), 155–171.
- [10] S. Kusuoka, Stochastic analysis as infinite-dimensional analysis, *Sugaku Expositions* **10** (1997), 183–194.
- [11] S. Kusuoka and D. W. Stroock, Applications of the Malliavin calculus, Part I, *Proceedings of the Taniguchi Intern. Symp. on Stochastic Analysis, Kyoto and Katata, 1982*, ed. by K. Itô, 271–306, Kinokuniya, Tokyo, 1984.
- [12] S. Kusuoka and D. W. Stroock, Applications of the Malliavin calculus, Part II, *J. Fac. Sci. Univ. Tokyo Sect. IA Math.*, **32** (1985), 1–76.
- [13] S. Kusuoka and D. W. Stroock, Applications of the Malliavin calculus, Part III, *J. Fac. Sci. Univ. Tokyo Sect. IA Math.*, **34** (1987), 391–442.
- [14] P. Malliavin, Stochastic calculus of variation and hypoelliptic operators, *Proceedings of Intern. Symp. SDE, Kyoto, 1976*, ed. by K. Itô, 195–263, Kinokuniya, Tokyo, and Wiley, New York, 1978.
- [15] P. Malliavin, C^k -hypoellipticity with degeneracy, *Stochastic Analysis*, ed. by A. Friedman and M. Pinsky, 199–214, 327–340, Academic Press, New York, 1978.
- [16] P. Malliavin, “*Stochastic analysis*,” Springer-Verlag, Berlin, 1997.

- [17] P. A. Meyer, Notes sur les processus d'Ornstein-Uhlenbeck, *Séminaire de Prob., XVI*, ed. par J. Azema et M. Yor, Lecture Notes in Math., **920** (1982), 95–133, Springer-Verlag, Berlin.
- [18] P. A. Meyer, Quelques résultats analytiques sur le semi-groupe d'Ornstein-Uhlenbeck en dimension infinie, *Theory and application of random fields, Proceedings of IFIP-WG 7/1 Working conf. at Bangalore*, ed. by G. Kallianpur, Lecture Notes in Cont. and Inform. Sci., **49** (1983), 201–214, Springer-Verlag, Berlin.
- [19] P. A. Meyer, Transformations de Riesz pour les lois gaussiennes, *Séminaire de Prob., XVIII*, ed. par J. Azema et M. Yor, Lecture Notes in Math., **1059** (1984), 179–193.
- [20] J. Norris, Simplified Malliavin calculus, *Séminaire de Prob. XX*, Lecture Notes in Math., vol. 1204, 101–130, Springer, Berlin, 1986.
- [21] D. Nualart, “*The Malliavin calculus and related topics*,” Springer-Verlag, Berlin, 1995.
- [22] D. Revuz and M. Yor, “*Continuous martingales and Brownian motion*,” Third edition, Berlin, Springer-Verlag, 1999.
- [23] I. Shigekawa, Derivatives of Wiener functionals and absolute continuity of induced measures, *J. Math. Kyoto Univ.*, **20** (1980), 263–289.
- [24] D. W. Stroock, The Malliavin calculus and its applications to second order parabolic differential operators, I, II, *Math. System Theory*, **14** (1981), 25–65, 141–171.
- [25] D. W. Stroock, The Malliavin calculus, functional analytic approach, *J. Funct. Anal.*, **44** (1981), 217–257.
- [26] H. Sugita, Positive generalized Wiener functions and potential theory over abstract Wiener spaces, *Osaka J. Math.*, **25** (1988), 665–696.
- [27] A. S. Üstünel, “*An introduction to analysis on Wiener space*”, Springer-Verlag, Berlin, 1995.
- [28] S. Watanabe, Malliavin's calculus in terms of generalized Wiener functionals, *Theory and application of random fields, Proceedings of IFIP-WG 7/1 Working conf. at Bangalore*, ed. by G. Kallianpur, Lecture Notes in Cont. and Inform. Sci., **49** (1983), 284–290, Springer-Verlag, Berlin.
- [29] S. Watanabe, “*Lectures on stochastic differential equations and Malliavin calculus*,” Tata Institute of Fundamental Research, Springer-Verlag, Berlin, 1984.
- [30] S. Watanabe, Analysis of Wiener functionals (Malliavin calculus) and its applications to heat kernels, *Annals of Prob.*, **15** (1987), 1–39.
- [31] S. Watanabe, Stochastic analysis and its applications, *Sugaku Expositions*, **5** (1992), 51–69.
- [32] G. N. Watson, “*A Treatise on the Theory of Bessel Functions*,” Cambridge University Press, Cambridge, 1944.

Index

- abstract Wiener space, 7
- asymptotic expansion, 176

- Borel σ -field, 2, 5
- Brownian motion, 1, 22
- Burkholder-Davis-Gundy inequality, 48

- Cameron-Martin space, 6, 19
- Cameron-Martin theorem, 8
- canonical realization, 2
- Cauchy operator, 39
- Cauchy process, 64
- Cauchy semigroup, 39
- Chapman-Kolmogorov equation, 21
- characteristic function, 2
- classical Wiener space, 7
- convolution operator, 21
- convolution semigroup, 39
- covariance, 2

- eigenfunctions, 29
- eigenvalue, 29
- Euclidean inner product, 3
- exponential integrability, 11

- Fernique theorem, 11
- finite variation, 5
- Fréchet differentiation, 26
- fundamental solution, 144

- Gâteaux derivative, 26
- Gâteaux differentiable, 26
- Gaussian distribution, 2, 5
- Gaussian measure, 5, 7
- Gaussian process, 5
- generalized Wiener functional, 94
- generator, 143

- Green function, 37

- H*-derivative, 26
- H*-differentiable, 26
- H*-function, 73
- heat kernel, 144
- Hermite polynomial, 13
- Hilbert-Schmidt class, 16
- Hilbert-Schmidt inner product, 16
- Hille-Yosida theory, 25
- hitting time, 62
- hypercontractivity, 31
- hypoellipticity, 151

- independent increment, 1
- index theory, 176
- integration by parts formula, 116
- interpolation property, 80
- invariant measure, 23
- Itô's formula, 4
- Itô-Wiener expansion, 16

- kernel expression, 16
- Kolmogorov's criterion, 22
- Kolmogorov's extension theorem, 22

- large deviation theory, 176
- Lévy's stochastic area, 177
- Littlewood-Paley theory, 47
- Littlewood-Paley-Stein inequality, 58
- local martingale, 3
- locally square integrable continuous martingale, 3
- locally square integrable martingale, 47
- logarithmic Sobolev inequality, 33
- loop space, 178

- Malliavin's covariance matrix, 113
- martingale, 3
- maximal ergodic inequality, 54
- mean, 2
- measurable function, 1
- Meyer's equivalence, 82
- moment inequality, 90
- multiple Wiener integral, 16, 18, 45
- multiplier, 39

- natural inclusion, 6
- non-degenerate
 - in the sense of Hörmander, 162
 - in the sense of Malliavin, 113
- operator norm, 39
- Ornstein-Uhlenbeck process, 22
- Ornstein-Uhlenbeck semigroup, 24, 25

- path, 1
- path space, 2
- Poisson semigroup, 39
- polynomial, 24
- probability space, 1
- process of bounded variation, 4

- quadratic variation, 4

- random variable, 1
- reproducing Hilbert space, 7
- resolvent, 40
- Riesz representation theorem, 5

- sample path, 1
- Schrödinger operator, 177
- semimartingale, 4
- signed measure, 5
- Sobolev space, 86, 88
- spectral decomposition, 39
- spectrum, 39
- stationary increment, 2
- step function, 3
- stochastic integral, 2, 5, 6
- stochastic oscillatory integral, 177
- stochastic process, 1
- stopping time, 3
- Stratonovich's symmetric integral, 141
- strongly continuous contraction semi-
 - group, 25
 - subordination, 37, 39
 - supremum norm, 4
 - symmetric group, 17
 - symmetrization, 17

 - topological σ -field, 5
 - trace, 27
 - trace class, 26
 - transition probability, 21

 - uniform ellipticity, 146

 - Wick product, 18
 - Wiener integral, 5
 - Wiener integral of order 1, 8
 - Wiener measure, 2, 11
 - Wiener process, 1, 5
 - Wiener space, 2

Titles in This Series

- 224 **Ichiro Shigekawa**, Stochastic analysis, 2004
- 223 **Masatoshi Noumi**, Painlevé equations through symmetry, 2004
- 222 **G. G. Magaril-Il'yaev and V. M. Tikhomirov**, Convex analysis: Theory and applications, 2003
- 221 **Katsuei Kenmotsu**, Surfaces with constant mean curvature, 2003
- 220 **I. M. Gelfand, S. G. Gindikin, and M. I. Graev**, Selected topics in integral geometry, 2003
- 219 **S. V. Kerov**, Asymptotic representation theory of the symmetric group and its applications to analysis, 2003
- 218 **Kenji Ueno**, Algebraic geometry 3: Further study of schemes, 2003
- 217 **Masaki Kashiwara**, D -modules and microlocal calculus, 2003
- 216 **G. V. Badalyan**, Quasipower series and quasianalytic classes of functions, 2002
- 215 **Tatsuo Kimura**, Introduction to prehomogeneous vector spaces, 2003
- 214 **L. Š. Grinblat**, Algebras of sets and combinatorics, 2002
- 213 **V. N. Sachkov and V. E. Tarakanov**, Combinatorics of nonnegative matrices, 2002
- 212 **A. V. Mel'nikov, S. N. Volkov, and M. L. Nechaev**, Mathematics of financial obligations, 2002
- 211 **Takeo Ohsawa**, Analysis of several complex variables, 2002
- 210 **Toshitake Kohno**, Conformal field theory and topology, 2002
- 209 **Yasumasa Nishiura**, Far-from-equilibrium dynamics, 2002
- 208 **Yukio Matsumoto**, An introduction to Morse theory, 2002
- 207 **Ken'ichi Ohshika**, Discrete groups, 2002
- 206 **Yuji Shimizu and Kenji Ueno**, Advances in moduli theory, 2002
- 205 **Seiki Nishikawa**, Variational problems in geometry, 2001
- 204 **A. M. Vinogradov**, Cohomological analysis of partial differential equations and Secondary Calculus, 2001
- 203 **Te Sun Han and Kingo Kobayashi**, Mathematics of information and coding, 2002
- 202 **V. P. Maslov and G. A. Omel'yanov**, Geometric asymptotics for nonlinear PDE. I, 2001
- 201 **Shigeyuki Morita**, Geometry of differential forms, 2001
- 200 **V. V. Prasolov and V. M. Tikhomirov**, Geometry, 2001
- 199 **Shigeyuki Morita**, Geometry of characteristic classes, 2001
- 198 **V. A. Smirnov**, Simplicial and operad methods in algebraic topology, 2001
- 197 **Kenji Ueno**, Algebraic geometry 2: Sheaves and cohomology, 2001
- 196 **Yu. N. Lin'kov**, Asymptotic statistical methods for stochastic processes, 2001
- 195 **Minoru Wakimoto**, Infinite-dimensional Lie algebras, 2001

TITLES IN THIS SERIES

- 194 **Valery B. Nevzorov**, Records: Mathematical theory, 2001
- 193 **Toshio Nishino**, Function theory in several complex variables, 2001
- 192 **Yu. P. Solov'yov and E. V. Troitsky**, C^* -algebras and elliptic operators in differential topology, 2001
- 191 **Shun-ichi Amari and Hiroshi Nagaoka**, Methods of information geometry, 2000
- 190 **Alexander N. Starkov**, Dynamical systems on homogeneous spaces, 2000
- 189 **Mitsuru Ikawa**, Hyperbolic partial differential equations and wave phenomena, 2000
- 188 **V. V. Buldygin and Yu. V. Kozachenko**, Metric characterization of random variables and random processes, 2000
- 187 **A. V. Fursikov**, Optimal control of distributed systems. Theory and applications, 2000
- 186 **Kazuya Kato, Nobushige Kurokawa, and Takeshi Saito**, Number theory 1: Fermat's dream, 2000
- 185 **Kenji Ueno**, Algebraic Geometry 1: From algebraic varieties to schemes, 1999
- 184 **A. V. Mel'nikov**, Financial markets, 1999
- 183 **Hajime Sato**, Algebraic topology: an intuitive approach, 1999
- 182 **I. S. Krasil'shchik and A. M. Vinogradov, Editors**, Symmetries and conservation laws for differential equations of mathematical physics, 1999
- 181 **Ya. G. Berkovich and E. M. Zhmud'**, Characters of finite groups. Part 2, 1999
- 180 **A. A. Milyutin and N. P. Osmolovskii**, Calculus of variations and optimal control, 1998
- 179 **V. E. Voskresenskiĭ**, Algebraic groups and their birational invariants, 1998
- 178 **Mitsuo Morimoto**, Analytic functionals on the sphere, 1998
- 177 **Satoru Igari**, Real analysis—with an introduction to wavelet theory, 1998
- 176 **L. M. Lerman and Ya. L. Umanskiy**, Four-dimensional integrable Hamiltonian systems with simple singular points (topological aspects), 1998
- 175 **S. K. Godunov**, Modern aspects of linear algebra, 1998
- 174 **Ya-Zhe Chen and Lan-Cheng Wu**, Second order elliptic equations and elliptic systems, 1998
- 173 **Yu. A. Davydov, M. A. Lifshits, and N. V. Smorodina**, Local properties of distributions of stochastic functionals, 1998

For a complete list of titles in this series, visit the
AMS Bookstore at www.ams.org/bookstore/.

Stochastic analysis is the analysis of functionals defined on the Wiener space, i.e., the space on which a Wiener process is realized. Since the Wiener space is infinite-dimensional, it requires a special calculus, the so-called Malliavin calculus.

The goal of the book is to provide the reader with a concise introduction to stochastic analysis, and, in particular, to the Malliavin calculus. The book contains a detailed description of all technical tools necessary to describe the theory, such as the Wiener process, the Ornstein–Uhlenbeck process, and Sobolev spaces. It also presents applications of stochastic calculus to the study of stochastic differential equations.



For additional information
and updates on this book, visit

www.ams.org/bookpages/mmono-224

ISBN 0-8218-2626-3



9 780821 826263

MMONO/224

AMS *on the Web*
www.ams.org