

Translations of  
**MATHEMATICAL  
MONOGRAPHS**

---

Volume 246

**Unramified Brauer Group  
and Its Applications**

Sergey Gorchinskiy  
Constantin Shramov



AMERICAN  
MATHEMATICAL  
SOCIETY

# Unramified Brauer Group and Its Applications



Translations of  
**MATHEMATICAL  
MONOGRAPHS**

---

Volume 246

**Unramified Brauer Group  
and Its Applications**

Sergey Gorchinskiy  
Constantin Shramov



AMERICAN  
MATHEMATICAL  
SOCIETY

Providence, Rhode Island

## EDITORIAL COMMITTEE

Lev Birbrair  
Toshiyuki Kobayashi

Pavel Etingof (Chair)  
Shou-Wu Zhang

2010 *Mathematics Subject Classification*. Primary 16K50, 14E08; Secondary 14M20, 14G05, 20J06, 12G05.

---

For additional information and updates on this book, visit  
[www.ams.org/bookpages/mmono-246](http://www.ams.org/bookpages/mmono-246)

---

### Library of Congress Cataloging-in-Publication Data

Names: Gorchinskiy, Sergey, 1982- author. | Shramov, Constantin, author.  
Title: Unramified Brauer group and its applications / Sergey Gorchinskiy, Constantin Shramov, authors.  
Description: Providence, Rhode Island : American Mathematical Society, [2018] | Series: Translations of mathematical monographs ; volume 246 | Includes bibliographical references and index.  
Identifiers: LCCN 2018005037 | ISBN 9781470440725 (alk. paper)  
Subjects: LCSH: Brauer groups. | Associative algebras. | AMS: Associative rings and algebras – Division rings and semisimple Artin rings – Brauer groups. msc | Algebraic geometry – Birational geometry – Rationality questions. msc | Algebraic geometry – Special varieties – Rational and unirational varieties. msc | Algebraic geometry – Arithmetic problems. Diophantine geometry – Rational points. msc | Group theory and generalizations – Connections with homological algebra and category theory – Cohomology of groups. msc | Field theory and polynomials – Homological methods (field theory) – Galois cohomology. msc  
Classification: LCC QA251.5 .G67 2018 | DDC 512/.46–dc23  
LC record available at <https://lcn.loc.gov/2018005037>  
DOI: <http://dx.doi.org/10.1090/mmono/246>

---

**Copying and reprinting.** Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy select pages for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for permission to reuse portions of AMS publication content are handled by the Copyright Clearance Center. For more information, please visit [www.ams.org/publications/pubpermissions](http://www.ams.org/publications/pubpermissions).

Send requests for translation rights and licensed reprints to [reprint-permission@ams.org](mailto:reprint-permission@ams.org).

© 2018 by the authors. All rights reserved.

The American Mathematical Society retains all rights  
except those granted to the United States Government.  
Printed in the United States of America.

⊗ The paper used in this book is acid-free and falls within the guidelines  
established to ensure permanence and durability.

Visit the AMS home page at <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 1      23 22 21 20 19 18

To Alexey Nikolaevich Parshin on his 75th birthday, with respect and gratitude



# Contents

Preface	xi
Notation	xv
<b>Part I. Preliminaries on Galois cohomology</b>	<b>1</b>
Chapter 1. Group Cohomology	3
1.1. Definition and basic properties	3
1.2. Behavior under change of group	11
1.3. Cohomology of finite groups	16
1.4. Permutation and stably permutation modules	17
Chapter 2. Galois Cohomology	19
2.1. Descent for fibered categories	19
2.2. Forms and first Galois cohomology	26
2.3. Cohomology of profinite groups	31
2.4. Cohomology of the absolute Galois group	36
2.5. Picard group as a stably permutation module	38
2.6. Torsors	40
2.7. Cohomology of the inverse limit	41
2.8. Further reading	43
<b>Part II. Brauer group</b>	<b>45</b>
Chapter 3. Brauer Group of a Field	47
3.1. Definition and basic properties	47
3.2. Brauer group and arithmetic properties of fields	56
3.3. Brauer group and Severi–Brauer varieties	58
3.4. Further reading	63
Chapter 4. Residue Map on a Brauer Group	65
4.1. Complete discrete valuation fields	65
4.2. Brauer group of a complete discrete valuation field	68
4.3. Unramified Brauer group of a function field	73
4.4. Brauer group of a variety	75
4.5. Geometric meaning of the residue map	78
4.6. Further reading	83
<b>Part III. Applications to rationality problems</b>	<b>85</b>
Chapter 5. Example of a Unirational Non-rational Variety	87



5.1. Geometric data	87
5.2. Construction of a group	88
5.3. Further reading	91
Chapter 6. Arithmetic of Two-dimensional Quadrics	93
6.1. Invariants of quadrics	93
6.2. Geometric meaning of invariants of quadrics	96
6.3. Degenerations of quadrics	98
6.4. Further reading	99
Chapter 7. Non-rational Double Covers of $\mathbb{P}^3$	101
7.1. More on the unramified Brauer group	101
7.2. Families of two-dimensional quadrics	102
7.3. Construction of a geometric example	103
7.4. Some unirationality constructions	105
7.5. Further reading	109
Chapter 8. Weil Restriction and Algebraic Tori	111
8.1. Weil restriction	111
8.2. Algebraic tori	115
8.3. Algebraic tori and Galois modules	117
8.4. Universal torsor	119
8.5. Châtelet surfaces and stably permutation modules	120
8.6. Further reading	125
Chapter 9. Example of a Non-rational Stably Rational Variety	127
9.1. Plan of the construction	127
9.2. The fields $K$ , $k'$ , and $K'$	128
9.3. Non-rational conic bundle	129
9.4. Rational intersection of two quadrics	130
9.5. Stable birational equivalence between $X$ and $V$	134
9.6. One more construction of stable rationality	136
9.7. Further reading	136
<b>Part IV. The Hasse principle and its failure</b>	<b>137</b>
Chapter 10. Minkowski–Hasse Theorem	139
10.1. Preliminaries	139
10.2. Quadrics over local fields	140
10.3. Reduction to the case $\dim(Q) = 1$	142
10.4. The case $\dim(Q) \leq 1$	143
10.5. Other examples of the Hasse principle	145
10.6. Further reading	146
Chapter 11. Brauer–Manin Obstruction	147
11.1. Definition of the Brauer–Manin obstruction	147
11.2. Computation of the Brauer–Manin obstruction	149
11.3. Brauer–Manin obstruction for a genus-one curve	154
11.4. Further reading	157
Appendix A. Étale Cohomology	159

A.1. Étale coverings	159
A.2. Sheaves in the étale topology	159
A.3. Cohomology of étale sheaves of abelian groups	160
A.4. First étale cohomology with non-abelian coefficients	161
A.5. Kummer sequence	162
A.6. Brauer group	164
A.7. The case of a complex algebraic variety	164
Bibliography	167
Index	177



## Preface

This book is an extended version of the notes of a reading seminar “Arithmetic methods in algebraic geometry” run by the authors at the Steklov Mathematical Institute in Spring 2011. The goal of the book is to give an introduction to the theory of unramified Brauer groups and their applications to stable rationality, starting with the most basic concepts of group cohomology. For this reason, we omit many popular topics that are already well covered in textbooks (Galois cohomology, Brauer groups, etc). Instead we give more attention to applications of unramified Brauer groups to stable non-rationality, and to an example of a non-rational stably rational variety. As far as we know, these topics are not covered in detail in standard textbooks, and the proofs presented in the original sources require substantial effort to understand.

The style of our seminar suggested delivering the material through problems and exercises. We have tried to split the proofs of all facts that we need into relatively simple steps and provide detailed hints for all non-trivial points. This gives us hope that studying our book will be no more difficult (or at least not much more difficult) than reading a usual textbook, not to mention research articles. Most of the book is accessible to those who are familiar with basic algebra, Galois theory, and fundamental notions of algebraic geometry.

In Chapter 1 we collect the necessary definitions and facts concerning cohomology of abstract groups. The same is done in Chapter 2 for Galois cohomology and in Chapter 3 for Brauer groups. Since the significance of these topics is much broader than their applications to stable rationality and they constitute an important part of modern mathematical culture, we recommend that the reader continue their study with the help of canonical sources. For group cohomology we recommend Chapter IV in the book [CF67], for Galois cohomology the book [Ser65] and Chapter V in [CF67], and for Brauer groups Chapter X of the book [Ser79] and [Bou58]. In Chapter 4 we focus on the Brauer group of a discrete valuation field and in particular define the unramified Brauer group. For further reading on these topics, we refer to the book [Ser79] and §1 of Chapter VI in the book [CF67]. Besides these references, most of the material of Chapters 1–4 is covered in much more detail in the textbook [GS06]. The interested reader can also find an accessible account of Galois cohomology in [Ber10].

In Chapter 5 we present the example of a quotient variety  $X = V/G$ , where  $G$  is a finite group and  $V$  is a representation of  $G$  over an algebraically closed field  $k$  of characteristic zero, which can be proved to be non-rational (and even not stably rational) using the notions introduced earlier. The obstruction we use is non-triviality of the unramified Brauer group of the field  $k(X)$ , that is, of the invariant field  $k(V)^G$ . Examples of this kind first appeared in the works of

D. Saltman [Sal84] and F. A. Bogomolov [Bog87], but we adopt the simpler approach taken by I. R. Shafarevich in [Sha90]. The variety  $X$  has relatively large dimension; one may be interested in whether there are similar examples in lower dimensions. It turns out that this is possible already for some threefolds, based on a completely different construction from the one given in Chapter 5. We present such an example in Chapter 7: the well-known construction of a non-rational singular double cover of  $\mathbb{P}^3$  branched over a quartic. This variety was first described in the paper [AM72] by M. Artin and D. Mumford, but we take a more algebraic approach due to M. Gross (see [AM96, Appendix]). Before presenting the construction, we introduce the Clifford invariant and spend some time on auxiliary results about quadrics over non-algebraically closed fields in Chapter 6. More on quadrics over non-algebraically closed fields can be found in the book [EKM08]. In Chapter 7 we also provide a unirationality construction for a double cover of  $\mathbb{P}^3$  branched over a quartic (here we mostly follow the proof of Theorem IV.7.7 in the book [Man86]). A detailed survey of stable (non-)rationality results for quotient varieties similar to the ones considered in Chapter 5 is contained in [CTS07]; one can also find references to many original works on the topic therein. We also recommend that the reader have a look at the short survey [BT17]. For a discussion of results on obstructions to stable rationality appearing from the Artin–Mumford construction, we refer the reader to the survey [Pir16].

In Chapter 8 we introduce Weil restriction and discuss its main properties, and we also establish some properties of algebraic tori that will be used in Chapter 9. More details on algebraic tori are available in the book [Vos98]. Chapter 8 also discusses the notion of universal torsor and some basic properties of Châtelet surfaces. Since we already know examples of varieties which are not stably rational, it is natural to ask whether or not stable rationality is actually the same as rationality. It turns out that it is not the same, but producing an example that separates these two concepts is not easy at all. This is done in Chapter 9, following the paper [BCTSSD85] by A. Beauville, J.-L. Colliot-Thélène, J.-J. Sansuc, and P. Swinnerton-Dyer. At the end of Chapter 9 we provide an argument of N. Shepherd-Barron from [SB04] that slightly enhances the construction of [BCTSSD85]. Throughout Chapter 9 we try to use geometric language and to avoid coordinates and explicit equations as far as possible, which we hope will make our exposition a bit more transparent than that of [BCTSSD85] and [SB04].

Chapters 10 and 11 are devoted to one more application of unramified Brauer groups, namely, to Brauer–Manin obstructions. The main purpose of Chapter 10 is to provide some motivation for this: we discuss a proof of the classic Minkowski–Hasse theorem for quadrics (to be more precise, we deduce this theorem from the fundamental facts of class field theory). Our exposition mostly follows Chapter IV of the book [Ser70], but we try to use more geometric language when reducing the multi-dimensional case to the one-dimensional case. In Chapter 11 we define the Brauer–Manin obstruction and use it to produce a counterexample to an analog of the Minkowski–Hasse theorem for curves of genus 1. More on the Brauer–Manin obstruction can be found in the surveys [Sko01], [Poo17], and [Wit16] (see also the brief exposition in [MP05, 5.2.3]).

Appendix A contains a collection of references to the main results on étale cohomology that are necessary for interpretation of Brauer groups in étale terms (see [Dan96] or [Mil80] for more details on these results). Those who have a taste

for exploring primary sources may wish to take a look at the text [Gro95b] by A. Grothendieck, where this very approach was used to introduce the unramified Brauer group for the first time.

As one might expect, we were not able to pay enough attention to many topics related to unramified Brauer groups (in particular, to the study of stable rationality, which became remarkably active in recent years). To (partially) fill this gap, we conclude most of the chapters of the book with lists of references for an interested reader, sometimes with brief explanations about their connections to the material covered in the chapter. In several cases (especially in Chapters 5, 7, and 11) we also tried to include references to recent works, because the techniques mentioned in these chapters are still being developed and actively applied.

We would like to thank all the participants of our seminar for fruitful interactions and a stimulating atmosphere. While preparing these notes, we benefited from advice and discussions with J.-L. Colliot-Thélène, A. Fonarev, N. Howell, A. Kuznetsov, I. Marshall, I. Netay, Yu. Prokhorov, S. Rybakov, T. Shabalin, E. Shinder, A. Skorobogatov, M. Temkin, D. Testa, A. Trepalin, A. Vishik, V. Vologodsky, and V. Zhgun.

Our work was partially supported by the Dynasty foundation of D. Zimin, by the Russian Academic Excellence Project “5-100”, and by the Laboratory of Mirror Symmetry NRU HSE, RF government grant, ag. № 14.641.31.0001.

Sergey Gorchinskiy and Constantin Shramov



## Notation

$\mathbb{Z}$  — the ring of integers

$\mathbb{Q}$  — the field of rational numbers

$\mathbb{R}$  — the field of real numbers

$\mathbb{C}$  — the field of complex numbers

$\mathbb{F}_q$  — the finite field of  $q$  elements

$\mathbb{Z}_p$  — the ring of  $p$ -adic integers

$\mathbb{Q}_p$  — the field of rational  $p$ -adic numbers

$\widehat{\mathbb{Z}}$  — the profinite completion of the (additive) group  $\mathbb{Z}$

$k(t_1, \dots, t_n)$  — the field of rational functions in independent variables  $t_1, \dots, t_n$  over a field  $k$

$k((t))$  — the field of Laurent series in a variable  $t$  over a field  $k$

$\text{Hom}(X, Y)$  — the set of morphisms from  $X$  to  $Y$  (in a category that is usually obvious from the context)

$\text{Aut}(X)$  — the automorphism group of  $X$

$S_n$  — the symmetric group on  $n$  letters

$\text{Stab}_G(x)$  — the stabilizer in a group  $G$  of an element  $x$  of some set  $X$  with an action of  $G$

$G/H$  — the set of left cosets in a group  $G$  of its subgroup  $H$

$A_n$  — the  $n$ -torsion of an abelian group  $A$  for a positive integer  $n$

$\mathbb{Z}[S]$  — the free abelian group generated by a set  $S$

$\langle S \rangle$  — the subgroup generated by a subset  $S$  of some group, or a two-sided ideal generated by a subset  $S$  of some associative algebra

$M^G$  — the group of  $G$ -invariant elements in a  $G$ -module  $M$

$\text{Hom}_G(M, M')$  — the group of morphisms between  $G$ -modules  $M$  and  $M'$

$H^i(G, M)$  — the  $i$ th cohomology group of a group  $G$  with coefficients in a  $G$ -module  $M$

$Z/\Gamma$  — the set of orbits of a group  $\Gamma$  acting on a set  $Z$

$\text{char}(R)$  — the characteristic of a ring  $R$

$R^*$  — the multiplicative group of invertible elements of a ring  $R$



$K_2(K)$  — the second Milnor K-group of a field  $K$

$\bar{K}$  — the algebraic closure of a field  $K$

$K^{sep}$  — the separable closure of a field  $K$

$\mu_n$  — the group of  $n$ th roots of unity in  $K^{sep}$ , where  $n$  is coprime to  $\text{char}(K)$

$\dim_K(V)$  — the dimension of a vector space  $V$  over a field  $K$

$[L : K] = \dim_K(L)$  — the degree of a finite extension of fields  $K \subset L$

$\text{Nm}_{L/K} : L^* \rightarrow K^*$  — the Galois norm for a separable finite extension of fields  $K \subset L$

$\text{Gal}(L/K)$  — the Galois group of a Galois extension  $K \subset L$

$G_K = \text{Gal}(K^{sep}/K)$  — the absolute Galois group of a field  $K$

$\text{GL}_n$  — the group of invertible  $n \times n$  matrices

$\mathbb{G}_m = \text{GL}_1$  — the multiplicative group scheme

$\text{SL}_n$  — the group of invertible  $n \times n$  matrices with trivial determinant

$\text{PGL}_n = \text{GL}_n / \mathbb{G}_m$  — the group of invertible  $n \times n$  matrices modulo scalar matrices, that is, the automorphism group of an  $(n - 1)$ -dimensional projective space

$\mathbb{P}^n$  — the projective space of dimension  $n$

$\mathcal{O}_{\mathbb{P}^n}(r) = \mathcal{O}_{\mathbb{P}^n}(1)^{\otimes r}$  — the  $r$ th tensor power of the line bundle  $\mathcal{O}_{\mathbb{P}^n}(1)$  on  $\mathbb{P}^n$  that is dual to the tautological bundle  $\mathcal{O}_{\mathbb{P}^n}(-1)$ , where  $r$  is a positive integer

$V_L = L \otimes_K V$  — the scalar extension of a vector space  $V$  over a field  $K$ , where  $K \subset L$  is some field extension

$\text{GL}(V)$  — the group of  $K$ -linear automorphisms of a vector space  $V$  over  $K$

$\mathbb{P}(V) \cong \mathbb{P}^{n-1}$  — the projectivization of an  $n$ -dimensional vector space  $V$  over a field  $K$  (the set of  $K$ -points of  $\mathbb{P}(V)$  is the set of one-dimensional subspaces of  $V$ )

$\text{Spec}(R)$  — the spectrum of a commutative unital ring  $R$

$k[X]$  — the ring of regular functions on a variety  $X$  over a field  $k$

$k(X)$  — the field of rational functions on an irreducible variety  $X$  over a field  $k$

$\dim(X)$ ,  $\dim_k(X)$  — the dimension of a variety  $X$  over a field  $k$

$\text{Div}(X)$  — the group of divisors on a smooth variety  $X$

$\text{Pic}(X)$  — the Picard group of a variety  $X$

$\mathbb{T}_x(X) \subset \mathbb{P}^n$  — the embedded projective tangent space at a point  $x$  to a projective variety  $X \subset \mathbb{P}^n$

$X_K$  — the scalar extension of a variety  $X$  defined over a field  $k$ , where  $k \subset K$  is some field extension

$X(K)$  — the set of  $K$ -points of a variety  $X$  defined over a field  $k$ , where  $k \subset K$  is some field extension

$M_n(A)$  — the algebra of  $n \times n$  matrices with entries in an associative algebra  $A$

$\mathrm{Br}(K)$  — the Brauer group of a field  $K$

$\mathrm{Br}(L/K) = \mathrm{Ker}(\mathrm{Br}(K) \rightarrow \mathrm{Br}(L))$  — the relative Brauer group of a field extension  $K \subset L$

$b(X) \in \mathrm{Br}(K)$  — the class of a Severi–Brauer variety  $X$  defined over a field  $K$

$\mathrm{res}: \mathrm{Br}(K) \rightarrow \mathrm{Hom}(G_\kappa, \mathbb{Q}/\mathbb{Z})$  — the residue map for a complete discrete valuation field  $K$  with a perfect residue field  $\kappa$

$\mathcal{O}_K$  — the valuation ring in a discrete valuation field  $K$ , or the ring of integers in a number field  $K$

$K_v$  — the completion of a field  $K$  with respect to a discrete (or, more generally, multiplicative) valuation  $v$

$\mathrm{res}_v: \mathrm{Br}(K) \rightarrow \mathrm{Hom}(G_{\kappa_v}, \mathbb{Q}/\mathbb{Z})$  — the residue corresponding to a discrete valuation  $v$  of a field  $K$ , where  $\kappa_v$  is a residue field of  $K_v$  and is assumed to be perfect

$\mathrm{res}_D: \mathrm{Br}(k(X)) \rightarrow \mathrm{Hom}(G_{k(D)}, \mathbb{Q}/\mathbb{Z})$  — the residue corresponding to a discrete valuation given by a reduced irreducible divisor  $D$  on an irreducible (normal) variety  $X$  over a field  $k$  of characteristic zero

$\mathrm{Br}^{nr}(K)$  — the unramified Brauer group of a finitely generated field  $K$  over a field  $k$  of characteristic zero

$\mathrm{Br}^{nr}(X)$  — the unramified Brauer group of an irreducible (normal) variety  $X$  over a field  $k$  of characteristic zero

$\mathrm{Br}(X)$  — the Brauer group of a variety or a scheme  $X$

$d(Q) \in K^*/(K^*)^2$  — the discriminant of an even-dimensional quadric  $Q$  over a field  $K$ , where the characteristic of  $K$  is different from 2

$\mathrm{cl}(Q) \in \mathrm{Br}(K)$  — the Clifford invariant of a quadric  $Q$  over  $K$  with trivial  $d(Q)$ , where the characteristic of  $K$  is different from 2

$R_{K/k}(Y)$  — the Weil restriction for a variety  $Y$  over  $K$  and a separable finite extension of fields  $k \subset K$

$K^* = R_{K/k}(\mathbb{G}_m)$  — the algebraic torus over a field  $k$  for a separable finite extension of fields  $k \subset K$ , whose set of  $k$ -points is  $K \setminus \{0\}$

$T^\vee$  — the dual  $G_k$ -module of an algebraic torus  $T$  over a field  $k$

$M^\vee$  — the dual algebraic torus over  $k$  to a  $G_k$ -module  $M$ , which is free and finitely generated as an abelian group





## Bibliography

- [ABGV11] Asher Auel, Eric Brussel, Skip Garibaldi, and Uzi Vishne, *Open problems on central simple algebras*, Transform. Groups **16** (2011), no. 1, 219–264. MR2785502
- [ABP17] A. Auel, Ch. Böhning, and A. Pirutka. *Stable rationality of quadric and cubic surface bundle fourfolds*, arXiv:1710.07270, 2017.
- [ABvBP16] A. Auel, Ch. Böhning, H.-Ch. Graf von Bothmer, and A. Pirutka. *Conic bundles with nontrivial unramified Brauer group over threefolds*, preprint arXiv:1610.04995, 2016.
- [AM72] M. Artin and D. Mumford, *Some elementary examples of unirational varieties which are not rational*, Proc. London Math. Soc. (3) **25** (1972), 75–95. MR0321934
- [AM96] Paul S. Aspinwall and David R. Morrison, *Stable singularities in string theory*, Comm. Math. Phys. **178** (1996), no. 1, 115–134. With an appendix by Mark Gross. MR1387944
- [Ami55] S. A. Amitsur, *Generic splitting fields of central simple algebras*, Ann. of Math. (2) **62** (1955), 8–43. MR0070624
- [AO16] H. Ahmadinezhad and T. Okada. *Stable rationality of higher dimensional conic bundles*, preprint arXiv:1612.04206, 2016.
- [Ara75] Jón Kr. Arason, *Cohomologische invarianten quadratischer Formen* (French), J. Algebra **36** (1975), no. 3, 448–491. MR0389761
- [Art82] M. Artin, *Left ideals in maximal orders*, Brauer groups in ring theory and algebraic geometry (Wilrijk, 1981), Lecture Notes in Math., vol. 917, Springer, Berlin-New York, 1982, pp. 182–193. MR657429
- [Aso13] Aravind Asok, *Rationality problems and conjectures of Milnor and Bloch-Kato*, Compos. Math. **149** (2013), no. 8, 1312–1326. MR3103066
- [BB13] Fedor Bogomolov and Christian Böhning, *Isoclinism and stable cohomology of wreath products*, Birational geometry, rational curves, and arithmetic, Simons Symp., Springer, Cham, 2013, pp. 57–76. MR3114923
- [BCTSSD85] Arnaud Beauville, Jean-Louis Colliot-Thélène, Jean-Jacques Sansuc, and Peter Swinnerton-Dyer, *Variétés stablement rationnelles non rationnelles* (French), Ann. of Math. (2) **121** (1985), no. 2, 283–318. MR786350
- [Bea96] Arnaud Beauville, *Complex algebraic surfaces*, 2nd ed., London Mathematical Society Student Texts, vol. 34, Cambridge University Press, Cambridge, 1996. Translated from the 1978 French original by R. Barlow, with assistance from N. I. Shepherd-Barron and M. Reid. MR1406314
- [Bea16] Arnaud Beauville, *A very general sextic double solid is not stably rational*, Bull. Lond. Math. Soc. **48** (2016), no. 2, 321–324. MR3483069
- [Ber10] Grégory Berhuy, *An introduction to Galois cohomology and its applications*, London Mathematical Society Lecture Note Series, vol. 377, Cambridge University Press, Cambridge, 2010. With a foreword by Jean-Pierre Tignol. MR2723693
- [Bir62] B. J. Birch, *Forms in many variables*, Proc. Roy. Soc. Ser. A **265** (1961/1962), 245–263. MR0150129
- [BLR90] Siegfried Bosch, Werner Lütkebohmert, and Michel Raynaud, *Néron models*, Ergebnisse der Mathematik und ihrer Grenzgebiete (3) [Results in Mathematics and Related Areas (3)], vol. 21, Springer-Verlag, Berlin, 1990. MR1045822
- [BM13] T. Browning and L. Matthiesen. *Norm forms for arbitrary number fields as products of linear polynomials*, preprint arXiv:1307.7641, 2013.

- [BMS14] T. D. Browning, L. Matthiesen, and A. N. Skorobogatov, *Rational points on pencils of conics and quadrics with many degenerate fibers*, Ann. of Math. (2) **180** (2014), no. 1, 381–402. MR3194818
- [Bog87] F. A. Bogomolov, *The Brauer group of quotient spaces of linear representations* (Russian), Izv. Akad. Nauk SSSR Ser. Mat. **51** (1987), no. 3, 485–516, 688; English transl., Math. USSR-Izv. **30** (1988), no. 3, 455–485. MR903621
- [Bor96] Mikhail Borovoi, *The Brauer-Manin obstructions for homogeneous spaces with connected or abelian stabilizer*, J. Reine Angew. Math. **473** (1996), 181–194. MR1390687
- [Bou58] N. Bourbaki, *Éléments de mathématique. 23. Première partie: Les structures fondamentales de l'analyse. Livre II: Algèbre. Chapitre 8: Modules et anneaux semi-simples* (French), Actualités Sci. Ind. no. 1261, Hermann, Paris, 1958. MR0098114
- [BP11] Fedor Bogomolov and Tihomir Petrov, *Unramified cohomology of alternating groups*, Cent. Eur. J. Math. **9** (2011), no. 5, 936–948. MR2824438
- [BP13] Fedor Bogomolov and Yuri Prokhorov, *On stable conjugacy of finite subgroups of the plane Cremona group, I*, Cent. Eur. J. Math. **11** (2013), no. 12, 2099–2105. MR3111709
- [BT17] F. Bogomolov and Yu. Tschinkel. *Noether's problem and descent*, arXiv:1711.09465, 2017.
- [BvB16] Ch. Böhning and H.-Ch. Graf von Bothmer. *On stable rationality of some conic bundles and moduli spaces of Prym curves*, arXiv:1605.03029, 2016.
- [Cao17] Y. Cao. *Sous-groupe de Brauer invariant et obstruction de descente itérée*, arXiv:1704.05425, 2017.
- [CF67] J. W. S. Cassels and A. Fröhlich (Eds.). *Algebraic number theory*, Academic Press, London, 1967.
- [CG66] J. W. S. Cassels and M. J. T. Guy, *On the Hasse principle for cubic surfaces*, Mathematika **13** (1966), 111–120. MR0211966
- [CHHK15] Huah Chu, Akinari Hoshi, Shou-Jen Hu, and Ming-chang Kang, *Noether's problem for groups of order 243*, J. Algebra **442** (2015), 233–259. MR3395061
- [CHKK10] Huah Chu, Shou-Jen Hu, Ming-chang Kang, and Boris E. Kunyavskii, *Noether's problem and the unramified Brauer group for groups of order 64*, Int. Math. Res. Not. IMRN **12** (2010), 2329–2366. MR2652224
- [CHKP08] Huah Chu, Shou-Jen Hu, Ming-chang Kang, and Y. G. Prokhorov, *Noether's problem for groups of order 32*, J. Algebra **320** (2008), no. 7, 3022–3035. MR2442008
- [CK01] Huah Chu and Ming-chang Kang, *Rationality of  $p$ -group actions*, J. Algebra **237** (2001), no. 2, 673–690. MR1816710
- [Cla06] Pete L. Clark, *On elementary equivalence, isomorphism and isogeny* (English, with English and French summaries), J. Théor. Nombres Bordeaux **18** (2006), no. 1, 29–58. MR2245874
- [Cor05] Patrick Corn, *Del Pezzo surfaces of degree 6*, Math. Res. Lett. **12** (2005), no. 1, 75–84. MR2122732
- [CT95] J.-L. Colliot-Thélène, *Birational invariants, purity and the Gersten conjecture*, K-theory and algebraic geometry: connections with quadratic forms and division algebras (Santa Barbara, CA, 1992), Proc. Sympos. Pure Math., vol. 58, Amer. Math. Soc., Providence, RI, 1995, pp. 1–64. MR1327280
- [CT03] Jean-Louis Colliot-Thélène, *Points rationnels sur les fibrations* (French), Higher dimensional varieties and rational points (Budapest, 2001), Bolyai Soc. Math. Stud., vol. 12, Springer, Berlin, 2003, pp. 171–221. MR2011747
- [CT17] J.-L. Colliot-Thélène. *Surfaces stablement rationnelles sur un corps quasi-fini*, arXiv:1711.09595, 2017.
- [CTO89] Jean-Louis Colliot-Thélène and Manuel Ojanguren, *Variétés unirationnelles non rationnelles: au-delà de l'exemple d'Artin et Mumford* (French), Invent. Math. **97** (1989), no. 1, 141–158. MR999316
- [CTP16a] Zh.-L. Kol'è-Telèn and E. V. Pirutko, *Cyclic covers that are not stably rational* (Russian, with Russian summary), Izv. Ross. Akad. Nauk Ser. Mat. **80** (2016), no. 4, 35–48; English transl., Izv. Math. **80** (2016), no. 4, 665–677. MR3535357

- [CTP16b] Jean-Louis Colliot-Thélène and Alena Pirutka, *Hypersurfaces quartiques de dimension 3: non-rationalité stable* (French, with English and French summaries), *Ann. Sci. Éc. Norm. Supér. (4)* **49** (2016), no. 2, 371–397. MR3481353
- [CTPS16] Jean-Louis Colliot-Thélène, Ambrus Pál, and Alexei N. Skorobogatov, *Pathologies of the Brauer-Manin obstruction*, *Math. Z.* **282** (2016), no. 3–4, 799–817. MR3473644
- [CTS87] Jean-Louis Colliot-Thélène and Jean-Jacques Sansuc, *La descente sur les variétés rationnelles. II* (French), *Duke Math. J.* **54** (1987), no. 2, 375–492. MR899402
- [CTS07] Jean-Louis Colliot-Thélène and Jean-Jacques Sansuc, *The rationality problem for fields of invariants under linear algebraic groups (with special regards to the Brauer group)*, *Algebraic groups and homogeneous spaces*, *Tata Inst. Fund. Res. Stud. Math.*, vol. 19, *Tata Inst. Fund. Res.*, Mumbai, 2007, pp. 113–186. MR2348904
- [CTSD94] Jean-Louis Colliot-Thélène and Peter Swinnerton-Dyer, *Hasse principle and weak approximation for pencils of Severi-Brauer and similar varieties*, *J. Reine Angew. Math.* **453** (1994), 49–112. MR1285781
- [CTSSD87a] Jean-Louis Colliot-Thélène, Jean-Jacques Sansuc, and Peter Swinnerton-Dyer, *Intersections of two quadrics and Châtelet surfaces. I*, *J. Reine Angew. Math.* **373** (1987), 37–107. MR870307
- [CTSSD87b] Jean-Louis Colliot-Thélène, Jean-Jacques Sansuc, and Peter Swinnerton-Dyer, *Intersections of two quadrics and Châtelet surfaces. I*, *J. Reine Angew. Math.* **373** (1987), 37–107. MR870307
- [CTSSD87c] Jean-Louis Colliot-Thélène, Jean-Jacques Sansuc, and Peter Swinnerton-Dyer, *Intersections of two quadrics and Châtelet surfaces. II*, *J. Reine Angew. Math.* **374** (1987), 72–168. MR876222
- [Dan96] V. I. Danilov, *Cohomology of algebraic varieties [MR1060324 (91f:14016)]*, *Algebraic geometry, II*, *Encyclopaedia Math. Sci.*, vol. 35, *Springer*, Berlin, 1996, pp. 1–125, 255–262. MR1392958
- [Dav63] H. Davenport, *Cubic forms in sixteen variables*, *Proc. Roy. Soc. Ser. A* **272** (1963), 285–303. MR0155800
- [Del74] Pierre Deligne, *La conjecture de Weil. I* (French), *Inst. Hautes Études Sci. Publ. Math.* **43** (1974), 273–307. MR0340258
- [Del80] Pierre Deligne, *La conjecture de Weil. II* (French), *Inst. Hautes Études Sci. Publ. Math.* **52** (1980), 137–252. MR601520
- [Dem09] Cyril Demarche, *Obstruction de descente et obstruction de Brauer-Manin étale* (French, with English and French summaries), *Algebra Number Theory* **3** (2009), no. 2, 237–254. MR2491944
- [DF84] Frank R. DeMeyer and Timothy J. Ford, *On the Brauer group of surfaces*, *J. Algebra* **86** (1984), no. 1, 259–271. MR727378
- [DG94] Igor Dolgachev and Mark Gross, *Elliptic threefolds. I. Ogg-Shafarevich theory*, *J. Algebraic Geom.* **3** (1994), no. 1, 39–80. MR1242006
- [dJ03] A. J. de Jong, *A result of Gabber*, <http://www.math.columbia.edu/~dejong/papers/2-gabber.pdf>, 2003.
- [dJ04] A. J. de Jong, *The period-index problem for the Brauer group of an algebraic surface*, *Duke Math. J.* **123** (2004), no. 1, 71–94. MR2060023
- [dlBBP12] Régis de la Bretèche, Tim Browning, and Emmanuel Peyre, *On Manin’s conjecture for a family of Châtelet surfaces*, *Ann. of Math. (2)* **175** (2012), no. 1, 297–343. MR2874644
- [Dol12] Igor V. Dolgachev, *Classical algebraic geometry: a modern view*, *Cambridge University Press*, Cambridge, 2012. MR2964027
- [EKM08] Richard Elman, Nikita Karpenko, and Alexander Merkurjev, *The algebraic and geometric theory of quadratic forms*, *American Mathematical Society Colloquium Publications*, vol. 56, *American Mathematical Society*, Providence, RI, 2008. MR2427530
- [EM75] Shizuo Endô and Takehiko Miyata, *On a classification of the function fields of algebraic tori*, *Nagoya Math. J.* **56** (1975), 85–104. MR0364203
- [Esn03] Hélène Esnault, *Varieties over a finite field with trivial Chow group of 0-cycles have a rational point*, *Invent. Math.* **151** (2003), no. 1, 187–191. MR1943746
- [FK88] Eberhard Freitag and Reinhardt Kiehl, *Étale cohomology and the Weil conjecture*, *Ergebnisse der Mathematik und ihrer Grenzgebiete (3) [Results in Mathematics]*

- and Related Areas (3)], vol. 13, Springer-Verlag, Berlin, 1988. Translated from the German by Betty S. Waterhouse and William C. Waterhouse; With an historical introduction by J. A. Dieudonné. MR926276
- [Gab98] Ofer Gabber, *A note on the unramified Brauer group and purity*, Manuscripta Math. **95** (1998), no. 1, 107–115. MR1492372
- [Gro68] Alexander Grothendieck, *Le groupe de Brauer. III. Exemples et compléments* (French), Dix exposés sur la cohomologie des schémas, Adv. Stud. Pure Math., vol. 3, North-Holland, Amsterdam, 1968, pp. 88–188. MR244271
- [Gro95a] Alexander Grothendieck, *Le groupe de Brauer. I. Algèbres d’Azumaya et interprétations diverses [MR0244269 (39 #5586a)]* (French), Séminaire Bourbaki, Vol. 9 Exp. No. 290, Soc. Math. France, Paris, 1995, pp. 199–219. MR1608798
- [Gro95b] Alexander Grothendieck, *Le groupe de Brauer. II. Théorie cohomologique [MR0244270 (39 #5586b)]* (French), Séminaire Bourbaki, Vol. 9, Exp. No. 297, Soc. Math. France, Paris, 1995, pp. 287–307. MR1608805
- [Gro95c] Alexander Grothendieck, *Technique de descente et théorèmes d’existence en géométrie algébrique. I. Généralités. Descente par morphismes fidèlement plats* (French), Séminaire Bourbaki, Vol. 5, Exp. No. 190, Soc. Math. France, Paris, 1995, pp. 299–327. MR1603475
- [GS06] Philippe Gille and Tamás Szamuely, *Central simple algebras and Galois cohomology*, Cambridge Studies in Advanced Mathematics, vol. 101, Cambridge University Press, Cambridge, 2006. MR2266528
- [Har77] Robin Hartshorne, *Algebraic geometry*, Graduate Texts in Mathematics, vol. 52, Springer-Verlag, New York-Heidelberg, 1977. MR0463157
- [Har94] David Harari, *Méthode des fibrations et obstruction de Manin* (French), Duke Math. J. **75** (1994), no. 1, 221–260. MR1284820
- [Har95] Joe Harris, *Algebraic geometry: a first course*, Graduate Texts in Mathematics, vol. 133, Springer-Verlag, New York, 1995. Corrected reprint of the 1992 original. MR1416564
- [Har02] David Harari, *Groupes algébriques et points rationnels* (French, with English and French summaries), Math. Ann. **322** (2002), no. 4, 811–826. MR1905103
- [HB83] D. R. Heath-Brown, *Cubic forms in ten variables*, Proc. London Math. Soc. (3) **47** (1983), no. 2, 225–257. MR703978
- [HK10] Akinari Hoshi and Ming-Chang Kang, *Twisted symmetric group actions*, Pacific J. Math. **248** (2010), no. 2, 285–304. MR2741249
- [HK11] A. Hoshi and M. Kang, *Unramified Brauer groups for groups of order  $p^5$* , arXiv:1109.2966, 2011.
- [HKK13] Akinari Hoshi, Ming-Chang Kang, and Boris E. Kunyavskii, *Noether’s problem and unramified Brauer groups*, Asian J. Math. **17** (2013), no. 4, 689–713. MR3152260
- [HKT16] Brendan Hassett, Andrew Kresch, and Yuri Tschinkel, *Stable rationality and conic bundles*, Math. Ann. **365** (2016), no. 3–4, 1201–1217. MR3521088
- [HKY16] Akinari Hoshi, Ming-chang Kang, and Aiichi Yamasaki, *Degree three unramified cohomology groups*, J. Algebra **458** (2016), 120–133. MR3500770
- [Hoo13] Christopher Hooley, *On nonary cubic forms: IV*, J. Reine Angew. Math. **680** (2013), 23–39. MR3100951
- [Hos16] Akinari Hoshi, *Birational classification of fields of invariants for groups of order 128*, J. Algebra **445** (2016), 394–432. MR3418064
- [HPT16a] B. Hassett, A. Pirutka, and Yu. Tschinkel, *Stable rationality of quadric surface bundles over surfaces*, arXiv:1603.09262, 2016.
- [HPT16b] B. Hassett, A. Pirutka, and Yu. Tschinkel, *A very general quartic double fourfold is not stably rational*, arXiv:1605.03220, 2016.
- [HPT17] B. Hassett, A. Pirutka, and Yu. Tschinkel, *Intersections of three quadrics in  $\mathbb{P}^7$* , arXiv:1706.01371, 2017.
- [HS02] David Harari and Alexei N. Skorobogatov, *Non-abelian cohomology and rational points*, Compositio Math. **130** (2002), no. 3, 241–273. MR1887115
- [HS14] Yonatan Harpaz and Alexei N. Skorobogatov, *Singular curves and the étale Brauer-Manin obstruction for surfaces* (English, with English and French summaries), Ann. Sci. Éc. Norm. Supér. (4) **47** (2014), no. 4, 765–778. MR3250063



- [HSW14] Yonatan Harpaz, Alexei N. Skorobogatov, and Olivier Wittenberg, *The Hardy-Littlewood conjecture and rational points*, Compos. Math. **150** (2014), no. 12, 2095–2111. MR3292295
- [HT04] Brendan Hassett and Yuri Tschinkel, *Universal torsors and Cox rings*, Arithmetic of higher-dimensional algebraic varieties (Palo Alto, CA, 2002), Progr. Math., vol. 226, Birkhäuser Boston, Boston, MA, 2004, pp. 149–173. MR2029868
- [HT16] B. Hassett and Yu. Tschinkel. *On stable rationality of Fano threefolds and del Pezzo fibrations*, arXiv:1601.07074, 2016.
- [Huh13] J. Huh. *A counterexample to the geometric Chevalley–Warning conjecture*, arXiv:1307.7765, 2013.
- [HW16] Yonatan Harpaz and Olivier Wittenberg, *On the fibration method for zero-cycles and rational points*, Ann. of Math. (2) **183** (2016), no. 1, 229–295. MR3432584
- [IKP14] Atanas Iliev, Ludmil Katzarkov, and Victor Przyjalkowski, *Double solids, categories and non-rationality*, Proc. Edinb. Math. Soc. (2) **57** (2014), no. 1, 145–173. MR3165018
- [IM71] V. A. Iskovskih and Ju. I. Manin, *Three-dimensional quartics and counterexamples to the Lüroth problem* (Russian), Mat. Sb. (N.S.) **86(128)** (1971), 140–166. MR0291172
- [Isk67] V. A. Iskovskih, *Rational surfaces with a pencil of rational curves* (Russian), Mat. Sb. (N.S.) **74(116)** (1967), 608–638. MR0220734
- [Isk70] V. A. Iskovskih, *Rational surfaces with a sheaf of rational curves and with a positive square of canonical class* (Russian), Mat. Sb. (N.S.) **83(125)** (1970), 90–119. MR0271109
- [Isk71a] V. A. Iskovskih, *Birational properties of a surface of degree 4 in  $P_k^4$*  (Russian), Mat. Sb. (N.S.) **88(130)** (1971), 31–37. MR0299606
- [Isk71b] V. A. Iskovskih, *A counterexample to the Hasse principle for systems of two quadratic forms in five variables* (Russian), Mat. Zametki **10** (1971), 253–257. MR0286743
- [Isk96] V. A. Iskovskih, *Factorization of birational mappings of rational surfaces from the point of view of Mori theory* (Russian), Uspekhi Mat. Nauk **51** (1996), no. 4(310), 3–72; English transl., Russian Math. Surveys **51** (1996), no. 4, 585–652. MR1422227
- [IT91] V. A. Iskovskih and S. L. Tregub, *Birational automorphisms of rational surfaces* (Russian), Izv. Akad. Nauk SSSR Ser. Mat. **55** (1991), no. 2, 254–281; English transl., Math. USSR-Izv. **38** (1992), no. 2, 251–275. MR1133298
- [Izh04] Oleg T. Izhboldin, Bruno Kahn, Nikita A. Karpenko, and Alexander Vishik, *Geometric methods in the algebraic theory of quadratic forms*, Lecture Notes in Mathematics, vol. 1835, Springer-Verlag, Berlin, 2004. Edited by Jean-Pierre Tignol. MR2069219
- [Jac75] Nathan Jacobson, *Lectures in abstract algebra. III. Theory of fields and Galois theory*, Graduate Texts in Mathematics, vol. 32, Springer-Verlag, New York-Heidelberg, 1975. Second corrected printing. MR0392906
- [JM14] Urban Jezernik and Primož Moravec, *Bogomolov multipliers of groups of order 128*, Exp. Math. **23** (2014), no. 2, 174–180. MR3223772
- [JM15] Urban Jezernik and Primož Moravec, *Universal commutator relations, Bogomolov multipliers, and commuting probability*, J. Algebra **428** (2015), 1–25. MR3314282
- [Kah08] Bruno Kahn, *Formes quadratiques sur un corps* (French), Cours Spécialisés [Specialized Courses], vol. 15, Société Mathématique de France, Paris, 2008. MR2568030
- [Kan06] Ming-Chang Kang, *Noether’s problem for metacyclic  $p$ -groups*, Adv. Math. **203** (2006), no. 2, 554–567. MR2227733
- [Kan09] Ming-chang Kang, *Retract rationality and Noether’s problem*, Int. Math. Res. Not. IMRN **15** (2009), 2760–2788. MR2525840
- [KK14] Ming-chang Kang and Boris Kunyavskii, *The Bogomolov multiplier of rigid finite groups*, Arch. Math. (Basel) **102** (2014), no. 3, 209–218. MR3181710
- [KO17] I. Krylov and T. Okada. *Stable rationality of del Pezzo fibrations of low degree over projective spaces*, arXiv:1701.08372, 2017.

- [Kol96] János Kollár, *Rational curves on algebraic varieties*, Ergebnisse der Mathematik und ihrer Grenzgebiete. 3. Folge. A Series of Modern Surveys in Mathematics [Results in Mathematics and Related Areas. 3rd Series. A Series of Modern Surveys in Mathematics], vol. 32, Springer-Verlag, Berlin, 1996. MR1440180
- [Kol16a] J. Kollár. *Severi–Brauer varieties; a geometric treatment*, arXiv:1606.04368, 2016.
- [Kol16b] J. Kollár. *Symmetric powers of Severi–Brauer varieties*, arXiv:1603.02104, 2016.
- [Kor15] Yitzhak Kornbluth, *Noether’s problem for the five unsolved groups of order 64: a quadric model*, ProQuest LLC, Ann Arbor, MI, 2015. Thesis (Ph.D.)—New York University. MR3419255
- [KP09] Ming-Chang Kang and Bernat Plans, *Reduction theorems for Noether’s problem*, Proc. Amer. Math. Soc. **137** (2009), no. 6, 1867–1874. MR2480265
- [Kra01] Daniel Reuben Krashen, *Birational isomorphisms between Severi–Brauer varieties*, ProQuest LLC, Ann Arbor, MI, 2001. Thesis (Ph.D.)—The University of Texas at Austin. MR2702739
- [KS04] Daniel Krashen and David J. Saltman, *Severi–Brauer varieties and symmetric powers*, Algebraic transformation groups and algebraic varieties, Encyclopaedia Math. Sci., vol. 132, Springer, Berlin, 2004, pp. 59–70. MR2090670
- [KT11] Andrew Kresch and Yuri Tschinkel, *Effectivity of Brauer–Manin obstructions on surfaces*, Adv. Math. **226** (2011), no. 5, 4131–4144. MR2770443
- [KT17a] M. Kontsevich and Yu. Tschinkel. *Specialization of birational types*, arXiv:1708.05699, 2017.
- [KT17b] A. Kresch and Yu. Tschinkel. *Stable rationality of Brauer–Severi surface bundles*, arXiv:1709.10151, 2017.
- [Kun07] B. Konyavskii. *Algebraic tori — thirty years after* Algebra and number theory (Samara State Univ., May 2007), arXiv:0712.4061 [math.AG]
- [Kun10] Boris Konyavskii, *The Bogomolov multiplier of finite simple groups*, Cohomological and geometric approaches to rationality problems, Progr. Math., vol. 282, Birkhäuser Boston, Inc., Boston, MA, 2010, pp. 209–217. MR2605170
- [KW14] Ming-chang Kang and Baoshan Wang, *Rational invariants for subgroups of  $S_5$  and  $S_7$* , J. Algebra **413** (2014), 345–363. MR3216611
- [KWZ15] Ming-chang Kang, Baoshan Wang, and Jian Zhou, *Invariants of wreath products and subgroups of  $S_6$* , Kyoto J. Math. **55** (2015), no. 2, 257–279. MR3356073
- [KZ12] Ming-Chang Kang and Jian Zhou, *Noether’s problem for  $\bar{S}_4$  and  $\bar{S}_5$* , Pacific J. Math. **258** (2012), no. 2, 349–368. MR2981958
- [KZ17] Huah Chu and Shang Huang, *Noether’s problem on semidirect product groups*, J. Algebra **491** (2017), 314–342. MR3699099
- [Lam05] T. Y. Lam, *Introduction to quadratic forms over fields*, Graduate Studies in Mathematics, vol. 67, American Mathematical Society, Providence, RI, 2005. MR2104929
- [Lan52] Serge Lang, *On quasi algebraic closure*, Ann. of Math. (2) **55** (1952), 373–390. MR0046388
- [Lan56] Serge Lang, *Algebraic groups over finite fields*, Amer. J. Math. **78** (1956), 555–563. MR0086367
- [Lan64] Serge Lang, *Algebraic numbers*, Addison-Wesley Publishing Co., Inc., Reading, Mass.-Palo Alto-London, 1964. MR0160763
- [Len74] H. W. Lenstra Jr., *Rational functions invariant under a finite abelian group*, Invent. Math. **25** (1974), 299–325. MR0347788
- [Lie08] Max Lieblich, *Twisted sheaves and the period-index problem*, Compos. Math. **144** (2008), no. 1, 1–31. MR2388554
- [Lie17] Christian Liedtke, *Morphisms to Brauer–Severi varieties, with applications to del Pezzo surfaces*, Geometry over nonclosed fields, Simons Symp., Springer, Cham, 2017, pp. 157–196. MR3644253
- [Lin40] Carl-Erik Lind, *Untersuchungen über die rationalen Punkte der ebenen kubischen Kurven vom Geschlecht Eins* (German), Thesis, University of Uppsala, 1940. MR0022563
- [Mae89] Takashi Maeda, *Noether’s problem for  $A_5$* , J. Algebra **125** (1989), no. 2, 418–430. MR1018955

- [Man71] Y. I. Manin, *Le groupe de Brauer-Grothendieck en géométrie diophantienne*, Actes du Congrès International des Mathématiciens (Nice, 1970), Gauthier-Villars, Paris, 1971, pp. 401–411. MR0427322
- [Man86] Yu. I. Manin, *Cubic forms. Algebra, geometry, arithmetic*, 2nd ed., North-Holland Mathematical Library, vol. 4, North-Holland Publishing Co., Amsterdam, 1986. MR833513
- [MH73] John Milnor and Dale Husemoller, *Symmetric bilinear forms*, Ergebnisse der Mathematik und ihrer Grenzgebiete, Band 73, Springer-Verlag, New York-Heidelberg, 1973. MR0506372
- [Mic14] Ivo M. Michailov, *Noether's problem for abelian extensions of cyclic  $p$ -groups*, Pacific J. Math. **270** (2014), no. 1, 167–189. MR3245853
- [Mil80] James S. Milne, *Étale cohomology*, Princeton Mathematical Series, vol. 33, Princeton University Press, Princeton, N.J., 1980. MR559531
- [Mor12a] Primož Moravec, *Groups of order  $p^5$  and their unramified Brauer groups*, J. Algebra **372** (2012), 420–427. MR2990018
- [Mor12b] Primož Moravec, *Unramified Brauer groups of finite and infinite groups*, Amer. J. Math. **134** (2012), no. 6, 1679–1704. MR2999292
- [Mor14] Primož Moravec, *Unramified Brauer groups and isoclinism*, Ars Math. Contemp. **7** (2014), no. 2, 337–340. MR3240441
- [MP05] Yuri Ivanovic Manin and Alexei A. Panchishkin, *Introduction to modern number theory. Fundamental problems, ideas and theories*, 2nd ed., Encyclopaedia of Mathematical Sciences, vol. 49, Springer-Verlag, Berlin, 2005. Translated from the Russian. MR2153714
- [MS82] A. S. Merkur'ev and A. A. Suslin,  *$K$ -cohomology of Severi-Brauer varieties and the norm residue homomorphism* (Russian), Izv. Akad. Nauk SSSR Ser. Mat. **46** (1982), no. 5, 1011–1046, 1135–1136. MR675529
- [NS17] J. Nicaise and E. Shinder, *The motivic nearby fiber and degeneration of stable rationality*, arXiv:1708.02790, 2017.
- [Oka16a] T. Okada, *Stable rationality of cyclic covers of projective spaces*, arXiv:1604.08417, 2016.
- [Oka16b] T. Okada, *Stable rationality of orbifold fano threefold hypersurfaces*, arXiv:1608.01186, 2016.
- [Oka17a] T. Okada, *Smooth weighted hypersurfaces that are not stably rational*, arXiv:1709.07748, 2017.
- [Oka17b] T. Okada, *Stable rationality of index one Fano hypersurfaces containing a linear space*, arXiv:1709.07757, 2017.
- [OVV07] D. Orlov, A. Vishik, and V. Voevodsky, *An exact sequence for  $K_*^M/2$  with applications to quadratic forms*, Ann. of Math. (2) **165** (2007), no. 1, 1–13. MR2276765
- [Pey93] Emmanuel Peyre, *Unramified cohomology and rationality problems*, Math. Ann. **296** (1993), no. 2, 247–268. MR1219902
- [Pey08] Emmanuel Peyre, *Unramified cohomology of degree 3 and Noether's problem*, Invent. Math. **171** (2008), no. 1, 191–225. MR2358059
- [Pir16] A. Pirutka, *Varieties that are not stably rational, zero-cycles and unramified cohomology*, arXiv:1603.09261, 2016.
- [Pla09] Bernat Plans, *On Noether's problem for central extensions of symmetric and alternating groups*, J. Algebra **321** (2009), no. 12, 3704–3713. MR2517810
- [Pla17] Bernat Plans, *On Noether's rationality problem for cyclic groups over  $\mathbb{Q}$* , Proc. Amer. Math. Soc. **145** (2017), no. 6, 2407–2409. MR3626499
- [Poo10] Bjorn Poonen, *Insufficiency of the Brauer-Manin obstruction applied to étale covers*, Ann. of Math. (2) **171** (2010), no. 3, 2157–2169. MR2680407
- [Poo17] B. Poonen, *Rational points on varieties*, Graduate Studies in Mathematics, vol. 186, American Mathematical Society, Providence, RI, 2017.
- [Pro10] Yuri G. Prokhorov, *Fields of invariants of finite linear groups*, Cohomological and geometric approaches to rationality problems, Progr. Math., vol. 282, Birkhäuser Boston, Inc., Boston, MA, 2010, pp. 245–273. MR2605172
- [Pro15] Yuri Prokhorov, *On stable conjugacy of finite subgroups of the plane Cremona group, II*, Michigan Math. J. **64** (2015), no. 2, 293–318. MR3359027

- [PS16] V. Przyjalkowski and A. Shramov, *Double quadrics with large automorphism groups* (Russian), Tr. Mat. Inst. Steklova **294** (2016), no. Sovremennye Problemy Matematiki, Mekhaniki i Matematicheskoi Fiziki. II, 167–190. MR3628499
- [Rei42] Hans Reichardt, *Einige im Kleinen überall lösbare, im Grossen unlösbare diophantische Gleichungen* (German), J. Reine Angew. Math. **184** (1942), 12–18. MR0009381
- [Roq63] Peter Roquette, *On the Galois cohomology of the projective linear group and its applications to the construction of generic splitting fields of algebras*, Math. Ann. **150** (1963), 411–439. MR0154888
- [Roq64] Peter Roquette, *Isomorphisms of generic splitting fields of simple algebras*, J. Reine Angew. Math. **214/215** (1964), 207–226. MR0166215
- [Ros96] Markus Rost, *Chow groups with coefficients*, Doc. Math. **1** (1996), no. 16, 319–393. MR1418952
- [Sal84] David J. Saltman, *Noether’s problem over an algebraically closed field*, Invent. Math. **77** (1984), no. 1, 71–84. MR751131
- [San81] J.-J. Sansuc, *Groupe de Brauer et arithmétique des groupes algébriques linéaires sur un corps de nombres* (French), J. Reine Angew. Math. **327** (1981), 12–80. MR631309
- [SB89] N. I. Shepherd-Barron, *Invariant theory for  $S_5$  and the rationality of  $M_6$* , Compositio Math. **70** (1989), no. 1, 13–25. MR993171
- [SB04] Nicholas I. Shepherd-Barron, *Stably rational irrational varieties*, The Fano Conference, Univ. Torino, Turin, 2004, pp. 693–700. MR2112599
- [Sch17a] S. Schreieder. *On the rationality problem for quadric bundles*, arXiv:1706.01356, 2017.
- [Sch17b] S. Schreieder. *Quadric surface bundles over surfaces and stable rationality*, arXiv:1706.01358, 2017.
- [SdJ10] Jason Starr and Johan de Jong, *Almost proper GIT-stacks and discriminant avoidance*, Doc. Math. **15** (2010), 957–972. MR2745688
- [Sel51] Ernst S. Selmer, *The Diophantine equation  $ax^3 + by^3 + cz^3 = 0$* , Acta Math. **85** (1951), 203–362. MR0041871
- [Ser65] Jean-Pierre Serre, *Cohomologie galoisienne* (French), 3rd ed., Lecture Notes in Mathematics, vol. 5, Springer-Verlag, Berlin-New York, 1965. With a contribution by Jean-Louis Verdier. MR0201444
- [Ser70] Jean-Pierre Serre, *Cours d’arithmétique* (French), Collection SUP: “Le Mathématicien”, vol. 2, Presses Universitaires de France, Paris, 1970. MR0255476
- [Ser79] Jean-Pierre Serre, *Local fields*, Graduate Texts in Mathematics, vol. 67, Springer-Verlag, New York-Berlin, 1979. Translated from the French by Marvin Jay Greenberg. MR554237
- [SGA71] *Revêtements étales et groupe fondamental (SGA 1)* (French), Documents Mathématiques (Paris) [Mathematical Documents (Paris)], vol. 3, Société Mathématique de France, Paris, 2003. Séminaire de géométrie algébrique du Bois Marie 1960–61. [Algebraic Geometry Seminar of Bois Marie 1960–61]; Directed by A. Grothendieck; With two papers by M. Raynaud; Updated and annotated reprint of the 1971 original [Lecture Notes in Math., 224, Springer, Berlin; MR0354651 (50 #7129)]. MR2017446
- [Sha90] I. R. Shafarevich, *The Lüroth problem* (Russian), Trudy Mat. Inst. Steklov. **183** (1990), 199–204, 229. Translated in Proc. Steklov Inst. Math. **1991**, no. 4, 241–246; Galois theory, rings, algebraic groups and their applications (Russian). MR1092032
- [Shi17] Evgeny Shinder, *The Bogomolov-Prokhorov invariant of surfaces as equivariant cohomology*, Bull. Korean Math. Soc. **54** (2017), no. 5, 1725–1741. MR3708807
- [Sko99] Alexei N. Skorobogatov, *Beyond the Manin obstruction*, Invent. Math. **135** (1999), no. 2, 399–424. MR1666779
- [Sko01] Alexei Skorobogatov, *Torsors and rational points*, Cambridge Tracts in Mathematics, vol. 144, Cambridge University Press, Cambridge, 2001. MR1845760
- [Sko09] Alexei Skorobogatov, *Descent obstruction is equivalent to étale Brauer-Manin obstruction*, Math. Ann. **344** (2009), no. 3, 501–510. MR2501300
- [Sme17] Arne Smeets, *Insufficiency of the étale Brauer-Manin obstruction: towards a simply connected example*, Amer. J. Math. **139** (2017), no. 2, 417–431. MR3636635

- [SS91] P. Salberger and A. N. Skorobogatov, *Weak approximation for surfaces defined by two quadratic forms*, *Duke Math. J.* **63** (1991), no. 2, 517–536. MR1115119
- [Sta09] Jason Michael Starr, *Arithmetic over function fields*, *Arithmetic geometry*, *Clay Math. Proc.*, vol. 8, Amer. Math. Soc., Providence, RI, 2009, pp. 375–418. MR2498066
- [Ste77] Robert Steinberg, *On theorems of Lie-Kolchin, Borel, and Lang*, *Contributions to algebra* (collection of papers dedicated to Ellis Kolchin), Academic Press, New York, 1977, pp. 349–354. MR0466336
- [Ste84] Philippe A. J. Steiner, *Groupe de Brauer des corps de fractions rationnelles à coefficients complexes* (French), *Enseign. Math. (2)* **30** (1984), no. 1-2, 115–140. MR743673
- [STVA14] Cecilia Salgado, Damiano Testa, and Anthony Várilly-Alvarado, *On the unirationality of del Pezzo surfaces of degree 2*, *J. Lond. Math. Soc. (2)* **90** (2014), no. 1, 121–139. MR3245139
- [Swa69] Richard G. Swan, *Invariant rational functions and a problem of Steenrod*, *Invent. Math.* **7** (1969), 148–158. MR0244215
- [SX17] Jason Michael Starr, *Rational points of rationally simply connected varieties* (English, with English and French summaries), *Variétés rationnellement connexes: aspects géométriques et arithmétiques*, *Panor. Synthèses*, vol. 31, Soc. Math. France, Paris, 2010, pp. 155–221. MR2931862
- [Tab15] Gonçalo Tabuada, *Weil restriction of noncommutative motives*, *J. Algebra* **430** (2015), 119–152. MR3323978
- [Tig87] Jean-Pierre Tignol, *On the corestriction of central simple algebras*, *Math. Z.* **194** (1987), no. 2, 267–274. MR876236
- [Tot16] Burt Totaro, *Hypersurfaces that are not stably rational*, *J. Amer. Math. Soc.* **29** (2016), no. 3, 883–891. MR3486175
- [Tre91] S. L. Tregub, *Birational equivalence of Brauer-Severi manifolds* (Russian), *Uspekhi Mat. Nauk* **46** (1991), no. 6(282), 217–218; English transl., *Russian Math. Surveys* **46** (1991), no. 6, 229. MR1164209
- [Tre14] Andrey S. Trepalin, *Rationality of the quotient of  $\mathbb{P}^2$  by finite group of automorphisms over arbitrary field of characteristic zero*, *Cent. Eur. J. Math.* **12** (2014), no. 2, 229–239. MR3130680
- [Vis05] Angelo Vistoli, *Grothendieck topologies, fibered categories and descent theory*, *Fundamental algebraic geometry*, *Math. Surveys Monogr.*, vol. 123, Amer. Math. Soc., Providence, RI, 2005, pp. 1–104. MR2223406
- [Voe03] Vladimir Voevodsky, *Motivic cohomology with  $\mathbf{Z}/2$ -coefficients*, *Publ. Math. Inst. Hautes Études Sci.* **98** (2003), 59–104. MR2031199
- [Voi15] Claire Voisin, *Unirational threefolds with no universal codimension 2 cycle*, *Invent. Math.* **201** (2015), no. 1, 207–237. MR3359052
- [Vos67] V. E. Voskresenskii, *On two-dimensional algebraic tori. II* (Russian), *Izv. Akad. Nauk SSSR Ser. Mat.* **31** (1967), 711–716. MR0214597
- [Vos98] V. E. Voskresenskii, *Algebraic groups and their birational invariants*, *Translations of Mathematical Monographs*, vol. 179, American Mathematical Society, Providence, RI, 1998. Translated from the Russian manuscript by Boris Kunyavski [Boris È. Kunyavskii]. MR1634406
- [Wei89] F. W. Weinstein. *On birational automorphisms of Severi–Brauer surfaces*. Prepr. Rep. Math. Univ. Stockholm, 1989.
- [Wit16] O. Wittenberg. *Rational points and zero-cycles on rationally connected varieties over number fields*, arXiv:1604.08543, 2016.
- [Zag77] A. A. Zagorskii, *Three-dimensional conic bundles* (Russian), *Mat. Zametki* **21** (1977), no. 6, 745–758. MR0463181
- [Zar74] Ju. G. Zarhin, *Noncommutative cohomology and Mumford groups* (Russian), *Mat. Zametki* **15** (1974), 415–419. MR0354612
- [Zho15] Jian Zhou, *Rationality for subgroups of  $S_6$* , *Comm. Algebra* **43** (2015), no. 7, 2724–2738. MR3354057



# Index

- Acyclic resolution, 11
- Adjoint functors, 12, 15, 98, 112
- Algebraic torus, 115
  - of dimension one, 117
  - of dimension two, 136
  - rationality, 116, 136
- Amitsur's conjecture, 62
- Archimedean valuation, 139
- Artin–Mumford example, 101
- Artin–Schreier theory, 37
- Azumaya algebra, 75, 164
  
- Brauer group, *see also* Unramified Brauer group
  - cohomological definition, 48
  - of a complete discrete valuation field, 71
  - of a field, 48
  - of a field of type  $C_1$ , 56
  - of a finite field, 57
  - of a non-archimedean local field, 72
  - of a scheme, 75
  - of  $\mathbb{R}$ , 51
- Brauer–Manin obstruction, 148, 149, 154
  
- Category fibered over fields, 19
- Central simple algebra, 47
- Châtelet surface, 121
- Chevalley–Warning theorem, 57
- Clifford invariant, 95
  - geometric meaning, 97
  - unramified, 98
- Coboundary map, 7
- Cohomology, *see also* Étale cohomology,
  - $l$ -adic cohomology
  - corestriction, 16
  - direct image, 14
  - $H^1$ , 5, 18, 26, 29, 35, 36, 40, 161
  - $H^2$ , 5
  - inflation, 16
  - inverse image, 11
  - of a cyclic group, 6
  - of a finite group, 16
  - of a group, 3
  - of a profinite group, 34
  - of an abelian sheaf, 160
  - of an inverse limit, 41
  - restriction, 15
  - with coefficients in  $\mathbb{Q}/\mathbb{Z}$ , 17
  - with coefficients in a stably permutation module, 18, 36
  - with non-abelian coefficients, 8, 161
- Coinduction, 12
- Complete discrete valuation field, 65
- Crossed homomorphism, 5
- Cyclic algebra, 52
  
- Descent, 21
  - for a universal torsor, 119
  - for projective varieties, 25
  - for quasi-projective varieties, 24
  - for vector spaces, 23
- Descent data, 20, 161
- Dihedral
  - group, 122
  - pair, 122, 128
- Direct limit, 33
- Direct system, 33
- Discrete module, 33
- Discrete valuation, 65
- Discriminant (of a quadric), 93
- Discriminant
  - geometric meaning, 96
- Division algebra, 47
- Divisorial valuation, 73
- Dual Galois module (of an algebraic torus), 117
- Dual torus (of a Galois module), 117
  
- Endo–Miyata theorem, 125
- Esnault's theorem, 57
- Étale
  - covering, 159
  - cohomology, 76, 159
  - morphism, 159
  - sheaf, 159
  - topology, 159
- Extension of a discrete valuation, 68

- Faddeev's theorem, 75
- Fibered category, *see also* Category fibered over fields
- Field of type  $C_1$ , 56, 68
- Form (of an object), 21, 26, 30, 36
  
- Galois cohomology, 19
- Geometrical irreducibility, 59
- Global field, 140
- Global pairing, 147
- Group extension, 5
  
- Hasse norm theorem, 145
- Hasse principle, 145
  - failure, 149, 154, 157
- Hensel's lemma, 65
- Hilbert symbol, 69
- Hilbert's Theorem 90, 27
  
- Index (of an element in a Brauer group), 55
- Inverse limit, 31
- Inverse system, 31
- Iskovskih's theorem, 124
  
- $K_2$ , *see also* Milnor K-group
- Kummer exact sequence, 37, 162
- Kummer theory, 36
  
- $l$ -adic cohomology, 161
- $L$ -form, *see also* form (of an object)
- Lang's theorem, 68
- Local field, 72, 140
- Local pairing, 147, 152
  
- Merkurjev–Suslin theorem, 53
- Milnor K-group, 53
- Minkowski–Hasse theorem, 140
- Model, 78
  
- Néron–Severi torus, 119
- Non-archimedean
  - local field, 72
  - valuation, 139
- Non-rationality, 87, 105, 124, 127
- Norm map
  - for algebraic tori, 116
  - for modules, 6
- Norm residue symbol, 53
  
- Opposite algebra, 47
- Ordinary double point, 101
- Ostrowski's theorem, 140
  
- Permutation module, 17, 36
- Permutation torus, 118
- Pfister quadric, 93
- Picard group as a stably permutation module, 39, 120, 125
- Principal homogeneous space, *see also* torsor
- Profinite
  - completion, 31
  - Galois theory, 32
  - group, 31
  - Projective model, 78
  - Pull-back, 11
  
- Quadric, 93
- Quaternion algebra, 51
  
- Ramification index (of a field extension), 66
- Rationality, *see also* Non-rationality
- Reduced norm, 56, 81
- Relatively minimal conic bundle, 124
- Residue, 69
  - geometric meaning, 78
  - triviality for almost all divisors, 77
  
- Semilinear action, 22
- Severi–Brauer variety, 30, 58, 80
  - class in a Brauer group, 59
  - morphisms, 62
  - triviality, 59
- Shapiro's lemma, 13
- Smooth model, 78
- Split algebraic torus, 115
- Stable non-rationality, 87, 105
- Stable rationality, 75, 127
- Stably birational varieties, 75
- Stably permutation module, 18, 36, 39
- Stably permutation torus, 118
- Stack, 162
- Standard complex, 4, 160
- Steinberg relation, 53
- Symbol (in a K-group), 53
  
- Torsor, 40
- Torus, *see also* Algebraic torus
- Totally ramified field extension, 66
- Tsen's theorem, 57
- Twist by a 1-cocycle, 27
  
- Uniformizer, 65
- Unirationality, 87, 106, 108
- Universal torsor, 119, 120, 125
- Unramified Brauer group
  - as a stable birational invariant, 73, 88, 103, 164
  - of a field, 73
  - of a variety, 76
  - ordinary double points, 102
  - under a purely transcendental extension, 73
  - via étale cohomology, 76, 101, 164
- Unramified field extension, 66
  
- Valuation, 139
- Valuation ideal, 65
- Valuation ring, 65
- Voskresenskii's theorem, 136



- Weak approximation theorem, 140
- Wedderburn's theorem, 47
- Weil restriction, 111
  - of affine varieties, 113
  - of projective varieties, 114
  - of rational varieties, 114



## Selected Published Titles in This Series

- 246 **Sergey Gorchinskiy and Constantin Shramov**, Unramified Brauer Group and Its Applications, 2018
- 245 **Takeshi Saito**, Fermat's Last Theorem, 2014
- 244 **Atsushi Moriwaki**, Arakelov Geometry, 2014
- 243 **Takeshi Saito**, Fermat's Last Theorem, 2013
- 242 **Nobushige Kurokawa, Masato Kurihara, and Takeshi Saito**, Number Theory 3, 2012
- 241 **O. A. Logachev, A. A. Salnikov, and V. V. Yashchenko**, Boolean Functions in Coding Theory and Cryptography, 2012
- 240 **Kazuya Kato, Nobushige Kurokawa, and Takeshi Saito**, Number Theory 2, 2011
- 239 **I. Ya. Novikov, V. Yu. Protasov, and M. A. Skopina**, Wavelet Theory, 2011
- 238 **Leonid L. Vaksman**, Quantum Bounded Symmetric Domains, 2010
- 237 **Hitoshi Moriyoshi and Toshikazu Natsume**, Operator Algebras and Geometry, 2008
- 236 **Anatoly A. Goldberg and Iossif V. Ostrovskii**, Value Distribution of Meromorphic Functions, 2008
- 235 **Mikio Furuta**, Index Theorem. 1, 2007
- 234 **G. A. Chechkin, A. L. Piatnitski, and A. S. Shamaev**, Homogenization, 2007
- 233 **A. Ya. Helemskii**, Lectures and Exercises on Functional Analysis, 2006
- 232 **O. N. Vasilenko**, Number-Theoretic Algorithms in Cryptography, 2007
- 231 **Kiyosi Itô**, Essentials of Stochastic Processes, 2006
- 230 **Akira Kono and Dai Tamaki**, Generalized Cohomology, 2006
- 229 **Yu. N. Lin'kov**, Lectures in Mathematical Statistics, 2005
- 228 **D. Zhelobenko**, Principal Structures and Methods of Representation Theory, 2006
- 227 **Takahiro Kawai and Yoshitsugu Takei**, Algebraic Analysis of Singular Perturbation Theory, 2005
- 226 **V. M. Manuilov and E. V. Troitsky**, Hilbert  $C^*$ -Modules, 2005
- 225 **S. M. Natanzon**, Moduli of Riemann Surfaces, Real Algebraic Curves, and Their Superanalogs, 2004
- 224 **Ichiro Shigekawa**, Stochastic Analysis, 2004
- 223 **Masatoshi Noumi**, Painlevé Equations through Symmetry, 2004
- 222 **G. G. Magaril-Il'yaev and V. M. Tikhomirov**, Convex Analysis: Theory and Applications, 2003
- 221 **Katsuei Kenmotsu**, Surfaces with Constant Mean Curvature, 2003
- 220 **I. M. Gelfand, S. G. Gindikin, and M. I. Graev**, Selected Topics in Integral Geometry, 2003
- 219 **S. V. Kerov**, Asymptotic Representation Theory of the Symmetric Group and its Applications in Analysis, 2003
- 218 **Kenji Ueno**, Algebraic Geometry 3, 2003
- 217 **Masaki Kashiwara**,  $D$ -modules and Microlocal Calculus, 2003
- 216 **G. V. Badalyan**, Quasipower Series and Quasianalytic Classes of Functions, 2002
- 215 **Tatsuo Kimura**, Introduction to Prehomogeneous Vector Spaces, 2002
- 214 **L. Š. Grinblat**, Algebras of Sets and Combinatorics, 2002
- 213 **V. N. Sachkov and V. E. Tarakanov**, Combinatorics of Nonnegative Matrices, 2002
- 212 **A. V. Mel'nikov, S. N. Volkov, and M. L. Nechaev**, Mathematics of Financial Obligations, 2002
- 211 **Takeo Ohsawa**, Analysis of Several Complex Variables, 2002

For a complete list of titles in this series, visit the  
AMS Bookstore at [www.ams.org/bookstore/mmonoseries/](http://www.ams.org/bookstore/mmonoseries/).

This book is devoted to arithmetic geometry with special attention given to the unramified Brauer group of algebraic varieties and its most striking applications in birational and Diophantine geometry. The topics include Galois cohomology, Brauer groups, obstructions to stable rationality, Weil restriction of scalars, algebraic tori, the Hasse principle, Brauer-Manin obstruction, and étale cohomology. The book contains a detailed presentation of an example of a stably rational but not rational variety, which is presented as series of exercises with detailed hints. This approach is aimed to help the reader understand crucial ideas without being lost in technical details. The reader will end up with a good working knowledge of the Brauer group and its important geometric applications, including the construction of unirational but not stably rational algebraic varieties, a subject which has become fashionable again in connection with the recent breakthroughs by a number of mathematicians.



For additional information  
and updates on this book, visit

[www.ams.org/bookpages/mmono-246](http://www.ams.org/bookpages/mmono-246)

ISBN 978-1-4704-4072-5



9 781470 440725

MMONO/246

