





Mathematics Advanced Study Semesters

An Introduction to Ramsey Theory

STUDENT MATHEMATICAL LIBRARY Volume 87

An Introduction to Ramsey Theory

Fast Functions, Infinity, and Metamathematics

Matthew Katz Jan Reimann





Study Semesters

Editorial Board

Satyan L. Devadoss Rosa Orellana John Stillwell (Chair) Serge Tabachnikov

2010 Mathematics Subject Classification. Primary 05D10, 03-01, 03E10, 03B10, 03B25, 03D20, 03H15.

Jan Reimann was partially supported by NSF Grant DMS-1201263.

For additional information and updates on this book, visit www.ams.org/bookpages/stml-87

Library of Congress Cataloging-in-Publication Data

Names: Katz, Matthew, 1986– author. | Reimann, Jan, 1971– author. | Pennsylvania State University. Mathematics Advanced Study Semesters.

Title: An introduction to Ramsey theory: Fast functions, infinity, and metamathematics / Matthew Katz, Jan Reimann.

Description: Providence, Rhode Island: American Mathematical Society, [2018] | Series: Student mathematical library; 87 | "Mathematics Advanced Study Semesters." | Includes bibliographical references and index.

Identifiers: LCCN 2018024651 | ISBN 9781470442903 (alk. paper)

Subjects: LCSH: Ramsey theory. | Combinatorial analysis. | AMS: Combinatorics – Extremal combinatorics – Ramsey theory. msc | Mathematical logic and foundations – Instructional exposition (textbooks, tutorial papers, etc.). msc | Mathematical logic and foundations – Set theory – Ordinal and cardinal numbers. msc | Mathematical logic and foundations – General logic – Classical first-order logic. msc | Mathematical logic and foundations – General logic – Decidability of theories and sets of sentences. msc | Mathematical logic and foundations – General logic – Decidability of theories and sets of sentences. msc | Mathematical logic and relations, subrecursive hierarchies. msc | Mathematical logic and foundations – Nonstandard models of arithmetic. msc Classification: LCC QA165_K38_2018 | DDC 511/.66-dc23 LC record available at https://lccn.loc.gov/2018024651

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy select pages for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for permission to reuse portions of AMS publication content are handled by the Copyright Clearance Center. For more information, please visit www.ams.org/ publications/pubpermissions.

Send requests for translation rights and licensed reprints to ${\tt reprint-permission}$ <code>@ams.org</code>.

©2018 by the authors. All rights reserved. Printed in the United States of America.

 \otimes The paper used in this book is acid-free and falls within the guidelines established to ensure permanence and durability.

Visit the AMS home page at https://www.ams.org/

 $10 \ 9 \ 8 \ 7 \ 6 \ 5 \ 4 \ 3 \ 2 \ 1 \qquad 23 \ 22 \ 21 \ 20 \ 19 \ 18$

Contents

Foreword: MASS at Penn State University	
Preface	ix
Chapter 1. Graph Ramsey theory	1
§1.1. The basic setting	1
§1.2. The basics of graph theory	4
§1.3. Ramsey's theorem for graphs	14
§1.4. Ramsey numbers and the probabilistic method	21
§1.5. Turán's theorem	31
§1.6. The finite Ramsey theorem	34
Chapter 2. Infinite Ramsey theory	41
§2.1. The infinite Ramsey theorem	41
§2.2. König's lemma and compactness	43
§2.3. Some topology	50
§2.4. Ordinals, well-orderings, and the axiom of choice	55
§2.5. Cardinality and cardinal numbers	64
§2.6. Ramsey theorems for uncountable cardinals	70
§2.7. Large cardinals and Ramsey cardinals	80

vi		Contents
Chapter	3. Growth of Ramsey functions	85
§3.1.	Van der Waerden's theorem	85
§3.2.	Growth of van der Waerden bounds	98
§3.3.	Hierarchies of growth	105
§3.4.	The Hales-Jewett theorem	113
§3.5.	A really fast-growing Ramsey function	123
Chapter	4. Metamathematics	129
§4.1.	Proof and truth	129
§4.2.	Non-standard models of Peano arithmetic	145
§4.3.	Ramsey theory in Peano arithmetic	152
§4.4.	Incompleteness	159
§4.5.	Indiscernibles	171
§4.6.	Diagonal indiscernibles via Ramsey theory	182
§4.7.	The Paris-Harrington theorem	188
§4.8.	More incompleteness	193
Bibliogra	aphy	199
Notation	L	203
Index		205

Foreword: MASS at Penn State University

This book is part of a collection published jointly by the American Mathematical Society and the MASS (Mathematics Advanced Study Semesters) program as a part of the Student Mathematical Library series. The books in the collection are based on lecture notes for advanced undergraduate topics courses taught at the MASS (Mathematics Advanced Study Semesters) program at Penn State. Each book presents a self-contained exposition of a non-standard mathematical topic, often related to current research areas, which is accessible to undergraduate students familiar with an equivalent of two years of standard college mathematics, and is suitable as a text for an upper division undergraduate course.

Started in 1996, MASS is a semester-long program for advanced undergraduate students from across the USA. The program's curriculum amounts to sixteen credit hours. It includes three core courses from the general areas of algebra/number theory, geometry/topology, and analysis/dynamical systems, custom designed every year; an interdisciplinary seminar; and a special colloquium. In addition, every participant completes three research projects, one for each core course. The participants are fully immersed into mathematics, and this, as well as intensive interaction among the students, usually leads to a dramatic increase in their mathematical enthusiasm and achievement. The program is unique for its kind in the United States.

Detailed information about the MASS program at Penn State can be found on the website www.math.psu.edu/mass.

Preface

If we split a set into two parts, will at least one of the parts behave like the whole? Certainly not in every aspect. But if we are interested only in the persistence of *certain small regular substructures*, the answer turns out to be "yes".

A famous example is the persistence of *arithmetic progressions*. The numbers 1, 2, ..., N form the most simple arithmetic progression imaginable: The next number differs from the previous one by exactly 1. But the numbers 4, 7, 10, 13, ... also form an arithmetic progression, where each number differs from its predecessor by 3.

So, if we split the set $\{1, \ldots, N\}$ into two parts, will one of them contain an arithmetic progression, say of length 7? Van der Waerden's theorem, one of the central results of Ramsey theory, tells us precisely that: For every k there exists a number N such that if we split the set $\{1, \ldots, N\}$ into two parts, one of the parts contains an arithmetic progression of length k.

Van der Waerden's theorem exhibits the two phenomena, the interplay of which is at the heart of Ramsey theory:

• **Principle 1:** If we split a large enough object with a certain regularity property (such as a set containing a long arithmetic progression) into two parts, one of the parts will also exhibit this property (to a certain degree).

• **Principle 2:** When proving Principle 1, "large enough" often means *very*, *very*, *very large*.

The largeness of the numbers encountered seems intrinsic to Ramsey theory and is one of its most peculiar and challenging features. Many great results in Ramsey theory are actually new proofs of known results, but the new proofs yield much better bounds on *how large* an object has to be in order for a Ramsey-type persistence under partitions to take place. Sometimes, "large enough" is even so large that the numbers become difficult to describe using axiomatic arithmetic so large that they venture into the realm of *metamathematics*.

One of the central issues of metamathematics is *provability*. Suppose we have a set of *axioms*, such as the group axioms or the axioms for a vector space. When you open a textbook on group theory or linear algebra, you will find results (theorems) that follow from these axioms by means of logical deduction. But how does one know whether a certain statement about groups is provable (or refutable) from the axioms at all? A famous instance of this problem is Euclid's fifth postulate (axiom), also known as the *parallel postulate*. For more than two thousand years, mathematicians tried to derive the parallel postulate from the first four postulates. In the 19th century it was finally discovered that the parallel postulate nor its negation is entailed by the first four postulates.

Toward the end of the 19th century, mathematicians became increasingly disturbed as more and more strange and paradoxical results appeared. There were different sizes of infinity, one-dimensional curves that completely fill two-dimensional regions, and subsets of the real number line that have no reasonable measure of length, or there was the paradox of a set containing all sets not containing themselves. It seemed increasingly important to lay a solid foundation for mathematics. David Hilbert was one of the foremost leaders of this movement. He suggested finding axiom systems from which all of mathematics could be formally derived and in which it would be impossible to derive any logical inconsistencies.

An important part of any such foundation would be axioms which describe the natural numbers and the basic operations we perform on them, addition and multiplication. In 1931, Kurt Gödel published his famous *incompleteness theorems*, which dealt a severe blow to Hilbert's program: For any reasonable, consistent axiomatization of arithmetic, there are independent statements—statements which can be neither proved nor refuted from the axioms.

The independent statements that Gödel's proof produces, however, are of a rather artificial nature. In 1977, Paris and Harrington found a result in Ramsey theory that is independent of arithmetic. In fact, their theorem is a seemingly small variation of the original Ramsey theorem. It is precisely the *very rapid growth of the Ramsey numbers* (recall Principle 2 above) associated with this variation of Ramsey's theorem that makes the theorem unprovable in Peano arithmetic.

But if the Paris-Harrington principle is unprovable in arithmetic, how do we convince ourselves that it is true? We have to pass from the finite to the *infinite*. Van der Waerden's theorem above is of a finitary nature: All sets, objects, and numbers involved are finite. However, basic Ramsey phenomena also manifest themselves when we look at infinite sets, graphs, and so on. Infinite Ramsey theorems in turn can be used (and, as the result by Paris and Harrington shows, sometimes have to be used) to deduce finite versions using the *compactness principle*, a special instance of topological compactness. If we are considering only the infinite as opposed to the finite, Principle 2 in many cases no longer applies.

• **Principle 1 (infinite version):** If we split an infinite object with a certain regularity property (such as a set containing arbitrarily long arithmetic progressions) into two parts, one infinite part will exhibit this property, too.

If we take into account, on the other hand, that there are different sizes of infinity, as reflected by Cantor's theory of ordinals and cardinals, Principle 2 reappears in a very interesting way. Moreover, as with the Paris-Harrington theorem, it leads to metamathematical issues, this time in *set theory*. It is the main goal of this book to introduce the reader to the interplay between Principles 1 and 2, from finite combinatorics to set theory to metamathematics. The book is structured as follows.

In Chapter 1, we prove Ramsey's theorem and study Ramsey numbers and how large they can be. We will make use of the probabilistic methods of Paul Erdős to give lower bounds for the Ramsey numbers and a result in extremal graph theory.

In Chapter 2, we prove an infinite version of Ramsey's theorem and describe how theorems about infinite sets can be used to prove theorems about finite sets via compactness arguments. We will use such a strategy to give a new proof of Ramsey's theorem. We also connect these arguments to topological compactness. We introduce ordinal and cardinal numbers and consider generalizations of Ramsey's theorem to uncountable cardinals.

Chapter 3 investigates other classical Ramsey-type problems and the large numbers involved. We will encounter fast-growing functions and make an analysis of these in the context of primitive recursive functions and the Grzegorczyk hierarchy. Shelah's elegant proof of the Hales-Jewett theorem, and a Ramsey-type theorem with truly explosive bounds due to Paris and Harrington, close out the chapter.

Chapter 4 deals with metamathematical aspects. We introduce basic concepts of mathematical logic such as proof and truth, and we discuss Gödel's completeness and incompleteness theorems. A large part of the chapter is dedicated to formulating and proving the Paris-Harrington theorem.

The results covered in this book are all cornerstones of Ramsey theory, but they represent only a small fraction of this fast-growing field. Many important results are only briefly mentioned or not addressed at all. The same applies to important developments such as ultrafilters, structural Ramsey theory, and the connection with dynamical systems. This is done in favor of providing a more complete narrative explaining and connecting the results.

The unsurpassed classic on Ramsey theory by Graham, Rothschild, and Spencer [24] covers a tremendous variety of results. For those especially interested in Ramsey theory on the integers, the book by Landman and Robertson [43] is a rich source. Other reading suggestions are given throughout the text.

The text should be accessible to anyone who has completed a first set of proof-based math courses, such as abstract algebra and analysis. In particular, no prior knowledge of mathematical logic is required. The material is therefore presented rather informally at times, especially in Chapters 2 and 4. The reader may wish to consult a textbook on logic, such as the books by Enderton [13] and Rautenberg [54], from time to time for more details.

This book grew out of a series of lecture notes for a course on Ramsey theory taught in the MASS program of the Pennsylvania State University. It was an intense and rewarding experience, and the authors hope this book conveys some of the spirit of that semester back in the fall of 2011.

It seems appropriate to close this introduction with a few words on the namesake of Ramsey theory. Frank Plumpton Ramsey (1903– 1930) was a British mathematician, economist, and philosopher. A prodigy in many fields, Ramsey went to study at Trinity College Cambridge when he was 17 as a student of economist John Maynard Keynes. There, philosopher Ludwig Wittgenstein also served as a mentor. Ramsey was largely responsible for Wittgenstein's *Tractatus Logico-Philosophicus* being translated into English, and the two became friends.

Ramsey was drawn to mathematical logic. In 1928, at the age of 25, Ramsey wrote a paper regarding consistency and decidability. His paper, *On a problem in formal logic*, primarily focused on solving certain problems of axiomatic systems, but in it can be found a theorem that would become one of the crown jewels of combinatorics.

Given any r, n, and μ we can find an m_0 such that, if $m \ge m_0$ and the r-combinations of any Γ_m are divided in any manner into μ mutually exclusive classes C_i ($i = 1, 2, ..., \mu$), then Γ_m must contain a sub-class Δ_n such that all the r-combinations of members of Δ_n belong to the same C_i . [53, Theorem B, p. 267] Ramsey died young, at the age of 26, of complications from surgery and sadly did not get to see the impact and legacy of his work.

Acknowledgment. The authors would like to thank Jennifer Chubb for help with the manuscript and for many suggestions on how to improve the book.

State College, Pennsylvania April 2018

Matthew Katz Jan Reimann

Bibliography

- W. Ackermann, Zum Hilbertschen Aufbau der reellen Zahlen (German), Math. Ann. 99 (1928), no. 1, 118–133, DOI 10.1007/BF01459088. MR1512441
- [2] N. Alon and J. H. Spencer, *The probabilistic method*, 4th ed., Wiley Series in Discrete Mathematics and Optimization, John Wiley & Sons, Inc., Hoboken, NJ, 2016. MR3524748
- [3] V. Angeltveit and B. D. McKay, $R(5,5) \le 48$, arXiv:1703.08768, 2017.
- [4] R. A. Brualdi, *Introductory combinatorics*, 5th ed., Pearson Prentice Hall, Upper Saddle River, NJ, 2010. MR2655770
- [5] P. L. Butzer, M. Jansen, and H. Zilles, Johann Peter Gustav Lejeune Dirichlet (1805-1859): Genealogie und Werdegang (German), Dürerner Geschichtsblätter 71 (1982), 31-56. MR690659
- [6] A. Church, A note on the Entscheidungsproblem., Journal of Symbolic Logic 1 (1936), 40–41.
- [7] A. Church, An unsolvable problem of elementary number theory, Amer. J. Math. 58 (1936), no. 2, 345–363, DOI 10.2307/2371045. MR1507159
- [8] P. J. Cohen, The independence of the continuum hypothesis, Proc. Nat. Acad. Sci. U.S.A. 50 (1963), 1143–1148. MR0157890
- [9] P. J. Cohen, The independence of the continuum hypothesis. II, Proc. Nat. Acad. Sci. U.S.A. 51 (1964), 105–110. MR0159745
- [10] D. Conlon, A new upper bound for diagonal Ramsey numbers, Ann. of Math. (2) 170 (2009), no. 2, 941–960, DOI 10.4007/annals.2009.170.941. MR2552114
- [11] R. Dedekind, Was sind und was sollen die Zahlen? (German), 8te unveränderte Aufl, Friedr. Vieweg & Sohn, Braunschweig, 1960. MR0106846
- [12] R. Diestel, Graph theory, 5th ed., Graduate Texts in Mathematics, vol. 173, Springer, Berlin, 2017. MR3644391
- [13] H. B. Enderton, A mathematical introduction to logic, 2nd ed., Harcourt/Academic Press, Burlington, MA, 2001. MR1801397
- P. ErdH øs, Some remarks on the theory of graphs, Bull. Amer. Math. Soc. 53 (1947), 292–294, DOI 10.1090/S0002-9904-1947-08785-1. MR0019911
- [15] P. Erdős and R. Rado, A problem on ordered sets, J. London Math. Soc. 28 (1953), 426–438, DOI 10.1112/jlms/s1-28.4.426. MR0058687

- [16] L. Euler, Solutio problematis ad geometriam situs pertinentis, Commentarii Academiae Scientiarum Imperialis Petropolitanae 8 (1736), 128–140.
- [17] H. Furstenberg, Ergodic behavior of diagonal measures and a theorem of Szemerédi on arithmetic progressions, J. Analyse Math. **31** (1977), 204–256, DOI 10.1007/BF02813304. MR0498471
- [18] C. F. Gauss, Disquisitiones arithmeticae, Springer-Verlag, New York, 1986. Translated and with a preface by Arthur A. Clarke; Revised by William C. Waterhouse, Cornelius Greither and A. W. Grootendorst and with a preface by Waterhouse. MR837656
- [19] K. Gödel, Über formal unentscheidbare Sätze der Principia Mathematica und verwandter Systeme I (German), Monatsh. Math. Phys. 38 (1931), no. 1, 173– 198, DOI 10.1007/BF01700692. MR1549910
- [20] K. Gödel, The Consistency of the Continuum Hypothesis, Annals of Mathematics Studies, no. 3, Princeton University Press, Princeton, NJ, 1940. MR0002514
- [21] G. Gonthier, A. Asperti, J. Avigad, et al., A machine-checked proof of the odd order theorem, Interactive theorem proving, Lecture Notes in Comput. Sci., vol. 7998, Springer, Heidelberg, 2013, pp. 163–179, DOI 10.1007/978-3-642-39634-2_14. MR3111271
- [22] W. T. Gowers, A new proof of Szemerédi's theorem, Geom. Funct. Anal. 11 (2001), no. 3, 465–588, DOI 10.1007/s00039-001-0332-9. MR1844079
- [23] R. L. Graham and B. L. Rothschild, Ramsey theory (1980), ix+174. Wiley-Interscience Series in Discrete Mathematics; A Wiley-Interscience Publication. MR591457
- [24] R. L. Graham, B. L. Rothschild, and J. H. Spencer, *Ramsey theory*, 2nd ed., Wiley-Interscience Series in Discrete Mathematics and Optimization, John Wiley & Sons, Inc., New York, 1990. A Wiley-Interscience Publication. MR1044995
- [25] R. L. Graham and J. H. Spencer, Ramsey theory, Scientific American 263 (1990), no. 1, 112–117.
- [26] B. Green and T. Tao, The primes contain arbitrarily long arithmetic progressions, Ann. of Math. (2) 167 (2008), no. 2, 481–547, DOI 10.4007/annals.2008.167.481. MR2415379
- [27] R. E. Greenwood and A. M. Gleason, Combinatorial relations and chromatic graphs, Canad. J. Math. 7 (1955), 1–7, DOI 10.4153/CJM-1955-001-4. MR0067467
- [28] A. Grzegorczyk, Some classes of recursive functions, Rozprawy Mat. 4 (1953), 46. MR0060426
- [29] A. W. Hales and R. I. Jewett, Regularity and positional games, Trans. Amer. Math. Soc. 106 (1963), 222–229, DOI 10.2307/1993764. MR0143712
- [30] T. Hales, M. Adams, G. Bauer, T. D. Dang, J. Harrison, Le Truong Hoang, C. Kaliszyk, V. Magron, S. McLaughlin, T. T. Nguyen, Q. T. Nguyen, T. Nipkow, S. Obua, J. Pleso, J. Rute, A. Solovyev, T. H. A. Ta, N. T. Tran, T. D. Trieu, J. Urban, K. Vu, and R. Zumkeller, *A formal proof of the Kepler conjecture*, Forum Math. Pi 5 (2017), e2, 29, DOI 10.1017/fmp.2017.1. MR3659768
- [31] G. H. Hardy and E. M. Wright, An introduction to the theory of numbers, Oxford, at the Clarendon Press, 1954. 3rd ed. MR0067125
- [32] D. Hilbert and W. Ackermann, Grundzüge der theoretischen Logik, Springer-Verlag, Berlin, 1928.
- [33] N. Hindman and E. Tressler, The first nontrivial Hales-Jewett number is four, Ars Combin. 113 (2014), 385–390. MR3186481

- [34] D. R. Hirschfeldt, Slicing the truth. On the computable and reverse mathematics of combinatorial principles, Lecture Notes Series. Institute for Mathematical Sciences. National University of Singapore, vol. 28, World Scientific Publishing Co. Pte. Ltd., Hackensack, NJ, 2015. Edited and with a foreword by Chitat Chong, Qi Feng, Theodore A. Slaman, W. Hugh Woodin and Yue Yang. MR3244278
- [35] T. J. Jech, Set theory, Springer Monographs in Mathematics, Springer-Verlag, Berlin, 2003. The third millennium edition, revised and expanded. MR1940513
- [36] T. J. Jech, The axiom of choice, North-Holland Publishing Co., Amsterdam-London; Amercan Elsevier Publishing Co., Inc., New York, 1973. Studies in Logic and the Foundations of Mathematics, Vol. 75. MR0396271
- [37] C. G. Jockusch Jr., Ramsey's theorem and recursion theory, J. Symbolic Logic 37 (1972), 268–280, DOI 10.2307/2272972. MR0376319
- [38] A. Kanamori and K. McAloon, On Gödel incompleteness and finite combinatorics, Ann. Pure Appl. Logic 33 (1987), no. 1, 23–41, DOI 10.1016/0168-0072(87)90074-1. MR870685
- [39] R. Kaye, Models of Peano arithmetic, Oxford Logic Guides, vol. 15, The Clarendon Press, Oxford University Press, New York, 1991. Oxford Science Publications. MR1098499
- [40] J. Ketonen and R. Solovay, *Rapidly growing Ramsey functions*, Ann. of Math.
 (2) 113 (1981), no. 2, 267–314, DOI 10.2307/2006985. MR607894
- [41] A. Y. Khinchin, Three pearls of number theory, Graylock Press, Rochester, NY, 1952. MR0046372
- [42] D. E. Knuth, Mathematics and computer science: coping with finiteness, Science 194 (1976), no. 4271, 1235–1242, DOI 10.1126/science.194.4271.1235. MR534161
- [43] B. M. Landman and A. Robertson, Ramsey theory on the integers, 2nd ed., Student Mathematical Library, vol. 73, American Mathematical Society, Providence, RI, 2014. MR3243507
- [44] D. Marker, Model theory: an introduction, Graduate Texts in Mathematics, vol. 217, Springer-Verlag, New York, 2002. MR1924282
- [45] B. D. McKay and S. P. Radziszowski, R(4,5) = 25, J. Graph Theory 19 (1995), no. 3, 309–322, DOI 10.1002/jgt.3190190304. MR1324481
- [46] J. Nešetřil, Ramsey theory, Handbook of combinatorics, Vol. 1, 2, Elsevier Sci. B. V., Amsterdam, 1995, pp. 1331–1403. MR1373681
- [47] J. Paris and L. Harrington, A mathematical incompleteness in Peano arithmetic, Handbook of mathematical logic, Stud. Logic Found. Math., vol. 90, North-Holland, Amsterdam, 1977, pp. 1133–1142. MR3727432
- [48] G. Peano, Arithmetices principia: nova methodo, Fratres Bocca, 1889.
- [49] G. Peano, Sul concetto di numero, Rivista di Matematica 1 (1891), 256–267.
- [50] R. Péter, Über die mehrfache Rekursion (German), Math. Ann. 113 (1937), no. 1, 489–527, DOI 10.1007/BF01571648. MR1513105
- [51] C. C. Pugh, Real mathematical analysis, 2nd ed., Undergraduate Texts in Mathematics, Springer, Cham, 2015. MR3380933
- [52] S. Radziszowski, Small Ramsey numbers, Electron. J. Comb., http://www. combinatorics.org/files/Surveys/ds1/ds1v15-2017.pdf, 2017.
- [53] F. P. Ramsey, On a problem of formal logic, Proc. London Math. Soc. (2) 30 (1929), no. 4, 264–286, DOI 10.1112/plms/s2-30.1.264. MR1576401
- [54] W. Rautenberg, A concise introduction to mathematical logic, Based on the second (2002) German edition, Universitext, Springer, New York, 2006. With a foreword by Lev Beklemishev. MR2218537
- [55] T. Ridge, Hol/library/ramsey.thy.

- [56] H. E. Rose, Subrecursion: functions and hierarchies, Oxford Logic Guides, vol. 9, The Clarendon Press, Oxford University Press, New York, 1984. MR752696
- [57] P. Rothmaler, Introduction to model theory, Algebra, Logic and Applications, vol. 15, Gordon and Breach Science Publishers, Amsterdam, 2000. Prepared by Frank Reitmaier; Translated and revised from the 1995 German original by the author. MR1800596
- [58] S. Shelah, Primitive recursive bounds for van der Waerden numbers, J. Amer. Math. Soc. 1 (1988), no. 3, 683–697, DOI 10.2307/1990952. MR929498
- [59] L. Shi, Upper bounds for Ramsey numbers, Discrete Math. 270 (2003), no. 1-3, 251–265, DOI 10.1016/S0012-365X(02)00837-3. MR1997902
- [60] J. R. Shoenfield, Mathematical logic, Association for Symbolic Logic, Urbana, IL; A K Peters, Ltd., Natick, MA, 2001. Reprint of the 1973 second printing. MR1809685
- [61] S. G. Simpson, Subsystems of second order arithmetic, 2nd ed., Perspectives in Logic, Cambridge University Press, Cambridge; Association for Symbolic Logic, Poughkeepsie, NY, 2009. MR2517689
- [62] C. Smoryński, Logical number theory. I. An introduction, Universitext, Springer-Verlag, Berlin, 1991. MR1106853
- [63] R. I. Soare, Turing computability: theory and applications, Theory and Applications of Computability, Springer-Verlag, Berlin, 2016. MR3496974
- [64] E. Szemerédi, On sets of integers containing no k elements in arithmetic progression, Acta Arith. 27 (1975), 199–245, DOI 10.4064/aa-27-1-199-245. Collection of articles in memory of Juriĭ Vladimirovič Linnik. MR0369312
- [65] P. Turán, Eine Extremalaufgabe aus der Graphentheorie (Hungarian, with German summary), Mat. Fiz. Lapok 48 (1941), 436–452. MR0018405
- [66] A. M. Turing, On computable numbers, with an application to the Entscheidungsproblem, Proc. London Math. Soc. (2) 42 (1936), no. 3, 230–265, DOI 10.1112/plms/s2-42.1.230. MR1577030
- [67] S. M. Ulam, Adventures of a mathematician, University of California Press, 1991.
- [68] B. L. van der Waerden, Beweis einer Baudetschen Vermutung, (German), Nieuw Arch. Wiskd., II. Ser. 15 (1927), 212–216.
- [69] B. L. van der Waerden, Wie der Beweis der Vermutung von Baudet gefunden wurde (German), Abh. Math. Sem. Univ. Hamburg 28 (1965), 6–15, DOI 10.1007/BF02993133. MR0175875
- [70] B. L. van der Waerden, How the proof of Baudet's conjecture was found, Studies in Pure Mathematics (Presented to Richard Rado), Academic Press, London, 1971, pp. 251–260. MR0270881
- [71] S. S. Wainer, A classification of the ordinal recursive functions, Arch. Math. Logik Grundlagenforsch. 13 (1970), 136–153, DOI 10.1007/BF01973619. MR0294134
- [72] S. Weinberger, Computers, rigidity, and moduli. The large-scale fractal geometry of Riemannian moduli space, M. B. Porter Lectures, Princeton University Press, Princeton, NJ, 2005. MR2109177

Notation

Symbol	Meaning	Page
[n]	the set of integers from 1 to n	1
S	cardinality of a set S	2
$[S]^p$	the set of p -element subsets of S	2
$[n]^p$	the set of p -element subsets of $[n]$	2
$N \to (k)_r^p$	every r-coloring of $[S]^p$ with $ S \ge N$ has a k-element monochromatic subset	2
K_n	complete graph on n vertices	9
$K_{n,m}$	complete bipartite graph of order n,m	11
R(n)	nth Ramsey number	21
R(m,n)	generalized Ramsey number	22
ω	first infinite ordinal	56
Ord	class of all ordinal numbers	57
ε_0	least ordinal such that $\omega^{\varepsilon_0} = \varepsilon_0$	59
$\mathcal{P}(S)$	power set of S , $\mathcal{P}(S) = \{A: A \subseteq S\}$	68

Symbol	Meaning	Page
κ^+	the least cardinal greater than κ	68
2^{κ}	the cardinality of the power set of a set of cardinality κ	69
×0	the first infinite cardinal, $\aleph_0 = \mathbb{N} $	69
W(k,r)	van der Waerden number for k -APs and r -coloriing	86
U(k,r)	upper bound for $W(k,r)$, extracted from the proof	96
$\varphi(x,y,z)$	Ackermann function	102
$\varphi_n(x,y)$	nth level Ackermann function	103
C_t^n	combinatorial cube of dimension n with side length t	113
HJ(t,r)	Hales-Jewett number for side length t symbols and r colors	115
PH(m, p, r)	Paris-Harrington number	123
$\mathcal{L}_{\mathcal{A}}$	language of arithmetic, $\{S, +, \cdot, 0\}$	133
PA	Peano arithmetic	135
$\mathcal{A}\vDash \sigma$	σ holds in structure \mathcal{A}	138
$A \vdash \sigma$	A proves σ	141
$\mathrm{Th}(\mathbb{N})$	theory of the natural numbers	160
$\ulcorner \varphi \urcorner$	Gödel number of formula φ	164
ZFC	Zermelo-Fraenkel set theory with the ax- iom of choice	196

Index

Ackermann function, 102, 105, 106, 108, 110 alephs, 69 arithmetic progression, 85 arrow notation, 2 axiom of choice, 63, 67 Banach-Tarksi paradox, 64 binary string, 46 bounded μ -operator, 107 Burali-Forti paradox, 57 cardinal, 67 inaccessible, 83, 197 limit, 81 Ramsey, 83, 197 regular, 82 singular, 82 strong limit, 81 cardinal arithmetic, 68 cardinality (of a set), 67 Church-Turing thesis, 163 closed, 51 cofinality, 82, 111 coloring, 2 edge, 14 combinatorial s-space, 118 combinatorial line, 114 compactness, xi, 49, 86, 123, 144

sequentially compact, 52 topological, 52 complete (proof system), 142, 160 complete (theory), 159 computable, 162 continuum hypothesis, 69 generalized, 70, 81 cut, 149 definable, 149, 155 degree (graphs), 6 dominating function, 99 eventually, 99 equivalence relation, 8, 66 free variable, 134 fundamental sequence, 111 Gödel β -function, 155, 190 Gödel number, 164 Goldbach conjecture, 129 graph, 5 k-partite, 11 bipartite, 10, 31 clique, 10 complement, 6 complete, 9 complete bipartite, 11 connected, 9 cycle, 8

hypergraph, 34 independent, 10 induced subgraph, 7 isomorphic, 5 order, 5 Paley graph, 26 path, 8 subgraph, 7 tree, 12 Turán, 32 Grzegorczyk hierarchy, 109, 123, 124Hales-Jewett numbers, 115 halting problem, 166 homogeneous, 41 min-homogeneous, 182, 192 inconsistent, 143 indiscernibles, 171 diagonal, 173 order, 172 induction scheme (axiom), 135 Knuth arrow notation, 101, 103 least number principle (LNP), 136, 181metric, 50 discrete, 51 Euclidean, 51 path, 53 neighborhood, 51 non-standard number, 147 open, 51 order linear, 45 order type, 62 partial, 13, 45 well-ordering, 59 ordinal, 55 addition, 57 exponentiation, 59 limit, 57 multiplication, 58 successor, 56 overspill, 151

pairing function, 65 Peano arithmetic, 135, 139, 145, 152, 161, 168, 171, 188 non-standard model, 145, 171, 189standard model, 139 pigeonhole principle, 17, 18, 34, 39, 90, 118, 186 infinite, 41, 42, 72 power set, 34 primitive recursive, 106, 126, 156, 163principle (*), 185, 187, 188 probabilistic method, 29 proof, 136 system, 137 provably total, 193 Ramsey number, 21 generalized, 22 regressive, 185 relatively large, 123 reverse mathematics, 195 satisfiable, 143 sentence (formula), 134 Shelah s-space, 119 line, 117 point, 118 soundness (proof system), 142 star word, 115 structure, 138 tetration, 100 theorem Bolzano-Weierstrass, 52 Cantor cardinality theorem, 68 Cantor normal form, 111 Cantor-Schröder-Bernstein, 65 Chinese remainder theorem, 154 compactness (logic), 144 Erdős-Rado, 76 fast Ramsey, 170, 185, 187, 189, 195finite Ramsey, 34, 43, 48, 123, 152, 183, 192 first Gödel incompleteness, 168 Gödel incompleteness, xi

Gödel completeness, 142 Greenwood and Gleason bound, 22Hales-Jewett, 113 Heine-Borel, 52 infinite Ramsey, 41, 52, 71, 124, 172König's lemma, 48, 49, 54, 124 Paris-Harrington, xi, 170, 193 Ramsey (for graphs), 16, 37 Schur, 21 second Gödel incompleteness, 195, 197 Szemerédi, 98 Turán, 31, 98 unsolvability Entscheidungsproblem, 167 unsolvability of halting problem, 166 van der Waerden, ix, 86, 115, 159 tree, 12, 46 binary, 46 finitely branching, 47 infinite path, 47 Turing machine, 162 van der Waerden number, 86 Wainer hierarchy, 113 well-ordering principle, 63 Zermelo-Fraenkel set theory with choice (ZF), 69 Zermelo-Fraenkel set theory with choice (ZFC), 196

SELECTED PUBLISHED TITLES IN THIS SERIES

- 87 Matthew Katz and Jan Reimann, An Introduction to Ramsey Theory, 2018
- 86 Peter Frankl and Norihide Tokushige, Extremal Problems for Finite Sets, 2018
- 85 Joel H. Shapiro, Volterra Adventures, 2018
- 84 Paul Pollack, A Conversational Introduction to Algebraic Number Theory, 2017
- 83 Thomas R. Shemanske, Modern Cryptography and Elliptic Curves, 2017
- 82 A. R. Wadsworth, Problems in Abstract Algebra, 2017
- 81 Vaughn Climenhaga and Anatole Katok, From Groups to Geometry and Back, 2017
- 80 Matt DeVos and Deborah A. Kent, Game Theory, 2016
- 79 Kristopher Tapp, Matrix Groups for Undergraduates, Second Edition, 2016
- 78 Gail S. Nelson, A User-Friendly Introduction to Lebesgue Measure and Integration, 2015
- 77 Wolfgang Kühnel, Differential Geometry: Curves Surfaces Manifolds, Third Edition, 2015
- 76 John Roe, Winding Around, 2015
- 75 Ida Kantor, Jiří Matoušek, and Robert Šámal, Mathematics++, 2015
- 74 Mohamed Elhamdadi and Sam Nelson, Quandles, 2015
- 73 Bruce M. Landman and Aaron Robertson, Ramsey Theory on the Integers, Second Edition, 2014
- 72 Mark Kot, A First Course in the Calculus of Variations, 2014
- 71 Joel Spencer, Asymptopia, 2014
- 70 Lasse Rempe-Gillen and Rebecca Waldecker, Primality Testing for Beginners, 2014
- 69 Mark Levi, Classical Mechanics with Calculus of Variations and Optimal Control, 2014
- 68 Samuel S. Wagstaff, Jr., The Joy of Factoring, 2013
- 67 Emily H. Moore and Harriet S. Pollatsek, Difference Sets, 2013
- 66 Thomas Garrity, Richard Belshoff, Lynette Boos, Ryan Brown, Carl Lienert, David Murphy, Junalyn Navarra-Madsen, Pedro Poitevin, Shawn Robinson, Brian Snyder, and Caryn Werner, Algebraic Geometry, 2013
- 65 Victor H. Moll, Numbers and Functions, 2012

For a complete list of titles in this series, visit the AMS Bookstore at www.ams.org/bookstore/stmlseries/.

This book takes the reader on a journey through Ramsey theory, from graph theory and combinatorics to set theory to logic and metamathematics. Written in an informal style with few requisites, it develops two basic principles of Ramsey theory: many combinatorial properties persist under partitions, but to witness this persistence, one has to start with very large objects. The interplay between those two principles not only produces beautiful theorems but also touches the very foundations of mathematics. In the course of this book, the reader will learn about both aspects. Among the topics explored are Ramsey's theorem for graphs and hypergraphs, van der Waerden's theorem on arithmetic progressions, infinite ordinals and cardinals, fast growing functions, logic and provability, Gödel incompleteness, and the Paris-Harrington theorem.

Quoting from the book, "There seems to be a murky abyss lurking at the bottom of mathematics. While in many ways we cannot hope to reach solid ground, mathematicians have built impressive ladders that let us explore the depths of this abyss and marvel at the limits and at the power of mathematical reasoning at the same time. Ramsey theory is one of those ladders."



For additional information and updates on this book visit www.ams.org/bookpages/stml-87

