Mathematical
Surveys
and
Monographs

Volume 204

Toric Topology

Victor M. Buchstaber
Taras E. Panov

American Mathematical Society

Toric Topology

http://dx.doi.org/10.1090/surv/204

Mathematical Surveys and Monographs

Volume 204

Toric Topology

Victor M. Buchstaber
Taras E. Panov

American Mathematical Society
Providence, Rhode Island

2010 *Mathematics Subject Classification.* Primary 13F55, 14M25, 32Q55, 52B05, 53D12, 55N22, 55N91, 55Q15 57R85, 57R91.

For additional information and updates on this book, visit
www.ams.org/bookpages/surv-204

Library of Congress Cataloging-in-Publication Data

Buchstaber, V. M.
Toric topology / Victor M. Buchstaber, Taras E. Panov.
pages cm. – (Mathematical surveys and monographs ; volume 204)
Includes bibliographical references and index.
ISBN 978-1-4704-2214-1 (alk. paper)
1. Toric varieties. 2. Algebraic varieties. 3. Algebraic topology. 4. Geometry, Algebraic. I. Panov, Taras E., 1975– II. Title

QA613.2.B82 2015
516.3′5–dc23 2015006771

∞ The paper used in this book is acid-free and falls within the guidelines
established to ensure permanence and durability.
Visit the AMS home page at `http://www.ams.org/`

10 9 8 7 6 5 4 3 2 1 20 19 18 17 16 15

Contents

Introduction

Traditionally, the study of torus actions on topological spaces has been considered as a classical field of algebraic topology. Specific problems connected with torus actions arise in different areas of mathematics and mathematical physics, which results in permanent interest in the theory, new applications and penetration of new ideas into topology.

Since the 1970s, algebraic and symplectic viewpoints on torus actions have enriched the subject with new combinatorial ideas and methods, largely based on the convex-geometric concept of polytopes.

The study of algebraic torus actions on algebraic varieties has quickly developed into a highly successful branch of algebraic geometry, known as *toric geometry*. It gives a bijection between, on the one hand, *toric varieties*, which are complex algebraic varieties equipped with an action of an algebraic torus with a dense orbit, and on the other hand, *fans*, which are combinatorial objects. The fan allows one to completely translate various algebraic-geometric notions into combinatorics. Projective toric varieties correspond to fans which arise from convex polytopes. A valuable aspect of this theory is that it provides many explicit examples of algebraic varieties, leading to applications in deep subjects such as singularity theory and mirror symmetry.

In symplectic geometry, since the early 1980s there has been much activity in the field of Hamiltonian group actions on symplectic manifolds. Such an action defines the *moment map* from the manifold to a Euclidean space (more precisely, the dual Lie algebra of the torus) whose image is a convex polytope. If the torus has half the dimension of the manifold, the image of the moment map determines the manifold up to equivariant symplectomorphism. The class of polytopes which arise as the images of moment maps can be described explicitly, together with an effective procedure for recovering a symplectic manifold from such a polytope. In symplectic geometry, as in algebraic geometry, one translates various geometric constructions into the language of convex polytopes and combinatorics.

There is a tight relationship between the algebraic and the symplectic pictures: a projective embedding of a toric manifold determines a symplectic form and a moment map. The image of the moment map is a convex polytope that is dual to the fan. In both the smooth algebraic-geometric and the symplectic situations, the compact torus action is locally isomorphic to the standard action of $(S^1)^n$ on $\mathbb{C}^n$ by rotation of the coordinates. Thus the quotient of the manifold by this action is naturally a manifold with corners, stratified according to the dimension of the stabilisers, and each stratum can be equipped with data that encodes the isotropy torus action along that stratum. Not only does this structure of the quotient provide a powerful means of investigating the action, but some of its subtler combinatorial properties may also be illuminated by a careful study of the equivariant topology

of the manifold. Thus, it should come as no surprise that since the beginning of the 1990s, the ideas and methodology of toric varieties and Hamiltonian torus actions have started penetrating back into algebraic topology.

By 2000, several constructions of topological analogues of toric varieties and symplectic toric manifolds had appeared in the literature, together with different seemingly unrelated realisations of what later has become known as moment-angle manifolds. We tried to systematise both known and emerging links between torus actions and combinatorics in our 2000 paper [**67**] in Russian Mathematical Surveys, where the terms 'moment-angle manifold' and 'moment-angle complex' first appeared. Two years later it grew into a book *Torus Actions and Their Applications in Topology and Combinatorics* [**68**] published by the AMS in 2002 (the extended Russian edition [**69**] appeared in 2004). The title 'Toric Topology' coined by our colleague Nigel Ray became official after the 2006 Osaka conference under the same name. Its proceedings volume [**177**] contained many important contributions to the subject, as well as the introductory survey *An Invitation to Toric Topology: Vertex Four of a Remarkable Tetrahedron* by Buchstaber and Ray. The vertices of the 'toric tetrahedron' are topology, combinatorics, algebraic and symplectic geometry, and they have symbolised many strong links between these subjects. With many young researchers entering the subject and conferences held around the world every year, toric topology has definitely grown into a mature area. Its various aspects are presented in this monograph, with an intention to consolidate the foundations and stimulate further applications.

Chapter guide



Each chapter and most sections have their own introductions with more specific information about the contents. 'Additional topics' of Chapters 1, 3 and 4 contain more specific material which is not used in an essential way in the following chapters. The appendices at the end of the book contain material of more general nature,

not exclusively related to toric topology. A more experienced reader may refer to them only for notation and terminology.

At the heart of toric topology lies a class of torus actions whose orbit spaces are highly structured in combinatorial terms, that is, have lots of orbit types tied together in a nice combinatorial way. We use the generic terms *toric space* and *toric object* to refer to a topological space with a nice torus action, or to a space produced from a torus action via different standard topological or categorical constructions. Examples of toric spaces include toric varieties, toric and quasitoric manifolds and their generalisations, moment-angle manifolds, moment-angle complexes and their Borel constructions, polyhedral products, complements of coordinate subspace arrangements, intersections of real or Hermitian quadrics, etc.

In Chapter 1 we collect background material related to convex polytopes, including basic convex-geometric constructions and the combinatorial theory of face vectors. The famous g-theorem describing integer sequences that can be the face vectors of simple (or simplicial) polytopes is one of the most striking applications of toric geometry to combinatorics. The concepts of Gale duality and Gale diagrams are important tools for the study of moment-angle manifolds via intersections of quadrics. In the additional sections we describe several combinatorial constructions providing families of simple polytopes, including nestohedra, graph associahedra, flagtopes and truncated cubes. The classical series of permutahedra and associahedra (Stasheff polytopes) are particular examples. The construction of nestohedra takes its origin in singularity and representation theory. We develop a differential algebraic formalism which links the generating series of nestohedra to classical partial differential equations. The potential of truncated cubes in toric topology is yet to be fully exploited, as they provide an immense source of explicitly constructed toric spaces.

In Chapter 2 we describe systematically combinatorial structures that appear in the orbit spaces of toric objects. Besides convex polytopes, these include fans, simplicial and cubical complexes, and simplicial posets. All these structures are objects of independent interest for combinatorialists, and we emphasised the aspects of their combinatorial theory most relevant to subsequent topological applications.

The subject of Chapter 3 is the algebraic theory of face rings (also known as Stanley–Reisner rings) of simplicial complexes, and their generalisations to simplicial posets. With the appearance of face rings at the beginning of the 1970s in the work of Reisner and Stanley, many combinatorial problems were translated into the language of commutative algebra, which paved the way for their solution using the extensive machinery of algebraic and homological methods. Algebraic tools used for attacking combinatorial problems include regular sequences, Cohen–Macaulay and Gorenstein rings, Tor-algebras, local cohomology, etc. A whole new thriving field appeared on the borders of combinatorics and algebra, which has since become known as *combinatorial commutative algebra*.

Chapter 4 is the first 'toric' chapter of the book; it links the combinatorial and algebraic constructions of the previous chapters to the world of toric spaces. The concept of the moment-angle complex $\mathcal{Z}_{\mathcal{K}}$ is introduced as a functor from the category of simplicial complexes $\mathcal{K}$ to the category of topological spaces with torus actions and equivariant maps. When $\mathcal{K}$ is a triangulated manifold, the moment-angle complex $\mathcal{Z}_{\mathcal{K}}$ contains a free orbit $\mathcal{Z}_{\varnothing}$ consisting of singular points. Removing this orbit we obtain an open manifold $\mathcal{Z}_{\mathcal{K}} \setminus \mathcal{Z}_{\varnothing}$, which satisfies the relative version of

Poincaré duality. Combinatorial invariants of simplicial complexes $\mathcal{K}$ therefore can be described in terms of topological characteristics of the corresponding moment-angle complexes $\mathcal{Z}_{\mathcal{K}}$. In particular, the face numbers of $\mathcal{K}$, as well as the more subtle *bigraded Betti numbers* of the face ring $\mathbb{Z}[\mathcal{K}]$ can be expressed in terms of the cellular cohomology groups of $\mathcal{Z}_{\mathcal{K}}$. The integral cohomology ring $H^*(\mathcal{Z}_{\mathcal{K}})$ is shown to be isomorphic to the Tor-algebra $\mathrm{Tor}_{\mathbb{Z}[v_1,\dots,v_m]}(\mathbb{Z}[\mathcal{K}],\mathbb{Z})$. The proof builds upon a construction of a ring model for *cellular* cochains of $\mathcal{Z}_{\mathcal{K}}$ and the corresponding cellular diagonal approximation, which is functorial with respect to maps of moment-angle complexes induced by simplicial maps of $\mathcal{K}$. This functorial property of the cellular diagonal approximation for $\mathcal{Z}_{\mathcal{K}}$ is quite special, due to the lack of such a construction for general cell complexes. Another result of Chapter 4 is a homotopy equivalence (an equivariant deformation retraction) from the complement $U(\mathcal{K})$ of the arrangement of coordinate subspaces in $\mathbb{C}^m$ determined by $\mathcal{K}$ to the moment-angle complex $\mathcal{Z}_{\mathcal{K}}$. Particular cases of this result are known in toric geometry and geometric invariant theory. It opens a new perspective on moment-angle complexes, linking them to the theory of configuration spaces and arrangements.

Toric varieties are the subject of Chapter 5. This is an extensive area with a vast literature. We outline the influence of toric geometry on the emergence of toric topology and emphasise combinatorial, topological and symplectic aspects of toric varieties. The construction of moment-angle manifolds via nondegenerate intersections of Hermitian quadrics in $\mathbb{C}^m$, motivated by symplectic geometry, is also discussed here. Some basic knowledge of algebraic geometry may be required in Chapter 5. Appropriate references are given in the introduction to the chapter.

The material of the first five chapters of the book should be accessible for a graduate student, or a reader with a very basic knowledge of algebra and topology. These five chapters may be also used for advanced courses on the relevant aspects of topology, algebraic geometry and combinatorial algebra. The general algebraic and topological constructions required here are collected in Appendices A and B respectively. The last four chapters are more research-oriented.

Geometry of moment-angle manifolds is studied in Chapter 6. The construction of moment-angle manifolds as the level sets of toric moment maps is taken as the starting point for the systematic study of intersections of Hermitian quadrics via Gale duality. Following a remarkable discovery by Bosio and Meersseman of complex-analytic structures on moment-angle manifolds corresponding to simple polytopes, we proceed by showing that moment-angle manifolds corresponding to a more general class of complete simplicial fans can also be endowed with complex-analytic structures. The resulting family of *non-Kähler* complex manifolds includes the classical series of Hopf and Calabi–Eckmann manifolds. We also describe important invariants of these complex structures, such as the Hodge numbers and Dolbeault cohomology rings, study holomorphic torus principal bundles over toric varieties, and establish collapse results for the relevant spectral sequences. We conclude by exploring the construction of A. E. Mironov providing a vast family of Lagrangian submanifolds with special minimality properties in complex space, complex projective space and other toric varieties. Like many other geometric constructions in this chapter, it builds upon the realisation of the moment-angle manifold as an intersection of quadrics.

In Chapter 7 we discuss several topological constructions of even-dimensional manifolds with an effective action of a torus of half the dimension of the manifold. They can be viewed as topological analogues and generalisations of compact nonsingular toric varieties (or *toric manifolds*). These include *quasitoric manifolds* of Davis and Januszkiewicz, *torus manifolds* of Hattori and Masuda, and *topological toric manifolds* of Ishida, Fukukawa and Masuda. For all these classes of toric objects, the equivariant topology of the action and the combinatorics of the orbit spaces interact in a harmonious way, leading to a host of results linking topology with combinatorics. We also discuss the relationship with GKM-manifolds (named after Goresky, Kottwitz and MacPherson), another class of toric objects having its origin in symplectic topology.

Homotopy-theoretical aspects of toric topology are the subject of Chapter 8. This is now a very active area. Homotopy techniques brought to bear on the study of polyhedral products and other toric spaces include model categories, homotopy limits and colimits, higher Whitehead and Samelson products. The required information about categorical methods in topology is collected in Appendix C.

In Chapter 9 we review applications of toric methods in a classical field of algebraic topology, complex cobordism. It is a generalised cohomology theory that combines both geometric intuition and elaborate algebraic techniques. The toric viewpoint brings an entirely new perspective on complex cobordism theory in both its nonequivariant and equivariant versions.

The later chapters require more specific knowledge of algebraic topology, such as characteristic classes and spectral sequences, for which we recommend respectively the classical book of Milnor and Stasheff [**273**] and the excellent guide by McCleary [**260**]. Basic facts and constructions from bordism and cobordism theory are given in Appendix D, while the related techniques of formal group laws and multiplicative genera are reviewed in Appendix E.

Acknowledgements

We wish to express our deepest thanks to

- our teacher Sergei Petrovich Novikov for encouragement and support of our research on toric topology;
- Mikiya Masuda and Nigel Ray for long and much fruitful collaboration;
- our coauthors in toric topology;
- Peter Landweber for most helpful suggestions on improving the text;
- all our colleagues who participated in conferences on toric topology for the insight gained from discussions following talks and presentations.

This work was supported by the Russian Science Foundation (grant no. 14-11-00414). We also thank the Russian Foundation for Basic Research, the President of the Russian Federation Grants Council and Dmitri Zimin's 'Dynasty' Foundation for their support of our research related to this monograph.

Bibliography

[1] J. Frank Adams. *On the cobar construction.* Proc. Nat. Acad. Sci. USA **42** (1956), 409–412.

[2] Ron M. Adin. *A new cubical h-vector.* Discrete Math. **157** (1996), no. 1–3, 3–14.

[3] Anton Aizenberg. *Topological applications of Stanley–Reisner rings of simplicial complexes.* Trudy Mosk. Mat. Ob. **73** (2012), no. 1, 47–85 (Russian); Trans. Moscow Math. Soc. 2012, 37–65 (English translation).

[4] Anton Aizenberg and Victor Buchstaber. *Nerve complexes and moment-angle spaces of convex polytopes.* Trudy Mat. Inst. Steklova **275** (2011), 22–54 (Russian); Proc. Steklov Inst. Math. **275** (2011), no. 1, 15–46 (English translation).

[5] Selman Akbulut and John D. McCarthy. *Casson's Invariant for Oriented Homology 3-spheres.* Math. Notes, 36. Princeton Univ. Press, Princeton, NJ, 1990.

[6] James W. Alexander. *The combinatorial theory of complexes.* Ann. of Math. (2) **31** (1930), no. 2, 292–320.

[7] Christopher Allday and Volker Puppe. *Cohomological methods in transformation groups.* Cambridge Studies in Adv. Math., 32. Cambridge Univ. Press, Cambridge, 1993.

[8] Henri Anciaux and Ildefonso Castro. *Construction of Hamiltonian-minimal Lagrangian submanifolds in complex Euclidean space.* Results Math. **60** (2011), no. 1–4, 325–349.

[9] Ivan Arzhantsev, Ulrich Derenthal, Jürgen Hausen and Antonio Laface. *Cox rings.* Cambridge Studies in Adv. Math., 144. Cambridge Univ. Press, Cambridge, 2014.

[10] Michael Atiyah. *Bordism and cobordism.* Proc. Cambridge Philos. Soc. **57** (1961), 200–208.

[11] Michael Atiyah. *Convexity and commuting Hamiltonians.* Bull. London Math. Soc. **14** (1982), no. 1, 1–15.

[12] Michael Atiyah and Raoul Bott. *A Lefschetz fixed point formula for elliptic complexes. I.* Ann. of Math. (2) **86** (1967), no. 2, 374–407.

[13] Michael Atiyah and Friedrich Hirzebruch. *Spin-manifolds and group actions.* In: *Essays in Topology and Related Topics (Mémoires dédiés à Georges de Rham).* Springer, New York, 1970, pp. 18–28.

[14] Michèle Audin. *The Topology of Torus Actions on Symplectic Manifolds.* Progress in Mathematics, 93. Birkhäuser, Basel, 1991.

[15] Eric K. Babson, Louis J. Billera and Clara S. Chan. *Neighborly cubical spheres and a cubical lower bound conjecture.* Israel J. Math. **102** (1997), 297–315.

[16] Anthony Bahri, Martin Bendersky, Frederic R. Cohen, and Samuel Gitler. *The polyhedral product functor: a method of computation for moment-angle complexes, arrangements and related spaces.* Adv. Math. **225** (2010), no. 3, 1634–1668.

[17] Anthony Bahri, Martin Bendersky, Frederic R. Cohen, and Samuel Gitler. *A new topological construction of infinite families of toric manifolds implying fan reduction.* Preprint (2010); arXiv:1011.0094.

[18] Anthony Bahri, Martin Bendersky, Frederic R. Cohen, and Samuel Gitler. *Cup-products for the polyhedral product functor.* Math. Proc. Cambridge Philos. Soc. **153** (2012), no. 3, 457–469.

[19] Malkhaz Bakuradze. *On the Buchstaber formal group law and some related genera.* Trudy Mat. Inst. Steklova **286** (2014), 7–21 (Russian); Proc. Steklov Inst. Math. **286** (2014), 1–15 (English translation).

[20] Anthony Bahri, Matthias Franz, Dietrich Notbohm, and Nigel Ray. *The classification of weighted projective spaces.* Fund. Math. **220** (2013), no. 3, 217–226.

[21] David Barnette. *Diagrams and Schlegel diagrams.* In: *Combinatorial Structures and Their Applications.* Proc. Calgary Internat. Conference, Calgary 1969. Gordon and Breach, New York, 1970, pp. 1–4.

[22] David Barnette. *The minimum number of vertices of a simple polytope.* Israel J. Math. **10** (1971), 121–125.

[23] David Barnette. *A proof of the lower bound conjecture for convex polytopes.* Pacific J. Math. **46** (1973), 349–354.

[24] David Barnette. *The triangulations of the* 3*-sphere with up to* 8 *vertices.* J. Combinatorial Theory. Ser. A **14** (1973), 37–52.

[25] Ilia V. Baskakov. *Cohomology of K-powers of spaces and the combinatorics of simplicial subdivisions.* Uspekhi Mat. Nauk **57** (2002), no. 5, 147–148 (Russian); Russian Math. Surveys **57** (2002), no. 5, 989–990 (English translation).

[26] Ilia V. Baskakov. *Massey triple products in the cohomology of moment-angle complexes.* Uspekhi Mat. Nauk **58** (2003), no. 5, 199–200 (Russian); Russian Math. Surveys **58** (2003), no. 5, 1039–1041 (English translation).

[27] Ilia V. Baskakov, Victor M. Buchstaber and Taras Panov. *Cellular cochain algebras and torus actions.* Uspekhi Mat. Nauk **59** (2004), no. 3, 159–160 (Russian); Russian Math. Surveys **59** (2004), no. 3, 562–563 (English translation).

[28] Fiammetta Battaglia and Dan Zaffran. *Foliations modelling nonrational simplicial toric varieties.* Preprint (2011); arXiv:1108.1637.

[29] Margaret M. Bayer and Louis J. Billera. *Generalized Dehn-Sommerville relations for polytopes, spheres and Eulerian partially ordered sets.* Invent. Math. **79** (1985), no. 1, 143–157.

[30] Margaret M. Bayer and Carl W. Lee. *Combinatorial aspects of convex polytopes.* In: *Handbook of convex geometry.* North-Holland, Amsterdam, 1993, pp. 485–534.

[31] Alexander Berglund and Michael Jöllenbeck. *On the Golod property of Stanley–Reisner rings.* J. Algebra **315** (2007), no. 1, 249–273.

[32] Iosif N. Bernstein, Izrail M. Gelfand and Sergei I. Gelfand. *Schubert cells and the cohomology of the spaces G/P.* Uspehi Mat. Nauk **28** (1973), no. 3, 3–26 (Russian); Russian Math. Surveys **28** (1973), no. 3 (English translation).

[33] Louis J. Billera and Carl W. Lee. *Sufficiency of McMullen's conditions for f-vectors of simplicial polytopes.* Bull. Amer. Math. Soc. **2** (1980), 181–185.

[34] Louis J. Billera and Carl W. Lee. *A proof of the sufficiency of McMullen's conditions for f-vectors of simplicial polytopes.* J. Comb. Theory, Ser. A **31** (1981), 237–255.

[35] Anders Björner and Frank Lutz. *Simplicial manifolds, bistellar flips and 16-vertex triangulation of the Poincaré homology 3-sphere.* Experiment. Math. **9** (2000), no. 2, 275–289.

[36] Anders Björner and Martin Tancer. *Note: Combinatorial Alexander duality—a short and elementary proof.* Discrete Comput. Geom. **42** (2009), no. 4, 586–593.

[37] Armand Borel. *A spectral sequence for complex-analytic bundles*, Appendix Two in: Friedrich Hirzebruch, *Topological Methods in Algebraic Geometry.* Third edition. Springer, Berlin–Heidelberg, 1966.

[38] Armand Borel and Friedrich Hirzebruch. *Characteristic classes and homogeneous spaces. I.* Amer. J. Math. **80** (1958), no. 2, 458–538.

[39] Armand Borel and Friedrich Hirzebruch. *Characteristic classes and homogeneous spaces. II.* Amer. J. Math. **81** (1959), no. 2, 315–382.

[40] Frédéric Bosio. *Variétés complexes compactes: une généralisation de la construction de Meersseman et López de Medrano–Verjovsky.* Ann. Inst. Fourier **51** (2001), 1259–1297 (French).

[41] Frédéric Bosio and Laurent Meersseman. *Real quadrics in $\mathbb{C}^n$, complex manifolds and convex polytopes.* Acta Math. **197** (2006), no. 1, 53–127.

[42] Raoul Bott and Hans Samelson. *Application of the theory of Morse to symmetric spaces.* Amer. J. of Math. **80** (1958), 964–1029.

[43] Raoul Bott and Clifford Taubes. *On the rigidity theorems of Witten.* J. Amer. Math. Soc. **2** (1989), no. 1, 137–186.

[44] Raoul Bott and Clifford Taubes. *On the self-linking of knots. Topology and physics.* J. Math. Phys. **35** (1994), no. 10, 5247–5287.

[45] A. K. Bousfield and Victor K. Gugenheim. *On PL de Rham Theory and Rational Homotopy Type.* Mem. Amer. Math. Soc. 8 (1976), no. 179.

[46] A. K. Bousfield and Daniel M. Kan. *Homotopy Limits, Completions and Localizations.* Lecture Notes in Math., 304. Springer, Berlin, 1972.

[47] Glen E. Bredon. *Introduction to Compact Transformation Groups.* Academic Press, New York–London, 1972.

[48] Paul Bressler and Sam Evens. *Schubert calculus in complex cobordism.* Trans. Amer. Math. Soc. **331** (1992), no. 2, 799–813.

[49] Arne Brøndsted. *An Introduction to Convex Polytopes.* Graduate Texts in Mathematics, 90. Springer, New-York, 1983.

[50] Edward M. Brown. *The Hauptvermutung for 3-complexes.* Trans. Amer. Math. Soc. **140** (1969), 173–196.

[51] Winfried Bruns and Joseph Gubeladze. *Combinatorial invariance of Stanley–Reisner rings.* Georgian Math. J. **3** (1996), no. 4, 315–318.

[52] Winfried Bruns and Jürgen Herzog. *Cohen–Macaulay Rings.* Revised edition. Cambridge Studies in Adv. Math., 39, Cambridge Univ. Press, Cambridge, 1993.

[53] David A. Buchsbaum and David Eisenbud. *Algebra structures for finite free resolutions, and some structure theorems for ideals of codimension 3.* Amer. J. Math. **99** (1977), no. 3, 447–485.

[54] Victor M. Buchstaber [Buhštaber]. *The Chern–Dold character in cobordisms I.* Mat. Sbornik **83** (1970), no. 4, 575–595 (Russian); Math. USSR-Sb. **12** (1970), no. 4, 573–594 (English translation).

[55] Victor M. Buchstaber. *Functional equations that are associated with addition theorems for elliptic functions, and two-valued algebraic groups.* Uspehi Mat Nauk **45** (1990), no. 3, 185–186 (Russian); Russian Math. Surveys **45** (1990), no. 3, 213–215.

[56] Victor M. Buchstaber. *Ring of simple polytopes and differential equations.* Trudy Mat. Inst. Steklova **263** (2008), 18–43 (Russian); Proc. Steklov Inst. Math. **263** (2008), 1–25 (English translation).

[57] Victor M. Buchstaber. *Lectures on toric topology.* In *Proceedings of Toric Topology Workshop KAIST 2008.* Information Center for Mathematical Sciences, KAIST. Trends in Math. - New Series **10** (2008), no. 1, 1–64.

[58] Victor M. Buchstaber [Bukhshtaber]. *Complex cobordism and formal groups.* Uspehi Mat. Nauk **67** (2012), no. 5, 111–174 (Russian); Russian Math. Surveys **67** (2012), no. 5, 891–950 (English translation).

[59] Victor M. Buchstaber and Nickolai Erokhovets. *Polytopes, Fibonacci numbers, Hopf algebras, and quasi-symmetric functions.* Uspehi Mat. Nauk **66** (2011), no. 2, 67–162 (Russian); Russian Math. Surveys **66** (2011), no. 2, 271–367 (English translation).

[60] Victor M. Buchstaber [Bukhshtaber] and Alexandr Kholodov. *Formal groups, functional equations and generalized cohomology theories.* Mat. Sb. **181** (1990), no. 1, 75–94 (Russian); Math. USSR-Sb. **69** (1991), no. 1, 77–97 (English translation).

[61] Victor M. Buchstaber and Elena Koritskaya. *Quasilinear Burgers–Hopf equation and Stasheff polytopes.* Funktsional. Anal. i Prilozhen. **41** (2007), no. 3, 34–47 (Russian); Funct. Anal. and Appl. **41** (2007), no. 3, 196–207 (English translation).

[62] Victor M. Buchstaber and Elena Netay [Bunkova]. *Krichever formal group laws.* Funktsional. Anal. i Prilozhen. **45** (2011), no. 2, 23–44 (Russian); Funct. Anal. and Appl. **45** (2011), no. 2, 99–116 (English translation).

[63] Victor M. Buchstaber and Elena Netay. *$\mathbb{C}P(2)$-multiplicative Hirzebruch genera and elliptic cohomology.* Uspehi Mat. Nauk **69** (2014), no. 4, 181–122 (Russian); Russian Math. Surveys **69** (2014), no. 4, 757–759.

[64] Victor M. Buchstaber and Elena Netay. *Classification of $\mathbb{C}P(2)$-multiplicative Hirzebruch genera.* Preprint (2015); arXiv:1501.06220.

[65] Victor M. Buchstaber and Taras Panov. *Algebraic topology of manifolds defined by simple polyhedra.* Uspehi Mat. Nauk **53** (1998), no.3, 195–196 (Russian); Russian Math. Surveys **53** (1998), no. 3, 623–625 (English translation).

[66] Victor M. Buchstaber and Taras Panov. *Torus actions and the combinatorics of polytopes.* Trudy Mat. Inst. Steklova **225** (1999), 96–131 (Russian); Proc. Steklov Inst. Math. **225** (1999), 87–120 (English translation).

[67] Victor M. Buchstaber and Taras Panov. *Torus actions, combinatorial topology and homological algebra.* Uspekhi Mat. Nauk **55** (2000), no. 5, 3–106 (Russian). Russian Math. Surveys **55** (2000), no. 5, 825–921 (English translation).

[68] Victor M. Buchstaber and Taras Panov. *Torus Actions and Their Applications in Topology and Combinatorics.* University Lecture Series, 24. Amer. Math. Soc., Providence, RI, 2002.

[69] Victor M. Buchstaber and Taras Panov. *Torus Actions in Topology and Combinatorics* (in Russian). MCCME, Moscow, 2004.

[70] Victor M. Buchstaber, Taras Panov and Nigel Ray. *Spaces of polytopes and cobordism of quasitoric manifolds.* Moscow Math. J. **7** (2007), no. 2, 219–242.

[71] Victor M. Buchstaber, Taras Panov and Nigel Ray. *Toric genera.* Internat. Math. Res. Notices 2010, no. 16, 3207–3262.

[72] Victor M. Buchstaber [Bukhshtaber] and Nigel Ray. *Toric manifolds and complex cobordisms.* Uspekhi Mat. Nauk **53** (1998), no. 2, 139–140 (Russian); Russian Math. Surveys **53** (1998), no. 2, 371–373 (English translation).

[73] Victor M. Buchstaber and Nigel Ray. *Flag manifolds and the Landweber–Novikov algebra.* Geom. Topol. **2** (1998), 79–101.

[74] Victor M. Buchstaber and Nigel Ray. *Tangential structures on toric manifolds, and connected sums of polytopes.* Internat. Math. Res. Notices 2001, no. 4, 193–219.

[75] Victor M. Buchstaber and Nigel Ray. *An invitation to toric topology: vertex four of a remarkable tetrahedron.* In: *Toric Topology*, M. Harada *et al.*, eds. Contemp. Math., 460, Amer. Math. Soc., Providence, RI, 2008, pp. 1–27.

[76] Victor M. Buchstaber and Svjetlana Terzić. *Equivariant complex structures on homogeneous spaces and their cobordism classes.* In: *Geometry, Topology and Mathematical Physics.* Amer. Math. Soc. Transl. Ser. 2, 224, Amer. Math. Soc., Providence, RI, 2008, pp. 27–57.

[77] Victor M. Buchstaber and Svjetlana Terzić. *Toric genera of homogeneous spaces and their fibrations.* Internat. Math. Res. Notices 2013, no. 6, 1324–1403.

[78] Victor M. Buchstaber and Alexei Ustinov. *Coefficient rings of formal group laws.* Sbornik Math. **206** (2015), to appear.

[79] Victor M. Buchstaber, Vadim Volodin. *Precise upper and lower bounds for nestohedra.* Izv. Ross. Akad. Nauk, Ser. Mat. **75** (2011), no. 6, 17–46 (Russian); Izv. Math. **75** (2011), no. 6, 1107–1133. (English translation).

[80] Philipp Busato. *Realization of Abel's universal formal group law.* Math. Z. **239** (2002), no. 3, 527–561.

[81] Li Cai. *On products in a real moment-angle manifold.* Preprint (2014); arXiv:1410.5543.

[82] César Camacho, Nicolaas Kuiper and Jacob Palis. *The topology of holomorphic flows with singularity.* Inst. Hautes Études Sci. Publ. Math. **48** (1978), 5–38.

[83] James W. Cannon. *Shrinking cell-like decompositions of manifolds. Codimension three.* Ann. of Math. (2) **110** (1979), no. 1, 83–112.

[84] Xiangyu Cao, Zhi Lü. *Möbius transform, moment-angle complexes and Halperin–Carlsson conjecture.* J. Algebraic Combin. **35** (2012), no. 1, 121–140.

[85] Michael P. Carr and Satyan L. Devadoss. *Coxeter complexes and graph-associahedra.* Topology Appl. **153** (2006), no. 12, 2155–2168.

[86] Ildefonso Castro and Francisco Urbano. *Examples of unstable Hamiltonian-minimal Lagrangian tori in* $\mathbb{C}^2$. Compositio Math. **111** (1998), 1–14.

[87] Ruth Charney and Michael Davis. *The Euler characteristic of a nonpositively curved, piecewise Euclidean manifold.* Pacific J. Math. **171** (1995), no. 1, 117–137.

[88] Shiing-Shen Chern. *Complex Manifolds.* University of Chicago, 1956.

[89] Shiing-Shen Chern, Friedrich Hirzebruch and Jean-Pierre Serre. *On the index of a fibered manifold.* Proc. Amer. Math. Soc. **8** (1957), 587–596.

[90] Suyoung Choi. *Classification of Bott manifolds up to dimension eight.* Preprint (2011); arXiv:1112.2321.

[91] Suyoung Choi and Jang Soo Kim. *A combinatorial proof of a formula for Betti numbers of a stacked polytope.* Electron. J. Combin. **17** (2010), no. 1, Research Paper 9, 8 pp.

[92] Suyoung Choi, Mikiya Masuda and Sang-il Oum. *Classification of real Bott manifolds and acyclic digraphs.* Preprint (2010); arXiv:1006.4658.

[93] Suyoung Choi, Mikiya Masuda and Dong Youp Suh. *Quasitoric manifolds over a product of simplices.* Osaka J. Math. **47** (2010), no. 1, 109–129.

[94] Suyoung Choi, Mikiya Masuda and Dong Youp Suh. *Topological classification of generalized Bott towers.* Trans. Amer. Math. Soc. **362** (2010), no. 2, 1097–1112.

[95] Suyoung Choi, Mikiya Masuda and Dong Youp Suh. *Rigidity problems in toric topology: a survey.* Proc. Steklov Inst. Math. **275** (2011), 177–190.

[96] Suyoung Choi, Seonjeong Park and Dong Youp Suh. *Topological classification of quasitoric manifolds with second Betti number 2.* Pacific J. Math. **256** (2012), no. 1, 19–49.

[97] Yusuf Civan and Nigel Ray. *Homotopy decompositions and K-theory of Bott towers.* K-Theory **34** (2005), no. 1, 1–33.

[98] Francis Clarke and Keith Johnson. *On the classifying ring for Abel formal group laws.* J. Pure Appl. Algebra **213** (2009), no. 7, 1290–1298.

[99] George F. Clements and and Bernt Lindström. *A generalization of a combinatorial theorem of Macaulay.* J. Combinatorial Theory **7** (1969), 230–238.

[100] Frederick R. Cohen and Joseph A. Neisendorfer. *A construction of p-local H-spaces.* In: *Algebraic topology, Aarhus 1982.* Lecture Notes in Math., 1051. Springer, Berlin, 1984, pp. 351–359.

[101] Pierre E. Conner and Edwin E. Floyd. *Differentiable Periodic Maps.* Academic Press Inc., New York, 1964.

[102] Pierre E. Conner and Edwin E. Floyd. *Torsion in SU-bordism.* Mem. Amer. Math. Soc. **60**, 1966.

[103] Pierre E. Conner and Edwin E. Floyd. *The Relation of Cobordism to K-theories.* Lecture Notes in Math., 28. Springer, Berlin, 1966.

[104] David A. Cox. *The homogeneous coordinate ring of a toric variety.* J. Algebraic Geom. **4** (1995), no. 1, 17–50.

[105] David A. Cox, John B. Little and Henry K. Schenck. *Toric varieties.* Graduate Studies in Mathematics, 124. Amer. Math. Soc., Providence, RI, 2011.

[106] H. S. M. Coxeter. *Regular skew polyhedra in three and four dimension, and their topological analogues.* Proc. London Math. Soc., Ser. 2, **43** (1938), no. 1, 33–62.

[107] H. S. M. Coxeter. *Regular Polytopes.* Third edition. Dover Publications, Inc., New York, 1973.

[108] Stéphanie Cupit–Foutou and Dan Zaffran. *Non-Kähler manifolds and GIT-quotients.* Math. Z. **257** (2007), 783–797.

[109] Vladimir I. Danilov. *The geometry of toric varieties.* Uspekhi Mat. Nauk **33** (1978), no. 2, 85–134 (Russian); Russian Math. Surveys **33** (1978), no. 2, 97–154 (English translation).

[110] Michael W. Davis. *Smooth G-manifolds as collections of fiber bundles.* Pacific J. Math., **77** (1978), 315–363.

[111] Michael W. Davis. *Groups generated by reflections and aspherical manifolds not covered by Euclidean space.* Ann. of Math. (2) **117** (1983), no. 2, 293–324.

[112] Michael W. Davis. *When are two Coxeter orbifolds diffeomorphic?* Michigan Math. J. **63** (2014), no. 2, 401–421.

[113] Michael W. Davis and Tadeusz Januszkiewicz. *Convex polytopes, Coxeter orbifolds and torus actions.* Duke Math. J. **62** (1991), no. 2, 417–451.

[114] Corrado De Concini and C. Procesi. *Wonderful models of subspace arrangements.* Selecta Math. (N.S.) **1** (1995), no. 3, 459–494.

[115] Pierre Deligne, Phillip Griffiths, John Morgan and Dennis Sullivan. *Real homotopy theory of Kähler manifolds.* Invent. Math. **29** (1975), no. 3, 245–274.

[116] Thomas Delzant. *Hamiltoniens périodiques et images convexes de l'application moment.* Bull. Soc. Math. France **116** (1988), no. 3, 315–339 (French).

[117] Michel Demazure. *Sous-groupes algébriques de rang maximum du groupe de Cremona.* Ann. Sci. École Norm. Sup. (4) **3** (1970), 507–588 (French).

[118] Graham Denham and Alexander I. Suciu. *Moment-angle complexes, monomial ideals, and Massey products.* Pure Appl. Math. Q. **3** (2007), no. 1, 25–60.

[119] Anand Dessai. *Some geometric properties of the Witten genus.* In: *Alpine Perspectives on Algebraic Topology.* Contemp. Math., 504, Amer. Math. Soc., Providence, RI, 2009, pp. 99–115.

[120] Tammo tom Dieck. *Bordism of G-manifolds and integrality theorems.* Topology **9** (1970), 345–358, 1970.

[121] Natalia Dobrinskaya. *The classification problem for quasitoric manifolds over a given simple polytope.* Funktsional. Anal. i Prilozhen. **35** (2001), no. 2, 3–11 (Russian); Funct. Anal. and Appl. **35** (2001), no. 2, 83–89 (English translation).

[122] Nikolai P. Dolbilin, Mikhail A. Shtan'ko and Mikhail I. Shtogin. *Cubic manifolds in lattices.* Izv. Ross. Akad. Nauk Ser. Mat. **58** (1994), no. 2, 93–107 (Russian); Russian Acad. Sci. Izv. Math. **44** (1995), no. 2, 301–313 (English translation).

[123] Yuxin Dong. *Hamiltonian-minimal Lagrangian submanifolds in Kaehler manifolds with symmetries.* Nonlinear Analysis: Theory, Methods & Applications **67** (2007), 865–882.

[124] Johannes J. Duistermaat and G. J. Heckman. *On the variation in the cohomology of the symplectic form of the reduced phase space.* Invent. Math. **69** (1982), no. 2, 259–268.

[125] Art M. Duval. *Free resolutions of simplicial posets.* J. Algebra **188** (1997), 363–399.

[126] William G. Dwyer and J. Spaliński. *Homotopy theories and model categories.* In: *Handbook of Algebraic Topology*, I. M. James, ed. Elsevier, Amsterdam, 2001, pp. 73–126.

[127] Robert D. Edwards. *The double suspension of a certain homology 3-sphere is* S^5. Notices AMS **22**, A-334 (1975).

[128] Robert D. Edwards. *The topology of manifolds and cell-like maps.* In: Proceedings of the International Congress of Mathematicians (Helsinki, 1978). Acad. Sci. Fennica, Helsinki, 1980, pp. 111–127.

[129] Samuel Eilenberg and John C. Moore. *Homology and fibrations. I.* Comment. Math. Helv. **40** (1966), 199–236.

[130] Davin Eisenbud. *Commutative Algebra with a View Toward Algebraic Geometry.* Graduate Texts in Mathematics, 150. Springer, New York, 1995.

[131] Nickolay Yu. Erokhovets. *The Bukhshtaber invariant of simple polytopes.* Uspekhi Mat. Nauk **63** (2008), no. 5, 187–188 (Russian); Russian Math. Surveys 63 (2008), no. 5, 962–964 (English translation).

[132] Günter Ewald. *Combinatorial Convexity and Algebraic Geometry.* Graduate Texts in Mathematics, 168. Springer, New York, 1996.

[133] Günter Ewald and Christoph Schulz. *Nonstarshaped spheres.* Arch. Math. (Basel) **59** (1992), no. 4, 412–416.

[134] Feifei Fan, Liman Chen, Jun Ma and Xiangjun Wang. *Moment-angle manifolds and connected sums of sphere products.* Preprint (2014); arXiv:1406.7591.

[135] Eva Maria Feichtner and Bernd Sturmfels. *Matroid polytopes, nested sets and Bergman fans.* Port. Math. (N.S.) **62** (2005), no. 4, 437–468.

[136] Yves Felix, Stephen Halperin and Jean-Claude Thomas. *Adams' cobar equivalence.* Trans. Amer. Math. Soc. **329** (1992), no. 2, 531–549.

[137] Yves Félix, Stephen Halperin and Jean-Claude Thomas. *Rational Homotopy Theory.* Graduate Texts in Mathematics, 205. Springer, New York, 2001.

[138] Yves Félix, John Oprea and Daniel Tanré. *Algebraic Models in Geometry.* Oxford Graduate Texts in Mathematics, 17. Oxford University Press, Oxford, 2008.

[139] Anatoliy T. Fomenko and Dmitriy B. Fuks. *A Course in Homotopic Topology* (in Russian). Nauka, Moscow, 1989.

[140] Sergey Fomin and Andrei Zelevinsky. *Cluster algebras. I. Foundations.* J. Amer. Math. Soc. **15** (2002), no. 2, 497–529.

[141] Jens Franke. *On the construction of elliptic cohomology.* Math. Nachr. **158** (1992), 43–65.

[142] Matthias Franz. *On the integral cohomology of smooth toric varieties.* Proc. Steklov Inst. Math. **252** (2006), 53–62.

[143] Michael H. Freedman and Frank Quinn. *Topology of* 4*-manifolds.* Princeton Mathematical Series, 39. Princeton Univ. Press, Princeton, NJ, 1990.

[144] Ralph Fröberg. *Determination of a class of Poincaré series.* Math. Scand. **37** (1975), no. 1, 29–39.

[145] Yukiko Fukukawa and Mikiya Masuda. *Buchstaber invariants of skeleta of a simplex.* Osaka J. Math. **48** (2011), 549–582.

[146] D. R. Fulkerson and O. A. Gross. *Incidence matrices and interval graphs.* Pacific J. Math **15** (1965), 835–855.

[147] William Fulton. *Introduction to Toric Varieties.* Annals of Mathematics Studies, 131. The William H. Roever Lectures in Geometry. Princeton Univ. Press, Princeton, NJ, 1993.

[148] Alexandr A. Gaifullin. *Configuration spaces, bistellar moves, and combinatorial formulas for the first Pontryagin class.* Trudy Mat. Inst. Steklova **268** (2010), 76–93 (Russian); Proc. Steklov Inst. Math. **268** (2010), no. 1, 70–86 (English translation).

[149] Światosław R. Gal. *Real root conjecture fails for five and higher dimensional spheres.* Discrete Comput. Geom. **34** (2005), no. 2, 260–284.

[150] Veselin Gasharov, Irena Peeva and Volkmar Welker. *Coordinate subspace arrangements and monomial ideals.* In: *Computational Commutative Algebra and Combinatorics*, T. Hibi, ed. Adv. Stud. Pure Math., 33. Mathematical Society of Japan, Tokyo, 2001, pp. 65–74.

[151] Izrail M. Gelfand, Mikhail M. Kapranov, and Andrei V. Zelevinsky. *Discriminants, Resultants, and Multidimensional Determinants.* Birkhäuser Boston, Inc., Boston, MA, 1994.

[152] Ezra Getzler and Paul Goerss. *A model category structure for differential graded coalgebras.* Preprint (1999); `http://www.math.northwestern.edu/~pgoerss/`.

[153] Samuel Gitler and Santiago López de Medrano. *Intersections of quadrics, moment-angle manifolds and connected sums.* Geom. Topol. **17** (2013), no. 3, 1497–1534.

[154] Evgeniy S. Golod. *On the homology of some local rings.* Dokl. Akad. Nauk SSSR **144** (1962), 479–482 (Russian); Soviet Math. Dokl. **3** (1962), 745–749 (English translation).

[155] Mark Goresky, R. Kottwitz and Robert MacPherson. *Equivariant cohomology, Koszul duality and the localisation theorem.* Invent. Math. **131** (1998), no. 1, 25–83.

[156] Mark Goresky and Robert MacPherson. *Stratified Morse Theory.* Springer, Berlin–New York, 1988.

[157] Jelena Grbić, Taras Panov, Stephen Theriault and Jie Wu. *The homotopy types of moment-angle complexes for flag complexes.* Trans. Amer. Math. Soc., to appear; arXiv:1211.0873.

[158] Jelena Grbić and Stephen Theriault. *The homotopy type of the complement of the codimension-two coordinate subspace arrangement.* Uspekhi Mat. Nauk **59** (2004), no. 6, 203–204 (Russian); Russian Math. Surveys **59** (2004), no. 6, 1207–1209 (English translation).

[159] Jelena Grbić and Stephen Theriault. *The homotopy type of the complement of a coordinate subspace arrangement.* Topology **46** (2007), no. 4, 357–396.

[160] Jelena Grbić and Stephen Theriault. *The homotopy type of the polyhedral product for shifted complexes.* Adv. Math. **245** (2013), 690–715.

[161] Jörg Gretenkort, Peter Kleinschmidt and Bernd Sturmfels, *On the existence of certain smooth toric varieties.* Discrete Comput. Geom. **5** (1990), no. 3, 255–262.

[162] Phillip Griffiths and Joseph Harris. *Principles of algebraic geometry.* Pure and Applied Mathematics. Wiley-Interscience, New York, 1978.

[163] Mikhail Gromov. *Hyperbolic groups.* In: *Essays in Group Theory*, S. M. Gersten, ed. Math. Sci. Res. Inst. Publ., 8. Springer, New York, 1987, pp. 75–263.

[164] Michael Grossberg and Yael Karshon. *Bott towers, complete integrability, and the extended character of representations.* Duke Math. J. **76** (1994), 23–58.

[165] Vladimir Grujić, Tanja Stojadinović and Duško Jojić. *Generalized Dehn–Sommerville relations for hypergraphs.* Preprint (2014); arXiv:1402.0421.

[166] Branko Grünbaum. *Convex Polytopes.* Second edition. Graduate Texts in Mathematics, 221. Springer, New York, 2003.

[167] Branko Grünbaum and V. P. Sreedharan. *An enumeration of simplicial 4-polytopes with 8 vertices.* J. Combinatorial Theory **2** (1967), 437–465.

[168] Victor Guillemin. *Moment Maps and Combinatorial Invariants of Hamiltonian T^n-spaces.* Progress in Mathematics, 122. Birkhaüser Boston, Inc., Boston, MA, 1994.

[169] Victor Guillemin, Viktor Ginzburg and Yael Karshon. *Moment maps, cobordisms, and Hamiltonian group actions.* Mathematical Surveys and Monographs, 98. Amer. Math. Soc., Providence, RI, 2002.

[170] Victor Guillemin and Shlomo Sternberg. *Convexity properties of the moment mapping.* Inv. Math. **67** (1982), no. 3, 491–513.

[171] Victor Guillemin and Shlomo Sternberg. *Supersymmetry and Equivariant de Rham Theory.* Springer, Berlin–Heidelberg–New York, 1999.

[172] Victor W. Guillemin and Catalin Zara. *Equivariant de Rham theory and graphs.* Asian J. Math. **3** (1999), no. 1, 49–76.

[173] Victor W. Guillemin and Catalin Zara. *One-skeleta, Betti numbers and equivariant cohomology.* Duke Math. J. **107** (2001), no. 2, 283–349.

[174] Tor Gulliksen and Gerson Levin. *Homology of Local Rings.* Queen's Papers in Pure and Applied Mathematics, 20. Queen's University, Kingston, Ontario, 1969.

[175] Stephen Halperin. *Rational homotopy and torus actions.* In: *Aspects of Topology.* London Math. Soc. Lecture Note Series, 93. Cambridge Univ. Press, Cambridge, 1985, pp. 293–306.

[176] Bernhard Hanke. *Geometric versus homotopy theoretic equivariant bordism. Math. Ann.* **332** (2005), 677–696.

[177] Megumi Harada, Yael Karshon, Mikiya Masuda, and Taras Panov, editors. *Toric Topology. International Conference, May 28–June 3, 2006, Osaka City University, Osaka, Japan.* Contemp. Math., 460. Amer. Math. Soc., Providence, RI, 2008.

[178] Allen Hatcher. *Algebraic Topology.* Cambridge Univ. Press, Cambridge, 2002.

[179] Akio Hattori. *Symplectic manifolds with semi-free Hamiltonian S^1-action.* Tokyo J. Math. **15** (1992), no. 2, 281–296.

[180] Akio Hattori and Mikiya Masuda, *Theory of multi-fans.* Osaka J. Math. **40** (2003), 1–68.

[181] Akio Hattori and Mikiya Masuda, *Elliptic genera, torus manifolds and multi-fans.* Internat. J. of Math. **16** (2005), no. 9, 957–998.

[182] Akio Hattori and Tomoyoshi Yoshida. *Lifting compact group actions in fiber bundles.* Japan. J. Math. **2** (1976), 13–25.

[183] Michiel Hazewinkel. *Formal groups and applications.* Corrected reprint of the 1978 original. AMS Chelsea Publishing, Providence, RI, 2012.

[184] Frédéric Hélein and Pascal Romon. *Hamiltonian stationary Lagrangian surfaces in $\mathbb{C}^2$.* Comm. Anal. Geom. **10** (2002), no. 1, 79–126.

[185] Jürgen Herzog, Victor Reiner and Volkmar Welker. *Componentwise linear ideals and Golod rings. Michigan Math. J.* **46** (1999), no. 2), 211–223.

[186] Philip S. Hirschhorn. *Model Categories and Their Localizations.* Mathematical Surveys and Monographs, 99. Amer. Math. Soc., Providence, RI, 2003.

[187] Friedrich Hirzebruch. *Komplexe Mannigfaltigkeiten.* (German) Proc. Internat. Congress Math, 1958. Cambridge Univ. Press, New York, 1960, pp. 119–136.

[188] Friedrich Hirzebruch. *Topological Methods in Algebraic Geometry.* Third edition. Springer, Berlin–Heidelberg, 1966.

[189] Friedrich Hirzebruch, Thomas Berger and Rainer Jung. *Manifolds and Modular Forms.* Second edition. A Publication from the Max-Planck-Institut für Mathematik, Bonn. Friedr. Vieweg & Sohn, Braunschweig, 1994.

[190] Melvin Hochster. *Cohen–Macaulay rings, combinatorics, and simplicial complexes.* In: *Ring Theory II (Proc. Second Oklahoma Conference)*, B. R. McDonald and R. Morris, eds. Dekker, New York, 1977, pp. 171–223.

[191] Gerald Höhn. *Komplexe elliptische Geschlechter und S^1-ëquivariante Kobordismustheorie.* Diplomarbeit, Bonn (1991); arXiv:math.AT/0405232 (German).

[192] Mark Hovey. *Model Categories.* Mathematical Surveys and Monographs, 63. Amer. Math. Soc., Providence, RI, 1999.

[193] W. Y. Hsiang. *Cohomology Theory of Topological Transformation Groups.* Ergeb. Math. Grenzgeb., 85. Springer, Berlin–Heidelberg, 1975.

[194] J. F. P. Hudson. *Piecewise Linear Topology.* W. A. Benjamin, Inc., New York, 1969.

[195] Dale Husemoller, John C. Moore and James Stasheff. *Differential homological algebra and homogeneous spaces.* J. Pure Appl. Algebra **5** (1974), 113–185.

[196] Dmitri Ilinskii. *On the almost free action of one-dimensional torus on a toric variety.* Mat. Sbornik **197** (2006), no. 5, 51–74 (Russian); Sbornik Math. **197** (2006), no. 5, 681–703 (English translation).

[197] Kouyemon Iriye and Daisuke Kishimoto. *Decompositions of polyhedral products for shifted complexes.* Adv. Math. **245** (2013), 716–736.

[198] Hiroaki Ishida. *Complex manifolds with maximal torus actions.* Preprint (2013); arXiv:1302.0633.

[199] Hiroaki Ishida, Yukiko Fukukawa and Mikiya Masuda. *Topological toric manifolds.* Moscow Math. J. **13** (2013), no. 1, 57–98.

[200] Hiroaki Ishida and Yael Karshon. *Completely integrable torus actions on complex manifolds with fixed points.* Math. Res. Lett. **19** (2012), no. 6, 1283–1295.

[201] Hiroaki Ishida and Mikiya Masuda. *Todd genera of complex torus manifolds.* Algebr. Geom. Topol. **12** (2012), no. 3 1777–1788.

[202] Ilia Itenberg, Grigory Mikhalkin and Eugenii Shustin. *Tropical algebraic geometry.* Second edition. Oberwolfach Seminars, 35. Birkhäuser Verlag, Basel, 2009.

[203] Ivan Izmest'ev. *Geometry of manifolds with a regular action of the torus* (in Russian). Ph.D. thesis, Moscow State University, 2000.

[204] Ivan Izmest'ev. *Manifolds determined by simple polyhedra as configuration spaces of hinge mechanisms.* Uspekhi Mat. Nauk **55** (2000), no. 1, 185–186 (Russian); Russian Math. Surveys **55** (2000), no. 1, 176–177 (English translation).

[205] Klaus Jänich. *Differenzierbare Mannigfaltigkeiten mit Rand als Orbiträume differenzierbarer G-Mannigfaltigkeiten ohne Rand.* Topology **5** (1966), 301–320 (German).

[206] John F. Jardine. *A closed model structure for differential graded algebras.* In: *Cyclic cohomology and noncommutative geometry (Waterloo, ON, 1995).* Fields Inst. Commun. **17**. Amer. Math. Soc., Providence, RI, 1997, pp. 55–58.

[207] Gil Kalai. *Rigidity and the lower bound Theorem. I.* Inv. Math. **88** (1987), no. 1, 125–151.

[208] Yoshinobu Kamishima and Mikiya Masuda. *Cohomological rigidity of real Bott manifolds.* Algebr. Geom. Topol. **9** (2009), no. 4, 2479–2502.

[209] Yasuhiko Kamiyama and Shuichi Tsukuda. *The configuration space of the n-arms machine in the Euclidean space.* Topology Appl. **154** (2007), no. 7, 1447–1464.

[210] Yasuhiko Kamiyama and Shuichi Tsukuda. *On the homology of configuration spaces of arachnoid mechanisms.* Houston J. Math. **34** (2008), no. 2, 483–499.

[211] Kalle Karu. *Hard Lefschetz theorem for nonrational polytopes.* Invent. Math. **157** (2004), no. 2, 419–447.

[212] Katsuo Kawakubo. *Equivariant Riemann–Roch theorems, localization and formal group law.* Osaka J. Math. **17** (1980), 531–571.

[213] Tetsuro Kawasaki. *Cohomology of twisted projective spaces and lens complexes.* Math. Ann. **206** (1973), 243–248.

[214] Askold G. Khovanskii [Hovanskii]. *Newton polyhedra and toric varieties.* Funk. Anal. i Prilozhen. **11** (1977), no. 4, 56–64 (Russian); Funct. Anal. Appl. **11** (1977), no. 4, 289–296 (English translation).

[215] Askold G. Khovanskii. *Hyperplane sections of polyhedra, toric varieties and discrete groups in Lobachevskii space.* Funk. Anal. i Prilozhen. **20** (1986), no. 1, 50–61 (Russian); Funct. Anal. Appl. **20** (1986), no. 1, 41–50 (English translation).

[216] Ki Hang Kim and Fred W. Roush. *Homology of certain algebras defined by graphs.* J. Pure Appl. Algebra **17** (1980), no. 2, 179–186.

[217] Robion C. Kirby and Laurent C. Siebenmann. *Foundational Essays on Topological Manifolds, Smoothings, and Triangulations.* Annals of Mathematics Studies, 88. Princeton Univ. Press, Princeton, NJ, 1977.

[218] Frances Kirwan. *Cohomology of quotients in symplectic and algebraic geometry.* Mathematical Notes, 31. Princeton Univ. Press, Princeton, NJ, 1984.

[219] Victor Klee. *A combinatorial analogue of Poincaré's duality theorem.* Canad. J. Math. **16** (1964), 517–531.

[220] Victor Klee and Peter Kleinschmidt. *Convex polytopes and related complexes.* In *Handbook of Combinatorics,* R. L. Graham *et al.*, eds. Elsevier, Amsterdam, 1995, pp. 875–917.

[221] Kunihiko Kodaira. *A certain type of irregular algebraic surfaces.* J. Analyse Math. **19** (1967), 207–215.

[222] Matthias Kreck and Stephan Stolz. *$\mathbf{H}P^2$-bundles and elliptic cohomology.* Acta Math. **171** (1993), no. 2, 231–261.

[223] Igor M. Krichever. *Formal groups and the Atiyah-Hirzebruch formula.* Izv. Akad. Nauk SSSR **38** (1974), no. 6, 1289–1304 (Russian); Math. USSR Izv. **8** (1974), no. 6, 1271–1285 (English translation).

[224] Igor M. Krichever. *Integration of nonlinear equations by the methods of algebraic geometry.* Funktsional. Anal. i Prilozhen. **11** (1977), no. 1, 15–31 (Russian); Funct. Anal. and Appl. **11** (1977), no. 1, 12–26.

[225] Igor M. Krichever. *Elliptic solutions of the Kadomtsev–Petviashvili equation and integrable systems of particles.* Funktsional. Anal. i Prilozhen. **14** (1980), no. 4, 45–54 (Russian); Funct. Anal. and Appl. **14** (1980), no. 4, 282–290.

[226] Igor M. Krichever. *Generalized elliptic genera and Baker–Akhiezer functions.* Mat. Zametki **47** (1990), no. 2, 34–45 (Russian). Math. Notes **47** (1990), no. 1–2, 132–142 (English translation).

[227] Andrey A. Kustarev. *Equivariant almost complex structures on quasitoric manifolds.* Trudy Mat. Inst. Steklova **266** (2009), 140–148 (Russian); Proc. Steklov Inst. Math. **266** (2008), no. 1, 133–141 (English translation).

[228] Peter S. Landweber. *Homological properties of comodules over $MU_*(MU)$ and $BP_*(BP)$.* Amer. J. Math. **98** (1976), no. 3, 591–610.

[229] Peter S. Landweber (ed.). *Elliptic curves and modular forms in algebraic topology.* Lecture Notes in Math., 1326. Springer, Berlin, 1988.

[230] Peter S. Landweber, Douglas C. Ravenel and Robert E. Stong. *Periodic cohomology theories defined by elliptic curves.* In: *The Čech centennial (Boston, MA, 1993).* Contemp. Math., 181. Amer. Math. Soc., Providence, RI, 1995, pp. 317–337.

[231] Michel Lazard. *Sur les groupes de Lie formels à un paramètre.* Bull. Soc. Math. France **83** (1955), no. 3, 251–274 (French).

[232] John M. Lee. *Introduction to Topological Manifolds.* Graduate Texts in Mathematics, 202. Springer, New York, 2000.

[233] Daniel Lehmann. *Théorie homotopique des forms différentielles (d'aprés D. Sullivan).* Astérisque, No. 45. Sociéte Mathématique de France, Paris, 1977 (French).

[234] William B. R. Lickorish. *Simplicial moves on complexes and manifolds.* In: *Proceedings of the Kirbyfest (Berkeley, CA, 1998).* Geom. Topol. Monogr., 2. Geom. Topol. Publ., Coventry, 1999, pp. 299–320.

[235] Ivan Limonchenko. *Bigraded Betti numbers of some simple polytopes.* Mat. Zametki **94** (2013), no. 3, 373–388 (Russian); Math. Notes **94** (2013), no. 3–4, 351–363 (English translation).

[236] Peter Löffler. *Bordismengruppen unitärer Torusmannigfaltigkeiten. Manuscripta Math.* **12** (1974), 307–327 (German).

[237] Mark de Longueville. *The ring structure on the cohomology of coordinate subspace arrangements.* Math. Zeitschrift **233** (2000), no. 3, 553–577.

[238] Santiago López de Medrano. *Topology of the intersection of quadrics in* $\mathbb{R}^n$. In: *Algebraic Topology*, G. Carlsson *et al.*, eds. Lecture Notes in Math., 1370. Springer, Berlin, 1989, pp. 280–292.

[239] Santiago López de Medrano and Alberto Verjovsky. *A new family of complex, compact, non-symplectic manifolds.* Bol. Soc. Mat. Brasil. **28** (1997), 253–269.

[240] Zhi Lü and Taras Panov. *Moment-angle complexes from simplicial posets.* Cent. Eur. J. Math. **9** (2011), no. 4, 715–730.

[241] Zhi Lü and Taras Panov. *On toric generators in the unitary and special unitary bordism rings.* Preprint (2014); arXiv:1412.5084.

[242] Zhi Lü and Wei Wang. *Examples of quasitoric manifolds as special unitary manifolds.* Preprint (2013); arXiv:1310.3933.

[243] Frank H. Lutz. *Triangulated manifolds with few vertices and vertex-transitive group actions.* Dissertation, Technischen Universität Berlin, Berlin, 1999. Berichte aus der Mathematik, Shaker Verlag, Aachen, 1999.

[244] Hui Ma. *Hamiltonian stationary Lagrangian surfaces in* $\mathbb{C}P^2$. Ann. Global. Anal. and Geom. **27** (2005), no. 1, 1–16.

[245] F. S. Macaulay. *Some properties of enumeration in the theory of modular systems.* Proc. London Math. Soc. **26** (1927), 531–555.

[246] Ian G. Macdonald. *Symmetric functions and Hall polynomials.* Second edition. The Clarendon Press, Oxford University Press, New York, 1995.

[247] Saunders Mac Lane. *Homology.* Springer, Berlin, 1963.

[248] Hiroshi Maeda, Mikiya Masuda and Taras Panov. *Torus graphs and simplicial posets.* Advances in Math. **212** (2007), no. 2, 458–483.

[249] Peter Mani. *Spheres with few vertices.* J. Combinatorial Theory. Ser. A **13** (1972), 346–352.

[250] Jerrold Marsden and Tudor Ratiu. *Introduction to mechanics and symmetry. A basic exposition of classical mechanical systems.* Second edition. Texts in Applied Mathematics, 17. Springer, New York, 1999.

[251] Mikiya Masuda. *Unitary toric manifolds, multi-fans and equivariant index.* Tohoku Math. J. **51** (1999), no. 2, 237–265.

[252] Mikiya Masuda. *h-vectors of Gorenstein* simplicial posets.* Adv. Math. **194** (2005), no. 2, 332–344.

[253] Mikiya Masuda. *Cohomological non-rigidity of generalised real Bott manifolds of height 2.* Proc. Steklov Inst. Math. **268** (2010), 242–247.

[254] Mikiya Masuda and Taras Panov. *On the cohomology of torus manifolds.* Osaka J. Math. **43** (2006), 711–746.

[255] Mikiya Masuda and Taras Panov. *Semifree circle actions, Bott towers, and quasitoric manifolds.* Mat. Sbornik **199** (2008), no. 8, 95–122 (Russian); Sbornik Math. **199** (2008), no. 7–8, 1201–1223 (English translation).

[256] Mikiya Masuda and Dong Youp Suh. *Classification problems of toric manifolds via topology.* In: *Toric Topology*, M. Harada *et al.*, eds. Contemp. Math., 460. Amer. Math. Soc., Providence, RI, 2008, pp. 273–286.

[257] Michael Mather. *Pull-backs in homotopy theory. Canad. J. Math.* **28** (1976), no. 2, 225–263.

[258] Sergei V. Matveev. *Algorithmic Topology and Classification of* 3*-manifolds.* Algorithms and Computation in Mathematics, 9. Springer, Berlin, 2003.

[259] J. Peter May. *Equivariant Homotopy and Cohomology Theory.* With contributions, by M. Cole, G. Comezaña, S. Costenoble, A. D. Elmendorf, J. P. C. Greenlees, L. G. Lewis, Jr., R. J. Piacenza, G. Triantafillou, and S. Waner. CBMS Regional Conference Series in Mathematics, 91. Amer. Math. Soc., Providence, RI, 1996.

[260] John McCleary. *A User's Guide to Spectral Sequences.* Second edition. Cambridge Studies in Advanced Mathematics, 58. Cambridge University Press, Cambridge, 2001.

[261] Dennis McGavran. *Adjacent connected sums and torus actions.* Trans. Amer. Math. Soc. **251** (1979), 235–254.

[262] Peter McMullen. *The maximum numbers of faces of a convex polytope.* Mathematika **17** (1970), 179–184.

[263] Peter McMullen. *The numbers of faces of simplicial polytopes.* Israel J. Math. **9** (1971), 559–570.

[264] Peter McMullen. *On simple polytopes.* Invent. Math. **113** (1993), no. 2, 419–444.

[265] Peter McMullen. *Weights on polytopes.* Discrete Comput. Geom. **15** (1996), no. 4, 363–388.

[266] Peter McMullen and G. Shephard. *Convex Polytopes and the Upper Bound Conjecture.* London Math. Soc. Lecture Notes Series, 3. Cambridge Univ. Press, Cambridge, 1971.

[267] Peter McMullen and David Walkup. *A generalized lower bound conjecture for simplicial polytopes.* Mathematika **18** (1971), 264–273.

[268] Carl McTague. *The Cayley plane and string bordism.* Geom. Topol. **18** (2014), no. 4, 2045–2078.

[269] Laurent Meersseman. *A new geometric construction of compact complex manifolds in any dimension.* Math. Ann. **317** (2000), 79–115.

[270] Laurent Meersseman and Alberto Verjovsky. *Holomorphic principal bundles over projective toric varieties.* J. Reine Angew. Math. **572** (2004), 57–96.

[271] Ezra Miller and Bernd Sturmfels. *Combinatorial Commutative Algebra.* Graduate Texts in Mathematics, 227. Springer, New York, 2005.

[272] John Milnor. *On the cobordism ring* Ω^* *and a complex analogue. I.* Amer. J. Math. **82** (1960), 505–521.

[273] John W. Milnor and James D. Stasheff. *Characteristic classes.* Annals of Mathematics Studies, 76. Princeton Univ. Press, Princeton, NJ, 1974.

[274] Andrey E. Mironov. *On Hamiltonian-minimal Lagrangian tori in* $\mathbb{C}P^2$. Sibirsk. Mat. Zh. **44** (2003), no. 6, 1324–1328 (Russian); Siberian Math. Journal. **44** (2003), no. 6, 1039–1042 (English translation).

[275] Andrey E. Mironov. *New examples of Hamilton-minimal and minimal Lagrangian submanifolds in* $\mathbb{C}^n$ *and* $\mathbb{C}P^n$. Mat. Sbornik **195** (2004), no. 1, 89–102 (Russian); Sbornik Math. **195** (2004), no. 1–2, 85–96 (English translation).

[276] Andrey E. Mironov and Taras Panov. *Intersections of quadrics, moment-angle manifolds, and Hamiltonian-minimal Lagrangian embeddings.* Funktsional. Anal. i Prilozhen. **47** (2013), no. 1, 47–61 (Russian); Funct. Anal. and Appl. **47** (2013), no. 1, 38–49 (English translation).

[277] Andrey E. Mironov and Taras Panov. *Hamiltonian minimal Lagrangian submanifolds in toric varieties.* Uspekhi Mat. Nauk **68** (2013), no. 2, 203–204 (Russian); Russian Math. Surveys **68** (2013), no. 2, 392–394 (English translation).

[278] Andrey E. Mironov and Dafeng Zuo. *On a family of conformally flat Hamiltonian-minimal Lagrangian tori in* $\mathbb{C}P^3$. Internat. Math. Res. Notices (2008), Art. ID rnn 078, 13 pp.

[279] Edwin E. Moise. *Geometric Topology in Dimensions* 2 *and* 3. Graduate Texts in Mathematics, 47. Springer, New York-Heidelberg, 1977.

[280] John C. Moore. *Differential homological algebra.* In: *Actes du Congrès International des Mathématiciens, 1970, Nice, France*, volume 1. Gauthier-Villars, Paris, 1971, pp. 335–339.

[281] James R. Munkres. *Elementary Differential Topology.* Revised edition. Annals of Math. Studies, 54. Princeton Univ. Press, Princeton, NJ, 1966.

[282] James R. Munkres. *Topological results in combinatorics.* Michigan Math. J. **31** (1984), no. 1, 113–128.

[283] Oleg R. Musin. *Actions of the circle on homotopy complex projective spaces.* Mat. Zametki **28** (1980), no. 1, 139–152 (Russian); Math. Notes **28** (1980), no. 1–2, 533–539 (English translation).

[284] Oleg R. Musin. *On rigid Hirzebruch genera.* Moscow Math. J. **11** (2011), no. 1, 139–147.

[285] A. Nabutovsky. *Geometry of the space of triangulations of a compact manifold.* Comm. Math. Phys. **181** (1996), no. 2, 303–330.

[286] Joseph Neisendorfer. *Lie algebras, coalgebras and rational homotopy theory for nilpotent spaces.* Pacific J. Math. **74** (1978), no. 2, 429–460.

[287] Joseph Neisendorfer. *Algebraic methods in unstable homotopy theory.* New Mathematical Monographs, 12. Cambridge Univ. Press, Cambridge, 2010.

[288] Joseph Neisendorfer and Timothy Miller. *Formal and coformal spaces.* Illinois J. Math. **22** (1978), no. 4, 565–580.

[289] Stefan Nemirovski. *Lagrangian Klein bottles in* $\mathbb{R}^{2n}$. Geom. Funct. Anal. **19** (2009), no. 3, 902–909.

[290] Dietrich Notbohm and Nigel Ray. *On Davis–Januszkiewicz homotopy types I; formality and rationalisation.* Alg. Geom. Topol. **5** (2005), 31–51.

[291] Sergei P. Novikov. *Some problems in the topology of manifolds connected with the theory of Thom spaces.* Dokl. Akad. Nauk SSSR **132** (1960), 1031–1034 (Russian); Soviet Math. Dokl. **1** (1960), 717–720 (English translation).

[292] Sergei P. Novikov. *Homotopy properties of Thom complexes.* Mat. Sbornik **57** (1962), no. 4, 407–442 (Russian); English translation at `http://www.mi.ras.ru/~snovikov/6.pdf`.

[293] Sergei P. Novikov. *Methods of algebraic topology from the point of view of cobordism theory.* Izv. Akad. Nauk SSSR, Ser. Mat. **31** (1967), no. 4, 855–951 (Russian); Math. USSR – Izv. **1** (1967), no. 4, 827–913 (English translation).

[294] Sergei P. Novikov. *Adams operators and fixed points.* Izv. Akad. Nauk SSSR, Ser. Mat. **32** (1968), no. 6, 1245–1263 (Russian); Math. USSR – Izv. **2** (1968), no. 6, 1193–1211 (English translation).

[295] Sergei P. Novikov. *Topology I.* Encyclopaedia Math. Sci., 12. Springer, Berlin, 1996.

[296] Serge Ochanine. *Sur les genres multiplicatifs définis par des intégrales elliptiques.* Topology **26** (1987), no. 2, 143–151 (French).

[297] Serge Ochanine. *Genres elliptiques équivariants* (French). In: *Elliptic Curves and Modular Forms in Algebraic Topology*, P. S. Landweber, ed. Lecture Notes in Math., 1326, Springer, Berlin, 1988, pp. 107–122.

[298] Tadao Oda. *Convex Bodies and Algebraic Geometry. An introduction to the theory of toric varieties.* Ergebnisse der Mathematik und ihrer Grenzgebiete (3) [Results in Mathematics and Related Areas (3)], 15. Springer, New York, 1988.

[299] Yong-Geun Oh. *Volume minimization of Lagrangian submanifolds under Hamiltonian deformations.* Math. Zeitschrift **212** (1993), no. 2, 175–192.

[300] Udo Pachner. *Konstruktionsmethoden und das kombinatorische Homöomorphieproblem für Triangulationen kompakter semilinearer Mannigfaltigkeiten.* Abh. Math. Sem. Univ. Hamburg **57** (1987), 69–86 (German).

[301] Udo Pachner. *P.L. homeomorphic manifolds are equivalent by elementary shellings.* European J. Combin. **12** (1991), no. 2, 129–145.

[302] Taras Panov. *Hirzebruch genera of manifolds with torus actions.* Izv. Ross. Akad. Nauk, Ser. Mat. **65** (2001), no. 3, 123–138 (Russian); Izv. Math. **65** (2001), no. 3, 543–556 (English translation).

[303] Taras Panov. *Cohomology of face rings, and torus actions.* In: *Surveys in Contemporary Mathematics.* London Math. Soc. Lecture Note Series, 347. Cambridge Univ. Press, Cambridge, 2008, pp. 165–201.

[304] Taras Panov and Nigel Ray. *Categorical aspects of toric topology.* In: *Toric Topology*, M. Harada *et al.*, eds. Contemp. Math., 460. Amer. Math. Soc., Providence, RI, 2008, pp. 293–322.

[305] Taras Panov, Nigel Ray and Rainer Vogt. *Colimits, Stanley–Reiner algebras, and loop spaces.* In: *Categorical decomposition techniques in algebraic topology (Isle of Skye, 2001).* Progress in Math., 215, Birkhäuser, Basel, 2004, pp. 261–291.

[306] Taras Panov and Yuri Ustinovsky. *Complex-analytic structures on moment-angle manifolds.* Moscow Math. J. **12** (2012), no. 1, 149–172.

[307] Taras Panov, Yuri Ustinovsky and Misha Verbitsky. *Complex geometry of moment-angle manifolds.* Preprint (2013); arXiv:1308.2818.

[308] Lev S. Pontryagin. *Foundations of Combinatorial Topology.* Graylock Press, Rochester, NY, 1952.

[309] Gerald J. Porter. *The homotopy groups of wedges of suspensions.* Amer. J. Math. **88** (1966) 655–663.

[310] Alexander Postnikov. *Permutohedra, associahedra, and beyond.* Int. Math. Res. Not. **2009**, no. 6, 1026–1106.

[311] Alexander Postnikov, Victor Reiner, L. Williams. *Faces of generalized permutohedra.* Doc. Math. **13** (2008), 207–273.

[312] Stewart Priddy. *Koszul resolutions.* Trans. Amer. Math. Soc. **151** (1970), no. 1, 39–60.

[313] J. S. Provan and Louis J. Billera. *Decompositions of simplicial complexes related to diameters of convex polyhedra.* Math. Oper. Res. **5** (1980), no. 4, 576–594.

[314] Volker Puppe. *Multiplicative aspects of the Halperin–Carlsson conjecture.* Georgian Math. J. **16** (2009), no. 2, 369–379.

[315] Daniel Quillen. *Homotopical Algebra.* Lecture Notes in Mathematics, 43. Springer, Berlin, 1967.

[316] Daniel Quillen. *Rational homotopy theory.* Ann. of Math. (2) **90** (1969), no. 2, 205–295.

[317] Daniel G. Quillen. *On the formal group laws of unoriented and complex cobordism theory.* Bull. Amer. Math. Soc. **75** (1969), no. 6, 1293–1298.

[318] Daniel G. Quillen. *Elementary proofs of some results of cobordism theory using Steenrod operations. Adv. Math.* **7** (1971), 29–56.

[319] Andrew Ranicki. *On the Hauptvermutung.* In: *The Hauptvermutung Book. K*-Monogr. Math., 1. Kluwer Acad. Publ., Dordrecht, 1996, pp. 3–31.

[320] Douglas C. Ravenel. *Complex cobordism and stable homotopy groups of spheres.* Pure and Applied Mathematics, 121. Academic Press, Inc., Orlando, FL, 1986.

[321] Nigel Ray. *On a construction in bordism theory. Proc. Edin. Math. Soc.* **29** (1986), 413–422.

[322] Gerald A. Reisner. *Cohen–Macaulay quotients of polynomial rings*, Adv. Math. **21** (1976), no. 1, 30–49.

[323] Colin P. Rourke and Brian J. Sanderson. *Introduction to Piecewise-Linear Topology.* Springer, Berlin, 1972.

[324] J. Hyam Rubinstein. *An algorithm to recognise the* 3*-sphere.* Proceedings of the International Congress of Mathematicians, Vol 1, 2 (Zürich, 1994), 601–611; Birkhäuser, Basel, 1995.

[325] Hans Samelson. *A connection between the Whitehead and the Pontryagin product.* Amer. J. Math. **75** (1953), no. 4, 744–752.

[326] Roland Schwänzl and Rainer M. Vogt. *The categories of A_∞- and E_∞-monoids and ring spaces as closed simplicial and topological model categories.* Arch. Math (Basel) **56** (1991), no. 4, 405–411.

[327] Gerald W. Schwarz. *The topology of algebraic quotients.* In: *Topological Methods in Algebraic Transformation Groups.* Progr. in Math, 80. Birkhäuser, Boston, 1989, pp. 135–151.

[328] Stefan Schwede and Brooke E. Shipley. *Algebras and modules in monoidal model categories.* Proc. London Math. Soc. (3) **80** (2000), no. 2, 491–511.

[329] S. A. Seyed Fakhari and Volkmar Welker. *The Golod property for products and high symbolic powers of monomial ideals.* J. Algebra **400** (2014), 290–298.

[330] Igor R. Shafarevich. *Basic Algebraic Geometry. 2. Schemes and complex manifolds.* Second edition. Translated from the 1988 Russian edition by Miles Reid. Springer, Berlin, 1994.

[331] Vsevolod Shevchishin. *Lagrangian embeddings of the Klein bottle and combinatorial properties of mapping class groups.* Izv. Ross. Akad. Nauk Ser. Mat. **73** (2009), no. 4, 153–224 (Russian); Izv. Math. **73** (2009), no. 4, 797–859 (English translation).

[332] Larry Smith. *Homological algebra and the Eilenberg–Moore spectral sequence.* Trans. Amer. Math. Soc. **129** (1967), 58–93.

[333] Richard P. Stanley. *The upper bound conjecture and Cohen-Macaulay rings.* Studies in Appl. Math. **54** (1975), no. 2, 135–142.

[334] Richard P. Stanley. *The number of faces of simplicial convex polytope.* Adv. Math. **35** (1980), no. 3, 236–238.

[335] Richard P. Stanley. *Enumerative Combinatorics*, Vol. 1. Wadsworth and Brooks/Cole, Monterey, California, 1986.

[336] Richard P. Stanley. *Generalized H-vectors, intersection cohomology of toric varieties, and related results.* In: *Commutative algebra and combinatorics (Kyoto, 1985)*, M. Nagata and H. Matsumura, eds. Adv. Stud. Pure Math., 11. North-Holland, Amsterdam, 1987, pp. 187–213.

[337] Richard P. Stanley. *f-vectors and h-vectors of simplicial posets.* J. Pure Appl. Algebra. **71** (1991), 319–331.

[338] Richard P. Stanley. *Combinatorics and Commutative Algebra.* Second edition. Progr. in Math., 41. Birkhäuser, Boston, 1996.

[339] Richard P. Stanley. *Positivity problems and conjectures in algebraic combinatorics.* In: *Mathematics: Frontiers and Perspectives*, V. I. Arnold *et al.*, eds. Amer. Math. Soc., Providence, RI, 2000, pp. 295–319.

[340] James D. Stasheff. *Homotopy associativity of H-spaces. I.* Transactions Amer. Math. Soc. **108** (1963), 275–292.

[341] James D. Stasheff. *From operads to "physically" inspired theories.* In: *Operads: Proceedings of Renaissance Conferences (Hartford, CT/Luminy, 1995).* Contemp. Math., 202, Amer. Math. Soc., Providence, RI, 1997, pp. 53–81.

[342] Robert E. Stong. *Notes on Cobordism Theory.* Math. Notes, 7. Princeton Univ. Press, Princeton, NJ, 1968.

[343] Dennis Sullivan. *Infinitesimal computations in topology.* Publ. I.H.E.S. **47** (1977), 269–331.

[344] Yusuke Suyama. *Examples of smooth compact toric varieties that are not quasitoric manifolds.* Algebr. Geom. Topol. **14** (2014), no. 5, 3097–3106.

[345] R. H. Szczarba. *On tangent bundles of fibre spaces and quotient spaces.* Amer. J. Math. **86** (1964), 685–697.

[346] Jérôme Tambour. *LVMB manifolds and simplicial spheres.* Annales l'Institut Fourier **62** (2012), no. 4, 1289–1317.

[347] Naoki Terai and Takayuki Hibi. *Computation of Betti numbers of monomial ideals associated with stacked polytopes.* Manuscripta Math. **92** (1997), no. 4, 447–453.

[348] Stephen Theriault. *Moment-angle manifolds and Panov's problem.* Preprint (2014), arXiv:1405.4886.

[349] René Thom. *Quelques propriétés globales des variétés différentiables.* Comment. Math. Helv. **28** (1954), 17–86 (French).

[350] Emery Thomas. *Complex structures on real vector bundles.* Amer. J. Math. **89** (1967), 887–908.

[351] Vladlen Timorin. *An analogue of the Hodge–Riemann relations for simple convex polytopes.* Uspekhi Mat. Nauk **54** (1999), no. 2, 113–162 (Russian); Russian Math. Surveys **54** (1999), no. 2, 381–426 (English translation).

[352] Valerio Toledano Laredo. *Quasi-Coxeter algebras, Dynkin diagram cohomology, and quantum Weyl groups.* Int. Math. Res. Pap. IMRP **2008**, Article ID rpn009, 167 pp.

[353] Susan Tolman and Jonathan Weitsman. *On semifree symplectic circle actions with isolated fixed points.* Topology **39** (2000), no. 2, 299–309.

[354] Yury Ustinovsky. *Toral rank conjecture for moment-angle complexes.* Mat. Zametrki **90** (2011), no. 2, 300–305 (Russian); Math. Notes **90** (2011), no. 1–2, 279–283 (English translation).

[355] Yury Ustinovsky. *On almost free torus actions and the Horrocks conjecture.* Dal'nevost. Mat. Zh. **12** (2012), no. 1, 98–107 (Russian); arXiv:1203.3685.

[356] Ernest B. Vinberg. *Discrete linear groups generated by reflections.* Izv. Akad. Nauk SSSR Ser. Mat. **35** (1971), 1072–1112 (Russian); Math. USSR Izvestija **5** (1971), no. 5, 1083–1119 (English translation).

[357] Ernest B. Vinberg and Vladimir L. Popov. *Invariant theory.* In: *Algebraic Geometry 4.* VINITI, Moscow, 1989, pp. 137–314 (Russian); Encyclopaedia Math. Sci., 55. Springer, Heidelberg, 1994, pp. 123–284 (English translation).

[358] Rainer M. Vogt. *Convenient categories of topological spaces for homotopy theory.* Arch. Math. (Basel) **22** (1971), no. 1, 545–555.

[359] Rainer M. Vogt. *Homotopy limits and colimits.* Math. Zeitschrift **134** (1973), 11–52.

[360] Rainer M. Vogt. *Homotopy homomorphisms and the classifying space functor.* Preprint (2012); arXiv:1203.4978.

[361] I. A. Volodin, V. E. Kuznecov, A. T. Fomenko. *The problem of the algorithmic discrimination of the standard three-dimensional sphere.* Appendix by S. P. Novikov. Uspekhi Mat. Nauk **29** (1974), no. 5, 71–168 (Russian); Russian Math. Surveys **29** (1974), no. 5, 71–172 (English translation).

[362] V. A. Yemelichev, M. M. Kovalev and M. K. Kravtsov. *Polytopes, Graphs and Optimisation.* Translated from the Russian by G. H. Lawden. Cambridge Univ. Press, Cambridge, 1984.

[363] C. T. C. Wall. *Determination of the cobordism ring.* Ann. of Math. (2) **72** (1960), 292–311.

[364] Volkmar Welker, Günter Ziegler and Rade Živaljević. *Homotopy colimits—comparison lemmas for combinatorial applications.* J. Reine Angew. Math. **509** (1999), 117–149.

[365] Andrew Wilfong. *Toric polynomial generators of complex cobordism.* Preprint (2013); arXiv:1308.2010.

[366] Francis D. Williams. *Higher Samelson products.* J. Pure Appl. Algebra **2** (1972), 249–260.

[367] Edward Witten. *Elliptic genera and quantum field theory.* Comm. Math. Phys. **109** (1987), no. 4, 525–536.

[368] Edmund T. Whittaker and George N. Watson. *A Course of Modern Analysis.* Reprint of the fouth (1927) edition. Cambridge University Press, Cambridge, 1996.

[369] Günter M. Ziegler. *Lectures on Polytopes.* Graduate Texts in Mathematics, 152. Springer, New York, 1995.

Index

This book is about toric topology, a new area of mathematics that emerged at the end of the 1990s on the border of equivariant topology, algebraic and symplectic geometry, combinatorics, and commutative algebra. It has quickly grown into a very active area with many links to other areas of mathematics, and continues to attract experts from different fields.

The key players in toric topology are moment-angle manifolds, a class of manifolds with torus actions defined in combinatorial terms. Construction of moment-angle manifolds relates to combinatorial geometry and algebraic geometry of toric varieties via the notion of a quasitoric manifold. Discovery of remarkable geometric structures on moment-angle manifolds led to important connections with classical and modern areas of symplectic, Lagrangian, and non-Kaehler complex geometry. A related categorical construction of moment-angle complexes and polyhedral products provides for a universal framework for many fundamental constructions of homotopical topology. The study of polyhedral products is now evolving into a separate subject of homotopy theory. A new perspective on torus actions has also contributed to the development of classical areas of algebraic topology, such as complex cobordism.

This book includes many open problems and is addressed to experts interested in new ideas linking all the subjects involved, as well as to graduate students and young researchers ready to enter this beautiful new area.

For additional information and updates on this book, visit
www.ams.org/bookpages/surv-204

AMS *on the* Web
www.ams.org

ISBN: 978-1-4704-2214-1

9 781470 422141

SURV/204