

Mathematical  
Surveys  
and  
Monographs

Volume 264

# Diagrammatic Algebra

J. Scott Carter  
Seiichi Kamada



# Diagrammatic Algebra



**Mathematical  
Surveys  
and  
Monographs**

**Volume 264**

# **Diagrammatic Algebra**

**J. Scott Carter  
Seiichi Kamada**



**AMS**

**AMERICAN  
MATHEMATICAL  
SOCIETY**

Providence, Rhode Island

## EDITORIAL COMMITTEE

Ana Caraiani	Natasa Sesum
Robert Guralnick, Chair	Constantin Teleman
Bryna Kra	Anna-Karin Tornberg

2020 *Mathematics Subject Classification.* Primary 18M15, 18M30, 18N25, 55N99, 57K10,  
57K16, 57K45, 57R42.

---

For additional information and updates on this book, visit  
[www.ams.org/bookpages/surv-264](http://www.ams.org/bookpages/surv-264)

---

### Library of Congress Cataloging-in-Publication Data

Names: Carter, J. Scott, author. | Kamada, Seiichi, 1964– author.

Title: Diagrammatic algebra / J. Scott Carter, Seiichi Kamada.

Description: Providence, Rhode Island : American Mathematical Society, [2021] | Series: Mathematical surveys and monographs, 0076-5376 ; Volume 264 | Includes bibliographical references and index.

Identifiers: LCCN 2021035872 | ISBN 9781470466718 (paperback) | ISBN 9781470468156 (ebook)

Subjects: LCSH: Algebraic topology. | Homology theory. | Intersection homology theory. | AMS: Algebraic topology – Homology and cohomology theories [See also 57Txx] – None of the above, but in this section. | Manifolds and cell complexes {For complex manifolds, see 32Qxx} – Differential topology {For foundational questions of differentiable manifolds, see 58Axx; for infinite-dimensional manifolds, see 58B}

Classification: LCC QA612 .C37 2021 | DDC 514/.2–dc23

LC record available at <https://lccn.loc.gov/2021035872>

---

**Copying and reprinting.** Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy select pages for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for permission to reuse portions of AMS publication content are handled by the Copyright Clearance Center. For more information, please visit [www.ams.org/publications/pubpermissions](http://www.ams.org/publications/pubpermissions).

Send requests for translation rights and licensed reprints to [reprint-permission@ams.org](mailto:reprint-permission@ams.org).

© 2021 by the authors. All rights reserved.

Printed in the United States of America.

∞ The paper used in this book is acid-free and falls within the guidelines established to ensure permanence and durability.  
Visit the AMS home page at [https://www.ams.org/](http://www.ams.org/)

10 9 8 7 6 5 4 3 2 1      26 25 24 23 22 21

# Contents

Chapter 1. Introduction	1
Chapter 2. Elements	11
1. Sets, relations, and functions	11
2. Diagrammatics of linear algebra	12
3. Algebras	22
4. Simplifying, clarifying, and abstracting	28
5. General categorical principles	29
Chapter 3. Planar trivalent diagrams	31
1. Small categories	31
2. Trivalent graphs	32
Chapter 4. The multi-category $\mathsf{FA}$	39
1. Composition of double arrows	39
2. Reversible arrows and additional double arrows	65
Chapter 5. Triple arrows for $\mathsf{FA}$	71
1. Algebraic identities as double arrows	71
2. The category of double arrows	73
3. Critical aspects of weakly invertible 1-arrows	74
4. Coalgebra axioms as triple arrows	84
Chapter 6. Surfaces in 3-space	87
1. Guide to terminology	87
2. Objects, 1-arrows, and double arrows	88
3. Triple arrows in $\mathcal{S}$	90
4. Quadruple arrows in the multi-category $\mathcal{S}$	97
5. Functorial equivalent multi-categories	109
Chapter 7. Beyond surfaces	119
1. Different objects and arrows	119
2. Weak inverses revisited	145
3. Higher order arrows in $\mathsf{FA}$	157
4. Restricting the collections of arrows	168
Chapter 8. Parentheses and so forth	173
1. The Temperley-Lieb algebra	173
2. Other Catalan-like things	177
3. Higher associativities	183
4. Higher dimensional foams	188

Chapter 9. Knots in space	191
1. Oriented knots and higher categories	191
2. Reidemeister moves	195
3. The fundamental group and related invariants	200
4. The Jones polynomial	209
5. The braid group	214
6. More algebraic structures	215
7. Trivalent graphs	225
Chapter 10. Foams and surfaces in 4-space	241
1. Knotted surfaces	241
2. Foams in 4-space	253
3. Shalgebras and qualgebras	269
4. Homology	273
5. More abstract tensors	276
6. Conclusion	290
Chapter 11. Higher dimensional braids	293
1. Geometric braids	293
2. Glyphographic description of surface braids	295
3. Surface braids	298
4. Charts in 3- and 4-dimensions	322
5. Conclusion	338
Chapter 12. Globular multi-categories	341
1. Arrows and cells	342
2. Group presentations	349
3. Conclusion	355
Bibliography	357
Index	361

## Bibliography

- [1] Samson Abramsky and Bob Coecke. Categorical quantum mechanics. In *Handbook of quantum logic and quantum structures—quantum logic*, pages 261–323. Elsevier/North-Holland, Amsterdam, 2009.
- [2] Colin C. Adams. *The knot book*. American Mathematical Society, Providence, RI, 2004. An elementary introduction to the mathematical theory of knots, Revised reprint of the 1994 original.
- [3] J. W. Alexander and G. B. Briggs. On types of knotted curves. *Ann. of Math. (2)*, 28(1-4):562–586, 1926/27.
- [4] Yongju Bae, J. Scott Carter, Seonmi Choi, and Sera Kim. Non-orientable surfaces in 4-dimensional space. *J. Knot Theory Ramifications*, 23(11):1430002, 52, 2014.
- [5] John C. Baez, Brandon Coya, and Franciscus Rebro. Props in network theory. *Theory Appl. Categ.*, 33:Paper No. 25, 727–783, 2018.
- [6] John C. Baez and James Dolan. Higher-dimensional algebra and topological quantum field theory. *J. Math. Phys.*, 36(11):6073–6105, 1995.
- [7] John C. Baez and Laurel Langford. Higher-dimensional algebra. IV. 2-tangles. *Adv. Math.*, 180(2):705–764, 2003.
- [8] Dror Bar-Natan. On Khovanov’s categorification of the Jones polynomial. *Algebr. Geom. Topol.*, 2:337–370, 2002.
- [9] Dror Bar-Natan. Khovanov’s homology for tangles and cobordisms. *Geom. Topol.*, 9:1443–1499, 2005.
- [10] Kenneth S. Brown. *Cohomology of groups*, volume 87 of *Graduate Texts in Mathematics*. Springer-Verlag, New York, 1994. Corrected reprint of the 1982 original.
- [11] J. W. Bruce and P. J. Giblin. *Curves and singularities*. Cambridge University Press, Cambridge, second edition, 1992. A geometrical introduction to singularity theory.
- [12] J. Scott Carter. Reidemeister/Roseman-type moves to embedded foams in 4-dimensional space. In *New ideas in low dimensional topology*, volume 56 of *Ser. Knots Everything*, pages 1–30. World Sci. Publ., Hackensack, NJ, 2015.
- [13] J. Scott Carter, Daniel E. Flath, and Masahico Saito. *The classical and quantum 6j-symbols*, volume 43 of *Mathematical Notes*. Princeton University Press, Princeton, NJ, 1995.
- [14] J. Scott Carter and Seiichi Kamada. How to fold a manifold. In *New ideas in low dimensional topology*, volume 56 of *Ser. Knots Everything*, pages 31–77. World Sci. Publ., Hackensack, NJ, 2015.
- [15] J. Scott Carter and Masahico Saito. *Knotted surfaces and their diagrams*, volume 55 of *Mathematical Surveys and Monographs*. American Mathematical Society, Providence, RI, 1998.
- [16] Jean Cerf. La stratification naturelle des espaces de fonctions différentiables réelles et le théorème de la pseudo-isotopie. *Inst. Hautes Études Sci. Publ. Math.*, (39):5–173, 1970.
- [17] Bob Coecke, Fabrizio Genovese, Martha Lewis, Dan Marsden, and Alex Toumi. Generalized relations in linguistics & cognition. *Theoret. Comput. Sci.*, 752:104–115, 2018.
- [18] Bob Coecke and Aleks Kissinger. Categorical quantum mechanics I: causal quantum processes. In *Categories for the working philosopher*, pages 286–328. Oxford Univ. Press, Oxford, 2017.
- [19] J. H. Conway. An enumeration of knots and links, and some of their algebraic properties. In *Computational Problems in Abstract Algebra (Proc. Conf., Oxford, 1967)*, pages 329–358. Pergamon, Oxford, 1970.
- [20] Louis Crane and Igor B. Frenkel. Four-dimensional topological quantum field theory, Hopf categories, and the canonical bases. volume 35, pages 5136–5154. 1994. Topology and physics.

- [21] *et al.* eds. C. Adams. *Encyclopedia of Knot Theory*. CRC.
- [22] P. Freyd, D. Yetter, J. Hoste, W. B. R. Lickorish, K. Millett, and A. Ocneanu. A new polynomial invariant of knots and links. *Bull. Amer. Math. Soc. (N.S.)*, 12(2):239–246, 1985.
- [23] Cole A. Giller. Towards a classical knot theory for surfaces in  $\mathbf{R}^4$ . *Illinois J. Math.*, 26(4):591–631, 1982.
- [24] M. Golubitsky and V. Guillemin. *Stable mappings and their singularities*. Springer-Verlag, New York-Heidelberg, 1973. Graduate Texts in Mathematics, Vol. 14.
- [25] Amar Hadzihasanovic. A diagrammatic axiomatisation for qubit entanglement. In *2015 30th Annual ACM/IEEE Symposium on Logic in Computer Science (LICS 2015)*, pages 573–584. IEEE Computer Soc., Los Alamitos, CA, 2015.
- [26] Amar Hadzihasanovic. A combinatorial-topological shape category for polygraphs. *Appl. Categ. Structures*, 28(3):419–476, 2020.
- [27] Allen Hatcher. *Algebraic topology*. Cambridge University Press, Cambridge, 2002.
- [28] M. A. Hennings. On solutions to the braid equation identified by Woronowicz. *Lett. Math. Phys.*, 27(1):13–17, 1993.
- [29] Morris W. Hirsch. *Differential topology*. Springer-Verlag, New York-Heidelberg, 1976. Graduate Texts in Mathematics, No. 33.
- [30] Jim Hoste, Morwen Thistlethwaite, and Jeff Weeks. The first 1,701,936 knots. *Math. Intelligencer*, 20(4):33–48, 1998.
- [31] Atsushi Ishii. Moves and invariants for knotted handlebodies. *Algebr. Geom. Topol.*, 8(3):1403–1418, 2008.
- [32] Atsushi Ishii, Masahide Iwakiri, Yeonhee Jang, and Kanako Oshiro. A  $G$ -family of quandles and handlebody-knots. *Illinois J. Math.*, 57(3):817–838, 2013.
- [33] Shyuichi Izumiya, Maria del Carmen Romero Fuster, Maria Aparecida Soares Ruas, and Farid Tari. *Differential geometry from a singularity theory viewpoint*. World Scientific Publishing Co. Pte. Ltd., Hackensack, NJ, 2016.
- [34] V. F. R. Jones. Hecke algebra representations of braid groups and link polynomials. *Ann. of Math. (2)*, 126(2):335–388, 1987.
- [35] Vaughan F. R. Jones. A polynomial invariant for knots via von Neumann algebras. *Bull. Amer. Math. Soc. (N.S.)*, 12(1):103–111, 1985.
- [36] André Joyal and Ross Street. Braided tensor categories. *Adv. Math.*, 102(1):20–78, 1993.
- [37] David Joyce. A classifying invariant of knots, the knot quandle. *J. Pure Appl. Algebra*, 23(1):37–65, 1982.
- [38] Seiichi Kamada. Alexander’s and Markov’s theorems in dimension four. *Bull. Amer. Math. Soc. (N.S.)*, 31(1):64–67, 1994.
- [39] Seiichi Kamada. Arrangement of Markov moves for 2-dimensional braids. In *Low-dimensional topology (Funchal, 1998)*, volume 233 of *Contemp. Math.*, pages 197–213. Amer. Math. Soc., Providence, RI, 1999.
- [40] Seiichi Kamada. *Braid and knot theory in dimension four*, volume 95 of *Mathematical Surveys and Monographs*. American Mathematical Society, Providence, RI, 2002.
- [41] Louis H. Kauffman. *On knots*, volume 115 of *Annals of Mathematics Studies*. Princeton University Press, Princeton, NJ, 1987.
- [42] Louis H. Kauffman. State models and the Jones polynomial. *Topology*, 26(3):395–407, 1987.
- [43] Louis H. Kauffman. *Knots and physics*, volume 53 of *Series on Knots and Everything*. World Scientific Publishing Co. Pte. Ltd., Hackensack, NJ, fourth edition, 2013.
- [44] Louis H. Kauffman and Sóstenes L. Lins. *Temperley-Lieb recoupling theory and invariants of 3-manifolds*, volume 134 of *Annals of Mathematics Studies*. Princeton University Press, Princeton, NJ, 1994.
- [45] Louis H. Kauffman and David E. Radford. Invariants of 3-manifolds derived from finite-dimensional Hopf algebras. *J. Knot Theory Ramifications*, 4(1):131–162, 1995.
- [46] Kengo Kawamura, Kanako Oshiro, and Kokoro Tanaka. Independence of Roseman moves including triple points. *Algebr. Geom. Topol.*, 16(4):2443–2458, 2016.
- [47] Akio Kawauchi. *A survey of knot theory*. Birkhäuser Verlag, Basel, 1996. Translated and revised from the 1990 Japanese original by the author.
- [48] Mikhail Khovanov. A categorification of the Jones polynomial. *Duke Math. J.*, 101(3):359–426, 2000.
- [49] Mikhail Khovanov. A categorification of the Jones polynomial. *Duke Math. J.*, 101(3):359–426, 2000.

- [50] Robion Kirby. A calculus for framed links in  $S^3$ . *Invent. Math.*, 45(1):35–56, 1978.
- [51] Greg Kuperberg. Involutory Hopf algebras and 3-manifold invariants. *Internat. J. Math.*, 2(1):41–66, 1991.
- [52] R. Lawrence. Homological representations of the Hecke algebra. *Comm. Math. Phys.*, 135:141–192, 1990.
- [53] Charles Livingston. *Knot theory*, volume 24 of *Carus Mathematical Monographs*. Mathematical Association of America, Washington, DC, 1993.
- [54] Shahn Majid. *Foundations of quantum group theory*. Cambridge University Press, Cambridge, 1995.
- [55] William S. Massey. *A basic course in algebraic topology*, volume 127 of *Graduate Texts in Mathematics*. Springer-Verlag, New York, 1991.
- [56] S. V. Matveev. Transformations of special spines, and the Zeeman conjecture. *Izv. Akad. Nauk SSSR Ser. Mat.*, 51(5):1104–1116, 1119, 1987.
- [57] Sergei Matveev. Distributive groupoids in knot theory. *Mat. Sb. (N.S.)*, 119(161)(1):78–88, 160, 1982.
- [58] Jenelle McAtee, Daniel S. Silver, and Susan G. Williams. Coloring spatial graphs. *J. Knot Theory Ramifications*, 10(1):109–120, 2001.
- [59] Marston Morse and Stewart S. Cairns. *Critical point theory in global analysis and differential topology: An introduction*. Pure and Applied Mathematics, Vol. 33. Academic Press, New York-London, 1969.
- [60] Kunio Murasugi. *Knot theory and its applications*. Birkhäuser Boston, Inc., Boston, MA, 1996. Translated from the 1993 Japanese original by Bohdan Kurpita.
- [61] Udo Pachner. P.L. homeomorphic manifolds are equivalent by elementary shellings. *European J. Combin.*, 12(2):129–145, 1991.
- [62] Roger Penrose. Applications of negative dimensional tensors. In *Combinatorial Mathematics and its Applications (Proc. Conf., Oxford, 1969)*, pages 221–244. Academic Press, London, 1971.
- [63] Riccardo Piergallini. Standard moves for standard polyhedra and spines. *Rend. Circ. Mat. Palermo (2) Suppl.*, (18):391–414, 1988. Third National Conference on Topology (Italian) (Trieste, 1986).
- [64] Kurt Reidemeister. Knoten und Gruppen. *Abh. Math. Sem. Univ. Hamburg*, 5(1):7–23, 1927.
- [65] N. Reshetikhin and V. G. Turaev. Invariants of 3-manifolds via link polynomials and quantum groups. *Invent. Math.*, 103(3):547–597, 1991.
- [66] J. H. Rieger. Families of maps from the plane to the plane. *J. London Math. Soc. (2)*, 36(2):351–369, 1987.
- [67] Dale Rolfsen. *Knots and links*, volume 7 of *Mathematics Lecture Series*. Publish or Perish, Inc., Houston, TX, 1990. Corrected reprint of the 1976 original.
- [68] Dennis Roseman. Reidemeister-type moves for surfaces in four-dimensional space. In *Knot theory (Warsaw, 1995)*, volume 42 of *Banach Center Publ.*, pages 347–380. Polish Acad. Sci. Inst. Math., Warsaw, 1998.
- [69] Colin Patrick Rourke and Brian Joseph Sanderson. *Introduction to piecewise-linear topology*. Springer Study Edition. Springer-Verlag, Berlin-New York, 1982. Reprint.
- [70] Kentaro Saji. Criteria for singularities of smooth maps from the plane into the plane and their applications. *Hiroshima Math. J.*, 40(2):229–239, 2010.
- [71] P. Selinger. A survey of graphical languages for monoidal categories. In *New structures for physics*, volume 813 of *Lecture Notes in Phys.*, pages 289–355. Springer, Heidelberg, 2011.
- [72] Mei Chee Shum. Tortile tensor categories. *J. Pure Appl. Algebra*, 93(1):57–110, 1994.
- [73] Richard P. Stanley. *Catalan numbers*. Cambridge University Press, New York, 2015.
- [74] James Dillon Stasheff. Homotopy associativity of  $H$ -spaces. I, II. *Trans. Amer. Math. Soc.* 108 (1963), 275–292; *ibid.*, 108:293–312, 1963.
- [75] V. G. Turaev. The Yang-Baxter equation and invariants of links. *Invent. Math.*, 92(3):527–553, 1988.
- [76] V. G. Turaev and O. Ya. Viro. State sum invariants of 3-manifolds and quantum 6j-symbols. *Topology*, 31(4):865–902, 1992.
- [77] Hassler Whitney. On singularities of mappings of euclidean spaces. I. Mappings of the plane into the plane. *Ann. of Math. (2)*, 62:374–410, 1955.
- [78] Edward Witten. Quantum field theory and the Jones polynomial. *Comm. Math. Phys.*, 121(3):351–399, 1989.

- [79] Takeshi Yajima. On simply knotted spheres in  $R^4$ . *Osaka Math. J.*, 1:133–152, 1964.
- [80] David N. Yetter. Quantum groups and representations of monoidal categories. *Math. Proc. Cambridge Philos. Soc.*, 108(2):261–290, 1990.
- [81] A. B. Zamolodchikov. Tetrahedron equations and the relativistic  $S$ -matrix of straight-strings in 2 + 1-dimensions. *Comm. Math. Phys.*, 79(4):489–505, 1981.

# Index

- ( $k+1$ )-arrow, 76
- 0-cell, 342
- 1-arrow, 50, 65, 67, 68, 72–75, 81, 87, 97, 109, 115, 116, 119, 125, 126, 129, 130, 144, 145, 147, 169, 188, 191, 197, 199, 241, 294
- 2-arrow, 30, 31, 34, 42, 44, 46, 49–52, 55, 62, 63, 65, 66, 69, 71–73, 75, 76, 79, 81, 83, 85, 87, 92, 93, 97, 98, 103, 108–110, 113, 115–117, 119, 120, 126, 127, 129–131, 134–136, 139, 143, 144, 146, 147, 151, 152, 157, 158, 160, 161, 168, 170, 173–176, 182, 183, 188, 191, 192, 197, 199, 215, 222, 225, 226, 241, 253, 294, 355
- 2-dimensional braid, 299
- 2-dimensional braid, simple, 299
- 2-dimensional foam, 63, 122, 158
- 2-morphism, 34, 42
- 3-arrow, 55, 58, 62, 63, 71, 73, 74, 76–82, 84, 85, 87, 92–94, 96–98, 108–110, 113–116, 119, 120, 126, 127, 130, 133–137, 139, 141, 158, 159, 161, 165, 166, 169, 170, 172, 174, 175, 181, 184, 192–194, 197, 199, 215, 222, 225, 226, 239, 241, 246, 249, 250, 253, 259, 261, 295, 330
- 4-arrow, 80, 87, 97, 109, 113, 116, 119, 120, 122, 127, 134, 135, 137, 139, 153, 158, 159, 161–166, 169–171, 181, 184, 187, 197–199, 215, 226–229, 238–249, 251, 253–258, 261, 269, 272, 275, 276, 278, 285, 286, 290, 293, 295, 297, 298, 303–305, 315, 318–320, 322, 334
- 4-simplex, 181, 182, 273
- 5-arrow, 184, 230, 241, 242, 254, 255, 297, 315, 322, 326, 330, 334, 339
- 5-isomorphism, 242, 243, 245, 249, 250, 254–257, 259, 261, 263, 271–273, 276, 279, 286, 290, 295, 297, 307, 322
- 6-arrow, 297, 333, 334
- $A$ -region, 83, 125
- $A$ -sphere, 125
- $A$ -valued cochain, 287
- $B$ -region, 83, 125
- $B$ -sphere, 125
- $\mathbb{R}^n$ , 13, 17, 19, 21, 25
- $\Theta$ -sphere, 73
- $\psi$ -move, 197–200, 209, 228, 229, 231, 238, 241, 244, 246, 248, 251–253, 255, 305, 312
- $\theta$ -graph, 225
- $k$ -arrow, 76
- $k$ -dimensional disk, 125
- $k$ -disk, 125
- $k$ -handle, 125
- $n$ -cochain, 287
- $n$ -cocycle, 287
- $n$ -cycles, 221, 273
- $n$ -dimensional foam, 189
- $n$ -disk, 125
- $n$ -simplex, 181, 188, 271, 272
- abstract 2-chain, 271
- abstract tensor, 19, 191, 241, 255, 276, 277
- adjoint, 167, 170, 251, 252, 255, 310, 317
- Alexander module, 203
- algebra, 1, 4, 12, 22–28, 32, 34, 39, 45, 44–52, 54, 65, 82, 84, 85, 165, 173, 177, 191, 200, 209, 210, 214–218, 222, 223, 251, 276, 277, 339
- algebra,unit, 23
- anti-symmetric, 183
- arch, 69, 75, 77, 78, 119, 148, 325
- arrow, 8, 11, 12, 14, 17, 29–37, 39–42, 44–52, 55, 58, 62, 63, 65–69, 71–85, 87, 92–94, 96–98, 103, 108–110, 113–117, 119, 120, 122, 125–127, 129–131, 133–137, 139, 141, 143–147, 149–154, 157–166, 168–176, 181–184, 187–189, 191–194, 197–199, 202, 214, 217, 222, 225–231, 238–251, 253–259, 261, 269, 272, 275, 276, 278, 285, 286, 290, 293–295, 297, 298, 303–305, 315, 318–320, 322, 326, 330, 334, 338, 339, 355, 356
- Artin's braid generators, 214, 294
- associahedron, 2, 181, 184, 260, 279
- associated products, 177
- associative pairing, 23, 25, 50, 63, 218, 253
- attaching region, 83, 125

- attaching sphere, 125
- Banchoff, Thomas, 78
- based binary trees, 177
- basis, 13–20, 22, 23, 25, 27, 173–176, 181, 214, 216, 223, 277–279
- Baton Rouge, 246
- beak-to-beak, 58, 62, 70, 97, 100, 101, 109, 115, 117–119, 122, 127, 133, 145, 146, 149, 154, 158, 170, 171, 242, 250, 255
- belt region, 83, 125
- belt sphere, 125
- bilinear form, 17, 19, 25, 51
- bilinear product, 22–24
- birth, 29, 65, 67, 69, 70, 75–78, 91, 98, 99, 108, 109, 112, 116–120, 123, 125, 129–131, 135, 136, 139, 145–147, 149–151, 153, 158, 169, 170, 218, 241, 242, 251–253, 255, 257, 312
- black vertex, 297, 298, 302, 303, 306, 310–313, 315–318, 320, 321, 323, 325, 337, 338
- blackboard framing, 197
- bookmark, 159, 171, 193, 215, 228–230, 232, 295, 299
- boundary, 42, 64, 65, 72, 73, 83, 97, 110, 111, 113, 125, 158, 168, 170, 176, 177, 181, 182, 184, 185, 187, 188, 194, 203, 204, 221, 238, 271, 273, 274, 276, 284, 285, 290, 293, 299, 302, 311, 326, 330, 333, 336, 338
- boundary operators, 221, 287
- boundary sphere, 125
- braid, 36, 191, 214, 216, 263, 293–295, 298–300, 311, 312, 315, 324, 337, 355
- braid chart, 298, 312, 326, 334
- braid closure, 215, 335
- braid diagram, 294
- braid generator, 295, 296, 330
- braid group, 214, 215, 293–295, 331, 334
- braid index, 296, 299, 301, 306, 313, 323, 330, 333
- braid movie, 299, 302, 315, 330, 331, 334
- braid relations, 214, 294, 295, 297
- braided, 191, 200
- braided hyper-solid, 336, 337
- braided solid, 297, 323, 335
- braided surface, 299
- branch point, 245, 247, 251, 298, 299, 303, 314, 322
- branch value, 298, 303, 311, 322
- branched covering, 298, 299, 303, 311, 312, 314, 322, 323
- Brunnian, 225
- canal, 69, 75, 77, 78, 325
- candy-cane, 251
- Catalan number, 175, 177, 182
- categoryify, 4, 90
- category, 8, 12, 29–34, 39, 40, 42, 44, 45, 73, 75, 82, 83, 85, 87, 88, 97, 110, 157, 183, 191, 193, 197, 200, 202, 214, 217, 218, 222, 355
- category, small, 31
- chain complex, 221, 273
- chart, 229, 301
- chart conjugation, 312
- chart movie, 323, 324, 326, 327, 329–334, 336
- chevron move, 312
- Chinese characters, 41
- closed surface braid, 293
- co-core, 125
- co-unit, 51, 53–55, 62–65, 68, 69, 75, 76, 82, 84, 85, 119, 158, 165–167, 169, 170, 218, 222, 223, 251, 297, 325
- coboundary, 287
- cochain, 287
- cocyclic, 287
- codomain, 11
- coloring conditions, 282–284
- conjugation, 202
- coordinate, 13
- core disk, 125
- covering map associated with, 299, 322
- critical cancelation, 97, 98, 119, 120, 127, 135, 143, 145–147, 149, 150, 158, 218, 242, 250, 251, 255
- critical point, 31, 32, 34, 109, 112, 114–116, 120, 122, 123, 152, 175, 193, 194, 197, 198, 200, 218, 229, 231, 251, 302, 323, 338
- crossing, 34, 112, 115, 193–201, 203–206, 209, 213, 215, 216, 228, 231, 233, 246, 250, 272, 276, 288, 293, 294, 302, 303, 318, 319, 325, 338, 356
- curtain, 326
- curtain movie, 333–336
- cusp, 58, 61, 62, 70, 85, 94–97, 99–103, 105, 108, 109, 112, 114–120, 122, 125–127, 133, 135–138, 140, 145–147, 149, 150, 154, 158, 159, 170, 174, 175, 197–199, 226, 241, 243, 248, 249, 251, 253, 254, 295, 307, 312
- cycle, 221, 273
- death, 29, 65, 67, 69, 70, 75–78, 91, 98, 108, 109, 112, 116–120, 123, 125, 129–131, 135, 136, 139, 145–147, 149–151, 158, 169, 170, 218, 241, 242, 251–253, 255, 257, 312
- decategorify, 90, 96, 106, 116, 141, 147, 159, 182, 197, 200, 215
- degree, 298, 322
- dihedral group, 202

- disk, 83, 125, 203, 204, 217, 218, 298, 299, 311, 312, 324, 327, 328, 330, 331, 333–337
- domain, 11
- double arrow, 30, 31, 34, 42, 44, 49–52, 55, 62, 63, 65, 66, 69, 71–73, 75, 76, 79, 81, 83, 85, 87, 92, 93, 97, 98, 103, 108–110, 113, 115–117, 119, 120, 126, 127, 129–131, 134–136, 139, 143, 144, 147, 151, 152, 157, 158, 160, 161, 168, 170, 173–176, 182, 183, 188, 191, 192, 197, 199, 215, 222, 225, 226, 241, 253, 294, 355
- double curve, 50, 228–233, 235, 236, 242, 243, 248, 257, 284
- dummy variable, 14
- dumpling, 74, 98
- Dyck path, 175
- edge, 64
- Einstein summation convention, 24, 71, 277
- enmeahdron, 185
- Equatorial Guinea, 73
- Eskew, Rhea, 159
- exchanger, 30, 34–37, 44, 48, 53, 55, 72, 97, 98, 107–110, 112, 114–116, 123, 135, 146, 159, 161, 167, 170, 171, 177, 184, 185, 193, 195–200, 214, 215, 222, 225, 232, 233, 237–239, 241, 245–251, 253, 255, 261, 290, 295, 303–305, 319, 320, 323, 325, 334, 355
- fish hook, 167, 170, 251, 255, 310, 317
- foam, 54, 62–65, 67, 69, 72, 78–85, 120, 122–124, 158–166, 168–172, 181, 187–189, 229, 231, 238, 241, 253–255, 282, 290, 291, 355
- fold, 52, 53, 57–60, 62, 85, 112–114, 116, 127, 158, 159, 166, 167, 171, 175, 198, 228, 230, 231, 248, 251, 252, 254–256, 314, 337
- fold set, 112
- fold-over map, 175
- fork, 65, 67, 75, 98, 108, 109, 112, 116–120, 123, 125, 132, 135, 136, 140, 145–147, 149–151, 158, 170, 218, 241, 242, 251–253, 255, 257, 312
- framed tangle, 197
- Frobenius algebra, 23, 25–28, 32, 34, 39, 45, 49–52, 54, 65, 82, 84, 85, 165, 216–218
- function, 11–13, 15–17, 19, 23–25, 29, 64, 71, 110–112, 114, 159, 169, 194, 198, 200, 202, 205, 210, 216, 286, 298, 303
- functor, 37, 39, 50, 53, 55, 83, 88, 97, 109, 110, 115, 191, 193, 217, 218
- fundamental group, 203, 205
- fundamental quandle, 203–206
- generating double arrows, 88
- geometric braid, 293
- Globular, 171, 341
- globular composition, 39, 41, 42, 44, 55, 69, 73, 75, 76, 89, 91–93, 97, 113, 158, 192, 193
- globular composition of triple arrows, 73
- globular signature, 349
- glyph, 39, 50, 51, 54, 65, 66, 68, 69, 72, 74, 76–79, 83, 84, 91, 94, 97, 100, 108, 113, 115, 119, 123, 127, 148, 149, 152, 159, 161, 162, 164, 165, 171, 194, 195, 217, 218, 227–238, 241–243, 246, 248, 249, 251, 259, 261, 272, 276, 278, 279, 282, 284, 293, 295–299, 301–303, 312, 314, 318, 326, 330, 355, 356
- group, 202, 205, 214, 221, 223, 241, 271, 274, 277, 287, 330, 331
- group, abelian, 287, 289
- group, braid, 214
- group, dihedral, 202
- group, free abelian, 273, 331
- group, fundamental, 203, 205, 206, 238, 331, 332, 337
- group, knot, 208
- group, permutation, 208, 216, 331, 332
- handcuff, 225
- handlebody, 225, 238, 239, 288
- Hasse diagram, 183, 184
- homeomorphism, 64, 189, 298, 322, 330
- homogeneous triple arrow, 113
- homology, 183, 187, 203, 207, 209, 216, 221, 222, 241, 254, 257, 273, 274, 276, 287
- homomorphism, 202, 203, 205, 221, 222, 273, 287
- homotopy, 203
- Hopf algebra, 216, 222, 223
- horizontal cusp, 70, 97, 103, 105, 109, 115, 118, 119, 124, 128, 136–138, 145, 146, 154, 158, 170, 171, 242, 250, 255
- hyper-solid, 322
- identity braid, 294
- identity function, 11
- independent labels, 283
- index contraction, 13
- initial half-twisted forest, 285
- integral domain, 29
- invariant, 4, 30, 173, 176, 200, 209, 210, 212, 213, 216, 223, 254, 257, 288
- Japanese Society for the Promotion of Science, 9
- Jones polynomial, 4, 173, 177, 191, 209, 213, 216, 218, 222
- Jones, V. F. R., 173, 209
- JSPS, 9
- kanji, 41

- Kauffman bracket, 209  
 Kauffman's choice of variable, 173  
 Kauffman, Louis, 6, 209  
 kernel, 30, 221, 273  
 knee, 72  
 Kronecker delta, 19, 22, 23, 25, 71  
 Kyungpook National University, 8
- left, center, right, 161  
 level ( $k+1$ ) weak inverses, 76  
 lexically ordered, 17  
 linear map, 14, 215  
 lips, 58, 62, 70, 97, 99–102, 109, 115, 117–119, 122, 127, 133, 145, 146, 149, 154, 158, 170, 171, 242, 250, 255  
 local degree, 298  
 loop value, 173
- mandu, 74, 98  
 manifold, 83, 125, 154, 161, 171, 173, 176, 181, 187–189, 194, 195, 197, 203, 216, 223, 238, 293, 318, 322, 324, 328, 333  
 Markov equivalent, 314  
 meridional disk, 204  
 monoid, 31, 157, 173  
 morphism, 8, 31  
 Morse function, 194  
 movie, 76, 79, 80, 84, 91, 97, 98, 100, 102, 105, 107, 109, 110, 113, 115, 122, 130, 131, 135–137, 139, 149, 154, 258, 298–300, 302, 303, 312, 315  
 movie move, 35, 79, 80, 97–100, 102, 105, 107, 110, 115, 130, 131, 149, 154, 248  
 movie still, 79, 110, 128, 130, 324, 331, 334, 335  
 movie, chart, 323, 324, 326, 327, 329–334, 336  
 movie, curtain, 333–336  
 multi-category, 30, 39, 45, 73, 87, 88, 97, 106, 109, 110, 116, 118–120, 124–129, 131, 133, 135, 136, 139, 143–145, 150, 157, 169, 182, 183, 188, 191, 193, 197, 198, 200, 229, 241, 242, 253, 293, 294  
 multi-functor, 110  
 multiple arrow, 119, 120
- natural family of isomorphisms, 37  
 naturality, 198, 200, 248, 249, 251, 261, 290, 295, 304, 355  
 non-degenerate, 22
- object, 31–34, 41, 42, 44, 45, 52, 65–67, 73, 76, 78, 85, 87, 88, 97, 101, 109, 110, 115, 119, 120, 129, 135, 141, 144–146, 150, 152, 157, 159, 161, 170, 181, 182, 191, 192, 197, 199, 200, 214, 222, 225, 241, 261, 294  
 over-arc, 195
- Pachner move, 188  
 partial order, 183  
 permutation group, 208, 216, 331, 332  
 pierogi, 74, 98  
 power set, 11  
 proper, 111
- quadruple arrow, 80, 87, 97, 109, 113, 116, 119, 120, 122, 127, 134, 135, 137, 139, 153, 158, 159, 161–166, 169–171, 181, 184, 187, 197–199, 215, 226–229, 238–249, 251, 253–258, 261, 269, 272, 275, 276, 278, 285, 286, 290, 293, 295, 297, 298, 303–305, 315, 318–320, 322, 334
- quadruple point, 251, 254  
 qualgebra, 255, 269–271, 279, 285, 290  
 quandle, 200–202, 204, 205, 215, 241  
 quandle cocycle, 205  
 quandle homomorphism, 205  
 quandle, Alexander, 203, 207, 214  
 quandle, dihedral, 202, 203  
 quandle, fundamental, 203, 205, 206  
 quintuple arrow, 230, 241, 242, 254, 255, 297, 315, 322, 326, 330, 334, 339
- range, 11  
 rectangular description, 40  
 rectangular diagram, 40  
 rectangularly arranged, 17  
 reduced product, 175  
 reflections, 202  
 reflexive, 183  
 regular point, 298, 322  
 regular value, 298, 322  
 Reidemeister, 191, 195–201, 209, 214, 226, 238, 356  
 relation, 11  
 reverse, 39, 63, 65, 74, 88
- saddle, 65, 67, 70, 75, 98, 108, 109, 112, 116–120, 123, 125, 135, 136, 140, 145–147, 149–151, 158, 170, 218, 241, 242, 251–253, 255, 257, 312  
 Saito, Masahico, 259  
 scalar multiplication, 13  
 seam, 51, 57, 59, 60, 62–64, 82, 85, 158, 159, 162, 163, 165, 230–232, 254–256  
 self-distributivity, 201  
 self-intersection point, 318  
 sesqui-category, 31, 32, 44, 45, 52, 53, 83, 97, 110  
 Shakespeare, William, 76, 254  
 shalgebra, 241, 255, 257, 269, 270, 273, 274, 277, 278, 282, 283, 286–290  
 shark's fin, 50, 158  
 simplex, 181, 271  
 sink, 318, 356  
 skein theory, 210

- skew composition, 39, 41, 42, 44, 70, 73, 74, 89, 97, 158, 174, 182, 192, 193, 197, 199, 243, 254, 307
- sliding over optimum, 252
- smooth, 111
- solid, 322
- Solomon Islands, 73
- source, 27, 31, 33, 39–42, 46, 49, 50, 56, 65, 66, 70–73, 75, 76, 79, 80, 85, 91–95, 97, 98, 103, 105, 110, 113, 116, 117, 126, 130, 131, 135, 137, 144, 152–154, 159, 168, 170, 182, 191, 228, 251, 259, 276, 279, 285, 286, 318, 322, 342, 356
- sphere, 78, 83, 125, 130, 135, 136, 144, 152, 169, 170, 238, 311, 312, 314, 315, 322–330, 332–336
- stabilization, 313
- standard basis, 13
- standard generators, 214, 294
- standard inner product, 19
- Star Trek, 312
- Stasheff polytope, 2, 158, 173, 181, 184–187, 260, 261, 279
- still, 324
- strongly invertible, 57
- structure constants, 19, 23
- summation convention, 24
- surface, 110
- surface braid, 293, 297–299, 303, 311–316, 318, 321, 325, 338
- surface braid, closed, 293
- surface with boundary, 110
- swallow-tail, 70, 72–74, 85, 97, 106, 107, 109, 115, 118, 119, 122, 127, 134, 135, 142, 145, 146, 154, 158, 170, 171, 242, 250, 255
- syllepsis, 318–323, 325, 326, 330, 334, 336, 356
- symmetric group, 208, 216, 331, 332
- tangle, 194
- tangle diagram, 195
- tangle, oriented, 194
- target, 27, 31, 33, 39–42, 46, 50, 56, 65, 66, 70–73, 75, 76, 79, 80, 85, 91–94, 97, 98, 103, 105, 110, 113, 116, 117, 126, 130, 131, 134, 135, 137, 144, 152, 154, 159, 168, 170, 182, 183, 191, 205, 259, 276, 279, 286, 322, 342, 356
- Temperley-Lieb algebra, 173, 214, 215
- tensor operator, 18
- tensor product, 17
- tensorand, 18
- tetrahedron, 181
- topological quantum field theory, 217
- TQFT, 217
- transitive, 183
- triangulations, 177, 181, 182, 184–187
- triple arrow, 55, 58, 62, 63, 71, 73, 74, 76–82, 84, 85, 87, 92–94, 96–98, 108–110, 113–116, 119, 120, 126, 127, 130, 133–137, 139, 141, 158, 159, 161, 165, 166, 169, 170, 172, 174, 175, 181, 184, 192–194, 197, 199, 215, 222, 225, 226, 239, 241, 246, 249, 250, 253, 259, 261, 295, 330
- trivalent graphs, 225–227, 229, 238, 240, 253, 288, 291
- trivial braid, 294, 299, 311, 324
- type I, 191, 197–201, 209, 212, 226, 228, 229, 231, 233, 241, 243, 244, 248, 251–253, 255, 312, 318, 338
- type I bubble, 243
- type I saddle, 243
- type II, 195–198, 200, 201, 209, 210, 226, 227, 229, 231, 232, 234, 241–244, 248, 251–253, 295, 303, 305, 307, 310, 312, 317, 320, 356
- type II bubble, 242
- type II saddle, 242
- type III, 196–198, 201, 209, 211, 214, 226, 228, 229, 232, 235, 241, 243, 244, 246, 248, 251–253, 295, 303, 307, 312, 318, 355
- under-arc, 195, 201, 203, 205, 209
- unit, 12, 23–25, 27, 31, 34, 39, 45–47, 50–54, 62–65, 68, 69, 75, 76, 82, 84, 85, 119, 158, 161, 162, 164–166, 169–171, 218, 223, 251, 297, 325
- vector addition, 13
- vector, coordinate, 13
- vertex of a foam, 63
- vertical composition, 41
- weak inverse, 66
- weak inverses at level  $(k+1)$ , 76
- weakly invertible, 63, 66, 146
- white vertex, 302, 303, 307, 310, 311, 318, 320, 325, 337, 338
- Wirtinger relations, 203
- wonton, 74, 98
- writhe, 209, 213
- Yang-Baxter, 214, 276
- zig-zag, 22, 58, 70, 94, 197–200, 251, 295
- zipper, 67, 68, 75, 81, 82, 120, 122, 166, 169, 170, 252, 254, 257


## Selected Published Titles in This Series

- 264 **J. Scott Carter and Seiichi Kamada**, Diagrammatic Algebra, 2021
- 259 **William Heinzer, Christel Rotthaus, and Sylvia Wiegand**, Integral Domains Inside Noetherian Power Series Rings, 2021
- 258 **Pramod N. Achar**, Perverse Sheaves and Applications to Representation Theory, 2021
- 257 **Juha Kinnunen, Juha Lehrbäck, and Antti Vähäkangas**, Maximal Function Methods for Sobolev Spaces, 2021
- 256 **Michio Jimbo, Tetsuji Miwa, and Fedor Smirnov**, Local Operators in Integrable Models I, 2021
- 255 **Alexandre Boritchev and Sergei Kuksin**, One-Dimensional Turbulence and the Stochastic Burgers Equation, 2021
- 254 **Karim Belabas and Henri Cohen**, Numerical Algorithms for Number Theory, 2021
- 253 **Robert R. Bruner and John Rognes**, The Adams Spectral Sequence for Topological Modular Forms, 2021
- 252 **Julie Déserti**, The Cremona Group and Its Subgroups, 2021
- 251 **David Hoff**, Linear and Quasilinear Parabolic Systems, 2020
- 250 **Bachir Bekka and Pierre de la Harpe**, Unitary Representations of Groups, Duals, and Characters, 2020
- 249 **Nikolai M. Adrianov, Fedor Pakovich, and Alexander K. Zvonkin**, Davenport–Zannier Polynomials and Dessins d’Enfants, 2020
- 248 **Paul B. Larson and Jindrich Zapletal**, Geometric Set Theory, 2020
- 247 **István Heckenberger and Hans-Jürgen Schneider**, Hopf Algebras and Root Systems, 2020
- 246 **Matheus C. Bortolan, Alexandre N. Carvalho, and José A. Langa**, Attractors Under Autonomous and Non-autonomous Perturbations, 2020
- 245 **Aiping Wang and Anton Zettl**, Ordinary Differential Operators, 2019
- 244 **Nabile Boussaïd and Andrew Comech**, Nonlinear Dirac Equation, 2019
- 243 **José M. Isidro**, Jordan Triple Systems in Complex and Functional Analysis, 2019
- 242 **Bhargav Bhatt, Ana Caraiani, Kiran S. Kedlaya, Peter Scholze, and Jared Weinstein**, Perfectoid Spaces, 2019
- 241 **Dana P. Williams**, A Tool Kit for Groupoid  $C^*$ -Algebras, 2019
- 240 **Antonio Fernández López**, Jordan Structures in Lie Algebras, 2019
- 239 **Nicola Arcozzi, Richard Rochberg, Eric T. Sawyer, and Brett D. Wick**, The Dirichlet Space and Related Function Spaces, 2019
- 238 **Michael Tsfasman, Serge Vlăduț, and Dmitry Nogin**, Algebraic Geometry Codes: Advanced Chapters, 2019
- 237 **Dusa McDuff, Mohammad Tehrani, Kenji Fukaya, and Dominic Joyce**, Virtual Fundamental Cycles in Symplectic Topology, 2019
- 236 **Bernard Host and Bryna Kra**, Nilpotent Structures in Ergodic Theory, 2018
- 235 **Habib Ammari, Brian Fitzpatrick, Hyeonbae Kang, Matias Ruiz, Sanghyeon Yu, and Hai Zhang**, Mathematical and Computational Methods in Photonics and Phononics, 2018
- 234 **Vladimir I. Bogachev**, Weak Convergence of Measures, 2018
- 233 **N. V. Krylov**, Sobolev and Viscosity Solutions for Fully Nonlinear Elliptic and Parabolic Equations, 2018
- 232 **Dmitry Khavinson and Erik Lundberg**, Linear Holomorphic Partial Differential Equations and Classical Potential Theory, 2018

For a complete list of titles in this series, visit the  
AMS Bookstore at [www.ams.org/bookstore/survseries/](http://www.ams.org/bookstore/survseries/).

This book is an introduction to techniques and results in diagrammatic algebra. It starts with abstract tensors and their categorifications, presents diagrammatic methods for studying Frobenius and Hopf algebras, and discusses their relations with topological quantum field theory and knot theory. The text is replete with figures, diagrams, and suggestive typography that allows the reader a glimpse into many higher dimensional processes. The penultimate chapter summarizes the previous material by demonstrating how to braid 3- and 4- dimensional manifolds into 5- and 6-dimensional spaces.

The book is accessible to post-qualifier graduate students, and will also be of interest to algebraists, topologists and algebraic topologists who would like to incorporate diagrammatic techniques into their research.



ISBN 978-1-4704-6671-8



9 781470 466718

SURV/264



For additional information  
and updates on this book, visit  
[www.ams.org/bookpages/surv-264](http://www.ams.org/bookpages/surv-264)

