

University
LECTURE
Series

Volume 50

Categoricity

John T. Baldwin



American Mathematical Society

Categoricity

University
LECTURE
Series

Volume 50

Categoricity

John T. Baldwin



American Mathematical Society
Providence, Rhode Island

EDITORIAL COMMITTEE

Jerry L. Bona
Eric M. Friedlander (Chair)

Nigel D. Higson
J. T. Stafford

2000 *Mathematics Subject Classification*. Primary 03C30, 03C45, 03C52, 03C60, 03C75, 03C95, 03C98.

The author was partially supported by NSF grant 0500841.

The two diagrams on p. 135 are reprinted with the permission of Alexei Kolesnikov.

For additional information and updates on this book, visit
www.ams.org/bookpages/ulect-50

Library of Congress Cataloging-in-Publication Data

Baldwin, John T.
Categoricity / John T. Baldwin.
p. cm. — (University lecture series ; v. 50)
Includes bibliographical references and index.
ISBN 978-0-8218-4893-7 (alk. paper)
1. Completeness theorem. 2. Model theory. I. Title.

QA9.67.B35 2009
511.3—dc22

2009018740

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy a chapter for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for such permission should be addressed to the Acquisitions Department, American Mathematical Society, 201 Charles Street, Providence, Rhode Island 02904-2294 USA. Requests can also be made by e-mail to reprint-permission@ams.org.

© 2009 by the author. All rights reserved.
Printed in the United States of America.

∞ The paper used in this book is acid-free and falls within the guidelines established to ensure permanence and durability.
Visit the AMS home page at <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 1 14 13 12 11 10 09

Contents

Introduction	vii
Part 1. Quasiminimal Excellence and Complex Exponentiation	1
Chapter 1. Combinatorial Geometries and Infinitary Logics	3
1.1. Combinatorial Geometries	3
1.2. Infinitary Logic	4
Chapter 2. Abstract Quasiminimality	7
Chapter 3. Covers of the Multiplicative Group of \mathbb{C}	17
Part 2. Abstract Elementary Classes	25
Chapter 4. Abstract Elementary Classes	27
Chapter 5. Two Basic Results about $L_{\omega_1, \omega}(Q)$	39
5.1. Non-definability of Well-order in $L_{\omega_1, \omega}(Q)$	39
5.2. The Number of Models in ω_1	41
Chapter 6. Categoricity Implies Completeness	45
6.1. Completeness	45
6.2. Arbitrarily Large Models	50
6.3. Few Models in Small Cardinals	52
6.4. Categoricity and Completeness for $L_{\omega_1, \omega}(Q)$	54
Chapter 7. A Model in \aleph_2	57
Part 3. Abstract Elementary Classes with Arbitrarily Large Models	63
Chapter 8. Galois types, Saturation, and Stability	67
Chapter 9. Brimful Models	73
Chapter 10. Special, Limit and Saturated Models	75
Chapter 11. Locality and Tameness	83
Chapter 12. Splitting and Minimality	91
Chapter 13. Upward Categoricity Transfer	99
Chapter 14. Omitting Types and Downward Categoricity	105

Chapter 15. Unions of Saturated Models	113
Chapter 16. Life without Amalgamation	119
Chapter 17. Amalgamation and Few Models	125
Part 4. Categoricity in $L_{\omega_1, \omega}$	133
Chapter 18. Atomic AEC	137
Chapter 19. Independence in ω -stable Classes	143
Chapter 20. Good Systems	151
Chapter 21. Excellence Goes Up	159
Chapter 22. Very Few Models Implies Excellence	165
Chapter 23. Very Few Models Implies Amalgamation over Pairs	173
Chapter 24. Excellence and *-Excellence	179
Chapter 25. Quasiminimal Sets and Categoricity Transfer	185
Chapter 26. Demystifying Non-excellence	193
26.1. The Basic Structure	193
26.2. Solutions and Categoricity	196
26.3. Disjoint Amalgamation for Models of ϕ_k	200
26.4. Tameness	201
26.5. Instability and Non-tameness	202
Appendix A. Morley's Omitting Types Theorem	205
Appendix B. Omitting Types in Uncountable Models	211
Appendix C. Weak Diamonds	217
Appendix D. Problems	223
Bibliography	227
Index	233

Introduction

Modern model theory began with Morley's [Mor65a] categoricity theorem: A first order theory is categorical in one uncountable cardinal κ (has a unique model of that cardinality) if and only if it is categorical in all uncountable cardinals. This result triggered the change in emphasis from the study of logics to the study of theories. Shelah's taxonomy of first order theories by the stability classification established the background for most model theoretic researches in the last 35 years. This book lays out of some of the developments in extending this analysis to classes that are defined in non-first order ways. Inspired by [Sac72, Kei71], we proceed via short chapters that can be covered in a lecture or two.

There were three streams of model-theoretic research in the 1970's. For simplicity in the discussion below I focus on vocabularies (languages) which contain only countably many relation and function symbols. In one direction workers in algebraic model theory melded sophisticated algebraic studies with techniques around quantifier elimination and developed connections between model theory and algebra. A second school developed fundamental model theoretic properties of a wide range of logics. Many of these logics were obtained by expanding first order logic by allowing longer conjunctions or longer strings of first order quantifiers; others added quantifiers for 'there exist infinitely many', 'there exist uncountably many', 'equicardinality', and many other concepts. This work was summarized in the Barwise-Feferman volume [BF85]. The use of powerful combinatorial tools such as the Erdős-Rado theorem on the one hand and the discovery that Chang's conjecture on two cardinal models for arbitrary first theories is independent of ZFC and that various two cardinal theorems are connected to the existence of large cardinals [CK73] caused a sense that pure model theory was deeply entwined both with heavy set-theoretic combinatorics and with (major) extensions of ZFC. In the third direction, Shelah made the fear of independence illusory for the most central questions by developing the stability hierarchy. He split all first order theories into 5 classes. Many interesting algebraic structures fall into the three classes (ω -stable, superstable, strictly stable) whose models admit a deep structural analysis. This classification is (set theoretically) absolute as are various fundamental properties of such theories. Thus, for stable theories, Chang's conjecture is proved in ZFC [Lac72, She78]. Shelah focused his efforts on the test question: compute the function $I(T, \kappa)$ which gives the number of models of cardinality κ . He achieved the striking main gap theorem. Every theory T falls into one of two classes. T may be intractable, that is $I(T, \kappa) = 2^\kappa$, the maximum, for every sufficiently large κ . Or, every model of T is decomposed as a tree of countable models and the number of models in κ is bounded well below 2^κ . The description of this tree and the proof of the theorem required the development of a far reaching generalization of the Van der Waerden axiomatization of independence in vector spaces and fields. This is

not the place for even a cursory survey of the development of stability theory over the last 35 years. However, the powerful tools of the Shelah's calculus of independence and orthogonality are fundamental to the applications of model theory in the 1990's to Diophantine geometry and number theory [Bou99].

Since the 1970's Shelah has been developing the intersection of the second and third streams described above: the model theory of the class of models of a sentence in one of a number of 'non-elementary' logics. He builds on Keisler's work [Kei71] for the study of $L_{\omega_1, \omega}$ but to extend to other logics he needs a more general framework and the Abstract Elementary Classes (AEC) we discuss below provide one. In the last ten years, the need for such a study has become more widely appreciated as a result of work on both such concrete problems as complex exponentiation and Banach spaces and programmatic needs to understand 'type-definable' groups and to understand an analogue to 'stationary types' in simple theories.

Our goal here is to provide a systematic and intelligible account of some central aspects of Shelah's work and related developments. We study some very specific logics (e.g. $L_{\omega_1, \omega}$) and the very general case of abstract elementary classes. The survey articles by Grossberg [Gro02] and myself [Bal04] provide further background and motivation for the study of AEC that is less technical than the development here.

An abstract elementary class (AEC) \mathbf{K} is a collection of models and a notion of 'strong submodel' \prec which satisfies general conditions similar to those satisfied by the class of models of a first order theory with \prec as elementary submodel. In particular, the class is closed under unions of \prec -chains. A Löwenheim-Skolem number is assigned to each AEC: a cardinal κ such that each $M \in \mathbf{K}$ has a strong submodel of cardinality κ . Examples include the class of models of a $\forall\exists$ first order theory with \prec as substructure, a complete sentence of $L_{\omega_1, \omega}$ with \prec as elementary submodel in an appropriate fragment of $L_{\omega_1, \omega}$ and the class of submodels of a homogeneous model with \prec as elementary submodel. The models of a sentence of $L_{\omega_1, \omega}(Q)$ (Q is the quantifier 'there exists uncountably many') fit into this context modulo two important restrictions. An artificial notion of 'strong submodel' must be introduced to guarantee the satisfaction of the axioms concerning unions of chains. More important from a methodological viewpoint, without still further and unsatisfactory contortions, the Löwenheim number of the class will be \aleph_1 .

In general the analysis is not nearly as advanced as in the first order case. We have only approximations to Morley's theorem and only a rudimentary development of stability theory. (There have been significant advances under more specialized assumptions such as homogeneity or excellence [GH89, HLS05] and other works of e.g. Grossberg, Hyttinen, Lessmann, and Shelah.) The most dispositive result is Shelah's proof that assuming $2^{\aleph_n} < 2^{\aleph_{n+1}}$ for $n < \omega$, if a sentence of $L_{\omega_1, \omega}$ is categorical up to \aleph_ω then is categorical in all cardinals. Categoricity up to \aleph_ω is essential [HS90, BK].

The situation for AEC is even less clear. One would like at least to show that an AEC could not alternate indefinitely between categoricity and non-categoricity. The strongest result we show here is implicit in [She99]. Theorem 15.13 asserts: There is a Hanf number μ (not computed but depending only on the Löwenheim number of \mathbf{K}) such that if an AEC \mathbf{K} satisfying the general conditions of Part 3 is categorical in a *successor* cardinal larger than μ , it is categorical in all larger

cardinals. This state of affairs is a major reason that this monograph is titled categoricity. Although a general stability theory for abstract elementary classes is the ultimate goal, the results here depend heavily on assuming categoricity in at least one cardinal.

There are several crucial aspects of first order model theory. By Lindström's theorem [Lin69] we know they can be summarized as: first order logic is the only logic (of Lindström type) with Löwenheim number \aleph_0 that satisfies the compactness theorem. One corollary of compactness in the first order case plays a distinctive role here, the amalgamation property: two elementary extensions of a fixed model M have a common extension over M . In particular, the first order amalgamation property allows the identification (in a suitable monster model) of a syntactic type (the description of a point by the formulas it satisfies) with an orbit under the automorphism group (we say Galois type).

Some of the results here and many associated results were originally developed using considerable extensions to ZFC. However, later developments and the focus on AEC rather than $L_{\kappa,\omega}$ (for specific large cardinals κ) have reduced such reliance. With one exception, the results in this book are proved in ZFC or in $ZFC + 2^{\aleph_n} < 2^{\aleph_{n+1}}$ for finite n ; we call this proposition the *very weak generalized continuum hypothesis* VWGCH. The exception is Chapter 17 which relies on the hypothesis that $2^\mu < 2^{\mu^+}$ for any cardinal μ ; we call this hypothesis the *weak generalized continuum hypothesis*, WGCH. Without this assumption, some crucial results have not been proved in ZFC; the remarkable fact is that such a benign assumption as VWGCH is all that is required. Some of the uses of stronger set theory to analyze categoricity of $L_{\omega_1,\omega}$ -sentences can be avoided by the assumption that the class of models considered contains arbitrarily large models.

We now survey the material with an attempt to convey the spirit and not the letter of various important concepts; precise versions are in the text. With a few exceptions that are mentioned at the time all the work expounded here was first discovered by Shelah in a long series of papers.

Part I (Chapters 2-4) contains a discussion of Zilber's quasiminimal excellent classes [Zil05]. This is a natural generalization of the study of first order strongly minimal theories to the logic $L_{\omega_1,\omega}$ (and some fragments of $L_{\omega_1,\omega}(Q)$). It clearly exposes the connections between categoricity and homogeneous combinatorial geometries; there are natural algebraic applications to the study of various expansions of the complex numbers. We expound a very concrete notion of 'excellence' for a combinatorial geometry. Excellence describes the closure of an independent n -cube of models. This is a fundamental structural property of countable structures in a class \mathbf{K} which implies that \mathbf{K} has arbitrarily large models (and more). Zilber's contribution is to understand the connections of these ideas to concrete mathematics, to recognize the relevance of infinitary logic to these concrete problems, and to prove that his particular examples are excellent. These applications require both great insight in finding the appropriate formal context and substantial mathematical work in verifying the conditions laid down. Moreover, his work has led to fascinating speculations in complex analysis and number theory. As pure model theory of $L_{\omega_1,\omega}$, these results and concepts were all established in greater generality by Shelah [She83a] more than twenty years earlier. But Zilber's work extends Shelah's analysis in one direction by applying to some extensions of $L_{\omega_1,\omega}$. We explore

the connections between these two approaches at the end of Chapter 25. Before turning to that work, we discuss an extremely general framework.

The basic properties of abstract elementary classes are developed in Part II (chapters 5-8). In particular, we give Shelah's presentation theorem which represents every AEC as a pseudoelementary class (class of reducts to a vocabulary L of a first order theory in an expanded language L') that omit a set of types. Many of the key results (especially in Part IV) depend on having Löwenheim number \aleph_0 . Various successes and perils of translating $L_{\omega_1, \omega}(Q)$ to an AEC (with countable Löwenheim number) are detailed in Chapters 6-8 along with the translation of classes defined by sentences of $L_{\omega_1, \omega}$ to the class of atomic models of a first order theory in an expanded vocabulary. Chapter 8 contains Shelah's beautiful ZFC proof that a sentence of $L_{\omega_1, \omega}(Q)$ that is \aleph_1 -categorical has a model of power \aleph_2 .

In Part III (Chapters 9-17) we first study the conjecture that for 'reasonably well-behaved classes', categoricity should be either eventually true or eventually false. We formalize 'reasonably well-behaved' via two crucial hypotheses: amalgamation and the existence of arbitrarily large models. Under these assumptions, the notion of *Galois type over a model* is well-behaved and we recover such fundamental notions as the identification of 'saturated models' with those which are 'model homogeneous'. Equally important, we are able to use the omitting types technology originally developed by Morley to find Ehrenfeucht-Mostowski models for AEC. This leads to the proof that categoricity implies stability in smaller cardinalities and eventually, via a more subtle use of Ehrenfeucht-Mostowski models, to a notion of superstability. The first goal of these chapters is to expound Shelah's proof of a downward categoricity theorem for an AEC (satisfying the above hypothesis) and categorical in a successor cardinal. A key aspect of that argument is the proof that if \mathbf{K} is categorical above the Hanf number for AEC's, then two distinct Galois types differ on a 'small' submodel. Grossberg and VanDieren [GV06c] christened this notion: tame.

We refine the notion of tame in Chapter 11 and discuss three properties of Galois types: tameness, locality, and compactness. Careful discussion of these notions requires the introduction of cardinal parameters to calibrate the notion of 'small'. We analyze this situation and sketch examples related to the Whitehead conjecture showing how non-tame classes can arise. Grossberg and VanDieren [GV06b, GV06a] develop the theory for AEC satisfying very strong tameness hypotheses. Under these conditions they showed categoricity could be transferred upward from categoricity in two successive cardinals. Key to obtaining categoricity transfer from one cardinal λ^+ is the proof that the union of a 'short' chain of saturated models of cardinality λ is saturated. This is a kind of superstability consideration; it requires a further and still more subtle use of the Ehrenfeucht-Mostowski technology and a more detailed analysis of splitting; this is carried out in Chapter 15.

In Chapters 16 and 17 we conclude Part III and explore AEC without assuming the amalgamation property. We show, under mild set-theoretic hypotheses (weak diamond), that an AEC which is categorical in κ and fails the amalgamation property for models of cardinality κ has many models of cardinality κ^+ .

In Part IV (Chapters 18-26) we return to the more concrete situation of atomic classes, which, of course, encompasses $L_{\omega_1, \omega}$. Using $2^{\aleph_0} < 2^{\aleph_1}$, one deduces from a theorem of Keisler [Kei71] that an \aleph_1 -categorical sentence ψ in $L_{\omega_1, \omega}$ is ω -stable.

Note however that ω -stability is proved straightforwardly (Chapter 7) if one assumes ψ has arbitrarily large models. In Chapters 18-23, we introduce an independence notion and develop excellence for atomic classes. Assuming cardinal exponentiation is increasing below \aleph_ω , we prove a sentence of $L_{\omega_1, \omega}$ that is categorical up to \aleph_ω is excellent. In Chapters 24-25 we report Lessmann's [Les03] account of proving Baldwin-Lachlan style characterizations of categoricity for $L_{\omega_1, \omega}$ and Shelah's analog of Morley's theorem for excellent atomic classes. We conclude Chapter 25, by showing how to deduce the categoricity transfer theorem for arbitrary $L_{\omega_1, \omega}$ -sentences from a (stronger) result for complete sentences. Finally, in the last chapter we explicate the Hart-Shelah example of an $L_{\omega_1, \omega}$ -sentence that is categorical up to \aleph_n but not beyond and use it to illustrate the notion of tameness.

The work here has used essentially in many cases that we deal with classes with Löwenheim number \aleph_0 . Thus, in particular, we have proved few substantive general results concerning $L_{\omega_1, \omega}(Q)$ (the existence of a model in \aleph_2 is a notable exception). Shelah has substantial not yet published work attacking the categoricity transfer problem in the context of 'frames'; this work does apply to $L_{\omega_1, \omega}(Q)$ and does not depend on Löwenheim number \aleph_0 . We do not address this work [She0x, She00d, She00c] nor related work which makes essential use of large cardinals ([MS90, KS96]).

A solid graduate course in model theory is an essential prerequisite for this book. Nevertheless, the only quoted material is very elementary model theory (say a small part of Marker's book [Mar02]), and two or three theorems from the Keisler book [Kei71] including the Lopez-Escobar theorem characterizing well-orderings. We include in Appendix A a full account of the Hanf number for omitting types. In Appendix B we give the Keisler technology for omitting types in uncountable models. The actual combinatorial principle that extends ZFC and is required for the results here is the Devlin-Shelah weak diamond. A proof of the weak diamond from weak GCH below \aleph_ω appears in Appendix C. In Appendix D we discuss a number of open problems. Other natural background reference books are [Mar02, Hod87, She78, CK73].

The foundation of all this work is Morley's theorem [Mor65a]; the basis for transferring this result to infinitary logic is [Kei71]. Most of the theory is due to Shelah. In addition to the fundamental papers of Shelah, this exposition depends heavily on various works by Grossberg, Lessmann, Makowski, VanDieren, and Zilber and on conversations with Adler, Coppola, Dolich, Drueck, Goodrick, Hart, Hyttinen, Kesala, Kirby, Kolesnikov, Kueker, Laskowski, Marker, Medvedev, Shelah, and Shkop as well as these authors. The book would never have happened if not for the enthusiasm and support of Rami Grossberg, Monica VanDieren and Andres Villaveces. They brought the subject alive for me and four conferences in Bogota and the 2006 AIM meeting on Abstract Elementary Classes were essential to my understanding of the area. Grossberg, in particular, was a unending aid in finding my way. I thank the logic seminar at the University of Barcelona and especially Enrique Casanovas for the opportunity to present Part IV in the Fall of 2006 and for their comments. I also must thank the University of Illinois at Chicago and the National Science Foundation for partial support during the preparation of this manuscript.

Bibliography

- [AR94] Jiří Adámek and Jiří Rosický. *Locally Presentable and Accessible Categories*, volume 189 of *London Mathematical Society Lecture Notes*. Cambridge, New York, 1994.
- [AS81] U. Abraham and S. Shelah. Martin's axiom does not imply that every two \aleph_1 -dense sets of reals are isomorphic. *Israel J Math*, 38:161–176, 1981.
- [Bal78] J.T. Baldwin. Some EC_Σ classes of rings. *Zeitschrift Math. Logik. and Grundlagen der Math*, 24:489–492, 1978.
- [Bal88] J.T. Baldwin. *Fundamentals of Stability Theory*. Springer-Verlag, 1988.
- [Bal02] John T. Baldwin. Rank and homogeneous structures. In Katrin Tent, editor, *Tits Buildings and the Theory of Groups Wurzburg Sept 14-17 2000*. Cambridge University Press, 2002.
- [Bal04] J.T. Baldwin. Notes on quasiminimality and excellence. *Bulletin of Symbolic Logic*, 10:334–367, 2004.
- [Bal05] J.T. Baldwin. Ehrenfeucht-Mostowski models in abstract elementary classes. In Yi Zhang, editor, *Logic and its Applications*, Contemporary Mathematics, pages 1–17. American Mathematical Society, 2005.
- [Bal06] John T. Baldwin. The complex numbers and complex exponentiation: Why infinitary logic is necessary! In *Apuntes del XV Congreso Nacional*. Columbian Mathematical Society, 2006.
- [Bal07a] J.T. Baldwin. Models in ω_1 . lecture notes: see <http://www2.math.uic.edu/~jbaldwin/keisleruic6.pdf>, 2007.
- [Bal07b] J.T. Baldwin. Vaught's conjecture, do uncountable models count? *Notre Dame Journal of Formal Logic*, pages 1–14, 2007.
- [Bar68] J. Barwise, editor. *The syntax and semantics of infinitary languages*. LNM 72. Springer-Verlag, 1968.
- [Bar73] J. Barwise. Back and forth through infinitary logic. In M. Morley, editor, *Studies in Model Theory*, pages 1–34. Mathematical Association of America, 1973.
- [Bar81] J. Barwise. The role of omitting types in infinitary logic. *Archive fur Math. Log.*, 21:55–68, 1981.
- [Bau73] J. Baumgartner. On \aleph_1 -dense sets of reals. *Fundamenta Mathematica*, LXXIX:101–106, 1973.
- [BB04] A. Berenstein and S. Buechler. Simple stable homogeneous expansions of banach spaces. *Annals of Pure and Applied Logic*, 128:75–101, 2004.
- [BET07] John T. Baldwin, Paul Eklof, and Jan Trlifaj. ${}^\perp N$ as an abstract elementary class. *Annals of Pure and Applied Logic*, 149:25–39, 2007. preprint: www.math.uic.edu/~jbaldwin.
- [BF85] J. Barwise and S. Feferman, editors. *Model-Theoretic Logics*. Springer-Verlag, 1985.
- [BK] John T. Baldwin and Alexei Kolesnikov. Categoricity, amalgamation, and tameness. to appear: *Israel Journal of Mathematics*; also at www.math.uic.edu/~jbaldwin.
- [BKS] J.T. Baldwin, A. Kolesnikov, and S. Shelah. The amalgamation spectrum. to appear: *Journal of Symbolic Logic*.
- [BKV06] J.T. Baldwin, D.W. Kueker, and M. VanDieren. Upward stability transfer theorem for tame abstract elementary classes. *Notre Dame Journal of Formal Logic*, 47:291–298, 2006.
- [BL71] J.T. Baldwin and A.H. Lachlan. On strongly minimal sets. *Journal of Symbolic Logic*, 36:79–96, 1971.
- [BL03] S. Buechler and O. Lessmann. Simple homogeneous models. *Journal of the American Mathematical Society*, 16:91–121, 2003.

- [BL06] J.T. Baldwin and O. Lessmann. Upward categoricity of very tame abstract elementary classes with amalgamation. *Annals of Pure and Applied Logic*, 143:29–42, 2006.
- [Bou99] E. Bouscaren, editor. *Model Theory and Algebraic Geometry : An Introduction to E. Hrushovski's Proof of the Geometric Mordell-Lang Conjecture*. Springer-Verlag, 1999.
- [BS90] J.T. Baldwin and S. Shelah. The primal framework: I. *Annals of Pure and Applied Logic*, 46:235–264, 1990.
- [BS91] J.T. Baldwin and S. Shelah. The primal framework II: Smoothness. *Annals of Pure and Applied Logic*, 55:1–34, 1991.
- [BS97] J.T. Baldwin and S. Shelah. Randomness and semigenericity. *Transactions of the American Mathematical Society*, 349:1359–1376, 1997.
- [BS08] J.T. Baldwin and S. Shelah. Examples of non-locality. *Journal of Symbolic Logic*, 73:765–783, 2008.
- [Bue91] Steven Buechler. *Essential Stability Theory*. Springer-Verlag, 1991.
- [BY03a] I. Ben-Yaacov. Positive model theory and compact abstract theories. *Journal of Mathematical Logic*, 3:85–118, 2003.
- [BY03b] I. Ben-Yaacov. Simplicity in compact abstract theories. *Journal of Mathematical Logic*, 3:163–191, 2003.
- [BZ00] M. Bays and B.I. Zilber. Covers of multiplicative groups of an algebraically closed field of arbitrary characteristic. preprint: arXiv math.AC/0401301, 2007
- [Cha68] C. C. Chang. Some remarks on the model theory of infinitary languages. In J. Barwise, editor, *The syntax and semantics of infinitary languages*, pages 36–64. Springer-Verlag, 1968. LNM 72.
- [CK73] C.C. Chang and H.J. Keisler. *Model theory*. North-Holland, 1973. 3rd edition 1990.
- [Cop05] Andrew Coppola. *The theory of Q -abstract elementary classes*. PhD thesis, University of Illinois, Chicago, 2005.
- [Dev84] Keith Devlin. *Constructibility*. Springer-Verlag, 1984.
- [DS78] K. Devlin and S. Shelah. A weak version of \diamond which follows from $2^{\aleph_0} < 2^{\aleph_1}$. *Israel Journal of Mathematics*, 28:239–247, 1978.
- [EM56] A. Ehrenfeucht and A. Mostowski. Models of axiomatic theories admitting automorphisms. *Fund. Math.*, 43:50–68, 1956.
- [EM90] P. Eklof and Alan Mekler. *Almost Free Modules: Set theoretic Methods*. North Holland, 1990.
- [EM02] P. Eklof and Alan Mekler. *Almost Free Modules: Set theoretic Methods*. North Holland, 2002. 2nd edition.
- [Gav06] Misha Gavrilovich. *Model Theory of universal covering spaces of complex analytic varieties*. PhD thesis, Balliol college Oxford, 2006.
- [Gav08] Misha Gavrilovich. A remark on transitivity of galois action on the set of uniquely divisible abelian extensions of $E(\overline{Q})$ by z^2 . *Journal of K-theory*, 38:135–152, 2008.
- [GH89] R. Grossberg and Bradd Hart. The classification theory of excellent classes. *The Journal of Symbolic Logic*, 54:1359–1381, 1989.
- [GK] R. Grossberg and Alexei Kolesnikov. Superior abstract elementary classes are tame. preprint.
- [GL02] R. Grossberg and Olivier Lessmann. Shelah's stability spectrum and homogeneity spectrum in finite diagrams. *Archive for Mathematical Logic*, 41:1–31, 2002.
- [Grä68] George Grätzer. *Universal Algebra*. Van Nostrand, 1968.
- [Gro] R. Grossberg. A course in model theory. preprint.
- [Gro02] R. Grossberg. Classification theory for non-elementary classes. In Yi Zhang, editor, *Logic and Algebra*, pages 165–204. AMS, 2002. Contemporary Mathematics 302.
- [GS83] R. Grossberg and Saharon Shelah. On universal locally finite groups. *Israel J Math*, 44:289–302, 1983.
- [GT06] R. Gruber and J. Trlifaj. *Approximation and Endomorphism Algebras of Modules*. De Gruyter, 2006.
- [GV06a] R. Grossberg and M. VanDieren. Categoricity from one successor cardinal in tame abstract elementary classes. *The Journal of Mathematical Logic*, 6:181–201, 2006.
- [GV06b] R. Grossberg and M. VanDieren. Galois stability for tame abstract elementary classes. *Journal of Mathematical Logic*, 6:1–24, 2006.
- [GV06c] R. Grossberg and M. VanDieren. Shelah's categoricity conjecture from a successor for tame abstract elementary classes. *The Journal of Symbolic Logic*, 71:553–568, 2006.

- [GVV] R. Grossberg, M. VanDieren, and Andrés Villaveces. Limit models in stable classes with amalgamation. preprint.
- [Han60] William Hanf. Models of languages with infinitely long expressions. In *Abstracts of Contributed papers from the First Logic, Methodology and Philosophy of Science Congress, Vol.1*, page 24. Stanford University, 1960.
- [Har87] Bradd Hart. An exposition of OTOP. In J. Baldwin, editor, *Classification Theory: Chicago, 1985*. Springer-Verlag, 1987.
- [HH00] T. Hyttinen and Åsa Hirvonen. Categoricity in homogeneous complete metric spaces. preprint, 200?
- [HI02] W. Henson and Jose Iovino. Ultraproducts in analysis. In *Analysis and Logic*, volume 262 of *London Mathematical Society Lecture Notes*, pages 1–115. Cambridge University Press, 2002.
- [Hir06] Åsa Hirvonen. *Categoricity in homogeneous complete metric spaces*. PhD thesis, University of Helsinki, 2006.
- [Hjo07] Greg Hjorth. Knight’s model, its automorphism group, and characterizing the uncountable cardinals. *Notre Dame Journal of Formal Logic*, 2007.
- [HK00] T. Hyttinen and M. Kesälä. Categoricity transfer in finitary abstract elementary classes. preprint, 200?
- [HK06] T. Hyttinen and M. Kesälä. Independence in finitary abstract elementary classes. *Ann. Pure Appl. Logic*, 143(1-3):103–138, 2006.
- [HK07] T. Hyttinen and M. Kesälä. Superstability in simple finitary AECs. *Fund. Math.*, 195(3):221–268, 2007.
- [HL06] Tapani Hyttinen and Olivier Lessmann. Simplicity and uncountable categoricity in excellent classes. *Ann. Pure Appl. Logic*, 139(1-3):110–137, 2006.
- [HLS05] Tapani Hyttinen, Olivier Lessmann, and Saharon Shelah. Interpreting groups and fields in some nonelementary classes. *J. Math. Log.*, 5(1):1–47, 2005.
- [Hod87] W. Hodges. What is a structure theory? *Bulletin of the London Mathematics Society*, 19:209–237, 1987.
- [Hod93] W. Hodges. *Model Theory*. Cambridge University Press, 1993.
- [Hru] E. Hrushovski. Simplicity and the Lascar group. preprint.
- [Hru93] E. Hrushovski. A new strongly minimal set. *Annals of Pure and Applied Logic*, 62:147–166, 1993.
- [Hru02] E. Hrushovski. Computing the galois group of a linear differential equation. In *Differential Galois Theory (Bedlewo 2001)*, volume 58 of *Banach Center Publications*, pages 97–138. Polish Academy of Sciences, 2002.
- [HS90] Bradd Hart and Saharon Shelah. Categoricity over P for first order T or categoricity for $\phi \in L_{\omega_1\omega}$ can stop at \aleph_k while holding for $\aleph_0, \dots, \aleph_{k-1}$. *Israel Journal of Mathematics*, 70:219–235, 1990.
- [HS00] T. Hyttinen and S. Shelah. Strong splitting in stable homogeneous models. *Annals of Pure and Applied Logic*, 103:201–228, 2000.
- [HS01] T. Hyttinen and S. Shelah. Main gap for locally saturated elementary submodels of a homogeneous structure. *J Symbolic Logic*, 66:1286–1302, 2001.
- [Hyt04] Tapani Hyttinen. Types in abstract elementary classes. *Notre Dame J. Formal Logic*, 45(2):99–108 (electronic), 2004.
- [Iov99a] Jose Iovino. Stable Banach spaces and Banach space structures i. In *Models, algebras, and proofs*, volume 203 of *Lecture Notes in Pure and Applied Math.*, pages 77–95. Dekker, New York, 1999.
- [Iov99b] Jose Iovino. Stable Banach spaces and Banach space structures ii. In *Models, algebras, and proofs*, volume 203 of *Lecture Notes in Pure and Applied Math.*, pages 97–117. Dekker, New York, 1999.
- [Iov02] Jose Iovino. *Applications of Model Theory to Functional Analysis*. Escuela Venezolana de Matemáticas, 2002.
- [J56] B. Jónsson. Universal relational systems. *Mathematica Scandinavica*, 4:193–208, 1956.
- [J60] B. Jónsson. Homogeneous universal relational systems. *Mathematica Scandinavica*, 8:137–142, 1960.
- [Jec87] T. Jech. *Multiple Forcing*, volume 88 of *Cambridge Topics in Mathematics*. Cambridge University Press, 1987.

- [Kau85] M. Kaufmann. The quantifier 'there exists uncountably many' and some of its relatives. In J. Barwise and S. Feferman, editors, *Model-Theoretic Logics*, pages 121–177. Springer-Verlag, 1985.
- [Kei70] H.J. Keisler. Logic with quantifier "there exists uncountably many". *Annals of Math. Logic*, 1:1–93, 1970.
- [Kei71] H.J. Keisler. *Model theory for Infinitary Logic*. North-Holland, 1971.
- [Kie80] H. Kierstead. Countable models of ω_1 -categorical theories in admissible languages. *Annals of Pure and Applied Logic*, 19:127–175, 1980.
- [Kim98] Byunghan Kim. Forking in simple theories. *Journal of the London Mathematical Society*, 57:257–267, 1998.
- [Kir07] Jonathan Kirby. Definability of quasiminimal excellent classes. http://arxiv.org/PS_cache/arxiv/pdf/0707/0707.4496v3.pdf, 2007.
- [Kir08] Jonathan Kirby. Abstract elementary categories. <http://people.maths.ox.ac.uk/~kirby/pdf/aecats.pdf>, 2008.
- [Kni77] J.F. Knight. A complete $L_{\omega_1, \omega}$ -sentence characterizing \aleph_1 . *Journal of Symbolic Logic*, 42:151–161, 1977.
- [Kni78] J.F. Knight. Prime and atomic models. *Journal of Symbolic Logic*, 43:385–393, 1978.
- [Kol05] Alexei Kolesnikov. Dependence relations in non-elementary classes. In *Logic and its Applications*, Contemporary Mathematics, pages 203–231. AMS, 2005.
- [KS96] Oren Kolman and Saharon Shelah. Categoricity of theories in $L_{\kappa\omega}$, when κ is a measurable cardinal, part I. *Fundamenta Mathematica*, 151:209–240, 1996.
- [Kue70] D. W. Kueker. Back and forth arguments and infinitary model theory. In D. W. Kueker, editor, *Infinitary Logic: In Memoriam Carol Karp*, pages 17–72. Springer-Verlag, 1970. LNM 492.
- [Kue78] D. W. Kueker. Uniform theorem in infinitary logic. In A. Macintyre, L. Pacholski, and J. Paris, editors, *Logic Colloquium 77*. North Holland, 1978.
- [Kue08] D. W. Kueker. Abstract elementary classes and infinitary logics. *Annals of Pure and Applied Logic*, pages 274–286, 2008.
- [Kun80] K. Kunen. *Set Theory, An Introduction to Independence Proofs*. North Holland, 1980.
- [Lac72] A.H. Lachlan. A property of stable theories. *Fundamenta Mathematicae*, 77:9–20, 1972.
- [Las87] D. Lascar. *Stability in Model Theory*. Longman, 1987. originally published in French as *Stabilité en Théorie des Modèles* (1986).
- [Las07] Michael C. Laskowski. An old friend revisited: Countable models of ω -stable theories. *Notre Dame Journal of Formal Logic*, 48:133–141, 2007.
- [LE66] E. Lopez-Escobar. On definable well-orderings. *Fundamenta Mathematica*, 59:13–21, 299–300, 1966.
- [Les00] Olivier Lessmann. Ranks and pregeometries in finite diagrams. *Journal of Pure and Applied Logic*, 106:49–83, 2000.
- [Les02] Olivier Lessmann. Homogeneous model theory: Existence and categoricity. In Yi Zhang, editor, *Logic and Algebra*, pages 165–204. AMS, 2002. Contemporary Mathematics 302.
- [Les03] Olivier Lessmann. Categoricity and U-rank in excellent classes. *Journal of Symbolic Logic*, pages 1317–1336, 2003.
- [Les05a] Olivier Lessmann. An introduction to excellent classes. In Yi Zhang, editor, *Logic and its Applications*, Contemporary Mathematics, pages 231–261. American Mathematical Society, 2005.
- [Les05b] Olivier Lessmann. Upward categoricity from a successor cardinal for an abstract elementary class with amalgamation. *Journal of Symbolic Logic*, 70:639–661, 2005. MR2140051.
- [Lie] M. Lieberman. Accessible categories vrs aecs. preprint:www.math.lsa.umich.edu/~liebermm/vita.html.
- [Lie09] Michael Lieberman. *Topological and Category-Theoretic Aspects of Abstract Elementary Classes*. PhD thesis, University of Michigan, 2009.
- [Lin69] P. Lindstrom. On extensions of elementary logic. *Theoria*, 35:1–11, 1969.
- [LS93] Michael C. Laskowski and Saharon Shelah. On the existence of atomic models. *J. Symbolic Logic*, 58:1189–1194, 1993.
- [Mak77] M. Makkai. An 'admissible generalization of a theorem on countable σ_1^1 sets of reals with applications. *Annals of Mathematical Logic*, 11:1–30, 1977.

- [Mak85] J. A. Makowsky. Abstract embedding relations. In J. Barwise and S. Feferman, editors, *Model-Theoretic Logics*, pages 747–792. Springer-Verlag, 1985.
- [Mar72] L. Marcus. A minimal prime model with an infinite set of indiscernibles. *Israel Journal of Mathematics*, 11:180–183, 1972.
- [Mar02] D. Marker. *Model Theory: An introduction*. Springer-Verlag, 2002.
- [Mar06] D. Marker. A remark on Zilber’s pseudo-exponentiation. *The Journal of Symbolic Logic*, 71:791–798, 2006.
- [Mor65a] M. Morley. Categoricity in power. *Transactions of the American Mathematical Society*, 114:514–538, 1965.
- [Mor65b] M. Morley. Omitting classes of elements. In Addison, Henkin, and Tarski, editors, *The Theory of Models*, pages 265–273. North-Holland, Amsterdam, 1965.
- [MS90] Michael Makkai and Saharon Shelah. Categoricity of theories in $L_{\kappa\omega}$, with κ a compact cardinal. *Annals of Pure and Applied Logic*, 47:41–97, 1990.
- [MV62] M. Morley and R.L. Vaught. Homogeneous universal models. *Mathematica Scandinavica*, 11:37–57, 1962.
- [Pil01] A. Pillay. Forking in existentially closed structures. In A. Macintyre, editor, *Connections between Model Theory and Algebraic and Analytic Geometry*, quaderni di matematica. University of Naples, 2001.
- [PW06] M. Pourmahdian and F. Wagner. A simple positive Robinson theory with $Lstp \neq Stp$. In Ali Enayat, Iraj Kalantari, and Mojtaba Moniri, editors, *Logic in Tehran Proceedings of the workshop and conference on logic, algebra, and arithmetic, held October 18–22, 2003*, Lecture Notes in Logic, 26. Association of Symbolic Logic, 2006.
- [PZ03] N. Peatfield and B. Zilber. Analytic Zariski structures and the Hrushovski construction. preprint, 2003.
- [Ros82] J. Rosenstein. *Linear Orderings*. Academic Press, New York, 1982.
- [Ros97] Jiří Rosický. Accessible categories, saturation, and categoricity. *Journal of Symbolic Logic*, 62:891–901, 1997.
- [Sac72] G. Sacks. *Saturated Model Theory*. Benjamin, Reading, Mass., 1972.
- [Shea] S. Shelah. Amalgamation may be late in failing. announced.
- [Sheb] Saharon Shelah. Abstract elementary classes near \aleph_1 sh88r. revision of Classification of nonelementary classes II, Abstract elementary classes; on the Shelah archive.
- [She70] S. Shelah. Finite diagrams stable in power. *Annals of Mathematical Logic*, 2:69–118, 1970.
- [She75a] S. Shelah. Categoricity in \aleph_1 of sentences in $L_{\omega_1, \omega}(Q)$. *Israel Journal of Mathematics*, 20:127–148, 1975. paper 48.
- [She75b] S. Shelah. The lazy model-theoretician’s guide to stability. *Logique et Analyse*, 18:241–308, 1975.
- [She78] S. Shelah. *Classification Theory and the Number of Nonisomorphic Models*. North-Holland, 1978.
- [She80] S. Shelah. *Proper Forcing*. Springer-Verlag, 1980. Springer Lecture Notes 940.
- [She83a] S. Shelah. Classification theory for nonelementary classes. I. the number of uncountable models of $\psi \in L_{\omega_1, \omega}$ part A. *Israel Journal of Mathematics*, 46:3:212–240, 1983. paper 87a.
- [She83b] S. Shelah. Classification theory for nonelementary classes. I. the number of uncountable models of $\psi \in L_{\omega_1, \omega}$ part B. *Israel Journal of Mathematics*, 46;3:241–271, 1983. paper 87b.
- [She87a] Saharon Shelah. Classification of nonelementary classes II, abstract elementary classes. In J.T. Baldwin, editor, *Classification theory (Chicago, IL, 1985)*, pages 419–497. Springer, Berlin, 1987. paper 88: Proceedings of the USA–Israel Conference on Classification Theory, Chicago, December 1985; volume 1292 of *Lecture Notes in Mathematics*.
- [She87b] Saharon Shelah. Universal classes, part I. In J.T. Baldwin, editor, *Classification theory (Chicago, IL, 1985)*, pages 264–419. Springer, Berlin, 1987. paper 300: Proceedings of the USA–Israel Conference on Classification Theory, Chicago, December 1985; volume 1292 of *Lecture Notes in Mathematics*.
- [She91] S. Shelah. *Classification Theory and the Number of Nonisomorphic Models*. North-Holland, 1991. second edition.
- [She98] S. Shelah. *Proper Forcing*. Springer-Verlag, 1998. 2nd edition.

- [She99] S. Shelah. Categoricity for abstract classes with amalgamation. *Annals of Pure and Applied Logic*, 98:261–294, 1999. paper 394. Consult Shelah for post-publication revisions.
- [She00a] S. Shelah. Classification theory for abstract elementary classes. Binds together papers 88r, 300, 600, 705, 734, 838 with introduction E53, 200?
- [She00b] S. Shelah. Completing 394. privately circulated F659, 200?
- [She00c] S. Shelah. On categorical A.E.C. paper 734 in preparation, 200?
- [She00d] S. Shelah. Toward classification theory of good λ frames and abstract elementary classes. preprint 705, 200?
- [She00] S. Shelah. On what I do not understand (and have something to say), model theory. *Mathematica Japonica*, 51:329377, 2000.
- [She01] S. Shelah. Categoricity of abstract elementary class in two successive cardinals. *Israel Journal of Mathematics*, 126:29–128, 2001. paper 576.
- [She0x] S. Shelah. Categoricity of abstract elementary classes: going up inductive step. preprint 600, 200x.
- [SU] S. Shelah and A. Usvyatsov. Model theoretic stability and categoricity for complete metric spaces. preprint.
- [SU06a] S. Shelah and A. Usvyatsov. Banach spaces and groups - order properties and universal models. *Israel J Math*, 152:245–270, 2006.
- [SU06b] S. Shelah and A. Usvyatsov. Banach spaces and groups - order properties and universal models. *Israel J. Math.*, 152:245–270, 2006.
- [SV99] Saharon Shelah and Andrés Villaveces. Toward categoricity for classes with no maximal models. *Annals of Pure and Applied Logic*, 97:1–25, 1999. revised version : www.math.rutgers.edu/~shelah.
- [Trl] J. Trlifaj. Cotilting classes as abstract elementary classes of finite character. preprint.
- [Van02] Monica VanDieren. *Categoricity and stability in abstract elementary classes*. PhD thesis, Carnegie Mellon University, 2002. Dissertation.
- [Van06] Monica VanDieren. Categoricity in abstract elementary classes with no maximal models. *Annals of Pure and Applied Logic*, 97:108–147, 2006.
- [Vau61] R.L. Vaught. Denumerable models of complete theories. In *Infinitistic Methods, Proc. Symp. Foundations of Math., Warsaw, 1959*, pages 303–321. Państwowe Wydawnictwo Naukowe, Warsaw, 1961.
- [VdW49] B. L. Van der Waerden. *Modern Algebra*. Frederick Ungar Publishing, 1949.
- [Wag94] F. Wagner. Relational structures and dimensions. In Kaye Richard and et. al., editors, *Automorphisms of First Order Structures*, pages 153–180. Oxford, Clarendon Press, 1994.
- [Zil00] B.I. Zilber. Analytic Zariski structures, predimensions and non-elementary stability. preprint, 200?
- [Zil02] B.I. Zilber. Exponential sums equations and the schanuel conjecture. *J. London Math. Soc.*, 2002. includes preprint: Intersecting varieties with tori.
- [Zil03] B.I. Zilber. Model theory, geometry and arithmetic of universal covers of a semi-abelian variety. In *Model Theory and Applications*, Quaterna di matematica, pages 427–458, 2003.
- [Zil04] B.I. Zilber. Pseudo-exponentiation on algebraically closed fields of characteristic 0. *Annals of Pure and Applied Logic*, 132:67–95, 2004.
- [Zil05] B.I. Zilber. A categoricity theorem for quasiminimal excellent classes. In *Logic and its Applications*, Contemporary Mathematics, pages 297–306. AMS, 2005.
- [Zil06] B.I. Zilber. Covers of the multiplicative group of an algebraically closed field of characteristic 0. *J. London Math. Soc.*, pages 41–58, 2006.

Index

- (λ, κ) -model, 205
- (λ, n) -completeness, 159
- (λ, n) -existence, 160
- (λ, n) -system, 151
- (λ, n) -uniqueness, 166
- (μ, δ) -chain, 76
- (μ, δ) -limit, 76
- 2-transitive, 51
- $A \leq_{\text{TV}} B$, 144, 151
- A_s, B_s , 151
- $D(\alpha, \chi, \theta)$, 219
- $EC(T, \text{Atomic})$ -class, 53
- $EC(T, \Gamma)$ -class, 35
- $EM(I, \Phi)$, 50
- $H(\kappa)$, 33
- H_1 , 33
- H_2 , 105
- $I(\mathbf{K}, \lambda)$, 32
- $L_{\omega_1, \omega}$, 5
- $L_{\omega_1, \omega}$ -type, 9
- $L_{\omega_1, \omega}(Q)$, 5, 39
- $L_{\omega_1, \omega}(Q)$ as AEC?, 39, 55
- P -system, 151
- PC , 34
- $PC(T, \Gamma)$ class, 34
- $PC\Gamma$ class, 49
- PC_δ class over $L_{\omega_1, \omega}$, 34
- PC_δ -classes, 34, 109
- $S^*(A)$, 138
- $Sat(A)$, 138
- $T(\psi)$, 55
- $\mathcal{H}(\theta)$, 110
- Φ_λ , 217
- $\Phi_{\chi, \lambda}$, 219
- $\Theta_{\chi, \lambda}$, 219
- \approx isomorphic, 5
- $\text{aut}_M(\overline{\mathbb{M}})$, 94
- cf, 6
- χ -order property, 116
- $\eta(\kappa)$, 33
- $\mathbb{S}(M)$, 69
- $\hat{\Theta}_{\lambda+}$, 218
- \hat{G} , 19
- $\hat{\Theta}_{\lambda+}$, 127
- κ -amalgamation base, 122
- $\kappa\mathbf{K}$, 32
- λ -stable, 140
- \leq^* , 55
- \leq^{**} , 55
- μ -dap, 79, 80
- μ -splits, 91
- otp, 73
- σ -universal over, 76
- σ -universal over ... in, 73
- \sim_{AT} , 68
- $\text{Unif}(\lambda, \chi, \theta, \kappa)$, 222
- k -transitive, 51
- $p(N)$, 100
- $A' \approx_B A$, 146
- *-excellent, 179
- $\kappa(\mathbf{K}, \mu)$, 113
- \triangleleft initial segment, 129
- extendible structure, 211
- filtration, 29
- partial A -monomorphism, 8
- partial monomorphism, 8
- strong embedding, 28
- A3.3*, 31, 60, 102
- abstract elementary class, 26
- accessible category, 37
- admits λ -saturated unions, 100
- AEC, finite character, 184
- almost quasiminimal excellent, 15
- amalgamation base, 123, 168
- amalgamation over pairs, 173
- amalgamation property, 29, 64
- amalgamation, failure of, 127
- amalgamation, set, 35
- analytic Zariski structures, 29
- atomic AEC, 137
- atomic over, 141
- atomic set, 137
- back and forth, 5
- Banach Spaces, 35

- Baumgartner example*, 141
big type, 97
brimful, 73
brimmed, 73
- chain*, 27
chain, 76
closed map, 10
coextension, 147
coherence property, 28
coherent chain, 83
collection cardinal, 106
compact galois types, 84
complete sentence, 45
complete sentence, $L_{\omega_1, \omega}(Q)$, 54
completeness, 159
cotorsion theories, 30
countable closure property, 8
cub, 6
cut-pair, 58
- definability of types*, 187
determined over, 9
Devlin-Shelah weak diamond, 127
diagram, 50
direct limit, 28
direct union, 28
disjoint amalgamation over limit models, 79
disjoint amalgamation property, 29
dominance lemma, 183
downward closed, 32
- EM-set*, 50
end extension, 40
end extension sentence, 212
enumeration, 152
excellence, first order, 179
excellence, quasiminimal, 10
excellent, 160
exchange axiom, 3
extendibility sentence, 212
extension lemma, 145
- few*, 165
filtration, 160
finitary AEC, 184
finite character, AEC, 184
finite diagram, 35
fragment, 5, 211
full, 159
- Galois saturated*, 69
Galois type, 68, 69
Galois-stable, 71
generalized symmetry, 158
good, 141
good atomic class, 160
good enumeration, 154
good system, 151
group, aqm, 15
- Hanf Function*, 33
Hanf Number, 33
Hanf Number, AEC, 34
Hanf number, Galois types, 106
Hanf number: categoricity, 117
Hart-Shelah example, 194
hereditary cardinality, 110
homogeneity: \aleph_0 -over models, 8
homogeneous geometry, 3
homogeneous model theory, 35
homogeneous, sequence, 22
Hrushovski construction, 29
- independence, atomic classes*, 146
independent family, 125
independent system, 10, 151
inhomogeneity, 21
isomorphic systems, 167
- J. Knight example*, 138
joint embedding, 29, 64
- Löwenheim-Skolem number*, 28
Lachlan example, 193
limit model, 76, 80, 123
linearization, 152
local galois types, 84
Lopez-Escobar theorem, 40
- Marcus Example*, 22, 139, 142
Martin's Axiom, 126
maximal model, 123
maximal triple, 57
metric AEC, 36
minimal type, 97
model homogeneous, 67
monster model, 68
Morley omitting types theorem, 205
Morley's categoricity theorem, 45
- Non-elementary class*, 26
nonalgebraic, 94
- omitting Galois types*, 106
omitting types theorem, 33
omitting types: set theoretic method, 111
order property, 116
order type, 73
- partial monomorphism*, 7
partial type, 33
pregeometry, 3
Presentation Theorem, 30
primary, 141
prime over, 10, 141
proper for linear orders, 50
proper pair, 57

- pseudoelementary*, 34
quasiminimal, 97
quasiminimal class, 8
quasiminimal class, abstract, 7
quasiminimal type, 186

rank in atomic classes, 143
restriction, Galois type, 69

Scott sentence, uncountable model, 47
Shelah's Categoricity Conjecture, 99
Silver example, 34
simple AEC, 184
small, 46
solution, 197
special , 75
special set, 10
spectrum, 32
splits, 144
splitting of Galois-types, 91
stable model, 71
standard model, 196
stationary, 147
Stone space, 137
strongly ω -homogenous, 138
strongly minimal, 4
strongly model homogeneous, 67
strongly realized, 120
superstable, 113
symmetry property, 148
system, 151

tame, 14, 85, 183
Tarski-Vaught, 144
Tarski-Vaught sequences, 151
template, 50
Thumbtack Lemma, 20
transitive linear order, 51, 87
true Vaughtian pair, 100
two cardinal theorem, 188, 205
type, $L_{\omega_1, \omega}$, 9
type, algebraic, 94
type, first order, 33
type, Galois, 68
type, syntactic, 33

universal over, 76
universal over ... in, 73


Vaught's conjecture, 53
Vaughtian pair, 100
Vaughtian triple, 187
very few, 165
very weak GCH, ix
vocabulary, 27
VWGCH, ix

weak AEC, 122
weak diamond, 217

weak GCH, ix
weakly tame, 85
WGCH, ix

Zilber example: covers, 17
Zilber example: pseudoeponentiation, 23

Modern model theory began with Morley's categoricity theorem: A countable first-order theory that has a unique (up to isomorphism) model in one uncountable cardinal (i.e., is categorical in cardinality) if and only if the same holds in all uncountable cardinals. Over the last 35 years Shelah made great strides in extending this result to infinitary logic, where the basic tool of compactness fails. He invented the notion of an Abstract Elementary Class to give a unifying semantic account of theories in first-order, infinitary logic and with some generalized quantifiers. Zilber developed similar techniques of infinitary model theory to study complex exponentiation.



Marshall Photographer, Inc.

This book provides the first unified and systematic exposition of this work. The many examples stretch from pure model theory to module theory and covers of Abelian varieties. Assuming only a first course in model theory, the book expounds eventual categoricity results (for classes with amalgamation) and categoricity in excellent classes. Such crucial tools as Ehrenfeucht–Mostowski models, Galois types, tameness, omitting-types theorems, multi-dimensional amalgamation, atomic types, good sets, weak diamonds, and excellent classes are developed completely and methodically. The (occasional) reliance on extensions of basic set theory is clearly laid out. The book concludes with a set of open problems.



For additional information
and updates on this book, visit

www.ams.org/bookpages/ulect-50

ISBN 978-0-8218-4893-7



9 780821 848937

ULECT/50

AMS on the Web
www.ams.org