

UNIVERSITY LECTURE SERIES VOLUME 67

Chaos on the Interval

Sylvie Ruelle

American Mathematical Society



Chaos on the Interval

UNIVERSITY LECTURE SERIES VOLUME 67

Chaos on the Interval

Sylvie Ruelle

American Mathematical Society
Providence, Rhode Island



EDITORIAL COMMITTEE

Jordan S. Ellenberg
William P. Minicozzi II (Chair)

Robert Guralnick
Tatiana Toro

2010 *Mathematics Subject Classification*. Primary 37E05.

For additional information and updates on this book, visit
www.ams.org/bookpages/ulect-67

Library of Congress Cataloging-in-Publication Data

Names: Ruelle, Sylvie, 1975-

Title: Chaos on the interval / Sylvie Ruelle.

Description: Providence, Rhode Island : American Mathematical Society, [2017] | Series: University lecture series ; volume 67 | Includes bibliographical references and index.

Identifiers: LCCN 2016042280 | ISBN 9781470429560 (alk. paper)

Subjects: LCSH: Interval analysis (Mathematics) | Chaotic behavior in systems. | AMS: Dynamical systems and ergodic theory – Low-dimensional dynamical systems – Maps of the interval (piecewise continuous, continuous, smooth). msc

Classification: LCC QA297.75 .R84 2017 | DDC 515/.39–dc23 LC record available at <https://lccn.loc.gov/2016042280>

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy select pages for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Permissions to reuse portions of AMS publication content are handled by Copyright Clearance Center's RightsLink® service. For more information, please visit: <http://www.ams.org/rightslink>.

Send requests for translation rights and licensed reprints to reprint-permission@ams.org.

Excluded from these provisions is material for which the author holds copyright. In such cases, requests for permission to reuse or reprint material should be addressed directly to the author(s). Copyright ownership is indicated on the copyright page, or on the lower right-hand corner of the first page of each article within proceedings volumes.

© 2017 by the American Mathematical Society. All rights reserved.

The American Mathematical Society retains all rights
except those granted to the United States Government.

Printed in the United States of America.

⊗ The paper used in this book is acid-free and falls within the guidelines
established to ensure permanence and durability.

Visit the AMS home page at <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 1 22 21 20 19 18 17

Contents

Preface	vii
Contents of the book	ix
Chapter 1. Notation and basic tools	1
1.1. General notation	1
1.2. Topological dynamical systems, orbits, ω -limit sets	1
1.3. Intervals, interval maps	4
1.4. Chains of intervals and periodic points	7
1.5. Directed graphs	9
Chapter 2. Links between transitivity, mixing and sensitivity	11
2.1. Transitivity and mixing	11
2.2. Accessible endpoints and mixing	21
2.3. Sensitivity to initial conditions	25
Chapter 3. Periodic points	33
3.1. Specification	33
3.2. Periodic points and transitivity	36
3.3. Sharkovsky's Theorem, Sharkovsky's order and type	41
3.4. Relations between types and horseshoes	52
3.5. Types of transitive and mixing maps	55
Chapter 4. Topological entropy	57
4.1. Definitions	57
4.2. Entropy and horseshoes	59
4.3. Homoclinic points	66
4.4. Upper bounds for entropy of Lipschitz and piecewise monotone maps	73
4.5. Graph associated to a family of intervals	76
4.6. Entropy and periodic points	84
4.7. Entropy of transitive and topologically mixing maps	93
4.8. Uniformly positive entropy	105
Chapter 5. Chaos in the sense of Li-Yorke, scrambled sets	109
5.1. Definitions	109
5.2. Weakly mixing maps are Li-Yorke chaotic	111
5.3. Positive entropy maps are Li-Yorke chaotic	113
5.4. Zero entropy maps	117
5.5. One Li-Yorke pair implies chaos in the sense of Li-Yorke	131
5.6. Topological sequence entropy	133
5.7. Examples of maps of type 2^∞ , Li-Yorke chaotic or not	145

Chapter 6. Other notions related to Li-Yorke pairs: Generic and dense chaos, distributional chaos	155
6.1. Generic and dense chaos	155
6.2. Distributional chaos	168
Chapter 7. Chaotic subsystems	175
7.1. Subsystems chaotic in the sense of Devaney	175
7.2. Topologically mixing subsystems	177
7.3. Transitive sensitive subsystems	180
Chapter 8. Appendix: Some background in topology	191
8.1. Complement of a set, product of sets	191
8.2. Definitions in topology	191
8.3. Topology derived from the topology on X	194
8.4. Connectedness, intervals	195
8.5. Compactness	196
8.6. Cantor set	197
8.7. Continuous maps	199
8.8. Zorn's Lemma	201
Bibliography	203
Notation	211
Index	213

Preface

Generally speaking, a *dynamical system* is a space in which the points (which can be viewed as configurations) move along with time according to a given rule, usually not depending on time. Time can be either continuous (the motion of planets, fluid mechanics, etc.) or discrete (the number of bees each year, etc.). In the discrete case, the system is determined by a map $f: X \rightarrow X$, where X is the space, and the evolution is given by successive iterations of the transformation: starting from the point x at time 0, the point $f(x)$ represents the new position at time 1 and $f^n(x) = f \circ f \circ \dots \circ f(x)$ (f iterated n times) is the position at time n .

A dynamical system ruled by a deterministic law can nevertheless be unpredictable. In particular, in the early 1960s, Lorenz underlined this phenomenon after realizing by chance that in his meteorological model, two very close initial values may lead to totally different results [114, 115, 116]; he discovered the so-called “butterfly effect”. This kind of behavior has also been exhibited in other dynamical systems. One of the first to be studied, among the simplest, is given by the map $f(x) = rx(1 - x)$ acting on the interval $[0, 1]$ and models the evolution of a population. If the parameter r is small enough, then all the trajectories converge to a fixed point – the population stabilizes. However, May showed that for larger values of r , the dynamics may become very complicated [120].

This book focuses on dynamical systems given by the iteration of a continuous map on an interval. These systems were broadly studied because they are simple but nevertheless exhibit complex behaviors. They also allow numerical simulations using a computer or a mere pocket calculator, which enabled the discovery of some chaotic phenomena. Moreover, the “most interesting” part of some higher-dimensional systems can be of lower dimension, which allows, in some cases, to boil down to systems in dimension one. This idea was used for instance to reduce the study of Lorenz flows in dimension 3 to a class of maps on the interval. However, continuous interval maps have many properties that are not generally found in other spaces. As a consequence, the study of one-dimensional dynamics is very rich but not representative of all systems.

In the 1960s, Sharkovsky began to study the structure of systems given by a continuous map on an interval, in particular the co-existence of periodic points of various periods, which is ruled by *Sharkovsky’s order* [150]. Non-Russian-speaking scientists were hardly aware of this striking result until a new proof of this theorem was given in English by Štefan in 1976 in a preprint [162] (published one year later in [163]). In 1975, in the paper “Period three implies chaos” [111], Li and Yorke proved that a continuous interval map with a periodic point of period 3 has periodic points of all periods – which is actually a part of Sharkovsky’s Theorem eleven years earlier; they also proved that, for such a map f , there exists an uncountable set such that, if x, y are two distinct points in this set, then $f^n(x)$ and $f^n(y)$ are arbitrarily

close for some n and are further than some fixed positive distance for other integers n tending to infinity; the term “chaos” was introduced in mathematics in this paper of Li and Yorke, where it was used in reference to this behavior.

Afterwards, various definitions of chaos were proposed. They do not coincide in general and none of them can be considered as the unique “good” definition of chaos. One may ask, “What is chaos then?” It relies generally on the idea of unpredictability or instability, i.e., knowing the trajectory of one point is not enough to know what happens elsewhere. The map $f: X \rightarrow X$ is said to be *sensitive to initial conditions* if near every point x there exists a point y arbitrarily close to x such that the distance between $f^n(x)$ and $f^n(y)$ is greater than a given $\delta > 0$ for some n . *Chaos in the sense of Li-Yorke* (see above) asks for more instability, but only on a subset. For Devaney, chaos is seen as a mixing of unpredictability and regular behavior: a system is *chaotic in the sense of Devaney* if it is transitive, sensitive to initial conditions and has a dense set of periodic points [74]. Others put as a part of their definition that the entropy should be positive, which means that the number of different trajectories of length n , up to some approximation, grows exponentially fast.

In order to obtain something uniform, the system is often assumed to be transitive. Roughly speaking, this means that it cannot be decomposed into two parts with nonempty interiors that do not interact under the action of the transformation. This “basic” assumption actually has strong consequences for systems on one-dimensional spaces. For a continuous interval map, it implies most of the other notions linked to chaos: sensitivity to initial conditions, dense set of periodic points, positive entropy, chaos in the sense of Li-Yorke, etc. This leads us to search for (partial) converses: for instance, if the interval map f is sensitive to initial conditions, then, for some integer n , the map f^n is transitive on a subinterval.

The study of periodic points has taken an important place in the works on interval maps. For these systems, chaotic properties not only imply existence of periodic points, but the possible periods also provide some information about the system. For instance, for a transitive interval map, there exist periodic points of all even periods, and an interval map has positive entropy if and only if there exists a periodic point whose period is not a power of 2. This kind of relationship is very typical of one-dimensional systems.

The aim of this book is not to collect all the results about continuous interval maps but to survey the relations between the various kinds of chaos and related notions for these systems. The papers on this topic are numerous but very scattered in the literature, sometimes little known or difficult to find, sometimes originally published in Russian (or Ukrainian, or Chinese), and sometimes without proof. Furthermore some results were found twice independently, which was often due to a lack of communication and to language barriers, leading research to develop separately in English and Russian literature. This has complicated our task when attributing authorship; we want to apologize for possible errors or omissions when indicating who first proved the various results.

We adopt a topological point of view; i.e., we do not speak about invariant measures or ergodic properties. Moreover, we are interested in the set of continuous interval maps, not in particular families such as piecewise monotone, C^∞ or unimodal maps. We give complete proofs of the results concerning interval maps.

Many results for interval maps have been generalized to other one-dimensional systems. We briefly describe them in paragraphs called “Remarks on graph maps” at the end of the concerned sections. We indicate some main ideas and give the references. This subject is still in evolution, and the most recent works and references may be missing.

This book is addressed to both graduate students and researchers. We have tried to keep to the elementary level. The prerequisites are basic courses of real analysis and topology, and some linear algebra.

Contents of the book

In the **first chapter**, we define some elementary notions and introduce some notation. Throughout this book, a continuous map $f: I \rightarrow I$ on a nondegenerate compact interval I will be called an *interval map*. We also provide some basic results about ω -limit sets and tools to find periodic points.

In **Chapter 2**, we study the links between transitivity, topological mixing and sensitivity to initial conditions. We first prove that a transitive interval map has a dense set of periodic points. Then we show that transitivity is very close to the notion of topological mixing in the sense that for a transitive interval map $f: I \rightarrow I$, either f is topologically mixing or the interval I is divided into two subintervals J, K which are swapped under the action of f and such that both $f^2|_J$ and $f^2|_K$ are topologically mixing. Furthermore, the notions of topological mixing, topological weak mixing and total transitivity are proved to be equivalent for interval maps.

Next we show that a transitive interval map is sensitive to initial conditions and, conversely, if the map is sensitive, then there exists a subinterval J such that $f^n|_J$ is transitive for some positive integer n .

Chapter 3 is devoted to periodic points. First we prove that topological mixing is equivalent to the specification property, which roughly means that any collection of pieces of orbits can be approximated by the orbit of a periodic point.

Next we show that, if the set of periodic points is dense for the interval map f , then there exists a nondegenerate subinterval J such that either $f|_J$ or $f^2|_J$ is transitive provided that f^2 is not equal to the identity map.

Then we present Sharkovsky’s Theorem, which says that there is a total order on \mathbb{N} – called *Sharkovsky’s order* – such that, if an interval map has a periodic point of period n , then it also has periodic points of period m for all integers m greater than n with respect to this order. The *type* of a map f is the minimal integer n for Sharkovsky’s order such that f has a periodic point of period n ; if there is no such integer n , then the set of periods is exactly $\{2^n \mid n \geq 0\}$ and the type is 2^∞ . We build an interval map of type n for every $n \in \mathbb{N} \cup \{2^\infty\}$.

Next, we study the relation between the type of a map and the existence of horseshoes. Finally, we compute the type of transitive and topologically mixing interval maps.

In **Chapter 4**, we are concerned with topological entropy. A *horseshoe* for the interval map f is a family of two or more closed subintervals J_1, \dots, J_p with disjoint interiors such that $f(J_i) \supset J_1 \cup \dots \cup J_p$ for all $1 \leq i \leq p$. We show that the existence of a horseshoe implies that the topological entropy is positive. Reciprocally, Misiurewicz’s Theorem states that, if the entropy of the interval map f is positive, then f^n has a horseshoe for some positive integer n .

Next we show that an interval map has a homoclinic point if and only if it has positive topological entropy. For an interval map f , x is a *homoclinic point* if there exists a periodic point z different from x such that x is in the unstable manifold of z and z is a limit point of $(f^{np}(x))_{n \geq 0}$, where p is the period of z .

We then give some upper and lower bounds on the entropy, focusing on lower bounds for transitive and topologically mixing maps and lower bounds depending on the periods of periodic points (or, in other words, on the type of the map for Sharkovsky's order). In particular, an interval map has positive topological entropy if and only if it has a periodic point whose period is not a power of 2. The sharpness of these bounds is illustrated by some examples.

To conclude this chapter, we show that a topologically mixing interval map has a uniformly positive entropy; that is, every cover by two open nondense sets has positive topological entropy. Actually, this property is equivalent to topological mixing for interval maps.

Chapter 5 is devoted to chaos in the sense of Li-Yorke. Two points x, y form a *Li-Yorke pair of modulus δ* for the map f if

$$\limsup_{n \rightarrow +\infty} |f^n(x) - f^n(y)| \geq \delta \quad \text{and} \quad \liminf_{n \rightarrow +\infty} |f^n(x) - f^n(y)| = 0.$$

A *δ -scrambled set* is a set S such that every pair of distinct points in S is a Li-Yorke pair of modulus δ ; the set S is *scrambled* if for every $x, y \in S$, $x \neq y$, (x, y) is a Li-Yorke pair (of modulus δ for some $\delta > 0$ depending on x, y). The map is *chaotic in the sense of Li-Yorke* if it has an uncountable scrambled set. We prove that an interval map of positive topological entropy admits a δ -scrambled Cantor set for some $\delta > 0$ and is thus chaotic in the sense of Li-Yorke. We also show that a topologically mixing map has a dense δ -scrambled set which is a countable union of Cantor sets.

Next, we study an equivalent condition for zero entropy interval maps to be chaotic in the sense of Li-Yorke, which implies the existence of a δ -scrambled Cantor set as in the positive entropy case. A zero entropy interval map that is chaotic in the sense of Li-Yorke is necessarily of type 2^∞ for Sharkovsky's order, but the converse is not true; we build two maps of type 2^∞ having an infinite ω -limit set, one being chaotic in the sense of Li-Yorke and the other not.

Then we state that the existence of one Li-Yorke pair for an interval map is enough to imply chaos in the sense of Li-Yorke.

Finally, we show that an interval map is chaotic in the sense of Li-Yorke if and only if it has positive topological sequence entropy.

In **Chapter 6**, we study some notions related to Li-Yorke pairs.

Generic chaos and *dense chaos* are somehow two-dimensional notions. A topological system $f: X \rightarrow X$ is generically (resp. densely) chaotic if the set of Li-Yorke pairs is residual (resp. dense) in $X \times X$. A transitive interval map is generically chaotic; conversely, a generically chaotic interval map has exactly one or two transitive subintervals. Dense chaos is strictly weaker than generic chaos: a densely chaotic interval map may have no transitive subinterval, as illustrated by an example. We show that, if f is a densely chaotic interval map, then f^2 has a horseshoe, which implies that f has a periodic point of period 6 and the topological entropy of f is at least $\frac{\log 2}{2}$.

Distributional chaos is based on a refinement of the conditions defining Li-Yorke pairs. We show that, for interval maps, distributional chaos is equivalent to positive topological entropy.

In **Chapter 7**, we focus on the existence of some kinds of chaotic subsystems and we relate them to the previous notions.

A system is said to be *chaotic in the sense of Devaney* if it is transitive, sensitive to initial conditions and has a dense set of periodic points. For an interval map, the existence of an invariant closed subset that is chaotic in the sense of Devaney is equivalent to positive topological entropy. We also show that an interval map has an invariant uncountable closed subset X on which f^n is topologically mixing for some $n \geq 1$ if and only if f has positive topological entropy.

Finally, we study the existence of an invariant closed subset on which the map is transitive and sensitive to initial conditions. We show that this property is implied by positive topological entropy and implies chaos in the sense of Li-Yorke. However these notions are distinct: there exist zero entropy interval maps with a transitive




FIGURE 0.1. Diagram summarizing the relations between the main notions related to chaos for an interval map f .

sensitive subsystem and interval maps with no transitive sensitive subsystem that are chaotic in the sense of Li-Yorke.

The **last chapter** is an appendix that recalls succinctly some background in topology.

The relations between the main notions studied in this book are summarized by the diagram in Figure 0.1 on page xi.

I thank all the people who have contributed to improve this book by remarks or translations: Jozef Bobok, Victor Jiménez López, Sergiy Kolyada, Jian Li, Michał Misiurewicz, T. K. Subrahmonian Moothathu, L'ubomar Snoha, Émilie Tyberghein, Zheng Wei, and Dawei Yang. I particularly thank Roman Hric who helped me to fill a gap in a proof.

I want to thank CNRS (Centre National de la Recherche Scientifique) for giving me time (two sabbatical semesters) to write this book, which allowed me to finish this long-standing project.

Sylvie Ruelle

Bibliography

- [1] R. L. Adler, A. G. Konheim, and M. H. McAndrew. Topological entropy. *Trans. Amer. Math. Soc.*, 114:309–319, 1965.
- [2] R. L. Adler and M. H. McAndrew. The entropy of Chebyshev polynomials. *Trans. Amer. Math. Soc.*, 121:236–241, 1966.
- [3] Ll. Alsedà, S. Baldwin, J. Llibre, and M. Misiurewicz. Entropy of transitive tree maps. *Topology*, 36(2):519–532, 1997.
- [4] Ll. Alsedà, M. A. del Río, and J. A. Rodríguez. A splitting theorem for transitive maps. *J. Math. Anal. Appl.*, 232(2):359–375, 1999.
- [5] Ll. Alsedà, D. Juher, and P. Mumburú. A note on the periodic orbits and topological entropy of graph maps. *Proc. Amer. Math. Soc.*, 129(10):2941–2946 (electronic), 2001.
- [6] Ll. Alsedà, D. Juher, and P. Mumburú. Sets of periods for piecewise monotone tree maps. *Internat. J. Bifur. Chaos Appl. Sci. Engrg.*, 13(2):311–341, 2003.
- [7] Ll. Alsedà, D. Juher, and P. Mumburú. On the preservation of combinatorial types for maps on trees. *Ann. Inst. Fourier (Grenoble)*, 55(7):2375–2398, 2005.
- [8] Ll. Alsedà, D. Juher, and P. Mumburú. Periodic behavior on trees. *Ergodic Theory Dynam. Systems*, 25(5):1373–1400, 2005.
- [9] Ll. Alsedà, D. Juher, and P. Mumburú. Minimal dynamics for tree maps. *Discrete Contin. Dyn. Syst.*, 20(3):511–541, 2008.
- [10] Ll. Alsedà, S. Kolyada, J. Llibre, and L[~]. Snoha. Entropy and periodic points for transitive maps. *Trans. Amer. Math. Soc.*, 351(4):1551–1573, 1999.
- [11] Ll. Alsedà, S. Kolyada, J. Llibre, and L[~]. Snoha. Axiomatic definition of the topological entropy on the interval. Preprint, 2000.
- [12] Ll. Alsedà, J. Llibre, F. Mañosas, and M. Misiurewicz. Lower bounds of the topological entropy for continuous maps of the circle of degree one. *Nonlinearity*, 1(3):463–479, 1988.
- [13] Ll. Alsedà, J. Llibre, and M. Misiurewicz. Periodic orbits of maps of Y . *Trans. Amer. Math. Soc.*, 313(2):475–538, 1989.
- [14] Ll. Alsedà, J. Llibre, and M. Misiurewicz. *Combinatorial dynamics and entropy in dimension one*, volume 5 of *Advanced Series in Nonlinear Dynamics*. World Scientific Publishing Co. Inc., River Edge, NJ, second edition, 2000.
- [15] Ll. Alsedà, F. Mañosas, and P. Mumburú. Minimizing topological entropy for continuous maps on graphs. *Ergodic Theory Dynam. Systems*, 20(6):1559–1576, 2000.
- [16] Ll. Alsedà and S. Ruelle. Rotation sets for graph maps of degree 1. *Ann. Inst. Fourier (Grenoble)*, 58(4):1233–1294, 2008.
- [17] Ll. Alsedà and S. Ruelle. Periodic orbits of large diameter for circle maps. *Proc. Amer. Math. Soc.*, 138(9):3211–3217, 2010.
- [18] Ll. Alsedà and S. Ruelle. On the set of periods of sigma maps of degree 1. *Discrete Contin. Dyn. Syst.*, 35(10):4683–4734, 2015. arXiv:1407.1419.
- [19] Ll. Alsedà and X.D. Ye. No division and the set of periods for tree maps. *Ergodic Theory Dynam. Systems*, 15(2):221–237, 1995.
- [20] J. Auslander and J. Yorke. Interval maps, factors of maps and chaos. *Tohoku Math. J.*, 32:177–188, 1980.
- [21] S. Baldwin. An extension of Šarkovskii’s theorem to the n -od. *Ergodic Theory Dynam. Systems*, 11(2):249–271, 1991.
- [22] S. Baldwin and J. Llibre. Periods of maps on trees with all branching points fixed. *Ergodic Theory Dynam. Systems*, 15(2):239–246, 1995.
- [23] F. Balibrea, J. Smítal, and M. Štefánková. The three versions of distributional chaos. *Chaos Solitons Fractals*, 23(5):1581–1583, 2005.

- [24] F. Balibrea, J. Smítal, and M. Štefánková. A triangular map of type 2^∞ with positive topological entropy on a minimal set. *Nonlinear Anal., Theory Methods Appl., Ser. A, Theory Methods*, 74(5):1690–1693, 2011.
- [25] J. Banks, J. Brooks, G. Cairns, G. Davis, and P. Stacey. On Devaney’s definition of chaos. *Amer. Math. Monthly*, 99(4):332–334, 1992.
- [26] M. Barge and J. Martin. Chaos, periodicity, and snakelike continua. *Trans. Amer. Math. Soc.*, 289(1):355–365, 1985.
- [27] M. Barge and J. Martin. Dense periodicity on the interval. *Proc. Amer. Math. Soc.*, 94(4):731–735, 1985.
- [28] M. Barge and J. Martin. Dense orbits on the interval. *Michigan Math. J.*, 34(1):3–11, 1987.
- [29] C. Bernhardt. Vertex maps for trees: algebra and periods of periodic orbits. *Discrete Contin. Dyn. Syst.*, 14(3):399–408, 2006.
- [30] F. Blanchard. Fully positive topological entropy and topological mixing. In *Symbolic dynamics and its applications (New Haven, CT, 1991)*, Contemp. Math., 135, pages 95–105. Amer. Math. Soc., Providence, RI, 1992.
- [31] F. Blanchard, F. Durand, and A. Maass. Constant-length substitutions and countable scrambled sets. *Nonlinearity*, 17(3):817–833, 2004.
- [32] F. Blanchard, E. Glasner, S. Kolyada, and A. Maass. On Li-Yorke pairs. *J. Reine Angew. Math.*, 547:51–68, 2002.
- [33] L. Block. Homoclinic points of mappings of the interval. *Proc. Amer. Math. Soc.*, 72(3):576–580, 1978.
- [34] L. Block and E. M. Coven. Topological conjugacy and transitivity for a class of piecewise monotone maps of the interval. *Trans. Amer. Math. Soc.*, 300(1):297–306, 1987.
- [35] L. Block and E. M. Coven. Approximating entropy of maps of the interval. In *Dynamical systems and ergodic theory (Warsaw, 1986)*, volume 23 of *Banach Center Publ.*, pages 237–241. PWN, Warsaw, 1989.
- [36] L. Block, J. Guckenheimer, M. Misiurewicz, and L. S. Young. Periodic points and topological entropy of one dimensional maps. In *Global Theory of Dynamical Systems*, Lecture Notes in Mathematics, no. 819, pages 18–34. Springer-Verlag, 1980.
- [37] L. Block and J. Keesling. A characterization of adding machine maps. *Topology Appl.*, 140(2-3):151–161, 2004.
- [38] L. Block and J. Keesling. Topological entropy and adding machine maps. *Houston J. Math.*, 30(4):1103–1113 (electronic), 2004.
- [39] L. Block, J. Keesling, and M. Misiurewicz. Strange adding machines. *Ergodic Theory Dynam. Systems*, 26(3):673–682, 2006.
- [40] L. S. Block and W. A. Coppel. Stratification of continuous maps of an interval. *Trans. Amer. Math. Soc.*, 297(2):587–604, 1986.
- [41] L. S. Block and W. A. Coppel. *Dynamics in one dimension*. Lecture Notes in Mathematics, no. 1513. Springer-Verlag, 1992.
- [42] A. M. Blokh. An interpretation of a theorem of A. N. Sharkovskii (Russian). In *Oscillation and stability of solutions of functional-differential equations*, pages 3–8. Akad. Nauk Ukrain. SSR Inst. Mat., Kiev, 1982.
- [43] A. M. Blokh. Limit behavior of one-dimensional dynamic systems (Russian). *Uspekhi Mat. Nauk*, 37(1-223):137–138, 1982. English translation *Russ. Math. Surv.*, 37(1):157–158, 1982.
- [44] A. M. Blokh. On sensitive mappings of the interval (Russian). *Uspekhi Mat. Nauk*, 37(2(224)):189–190, 1982. English translation: *Russ. Math. Surv.*, 37:203–204, 1982.
- [45] A. M. Blokh. On the limit behavior of one-dimensional dynamical systems 1 (Russian). Preprint 2704-82, VINITI, Moscow, 1982.
- [46] A. M. Blokh. “Spectral expansion” for piecewise monotone mappings of an interval (Russian). *Uspekhi Mat. Nauk*, 37(3-225):175–176, 1982. English translation: *Russ. Math. Surv.*, 37(3):198–199, 1982.
- [47] A. M. Blokh. Decomposition of dynamical systems on an interval (Russian). *Uspekhi Mat. Nauk*, 38(5-223):179–180, 1983. English translation *Russ. Math. Surv.*, 38(5):133–134, 1983. Erratum (Russian) *Uspekhi Mat. Nauk*, 42, no. 6(258):233, 1987.
- [48] A. M. Blokh. On transitive mappings of one-dimensional branched manifolds (Russian). In *Differential-difference equations and problems of mathematical physics*, pages 3–9, 131. Akad. Nauk Ukrain. SSR Inst. Mat., Kiev, 1984.

- [49] A. M. Blokh. Dynamical systems on one-dimensional branched manifolds. I (Russian). *Teor. Funktsii Funktsional. Anal. i Prilozhen.*, (46):8–18, 1986. English translation in *J. Soviet Math.*, 48(5):500–508, 1990.
- [50] A. M. Blokh. Dynamical systems on one-dimensional branched manifolds. II (Russian). *Teor. Funktsii Funktsional. Anal. i Prilozhen.*, (47):67–77, 1987. English translation in *J. Soviet Math.*, 48(6):668–674, 1990.
- [51] A. M. Blokh. Dynamical systems on one-dimensional branched manifolds. III (Russian). *Teor. Funktsii Funktsional. Anal. i Prilozhen.*, (48):32–46, 1987. English translation in *J. Soviet Math.*, 49(2):875–883, 1990.
- [52] A. M. Blokh. On the connection between entropy and transitivity for one-dimensional mappings (Russian). *Uspekhi Mat. Nauk*, 42(5(257)):209–210, 1987. English translation in *Russ. Math. Surv.*, 42(5):165–166, 1987.
- [53] A. M. Blokh. The spectral decomposition, periods of cycles and Misiurewicz conjecture for graph maps. In *Ergodic theory and related topics III – Proceedings of the Third International Conference held in Güstrow, October 22–27, 1990*, Lecture Notes in Mathematics 1514, pages 24–31. Springer, 1992.
- [54] A. M. Blokh. Trees with snowflakes and zero entropy maps. *Topology*, 33(2):379–396, 1994.
- [55] A. M. Blokh. The “spectral” decomposition for one-dimensional maps. In *Dynamics Reported*, Dynam. Report. Expositions Dynam. Systems (N. S.), no. 4, pages 1–59. Springer, Berlin, 1995.
- [56] J. Bobok and M. Kuchta. Topological entropy and variation for transitive maps. *Math. Slovaca*, 43(3):345–355, 1993.
- [57] N. Bourbaki. *Éléments de mathématique. XVI. Première partie: Les structures fondamentales de l’analyse. Livre III. Topologie générale (fascicule de résultats)*. Actualités Sci. Ind., no. 1196. Hermann & Cie, Paris, 1953.
- [58] N. Bourbaki. *General topology. Chapters 1–4*. Elements of Mathematics (Berlin). Springer-Verlag, Berlin, 1998. Translated from the French, Reprint of the 1989 English translation.
- [59] R. Bowen. Entropy for group endomorphisms and homogeneous spaces. *Trans. Amer. Math. Soc.*, 153:401–414, 1971.
- [60] R. Bowen. Periodic points and measures for Axiom A diffeomorphisms. *Trans. Amer. Math. Soc.*, 154:377–397, 1971.
- [61] R. Bowen and J. Franks. The periodic points of maps of the disk and the interval. *Topology*, 15(4):337–342, 1976.
- [62] A. M. Bruckner and T. Hu. On scrambled sets for chaotic functions. *Trans. Amer. Math. Soc.*, 301(1):289–297, 1987.
- [63] G. J. Butler and G. Pianigiani. Periodic points and chaotic functions in the unit interval. *Bull. Austral. Math. Soc.*, 18(2):255–265, 1978.
- [64] J. S. Cánovas. Distributional chaos on tree maps: the star case. *Comment. Math. Univ. Carolin.*, 42(3):583–590, 2001.
- [65] J. S. Cánovas. Topological sequence entropy and chaos of star maps. *Nonlinear Dyn. Syst. Theory*, 5(1):1–8, 2005.
- [66] J. S. Cánovas and R. Hric. Distributional chaos of tree maps. *Topology Appl.*, 137(1-3):75–82, 2004. IV Iberoamerican Conference on Topology and its Applications.
- [67] P. Collet and J.-P. Eckmann. *Iterated maps on the interval as dynamical systems*. Progress in Physics, 1. Birkhäuser Boston, Mass., 1980.
- [68] W. A. Coppel. Continuous maps of an interval. Lectures Notes, IMA, Preprint Series, 26, 1983.
- [69] E. M. Coven and M. C. Hidalgo. On the topological entropy of transitive maps of the interval. *Bull. Austral. Math. Soc.*, 44(2):207–213, 1991.
- [70] E. M. Coven and I. Mulvey. Transitivity and the centre for maps of the circle. *Ergodic Theory Dynam. Systems*, 6(1):1–8, 1986.
- [71] W. de Melo and S. van Strien. *One-dimensional dynamics*, volume 25 of *Ergebnisse der Mathematik und ihrer Grenzgebiete (3) [Results in Mathematics and Related Areas (3)]*. Springer-Verlag, Berlin, 1993.
- [72] J.-P. Delahaye. Fonctions admettant des cycles d’ordre n’importe quelle puissance de 2 et aucun autre cycle (french. english summary). *C. R. Acad. Sci. Paris Sér. A-B*, 291(4):A323–A325, 1980. Addendum, 291(13):A671, 1980.

- [73] M. Denker, C. Grillenberger, and K. Sigmund. *Ergodic theory on compact spaces*. Lecture Notes in Mathematics, no. 527. Springer-Verlag, 1976.
- [74] R. L. Devaney. *An introduction to chaotic dynamical systems*. Addison-Wesley Publishing Company Advanced Book Program, Redwood City, CA, second edition, 1989.
- [75] T. Downarowicz. Survey of odometers and Toeplitz flows. In *Algebraic and topological dynamics*, volume 385 of *Contemp. Math.*, pages 7–37. Amer. Math. Soc., Providence, RI, 2005.
- [76] T. Downarowicz. Positive topological entropy implies chaos DC2. *Proc. Amer. Math. Soc.*, 142(1):137–149, 2014.
- [77] V. V. Fedorenko, A. N. Sharkovsky, and J. Smítal. Characterizations of weakly chaotic maps of the interval. *Proc. Amer. Math. Soc.*, 110(1):141–148, 1990.
- [78] V.V. Fedorenko, A. N. Sharkovsky, and J. Smítal. Characterization of some classes of mappings of an interval with zero topological entropy. *Akad. Nauk Ukrain. SSR Inst. Mat. Preprint*, (58):18, 1989.
- [79] N. Franzová and J. Smítal. Positive sequence topological entropy characterizes chaotic maps. *Proc. Amer. Math. Soc.*, 112(4):1083–1086, 1991.
- [80] X.-C. Fu and J. Duan. Infinite-dimensional linear dynamics systems with chaoticity. *J. Nonlinear Sci.*, 9:197–211, 1999.
- [81] H. Furstenberg. Disjointness in ergodic theory, minimal sets, and a problem in diophantine approximation. *Math. System Th*, 1:1–55, 1967.
- [82] E. Glasner and B. Weiss. Sensitive dependence on initial conditions. *Nonlinearity*, 6(6):1067–1075, 1993.
- [83] T. N. T. Goodman. Topological sequence entropy. *Proc. London Math. Soc. (3)*, 29:331–350, 1974.
- [84] J. Guckenheimer. On the bifurcation of maps of the interval. *Invent. Math.*, 39(2):165–178, 1977.
- [85] J. Guckenheimer. Sensitive dependence to initial conditions for one-dimensional maps. *Comm. Math. Phys.*, 70(2):133–160, 1979.
- [86] B. Hasselblatt and A. Katok. *A first course in dynamics*. Cambridge University Press, New York, 2003. With a panorama of recent developments.
- [87] R. Hric. Topological sequence entropy for maps of the circle. *Comment. Math. Univ. Carolin.*, 41(1):53–59, 2000.
- [88] R. Hric and M. Málek. Omega limit sets and distributional chaos on graphs. *Topology Appl.*, 153(14):2469–2475, 2006.
- [89] R. Ito. Minimal entropy for endomorphisms of the circle. *Proc. Amer. Math. Soc.*, 86(2):321–327, 1982.
- [90] A. Iwanik. Independent sets of transitive points. In *Dynamical systems and ergodic theory (Warsaw, 1986)*, Banach Center Publ., 23, pages 277–282. PWN, Warsaw, 1989.
- [91] A. Iwanik. Independence and scrambled sets for chaotic mappings. In *The mathematical heritage of C. F. Gauss*, pages 372–378. World Sci. Publishing, River Edge, NJ, 1991.
- [92] K. Janková and J. Smítal. A characterization of chaos. *Bull. Austral. Math. Soc.*, 34(2):283–292, 1986.
- [93] V. Jiménez López. Algunas cuestiones acerca de la estructura del caos (spanish). Master’s thesis, Universidad de Murcia, 1989. Available on <http://www.um.es/docencia/vjimenez/ficheros/articulos/tesina.pdf>.
- [94] V. Jiménez López. *Is Li and Yorke’s definition a good measure of chaos?* PhD thesis, Universidad de Murcia, 1992. Available on <http://www.um.es/docencia/vjimenez/ficheros/articulos/tesis.pdf>.
- [95] V. Jiménez López. Large chaos in smooth functions of zero topological entropy. *Bull. Austral. Math. Soc.*, 46(2):271–285, 1992.
- [96] V. Jiménez López. An explicit description of all scrambled sets of weakly unimodal functions of type 2^∞ . *Real Anal. Exchange*, 21(2):664–688, 1995/96.
- [97] L. Jonker. Periodic orbits and kneading invariants. *Proc. London Math. Soc. (3)*, 39(3):428–450, 1979.
- [98] I. Kan. A chaotic function possessing a scrambled set with positive Lebesgue measure. *Proc. Amer. Math. Soc.*, 92(1):45–49, 1984.
- [99] H. Kato. Chaos of continuum-wise expansive homeomorphisms and dynamical properties of sensitive maps of graphs. *Pacific J. Math.*, 175(1):93–116, 1996.

- [100] A. Katok and B. Hasselblatt. *Introduction to the modern theory of dynamical systems*, volume 54 of *Encyclopedia of Mathematics and its Applications*. Cambridge University Press, Cambridge, 1995. With a supplementary chapter by Katok and Leonardo Mendoza.
- [101] B. P. Kitchens. *Symbolic dynamics – One-sided, two-sided and countable state Markov shifts*. Universitext. Springer-Verlag, Berlin, 1998.
- [102] Z. Kočan, V. Kornecká-Kurková, and M. Málek. Entropy, horseshoes and homoclinic trajectories on trees, graphs and dendrites. *Ergodic Theory Dynam. Systems*, 31(1):165–175, 2011. Erratum: *Ergodic Theory Dynam. Systems*, 31, no. 1:177, 2011.
- [103] M. Kuchta and J. Smítal. Two-point scrambled set implies chaos. In *European Conference on Iteration Theory (Caldes de Malavella, 1987)*, pages 427–430. World Sci. Publishing, Teaneck, NJ, 1989.
- [104] C. Kuratowski. *Topologie I et II*. Éditions Jacques Gabay, Sceaux, 1992. (French).
- [105] K. Kuratowski. *Topology. Vol. I*. New edition, revised and augmented. Translated from the French by J. Jaworowski. Academic Press, New York, 1966.
- [106] A. Lasota and J. A. Yorke. On the existence of invariant measures for transformations with strictly turbulent trajectories. *Bull. Acad. Polon. Sci. Sér. Sci. Math. Astronom. Phys.*, 25(3):233–238, 1977.
- [107] M. C. Leseduarte and J. Llibre. On the set of periods for σ maps. *Trans. Amer. Math. Soc.*, 347(12):4899–4942, 1995.
- [108] S. Li. ω -chaos and topological entropy. *Trans. Amer. Math. Soc.*, 339(1):243–249, 1993.
- [109] T. Y. Li, M. Misiurewicz, G. Pianigiani, and J. A. Yorke. Odd chaos. *Phys. Lett. A*, 87(6):271–273, 1981/82.
- [110] T. Y. Li, M. Misiurewicz, G. Pianigiani, and J. A. Yorke. No division implies chaos. *Trans. Amer. Math. Soc.*, 273(1):191–199, 1982.
- [111] T. Y. Li and J. A. Yorke. Period three implies chaos. *Amer. Math. Monthly*, 82(10):985–992, 1975.
- [112] J. Llibre and M. Misiurewicz. Horseshoes, entropy and periods for graph maps. *Topology*, 32(3):649–664, 1993.
- [113] J. Llibre, J. Paraños, and J. A. Rodríguez. Periods for continuous self-maps of the figure-eight space. *Internat. J. Bifur. Chaos Appl. Sci. Engrg.*, 13(7):1743–1754, 2003. Dynamical systems and functional equations (Murcia, 2000).
- [114] E. Lorenz. Deterministic nonperiodic flow. *Journal of the Atmospheric Sciences*, pages 130–141, 1963.
- [115] E. Lorenz. The mechanics of vacillation. *Journal of the Atmospheric Sciences*, 20:448–464, 1963.
- [116] E. Lorenz. The problem of deducing the climate from the governing equations. *Tellus*, 16:1–11, 1964.
- [117] E. N. Makhrova. Homoclinic points and topological entropy of a continuous mapping of a dendrite. *Sovrem. Mat. Prilozh.*, (54, Trudy Mezhdunarodnoi Konferentsii po Dinamicheskim Sistemam i Differentsial'nym Uravneniyam. Ch. 2):79–86, 2008.
- [118] M. Málek. Distributional chaos for continuous mappings of the circle. *Ann. Math. Sil.*, (13):205–210, 1999. European Conference on Iteration Theory (Muszyna-Złockie, 1998).
- [119] M. Málek. Distributional chaos and spectral decomposition on the circle. *Topology Appl.*, 135(1-3):215–229, 2004.
- [120] R. M. May. Simple mathematical models with very complicated dynamics. *Nature*, 261:645–647, 1974.
- [121] J. Milnor and W. Thurston. On iterated maps of the interval. In *Dynamical systems (College Park, MD, 1986–87)*, volume 1342 of *Lecture Notes in Math.*, pages 465–563. Springer, Berlin, 1988.
- [122] M. Misiurewicz. Horseshoes for mappings of the interval. *Bull. Acad. Polon. Sci. Sér. Sci. Math.*, 27(2):167–169, 1979.
- [123] M. Misiurewicz. Invariant measures for continuous transformations of $[0, 1]$ with zero topological entropy. In *Ergodic theory (Proc. Conf., Math. Forschungsinst., Oberwolfach, 1978)*, volume 729 of *Lecture Notes in Math.*, pages 144–152. Springer, Berlin, 1979.
- [124] M. Misiurewicz. Horseshoes for continuous mappings of an interval. In *Dynamical systems (Bressanone, 1978)*, pages 125–135. Liguori, Naples, 1980.
- [125] M. Misiurewicz. Periodic points of maps of degree one of a circle. *Ergodic Theory Dynamical Systems*, 2(2):221–227, 1982.

- [126] M. Misiurewicz and Z. Nitecki. Combinatorial patterns for maps of the interval. *Mem. Amer. Math. Soc.*, 94(456):vi+112, 1991.
- [127] M. Misiurewicz and J. Smítal. Smooth chaotic maps with zero topological entropy. *Ergodic Theory Dynam. Systems*, 8(3):421–424, 1988.
- [128] M. Misiurewicz and W. Szlenk. Entropy of piecewise monotone mappings. In *Dynamical systems, Vol. II—Warsaw*, Astérisque, no. 50, pages 299–310. Soc. Math. France, Paris, 1977.
- [129] M. Misiurewicz and W. Szlenk. Entropy of piecewise monotone mappings. *Studia Math.*, 67(1):45–63, 1980.
- [130] T. K. S. Moothathu. Syndetically proximal pairs. *J. Math. Anal. Appl.*, 379(2):656–663, 2011.
- [131] J. R. Munkres. *Topology: a first course*. Prentice-Hall, Inc., Englewood Cliffs, N.J., 1975.
- [132] E. Murinová. Generic chaos in metric spaces. *Acta Univ. M. Belii Math.*, 8:43–50, 2000.
- [133] J. Mycielski. Independent sets in topological algebras. *Fund. Math.*, 55:139–147, 1964.
- [134] M. B. Nathanson. Permutations, periodicity, and chaos. *J. Combinatorial Theory Ser. A*, 22(1):61–68, 1977.
- [135] Y. Oono. Period $\neq 2^n$ implies chaos. *Progr. Theoret. Phys.*, 59:1029–1030, 1978.
- [136] M. Osikawa and Y. Oono. Chaos in C^0 -endomorphism of interval. *Publ. Res. Inst. Math. Sci.*, 17(1):165–177, 1981.
- [137] J. Oxtoby. *Measure and category*. Springer-Verlag, 1980.
- [138] W. Parry. Symbolic dynamics and transformations of the unit interval. *Trans. Amer. Math. Soc.*, 122:168–378, 1966.
- [139] R. Piłka. On some notions of chaos in dimension zero. *Colloq. Math.*, 107(2):167–177, 2007.
- [140] J. Pišrek. On the generic chaos in dynamical systems. *Univ. Iagel. Acta Math.*, 25:293–298, 1985.
- [141] R. P. Roe. Dense periodicity on finite trees. *Topology Proc.*, 19:237–248, 1994.
- [142] W. Rudin. *Real and complex analysis*. McGraw-Hill Book Co., New York, third edition, 1987.
- [143] D. J. Rudolph. *Fundamentals of measurable dynamics – Ergodic theory on Lebesgue spaces*. The Clarendon Press Oxford University Press, New York, 1990.
- [144] D. Ruelle and F. Takens. On the nature of turbulence. *Comm. Math. Phys.*, 20:167–192, 1971.
- [145] S. Ruelle. Dense chaos for continuous interval maps. *Nonlinearity*, 18:1691–1698, 2005.
- [146] S. Ruelle. Transitive sensitive subsystems for interval maps. *Studia Math.*, 169(1):81–104, 2005.
- [147] S. Ruelle and L. Snoha. For graph maps, one scrambled pair implies Li-Yorke chaos. *Proc. Amer. Math. Soc.*, 142(6):2087–2100, 2014.
- [148] B. Schweizer and J. Smítal. Measures of chaos and a spectral decomposition of dynamical systems on the interval. *Trans. Amer. Math. Soc.*, 344(2):737–754, 1994.
- [149] E. Seneta. *Nonnegative matrices and Markov chains*. Springer-Verlag, New York, second edition, 1981.
- [150] A. N. Sharkovsky. Co-existence of cycles of a continuous mapping of the line into itself (Russian). *Ukrain. Mat. Ž.*, 16:61–71, 1964. English translation, *J. Bifur. Chaos Appl. Sci. Engrg.*, 5:1263–1273, 1995.
- [151] A. N. Sharkovsky. Fixed points and the center of a continuous mapping of the line into itself (Ukrainian). *Dopovidi Akad. Nauk Ukraïn. RSR*, 1964(7):865–868, 1964.
- [152] A. N. Sharkovsky. On cycles and the structure of a continuous mapping (Russian). *Ukrain. Mat. Ž.*, 17(3):104–111, 1965.
- [153] A. N. Sharkovsky. Behavior of a mapping in the neighborhood of an attracting set (Russian). *Ukrain. Mat. Ž.*, 18(2):60–83, 1966. English translation, *Amer. Math. Soc. Translations, Series 2, Vol. 97*, pages 227–258, 1970.
- [154] A. N. Sharkovsky. On a theorem of G. D. Birkhoff (Ukrainian). *Dopovidi Akad. Nauk Ukraïn. RSR Ser. A*, 1967(5):429–432, 1967.
- [155] A. N. Sharkovsky. On some properties of discrete dynamical systems. In *Théorie de l'itération et ses applications (Toulouse, 1982)*, Colloq. Internat. CNRS, 332, pages 153–158. CNRS, Paris, 1982.
- [156] A. N. Sharkovsky, Yu. L. Yu. L. Maistrenko, and E. Yu. Romanenko. *Difference equations and their applications*, volume 250 of *Mathematics and its Applications*. Kluwer Academic

- Publishers Group, Dordrecht, 1993. Translated from the 1986 Russian original by D. V. Malyshev, P. V. Malyshev and Y. M. Pestryakov.
- [157] S. Silverman. On maps with dense orbits and the definition of chaos. *Rocky Mountain J. Math.*, 22(1):353–375, 1992.
 - [158] S. Smale. Differentiable dynamical systems. *Bull. Amer. Math. Soc.*, 73:747–817, 1967.
 - [159] J. Smítal. Chaotic functions with zero topological entropy. *Trans. Amer. Math. Soc.*, 297(1):269–282, 1986.
 - [160] L. Snoha. Generic chaos. *Comment. Math. Univ. Carolin.*, 31(4):793–810, 1990.
 - [161] L. Snoha. Dense chaos. *Comment. Math. Univ. Carolin.*, 33(4):747–752, 1992.
 - [162] P. Štefan. A theorem of Šarkovskii on the existence of periodic orbits of continuous endomorphisms of the real line. IHES preprint, ref. 76/154, 1976.
 - [163] P. Štefan. A theorem of Šarkovskii on the existence of periodic orbits of continuous endomorphisms of the real line. *Comm. Math. Phys.*, 54(3):237–248, 1977.
 - [164] Y. Takahashi. A formula for topological entropy of one-dimensional dynamics. *Sci. Papers College Gen. Ed. Univ. Tokyo*, 30(1):11–22, 1980.
 - [165] M. Vellekoop and R. Berglund. On intervals, transitivity = chaos. *Amer. Math. Monthly*, 101(4):353–355, 1994.
 - [166] P. Walters. *An introduction to ergodic theory*. Springer-Verlag, New York, 1982.
 - [167] J. Xiong. A chaotic map with topological entropy [zero]. *Acta Math. Sci. (English Ed.)*, 6(4):439–443, 1986.
 - [168] J. Xiong. Chaoticity of interval self-maps with positive entropy. Preprint IC/88/385, International Centre for Theoretical Physics, Trieste, 1988.
 - [169] X.D. Ye. No division and the entropy of tree maps. *Internat. J. Bifur. Chaos Appl. Sci. Engrg.*, 9(9):1859–1865, 1999. Discrete dynamical systems.
 - [170] K. Yokoi. Dense periodicity on graphs. *Rocky Mountain J. Math.*, 37(6):2077–2088, 2007.

Notation

- $\llbracket n, m \rrbracket$: interval of integers, 1
 $\#E$: cardinality of a set, 1
 $f|_Y$: restriction of a map, 1, 2
 $|J|$: length of an interval, 4
 $\langle a, b \rangle$: interval $[a, b]$ or $[b, a]$, 4
 $X < Y, X \leq Y$: inequalities between subsets of \mathbb{R} , 4
 \rightarrow (e.g. $J \rightarrow K$): covering of intervals, 7
 \rightarrow (e.g. $u \rightarrow v$): arrow in a directed graph, 9
 $\|\cdot\|$: norm of a matrix, 10
 $\triangleleft, \triangleright, \trianglelefteq, \trianglerighteq$: Sharkovsky's order, 41
 2^∞ : a type for Sharkovsky's order, 46
 \vee : refinement of covers, 57
 \prec, \succ : $\mathcal{C} \prec \mathcal{D}$ if \mathcal{D} is finer than \mathcal{C} , where \mathcal{C}, \mathcal{D} are covers, 57
 $\mathcal{U}^n := \mathcal{U} \vee f^{-1}(\mathcal{U}) \vee \dots \vee f^{-(n-1)}(\mathcal{U})$, 57
 $A \geq 0$: nonnegative matrix, 77
 $A \leq B \Leftrightarrow B - A \geq 0$ (where A, B are matrices), 77
 $A > 0$: positive matrix, 77
 $A < B \Leftrightarrow B - A > 0$ (where A, B are matrices), 77
 f_P : connect-the-dots map associated to $f|_P$, 79
 $k|n$: k divides n , 91
 \uparrow : increasing, 182
 \downarrow : decreasing, 182
 $|B|$: length of a word, 188
 $\Sigma := \{0, 1\}^{\mathbb{Z}^+}$, 113
 σ : shift map on Σ , 113
 $\omega(x, f)$: ω -limit set of a point, 3
 $\omega(f)$: ω -limit set of a map, 3
 $B_n(x, \varepsilon)$: Bowen ball, 58
 $G(f|_P)$: graph associated to P -intervals, 76
 $G(f_P) := G(f_P|_P)$, 79
 $h_{top}(\mathcal{U}, f)$: topological entropy of a cover, 58
 $h_{top}(f)$: topological entropy of a map, 58
 $h_A(f)$: topological sequence entropy of a map with respect to a sequence, 133
 $LY(f, \delta), LY(f)$: set of Li-Yorke pairs, 155
 $M(f|_P)$: adjacency matrix of $G(f|_P)$, 76
 $M(f_P) := M(f_P|_P)$, 79
 $\text{mod } n$: integer modulo n , 1
 $N(\mathcal{U})$: minimal cardinality of a subcover of \mathcal{U} , 57
 $N_n(\mathcal{U}, f) := N : \mathcal{U}^n$, 57
 $\mathcal{O}_f(x), \mathcal{O}_f(E)$: orbit of a point/set, 2
 $P_n(f)$: set of points s.t. $f^n(x) = x$, 3
 R_α : rotation of angle α , 20
 $r_n(f, \varepsilon)$: minimal cardinality of an (n, ε) -spanning set, 58
 $r_n(A, f, \varepsilon)$: minimal cardinality of an (A, n, ε) -spanning set, 133
 $\text{slope}(f)$: slope of a linear map, 5
 $s_n(f, \varepsilon)$: maximal cardinality of an (n, ε) -separated set, 58
 $s_n(A, f, \varepsilon)$: maximal cardinality of an (A, n, ε) -separated set, 133
 $U_\varepsilon(f)$: set of ε -unstable points, 26
 $\mathcal{V}(z)$: family of neighborhoods of z , 67
 $W^u(z, f^p)$: unstable manifold of z , 67
Notation of topology
 \overline{Y} : closure of a set, 1, 193
 $\text{Int}(Y)$: interior of a set, 1, 193
 $\text{Bd}(Y)$: boundary of a set, 1, 193
 ∂J : endpoints of an interval/graph, 4, 6
 $X \setminus Y$: complement of Y in X , 191
 $X_1 \times X_2$: product of sets, 191
 $X^n := X \times \dots \times X$, 191
 $d(x, y)$: distance between 2 points, 1, 191
 $d(A, B)$: distance between 2 sets, 193
 $B(x, r), \overline{B}(x, r)$: open/closed ball of center x and radius r , 1, 192
 $\text{diam}(Y)$: diameter of a set, 1, 193
Sets of numbers
 \mathbb{C} : set of complex numbers, 1
 \mathbb{N} : set of natural integers, 1
 \mathbb{Q} : set of rational numbers, 1
 \mathbb{R} : set of real numbers, 1
 \mathbb{Z} : set of integers, 1

Index

- Σ , 113
- σ , 113
- σ -algebra, 194
- ω -limit set of a map, 3
- ω -limit set of a point, 3
- $\omega(f)$, 3
- $\omega(x, f)$, 3

- accessible endpoint, 22
- adding machine, 148
- adjacency matrix, 9
- almost periodic point, 141
- approximately periodic point, 110
- arrow in a directed graph, 9

- $B(x, r), \overline{B}(x, r)$, 1, 192
- Baire category theorem, 197
- basis of open sets, 193
- basis of the topology, 193
- $\text{Bd}(Y)$, 1, 193
- bijection, bijective map, 199
- $B_n(x, \varepsilon)$, 58
- Bolzano-Weierstrass theorem, 196
- Borel set, 194
- boundary of a set, 1, 193
- bounded set, 194
- Bowen ball, 58
- Bowen's formula, 59
- branching point of a topological graph, 6

- \mathbb{C} , 1
- Cantor set, 197
- cardinal of a set, 1
- Cartesian product of sets, 191
- Cauchy sequence, 196
- chain of intervals, 7, 9
- chaos
 - chaos in the sense of Auslander-Yorke, 181
 - chaos in the sense of Devaney, 175
 - chaos in the sense of Li-Yorke, 109
 - chaos in the sense of Ruelle and Takens, 181
 - chaos in the sense of Wiggins, 181
 - dense δ -chaos, 155
 - dense chaos, 155
 - generic δ -chaos, 155
 - generic chaos, 155
 - strong chaos, 177
 - weak chaos, 117
- chaotic, *see* chaos
- circle in a topological graph, 6
- circumferential ω -limit set, 132
- closed ball, 1, 192
- closed set, 192
- closure of a set, 1, 193
- cofinite set, 92
- compact set, 196
- complement of a set, 191
- complete space, 196
- concatenation of paths in a graph, 10
- concatenation of words, 188
- conjugacy, 4
- connect-the-dots map, 79
- connected component, 195
- connected set, 195
- continuous map, 199
- countable basis of open sets, 196
- countable set, 1
- cover, 57
- covering, 7, 9
- critical point, 5
- cycle in a directed graph, 10
- cycle of graphs, 6
- cycle of intervals, 5

- $d(A, B)$, 193
- $d(x, y)$, 1, 191
- decreasing, 5
- degenerate interval, 4
- degree of a circle map, 51
- dense δ -chaos, 155
- dense chaos, 155
- dense set, 194
- $\text{diam}(Y)$, 1, 194
- diameter of a set, 1, 194
- directed graph, 9
- disconnected set, 195

- discrete topology, 192
- distance, 191
- distance between two sets, 193
- distributional chaos, 168
- division, 92
- dynamical system, 2
- endpoint of a topological graph, 6
- endpoints of an interval, 4
- entropy, 57
- equivalent distances, 192
- eventually periodic homoclinic point, 67
- eventually periodic point, 3
- expanding, 14
- extremely scrambled set, 111
- Feigenbaum map, 50, 148
- finer cover, 57
- finite word, 188
- fixed point, 3
- full shift, 113
- fundamental cycle (in the graph of a periodic orbit), 42
- $G(f|P)$, 76
- G_δ -set, 194
- generic δ -chaos, 155
- generic chaos, 155
- graph (directed), 9
- graph (topological), 6
- graph associated to a family of intervals, 76
- graph map, 6
- graph of a periodic orbit, 42
- $h_A(f)$, 133
- homeomorphism, 200
- homoclinic point, 67
- horseshoe, 52
- horseshoe for graph maps, 66
- $h_{top}(f)$, 58
- $h_{top}(\mathcal{U}, f)$, 58
- image of a set under a map, 199
- increasing, 5
- induced topology, 194
- infinite word, 188
- injective map, 199
- $\text{Int}(Y)$, 1, 193
- interior of a set, 1, 193
- Intermediate value theorem, 6
- interval, 195
- interval (P -), 76
- interval in a topological graph, 6
- interval map, 4
- interval of integers, 1
- invariant set, 2
- inverse image of a set under a map, 199
- irrational rotation, 20
- irreducible matrix, 77
- isolated point, 197
- Lebesgue number, 197
- length of a word, 188
- length of an interval, 4
- leo, 21
- Li-Yorke pair, 109, 155
- lifting of a circle map, 51
- limit in a metric space, 192
- limit point of a sequence, 196
- limit point of a set, 193
- linear (P -), 79
- linear map, 5
- locally eventually onto, 21
- logistic family, 50
- lower bound, 202
- $LY(f, \delta)$, $LY(f)$, 155
- $M(f|P)$, 76
- Markov map, 80
- Markov shift, 177
- maximal eigenvalue, 78
- maximal element, 202
- mean value inequality, 167
- metric space, 191
- minimal element, 202
- Misiurewicz's Theorem, 60
- mixing, 12
- mod n , 1
- monotone, 5
- monotone (P -), 79
- monotone (for graph maps), 6
- monotone graph map (P -), 83
- Mycielski's Theorem, 111
- \mathbb{N} , 1
- $N(\mathcal{U})$, 57
- neighborhood, 193
- $N_n(\mathcal{U}, f)$, 57
- no division, 92
- nondecreasing, 5
- nondegenerate graph/tree, 6
- nondegenerate interval, 4
- nonnegative matrix, 77
- nonseparable (f -), 118
- norm of a matrix, 10
- odometer, 148
- $\mathcal{O}_f(x)$, $\mathcal{O}_f(E)$, 2
- one-to-one map, 199
- onto map, 199
- open ball, 1, 192
- open cover, 57, 196
- open set, 192
- orbit, 2
- P -interval, 76
- P -linear map, 79
- P -monotone graph map, 83

- P -monotone map, 79
- partial order/partially ordered set, 202
- partition, 57
- path in a directed graph, 10
- perfect set, 111
- period of a cycle of graphs, 6
- period of a cycle of intervals, 5
- period of a periodic point/orbit, 2
- periodic interval, 5
- periodic orbit, 3
- periodic point, 2
- Perron-Frobenius Theorem, 78
- piecewise linear map, 5
- piecewise monotone map, 5
- $P_n(f)$, 3
- positive matrix, 77
- preimage of a set under a map, 199
- primitive cycle in a directed graph, 10
- primitive matrix, 77
- product of sets, 191
- product topology, 194
- \mathbb{Q} , 1
- \mathbb{R} , 1
- real interval, 195
- rescaling (of an interval map), 5
- restriction of a map, 1, 2
- $r_n(f, \varepsilon)$, 58
- $r_n(A, f, \varepsilon)$, 133
- rotation, 20
- scrambled set, 109
- scrambled set (extremally), 111
- semi-conjugacy, 4
- sensitive (to initial conditions), 26
- sensitivity, 26
- separable (f -), 118
- separated set $((A, n, \varepsilon)$ -), 133
- separated set $((n, \varepsilon)$ -), 58
- sequence entropy, 133
- Sharkovsky's order, 41
- Sharkovsky's Theorem, 41
- shift, 113
- simple directed graph, 10
- slope (of a linear map), 5
- $\text{slope}(f)$, 5
- $s_n(f, \varepsilon)$, 58
- $s_n(A, f, \varepsilon)$, 133
- solenoidal ω -limit set, 120, 132
- spanning set $((A, n, \varepsilon)$ -), 133
- spanning set $((n, \varepsilon)$ -), 58
- specification, 33
- spectral radius, 77
- square root of a map, 48, 88
- stable point, 26
- star, 51
- Štefan cycle, 43
- strictly monotone, 5
- strong transitivity, 22
- strongly invariant set, 2
- sub-additive sequence, 57
- subgraph (of a topological graph), 6
- subinterval, 195
- subsequence, 196
- subshift associated to a graph, 177
- subshift of finite type, 177
- subsystem, 2
- surjective map, 199
- tent map, 16
- topological conjugacy, 4
- topological dynamical system, 2
- topological entropy, 57
- topological graph, 6
- topological Markov shift, 177
- topological sequence entropy, 133
- topologically exact, 21
- topologically mixing, 12
- topologically weakly mixing, 12
- topology, 192
- total order/totally ordered set, 202
- totally independent set, 112
- totally transitive, 11
- T_2 (tent map), T_p , 15
- trajectory, 2
- transitive map, 11
- transitive set, 11
- tree, 6
- tree map, 6
- triadic Cantor set, 198
- triangular inequality, 191
- turbulent, 52
- turning points, 5
- type (for Sharkovsky's order), 46
- $U_\varepsilon(f)$, 26
- U^n , 57
- uniform convergence of a sequence of maps, 201
- uniform distance, 201
- uniformly continuous map, 200
- uniformly positive entropy, 105
- unimodal map, 50
- unstable manifold of a periodic point, 67
- unstable point, 26
- upe, 105
- upper bound, 202
- $\mathcal{V}(z)$, 67
- vertex, vertices (in a directed graph), 9
- weak mixing, 12
- weakly unimodal, 154
- word, 188
- $W^u(z, f^p)$, 67
- Zorn's Lemma, 202

Selected Published Titles in This Series

- 67 **Sylvie Ruelle**, *Chaos on the Interval*, 2017
- 66 **Robert Steinberg**, *Lectures on Chevalley Groups*, 2016
- 65 **Alexander M. Olevskii and Alexander Ulanovskii**, *Functions with Disconnected Spectrum*, 2016
- 64 **Larry Guth**, *Polynomial Methods in Combinatorics*, 2016
- 63 **Gonçalo Tabuada**, *Noncommutative Motives*, 2015
- 62 **H. Iwaniec**, *Lectures on the Riemann Zeta Function*, 2014
- 61 **Jacob P. Murre, Jan Nagel, and Chris A. M. Peters**, *Lectures on the Theory of Pure Motives*, 2013
- 60 **William H. Meeks III and Joaquín Pérez**, *A Survey on Classical Minimal Surface Theory*, 2012
- 59 **Sylvie Paycha**, *Regularised Integrals, Sums and Traces*, 2012
- 58 **Peter D. Lax and Lawrence Zalcman**, *Complex Proofs of Real Theorems*, 2012
- 57 **Frank Sottile**, *Real Solutions to Equations from Geometry*, 2011
- 56 **A. Ya. Helemskii**, *Quantum Functional Analysis*, 2010
- 55 **Oded Goldreich**, *A Primer on Pseudorandom Generators*, 2010
- 54 **John M. Mackay and Jeremy T. Tyson**, *Conformal Dimension*, 2010
- 53 **John W. Morgan and Frederick Tsz-Ho Fong**, *Ricci Flow and Geometrization of 3-Manifolds*, 2010
- 52 **Marian Aprodu and Jan Nagel**, *Koszul Cohomology and Algebraic Geometry*, 2010
- 51 **J. Ben Hough, Manjunath Krishnapur, Yuval Peres, and Bálint Virág**, *Zeros of Gaussian Analytic Functions and Determinantal Point Processes*, 2009
- 50 **John T. Baldwin**, *Categoricity*, 2009
- 49 **József Beck**, *Inevitable Randomness in Discrete Mathematics*, 2009
- 48 **Achill Schürmann**, *Computational Geometry of Positive Definite Quadratic Forms*, 2008
- 47 **Ernst Kunz, David A. Cox, and Alicia Dickenstein**, *Residues and Duality for Projective Algebraic Varieties*, 2008
- 46 **Lorenzo Sadun**, *Topology of Tiling Spaces*, 2008
- 45 **Matthew Baker, Brian Conrad, Samit Dasgupta, Kiran S. Kedlaya, and Jeremy Teitelbaum**, *p -adic Geometry*, 2008
- 44 **Vladimir Kanovei**, *Borel Equivalence Relations*, 2008
- 43 **Giuseppe Zampieri**, *Complex Analysis and CR Geometry*, 2008
- 42 **Holger Brenner, Jürgen Herzog, and Orlando Villamayor**, *Three Lectures on Commutative Algebra*, 2008
- 41 **James Haglund**, *The q, t -Catalan Numbers and the Space of Diagonal Harmonics*, 2008
- 40 **Vladimir Pestov**, *Dynamics of Infinite-dimensional Groups*, 2006
- 39 **Oscar Zariski**, *The Moduli Problem for Plane Branches*, 2006
- 38 **Lars V. Ahlfors**, *Lectures on Quasiconformal Mappings, Second Edition*, 2006
- 37 **Alexander Polishchuk and Leonid Positselski**, *Quadratic Algebras*, 2005
- 36 **Matilde Marcolli**, *Arithmetic Noncommutative Geometry*, 2005
- 35 **Luca Capogna, Carlos E. Kenig, and Loredana Lanzani**, *Harmonic Measure*, 2005
- 34 **E. B. Dynkin**, *Superdiffusions and Positive Solutions of Nonlinear Partial Differential Equations*, 2004
- 33 **Kristian Seip**, *Interpolation and Sampling in Spaces of Analytic Functions*, 2004
- 32 **Paul B. Larson**, *The Stationary Tower*, 2004
- 31 **John Roe**, *Lectures on Coarse Geometry*, 2003

For a complete list of titles in this series, visit the
AMS Bookstore at www.ams.org/bookstore/ulectseries/.

The aim of this book is to survey the relations between the various kinds of chaos and related notions for continuous interval maps from a topological point of view. The papers on this topic are numerous and widely scattered in the literature; some of them are little known, difficult to find, or originally published in Russian, Ukrainian, or Chinese. Dynamical systems given by the iteration of a continuous map on an interval have been broadly studied because they are simple but nevertheless exhibit complex behaviors. They also allow numerical simulations, which enabled the discovery of some chaotic phenomena. Moreover, the “most interesting” part of some higher-dimensional systems can be of lower dimension, which allows, in some cases, boiling it down to systems in dimension one.

Some of the more recent developments such as distributional chaos, the relation between entropy and Li-Yorke chaos, sequence entropy, and maps with infinitely many branches are presented in book form for the first time. The author gives complete proofs and addresses both graduate students and researchers.



Photo by VS Photographie

ISBN 978-1-4704-2956-0



ULECT/67



For additional information
and updates on this book, visit

www.ams.org/bookpages/ulect-67



www.ams.org