


Translations of
**MATHEMATICAL
MONOGRAPHS**

Volume 198

**Simplicial and
Operad Methods
in Algebraic Topology**

V. A. Smirnov



American Mathematical Society
Providence, Rhode Island

Contents

Preface	ix
Chapter 1. Operads in the Category of Topological Spaces	1
1.1. A_∞ -structure on a loop space	1
1.2. Operads and spaces over operads	3
1.3. Little cubes operads and loop spaces	7
1.4. Operads and monads	10
1.5. Bioperads in the category of topological spaces	13
Chapter 2. Simplicial Objects and Homotopy Theory	19
2.1. Simplicial and cosimplicial objects	19
2.2. Simplicial sets	25
2.3. A_∞ -simplicial objects and A_∞ -topological groups	30
2.4. Homotopy type and A_∞ -group structure	37
Chapter 3. Algebraic Structures on Chain Complexes	45
3.1. Chain complexes	45
3.2. Algebras and modules over an algebra	49
3.3. Twisted tensor products and functor \mathcal{D}	54
3.4. Bar constructions and cobar constructions	66
3.5. Lie modules and comodules	67
3.6. \vee -algebras and \wedge -coalgebras	69
Chapter 4. A_∞ -Structures on Chain Complexes	75
4.1. A_∞ -algebras and A_∞ -coalgebras	75
4.2. A_∞ -modules and A_∞ -comodules	79
4.3. A_∞ - \vee -algebras and A_∞ - \wedge -coalgebras	81
4.4. Commutative A_∞ -algebras and A_∞ -coalgebras	83
4.5. The functor \mathcal{D} for A_∞ -algebras	85
Chapter 5. Operads and Algebras over Operads	89
5.1. Operads in the category of chain complexes	89
5.2. Algebras and coalgebras over operads	95
5.3. E_∞ -structure on cobar constructions	101
5.4. Bar constructions on operads	102
5.5. Bar constructions on algebras over operads	106
5.6. Homology and cohomology of an E_∞ -operad.	109
Chapter 6. Homology of Iterated Loop Spaces	119
6.1. Chain complex of an iterated loop space	119

6.2. Computation of the second term of the spectral sequence of iterated loop spaces	123
6.3. Homology of iterated loop spaces of real projective spaces	125
6.4. Homology of iterated loop spaces of complex projective spaces	128
Chapter 7. Homotopy Theories and E_∞ -Structures	133
7.1. Localization of categories and homotopy theory	133
7.2. Curtis spectral sequence	135
7.3. Bousfield–Kan spectral sequence	139
7.4. Homotopy groups of symmetric products	147
7.5. Homotopy theory of simplicial coalgebras	150
7.6. Homotopy theory of E_∞ -coalgebras	152
Chapter 8. Operad Methods in Cobordism Theory	157
8.1. Bioperads and classical groups	157
8.2. E_∞ -multiplicative spectra and Thom spectra	164
8.3. Generalized homology theories and the Dyer–Lashof algebra	168
8.4. Generalized cohomology theories and the Steenrod algebra	176
Chapter 9. Description of the Cohomology of Groups and Algebras	183
9.1. Description of A_∞ -algebras and A_∞ -modules	183
9.2. Description of the cohomology of groups	187
9.3. Description of the cohomology of Banach algebras	191
9.4. Description of the E_2 -term of the Adams spectral sequence for stable homotopy groups of topological spaces	201
9.5. Description of the E_2 -term of the Adams spectral sequence for unstable homotopy groups of topological spaces	203
Chapter 10. Homology Operations and Differentials in the Adams Spectral Sequence	209
10.1. Functional homology operations	209
10.2. A_∞ -cosimplicial objects	216
10.3. Functorial homology operations	219
10.4. Differentials in the Adams spectral sequence	224
10.5. Description of the homotopy groups of topological spaces	226
Bibliography	231
Index	233

Preface

In recent years, in solving various problems of algebraic topology and, in particular, difficult problems of homology theory and homotopy theory, the usage of algebraic structures more complicated than just a topological monoid, an algebra, a coalgebra, etc. has been required more and more often.

Among the first examples of these structures were the Massey products introduced by W. S. Massey in 1954, which are partial, multivalued, and many-placed operations. The Massey products naturally arise on homology of differential algebras; they are used for computing differentials of various spectral sequences.

Another example of many-placed operations is provided by the A_∞ -structure, which was introduced by J. D. Stasheff in 1963 with the goal of describing loop spaces. He proved that a connected CW-complex possesses an A_∞ -structure if and only if it is homotopy equivalent to a loop space.

A general method for describing many-placed operations on topological spaces was proposed by J. P. May in 1972. He introduced the concept of an operad \mathcal{E} as a family of topological spaces $\mathcal{E}(j)$, $j \geq 0$, whose points should be thought of as abstract j -ary operations. An action of an operad \mathcal{E} on a topological space X is a family of operations $\mathcal{E}(j) \times X^{\times j} \rightarrow X$. By restricting these operations to points of the spaces $\mathcal{E}(j)$, we obtain many-placed operations $X^{\times j} \rightarrow X$ on X .

May showed that on any n -fold loop space there is an action of the little n -cubes operad E_n , and each arcwise connected E_n -space has the weak homotopy type of an n -fold loop space.

The concept of an operad turned out to be useful not only in describing structures on topological spaces, but also in investigating various algebraic structures. In 1981 the author generalized the notion of operad to the case of the category of chain complexes. It was shown that the singular chain complex $C_*(X)$ of a topological space X admits an action of the operad E_∞ , and, in the case of a simply connected space, this action determines the weak homotopy type of this space. Thus many problems of homotopy theory can be reduced to the study of the E_∞ -structure on the chain complex.

In this book we present a detailed study of the concept of an operad in the categories of topological spaces and of chain complexes. We introduce the notions of an algebra and a coalgebra over an operad and investigate their properties. We elucidate the algebraic structure of the singular chain complex of a topological space and show how the problem of homotopy classification of topological spaces can be solved using this structure. For algebras and coalgebras over operads, we define standard constructions, in particular, the bar and cobar constructions. We apply operad methods to computing the homology of iterated loop spaces, investigating the algebraic structure of generalized cohomology theories, describing cohomology

of groups and algebras, computing differentials in the Adams spectral sequence for the homotopy groups of the spheres, and some other problems.

Vladimir Smirnov
Moscow, 2000