

ON ANTI-AUTOMORPHISMS OF THE FIRST KIND IN DIVISION RINGS

PETER BEELEN AND RALF GRAMLICH

(Communicated by Martin Lorenz)

ABSTRACT. We provide a short proof of the well-known fact that a division ring of finite degree over its center that admits an anti-automorphism of the first kind, i.e., an anti-automorphism that fixes the center elementwise, also admits an involutive anti-automorphism.

Albert has shown that a division ring of finite degree over its center that admits an anti-automorphism of the first kind also admits an involutive anti-automorphism; cf. Theorem X.19 of [1]. A proof of this theorem can now be found in a number of textbooks, e.g. [2], [3], [4], [5], [6], or [7]. The purpose of this note is to give another short proof.

Definition 1. A finite dimensional central simple algebra A is called a crossed product if A has a maximal subfield \mathbb{K} which is Galois over the center of A .

Theorem 2. *Let A be a crossed product and let \mathbb{F} be the center of A . Suppose that A allows an anti-automorphism that fixes \mathbb{F} elementwise. Then A allows an involutive anti-automorphism.*

Proof. Let $\sigma : A \rightarrow A$ be an anti-automorphism that fixes \mathbb{F} elementwise. Since A is a crossed product, there exists a maximal subfield \mathbb{K} of A such that \mathbb{K}/\mathbb{F} is Galois. Denote the corresponding Galois group by G . By Theorem 3.1.27 of [5] for every $g \in G$ there exists an element $j_g \in A$ with $g(k) = j_g k j_g^{-1}$ for all $k \in \mathbb{K}$, such that $A = \bigoplus_{g \in G} \mathbb{K} j_g$. Using the Skolem-Noether theorem, we can assume that σ fixes \mathbb{K} elementwise and so for every $g \in G$ we have $j_g k j_g^{-1} = g(k) = \sigma(g(k)) = \sigma(j_g k j_g^{-1}) = \sigma(j_g)^{-1} k \sigma(j_g)$. Therefore $\sigma(j_g) j_g \in C_A(\mathbb{K}) = \mathbb{K}$. Hence $\sigma(j_g) = a_g j_g^{-1}$ for some $a_g \in \mathbb{K}^*$. This implies $\sigma^2(j_g) = \sigma(j_g^{-1}) a_g = j_g$, and thus σ^2 is the identity. \square

Corollary 3. *Let \mathbb{D} be a division ring of finite degree over its center \mathbb{F} . Suppose that \mathbb{D} allows an anti-automorphism that fixes \mathbb{F} elementwise. Then \mathbb{D} allows an involutive anti-automorphism.*

Proof. There exists an $n \in \mathbb{N}$ such that $M_n(\mathbb{D})$ is a crossed product by Theorem V.1 of [1]. We can extend σ to an anti-automorphism $\bar{\sigma}$ of $M_n(\mathbb{D}) = \mathbb{D} \otimes_{\mathbb{F}} M_n(\mathbb{F})$ by letting $\bar{\sigma}$ act as the transposition map on $1 \otimes M_n(\mathbb{F})$. Theorem 2 implies that

Received by the editors December 7, 2001 and, in revised form, February 20, 2002.
2000 *Mathematics Subject Classification.* Primary 16K20, 16W99, 51A10, 51A30.
Key words and phrases. Division ring, anti-automorphism.

there exists an involutive anti-automorphism on $M_n(\mathbb{D})$. By Theorem 3.1.70 of [5], we conclude that \mathbb{D} allows an involutive anti-automorphism. \square

ACKNOWLEDGMENT

The authors would like to express their gratitude to Zinovy Reichstein for pointing out a generalization of their original proof.

REFERENCES

- [1] A.A. Albert, *Structure of algebras*, American Mathematical Society, New York 1939. MR **1:99c**
- [2] P.K. Draxl, *Skew fields*, London Math. Soc. Lecture Note Series **81**, Cambridge University Press, Cambridge 1983. MR **85a:16022**
- [3] N. Jacobson, *Finite-dimensional division algebras over fields*, Springer, Berlin 1996. MR **98a:16024**
- [4] M.-A. Knus, A. Merkurjev, M. Rost, J.-P. Tignol, *The Book of Involutions*, AMS Colloquium Publications **44**, 1998. MR **2000a:16031**
- [5] L.H. Rowen, *Polynomial identities in ring theory*, Academic Press, New York 1980. MR **82a:16021**
- [6] D.J. Saltman, Azumaya algebras with involution, *J. Algebra* **53** (1978), pp. 526-539. MR **80a:16013**
- [7] W. Scharlau, *Quadratic and Hermitian forms*, Springer-Verlag, Berlin 1985. MR **86k:11022**

DEPARTMENT OF MATHEMATICS AND COMPUTER SCIENCE, TU EINDHOVEN, P.O. BOX 513,
5600 MB EINDHOVEN, THE NETHERLANDS
E-mail address: `pbeelen@win.tue.nl`

DEPARTMENT OF MATHEMATICS AND COMPUTER SCIENCE, TU EINDHOVEN, P.O. BOX 513,
5600 MB EINDHOVEN, THE NETHERLANDS
E-mail address: `squid@win.tue.nl`