QUARTERLY

OF

APPLIED MATHEMATICS

EDITED BY

| S. S. ANTMAN | G. DASSIOS | D. MUMFORD |
|----------------|-----------------|--------------|
| Z. ARTSTEIN | S. GEMAN | J. R. RICE |
| H. T. BANKS | G. IOOSS | B. SANDSTEDE |
| J. A. CARRILLO | J. HUNTER | L. SIROVICH |
| H. COHEN | I. KIM | M. SLEMROD |
| A. CONSTANTIN | I. KONTOYIANNIS | J. WILKENING |
| J. D. COWAN | P. D. MILLER | |

CONSTANTINE DAFERMOS

Managing Editor

GOVIND MENON
Associate Managing Editor

MANAGING EDITOR 1965–2014 WALTER FREIBERGER

FOUNDER, AND MANAGING EDITOR 1943–1965 W. PRAGER

VOLUME LXXVI DECEMBER · 2018 NUMBER 4

Quarterly of Applied Mathematics

This journal is devoted to original papers in applied mathematics which have an intimate connection with applications. It is expected that each paper will be of a high scientific standard; that the presentation will be of such character that the paper can be easily read by those to whom it would be of interest; and that the mathematical argument, judged by the standard of the field of application, will be of an advanced character.

In accordance with their general policy, the Editors welcome particularly contributions which will be of interest both to mathematicians and to scientists or engineers. Authors will receive galley proof, and offprints will be provided in electronic form free of charge. A downloadable and printable PDF of each published article will be available to authors immediately after publication. Detailed instructions will be sent with galley proofs.

Submission information. The Quarterly of Applied Mathematics uses Centralized Manuscript Processing for initial submission. Authors should submit a PDF file using the Initial Manuscript Submission form found at www.ams.org/submission/qam. The final decision on acceptance of a manuscript for publication is made by the Managing Editor. Simultaneous submissions (i.e., concurrent submissions to another journal) are not accepted. See Suggestions Concerning the Preparation of Manuscripts for the Quarterly of Applied Mathematics at the end of this issue.

Publication on the AMS website. Articles are published on the AMS website individually after proof is returned from authors and before appearing in an issue.

Copying and reprinting. Material in this journal may be reproduced by any means for educational and scientific purposes without fee or permission with the exception of reproduction by services that collect fees for delivery of documents and provided that the customary acknowledgment of the source is given. This consent does not extend to other kinds of copying for general distribution, for advertising or promotional purposes, or for resale. Requests for permission for commercial use of material should be addressed to the Division of Applied Mathematics, Brown University, 182 George Street, Box F, Providence, RI 02912.

Excluded from these provisions is material in articles for which the author holds copyright. In such cases, requests for permission to use or reprint should be addressed directly to the author(s). (Copyright ownership is indicated in the notice in the lower right-hand corner of the first page of each article.)

Subscription information. Beginning March 2005 the Quarterly of Applied Mathematics is accessible from www.ams.org/journals/. Subscription prices for Volume 76 (2018) are as follows: for paper delivery, US\$200; for electronic delivery, US\$175. Subscription renewals are subject to late fees. See www.ams.org/journals-faq for more journal subscription information. Upon request, subscribers to paper delivery of this journal are also entitled to receive electronic delivery. For back volume/back issue prices and availability, go to www.ams.org/bookstore/backvols/. For paper delivery, subscribers inside the United States must pay a postage surcharge of US\$5.25; subscribers outside the United States must pay a postage surcharge of US\$15. Subscriptions and orders for back volumes must be addressed to the American Mathematical Society, P.O. Box 845904, Boston, MA 02284-5904, USA. All orders must be accompanied by payment. Other subscription correspondence should be addressed to the American Mathematical Society, 201 Charles St., Providence, RI 02904-2213, USA.

© 2018 Brown University

This journal is indexed in Mathematical Reviews, Zentralblatt MATH, Science Citation Index[®], Science Citation IndexTM-Expanded, ISI Alerting ServicesSM, CompuMath Citation Index[®], Current Contents[®]/Engineering, Computing & Technology. It is also indexed by Applied Science & Technology Index and abstracted by Applied Science & Technology Abstracts. Periodicals postage paid at Providence, RI and additional mailing offices.

POSTMASTER: Send address changes to Quarterly of Applied Mathematics, Membership and Customer Services Department, American Mathematical Society, 201 Charles St., Providence, RI 02904-2213, USA. Publication number 808680. Quarterly of Applied Mathematics (ISSN 0033-569X (print); ISSN 1552-4485 (online)) is published four times per year (March, June, September, and December) by Brown University, Division of Applied Mathematics, 182 George St., Providence, RI 02912, USA.

Printed in the United States of America.

The paper used in this journal is acid-free and falls within the guidelines established to ensure permanence and durability.

QUARTERLY

OF

APPLIED MATHEMATICS

EDITED BY

| S. S. ANTMAN | G. DASSIOS | D. MUMFORD |
|----------------|-----------------|--------------|
| Z. ARTSTEIN | S. GEMAN | J. R. RICE |
| H. T. BANKS | G. IOOSS | B. SANDSTEDE |
| J. A. CARRILLO | J. HUNTER | L. SIROVICH |
| H. COHEN | I. KIM | M. SLEMROD |
| A. CONSTANTIN | I. KONTOYIANNIS | J. WILKENING |
| J. D. COWAN | P. D. MILLER | |

CONSTANTINE DAFERMOS

Managing Editor

GOVIND MENON Associate Managing Editor

MANAGING EDITOR 1965–2014 WALTER FREIBERGER

FOUNDER, AND MANAGING EDITOR 1943–1965 W. PRAGER

VOLUME LXXVI 2018

ANNUAL INDEX

Amendola, G., M. Fabrizio, and J. M. Golden. General dissipative materials for simple histories, 627
 Antipov, Y. A., and S. M. Mkhitaryan. Integral relations associated with the semi-infinite Hilbert transform and applications to singular integral equations, 739

Banks, H. T. See Bokil, V. A.

Barker, Blake, Jeffrey Humpherys, Gregory Lyng, and Kevin Zumbrun. Balanced flux formulations for multidimensional Evans-function computations for viscous shocks, 531

Bokil, V. A., H. T. Banks, D. Cioranescu, and G. Griso. A multiscale method for computing effective parameters of composite electromagnetic materials with memory effects, 713

Carrillo, José-Antonio, and Filippo Santambrogio. L^{∞} estimates for the JKO scheme in parabolicelliptic Keller-Seqel systems, 515

Charalambopoulos, Antonios, and Leonidas N. Gergidis. A novel stochastic method for the solution of direct and inverse exterior elliptic problems, 65

Chu, Jifeng. On a nonlinear integral equation for the ocean flow in arctic gyres, 489

Cioranescu, D. See Bokil, V. A.

Dassios, George, Michael Doschoris, and Konstantia Satrazemi. On the resolution of synchronous dipolar excitations via MEG measurements, 39

Deconinck, Bernard, Qi Guo, Eli Shlizerman, and Vishal Vasan. Fokas's Unified Transform Method for linear systems, 463

Doschoris, Michael. See Dassios, George

Dweik, Samer. Weighted Beckmann problem with boundary costs, 601

Fabrizio, M. See Amendola, G.

Ferreira, Lucas C. F., and Sérgio L. N. Neves. On elliptic equations with singular potentials and non-linear boundary conditions, 699

Galdi, Giovanni P., Giusy Mazzone, and Mahdi Mohebbi. On the motion of a liquid-filled heavy body around a fixed point, 113

Gergidis, Leonidas N. See Charalambopoulos, Antonios

Giga, Yoshikazu. See Koba, Hajime

Golden, J. M. See Amendola, G.

Griso, G. See Bokil, V. A.

Guo, Qi. See Deconinck, Bernard

Hantke, Maren, and Siegfried Müller. Analysis and simulation of a new multi-component two-phase flow model with phase transitions and chemical reactions, 253

Herron, Isom H. A unified solution of several classical hydrodynamic stability problems, 1

Humpherys, Jeffrey. See Barker, Blake

Kaiser, Ralf, and Andreas Tilgner. Optimal energy bounds in spherically symmetric α^2 -dynamos, 437 Kaushik, Vivek, and Daniele Ritelli. Evaluation of harmonic sums with integrals, 577

Kim, Eugenia, and Jon Wilkening. Convergence of a mass-lumped finite element method for the Landau-Lifshitz equation, 383

Knops, R. J., and R. Quintanilla. Spatial decay in transient heat conduction for general elongated regions, 611

Koba, Hajime. On derivation of compressible fluid systems on an evolving surface, 303

Koba, Hajime, Chun Liu, and Yoshikazu Giga. Errata to "Energetic variational approaches for incompressible fluid systems on an evolving surface", 147

 ${\it Laurençot, Philippe.} \quad \textit{Mass-conserving solutions to coagulation-fragmentation equations with nonintegrable fragment distribution function, 767}$

Leach, J. A. The large-time development of the solution to an initial-value problem for the Korteweg-de Vries equation: IV. Time dependent coefficients, 361

LeCun, Yann. See Sagun, Levent

Li, Dening. Initial-boundary value problem for Euler equations with incompatible data, 47

Li, Lei, and Jian-Guo Liu. A note on deconvolution with completely monotone sequences and discrete fractional calculus, 189

Liu, Chun. See Koba, Hajime

Liu, Jian-Guo. See Li, Lei

Lyng, Gregory. See Barker, Blake

Mazzone, Giusy. See Galdi, Giovanni P.

Miura, Tatsu-Hiko. On singular limit equations for incompressible fluids in moving thin domains, 215 Mkhitaryan, S. M. See Antipov, Y. A.

ANNUAL INDEX

Mohebbi, Mahdi. See Galdi, Giovanni P.

Müller, Siegfried. See Hantke, Maren

Munnier, Alexandre, and Karim Ramdani. Calderón cavities inverse problem as a shape-from-moments problem, 407

Muntean, Adrian. See Seidman, Thomas I.

Neves, Sérgio L. N. See Ferreira, Lucas C. F.

Niethammer, B., and J. J. L. Velázquez. Oscillatory traveling wave solutions for coagulation equations,

Pasquero, Stefano. Ideal characterizations of multiple impacts: A frame-independent approach by means of jet-bundle geometry, 547

Quintanilla, R. See Knops, R. J.

Ramdani, Karim. See Munnier, Alexandre

Ritelli, Daniele. See Kaushik, Vivek

Sagun, Levent, Thomas Trogdon, and Yann LeCun. Universal halting times in optimization and machine learning, 289

Santambrogio, Filippo. See Carrillo, José-Antonio

Satrazemi, Konstantia. See Dassios, George

Seidman, Thomas I., and Adrian Muntean. Asymptotics of diffusion-limited fast reactions, 199

Shlizerman, Eli. See Deconinck, Bernard

Tilgner, Andreas. See Kaiser, Ralf

Triki, Faouzi, and Margaux Vauthrin. Mathematical modeling of the photoacoustic effect generated by the heating of metallic nanoparticles, 673

Trogdon, Thomas. See Sagun, Levent

Vafeas, Panayiotis. On the integro-differential general solution for the unsteady micropolar Stokes flow of a conducting ferrofluid, 19

Vasan, Vishal. See Deconinck, Bernard

Vauthrin, Margaux. See Triki, Faouzi

Velázquez, J. J. L. See Niethammer, B.

Wang, Ya-Guang, and Shi-Yong Zhu. On the inviscid limit for the compressible Navier-Stokes system with no-slip boundary condition, 499

Wilkening, Jon. See Kim, Eugenia

Zhu, Shi-Yong. See Wang, Ya-Guang

Zumbrun, Kevin. See Barker, Blake

SUGGESTIONS CONCERNING THE PREPARATION OF MANUSCRIPTS FOR THE QUARTERLY OF APPLIED MATHEMATICS

The editors will appreciate the authors' cooperation in taking note of the following directions for the preparation of manuscripts. These directions have been drawn up with a view toward eliminating unnecessary correspondence, avoiding the return of papers for changes, and reducing the charges made for "author's corrections."

Submission of Accepted Manuscripts:

Submission of manuscripts electronically-prepared in LATEX is required, with a strong preference for $\mathcal{A}_{M}S$ -LATEX. To assist authors in preparing electronic manuscripts, the AMS has prepared author packages. The author package includes instructions for preparing electronic manuscripts, the AMS Author Handbook, samples, graphic creation instructions, and a style file. When choosing a style file for the Quarterly of Applied Mathematics, choose the QAM-specific journal package, made available by the American Mathematical Society at www.ams.org/distribution/qam/qamauthorpac.html. For more technical information, please visit www.ams.org/authors/author-faq.html.

Contributions to the *Quarterly of Applied Mathematics* should be submitted in final form. Only typographical errors should be corrected in proof; composition charges for any major deviations from the manuscript will be passed on to the *Quarterly of Applied Mathematics*. An abstract is required for all QAM manuscripts.

After the contribution has been accepted for publication, electronic files (.tex files along with .eps (or .tiff) files for figures) should be submitted via the web at www.ams.org/submit-book-journal, or sent via email to pub-submit@ams.org, or sent on CD to the Electronic Prepress Department, American Mathematical Society, 201 Charles St., Providence, RI 02904-2294 USA. When submitting electronic manuscripts via email or CD, please include a message indicating that the paper has been accepted for publication in the Quarterly of Applied Mathematics.

Electronic Graphics:

Comprehensive instructions on preparing graphics are included in PDF format in the author package. Submit files for graphics as EPS (Encapsulated PostScript) files. This includes graphics originating via a graphics application as well as scanned photographs or other computer-generated images. If this is not possible, TIFF files are acceptable as long as they can be opened in Adobe Photoshop or Illustrator.

Authors using graphics packages for the creation of electronic art should avoid the use of any lines thinner than 0.5 points in width at 100%. Many graphics packages allow the user to specify a "hairline" for a very thin line. Hairlines often look acceptable when proofed on a typical laser printer. However, when produced on a high-resolution laser imagesetter, hairlines become nearly invisible and will be lost entirely in the final printing process.

Screens should be set to values between 15% and 85%. Screens that fall outside of this range are too light or too dark to print correctly. Variations of screens within a graphic should be no less than 10%.

Any graphics created in color will be rendered in grayscale for the printed QAM issue unless color printing is authorized by the Managing Editor and paid for by the authors. In general, color graphics will appear in color in the online QAM issue.

CONTENTS

| Vol. LXXVI, No. 4 December | 2018 |
|--|------|
| Samer Dweik, Weighted Beckmann problem with boundary costs | 601 |
| R. J. Knops and R. Quintanilla, Spatial decay in transient heat conduction for general elongated regions | 611 |
| G. Amendola, M. Fabrizio, and J. M. Golden, General dissipative materials for simple histories | 627 |
| FAOUZI TRIKI AND MARGAUX VAUTHRIN, Mathematical modeling of the photoacoustic effect generated by the heating of metallic nanoparticles | 673 |
| Lucas C. F. Ferreira and Sérgio L. N. Neves, On elliptic equations with singular potentials and nonlinear boundary conditions | 699 |
| V. A. Bokil, H. T. Banks, D. Cioranescu, and G. Griso, A multiscale method for computing effective parameters of composite electromagnetic materials with memory effects | 713 |
| Y. A. Antipov and S. M. Mkhitaryan, Integral relations associated with the semi-infinite Hilbert transform and applications to singular integral equations | 739 |
| PHILIPPE LAURENÇOT, Mass-conserving solutions to coagulation-fragmentation equations with nonintegrable fragment distribution function | 767 |



0033-569X(201812)76:4*;1-Y