

TABLE ERRATA

442.—MILTON ABRAMOWITZ & IRENE A. STEGUN, Editors, *Handbook of Mathematical Functions with Formulas, Graphs, and Mathematical Tables*, National Bureau of Standards, Applied Mathematics Series, No. 55, U.S. Government Printing Office, Washington, D.C., 1964.

On p. 953 under (4) *Acceptance-rejection method*, the senses of both inequalities should be reversed, so that they will correctly read

$$e^{-(x-1)^2/2} \geq u_2 \quad \text{and} \quad (x-1)^2 \leq -2(\ln u_2).$$

LESTER GUTTMAN

Argonne National Laboratory
Argonne, Illinois 60440

EDITORIAL NOTE: This correction has been made in the fifth and subsequent printings.

On p. 797, in Table 22.7 the entry in row C_{10} and column x^8 should read -10 , instead of -20 .

On p. 799, in Table 22.10, the entry in row L_8 and column x^9 should read 3265920, instead of 3269520.

HARRY BJÖRK

Royal Institute of Technology
Department of Numerical Analysis
S-100 44 Stockholm 70, Sweden

EDITORIAL NOTE: The first of these errata has been corrected in the sixth and subsequent printings.

443.—M. HALL & J. K. SENIOR, *The Groups of Order 2^n ($n \leq 6$)*, Macmillan, New York, 1964.

In the course of computing character tables for the groups of order 2^n ($n \leq 6$) the following errors were noted:

Page	Group	
108	Γ_2c_2	$\alpha_2 = abcd$
110	Γ_2f	$\alpha_3 = ae.bf.cg.dh.ijkl$
114	Γ_2e_1	$\alpha_1 = ac.bd$
119	Γ_2m_2	$\alpha_2 = abcd$
	Γ_2n	$\alpha_2 = eg.fh.ijkl$
120	Γ_2r_2	$\alpha_1 = ac.bd.eg.fh$
133	Γ_3p	$\alpha_4 = aA.bB.cC.dD.eG.fH.gE.hF.iJ.jK.kL.lI.mP.nM.oN.pO$
	Γ_3q	$\beta = aebfcgdh.iploknjm$
136	Γ_4d	$\alpha_3 = eg.fh.ijkl.mnop$

153	Γ_5d	$\alpha_3 = ae.bf.cg.dh.im.jn.ko.lp$
157	Γ_6c_2	$\alpha_3 = abcd.ehgf$
159	Γ_6f	$\alpha_4 = eg.fh.ijkl.mpon$
163	Γ_7e_2	$\alpha_4 = abcd.efgh$
	Γ_7f	$\alpha_2 = ik.jl.mo.np$
164	Γ_8a_2	$\alpha_5 = bd.eh.fg.in.jm.kp.lo$
166	Γ_8d_2	$\alpha_5 = bd.eh.fg.in.jm.kp.lo.qrst$
170	Γ_9d_2	$\alpha_6 = aecg.bhdf.im.jn.ko.lp.rt$
178	Γ_{10c_1}	$\alpha_5 = im.jn.ko.lp$
190	Γ_{11b_2}	$\alpha_4 = eg.fh.ijkl.mnop$
		$\alpha_5 = ae.bf.cg.dh.im.jn.ko.lp$
194	Γ_{12a_1}	$\alpha_6 = ik.jl.efgh.mpon$
195	Γ_{13a_2}	$\alpha_4 = eg.fh.ijkl.mpon$
		$\alpha_6 = ae.bh.cg.df.im.jn.ko.lp$
202	Γ_{15a_4}	$\alpha_6 = aick.bldj.epgn.fohm$
212	Γ_{17a_3}	$\alpha_6 = bd.ef.gh.imjnkolp$
213	Γ_{17b_1}	$\alpha_5 = ae.bf.cg.dh.jl.mn.op$
	Γ_{17c_1}	$\alpha_5 = ae.bf.cg.dh.im.jn.ko.lp$
	Γ_{17c_2}	The entry at the base of the lattice should be Γ_{17c_2} .

JOHN MCKAY

Atlas Computer Laboratory
 Chilton-Didcot-Berkshire
 England