

## TABLE ERRATA

**468.**—A. ERDÉLYI, W. MAGNUS, F. OBERHETTINGER & F. TRICOMI, *Higher Transcendental Functions*, Volume I, McGraw-Hill Book Co., New York, 1953.

On p. 158, in formula 24 of Section 3.7, *read cos t instead of cosh t* in the first term of the right-hand side.

HENRY E. FETTIS

Applied Mathematics Research Laboratory  
 Aerospace Research Laboratories  
 Wright-Patterson Air Force Base, Ohio 45433

**EDITORIAL NOTE:** For notice of further corrections in this work, see *Math. Comp.*, v. 16, 1962, p. 261, MTE 308; v. 19, 1965, p. 361, MTE 366; *ibid.*, p. 527–528, MTE 374; v. 20, 1966, p. 641, MTE 400.

**469.**—ERNST GLOWATZKI, *Sixstellige Tafel der Cauer-Parameter*, Abh. Bayer. Akad. Wiss. Math.-Nat. Kl. (N.F.), Heft 67, 1955. [See *MTAC*, v. 11, 1957, p. 111, RMT 61.]

In a sequel [1] to this paper the author lists the following 17 corrections of round-off errors herein.

Page	$n$	$\Theta$	for	read
10	4	22°	$a_3 = 0.568 \ 521$	0.568 520
	4	40°	$\Delta = (-1)0.665 \ 303$	(-1)0.665 304
12	4	82°	$\Delta = 0.456 \ 601$	0.456 602
15	7	1°	$a_5 = 0.119 \ 026$	0.119 027
	7	24°	$a_4 = 0.507 \ 238$	0.507 237
16	7	52°	$a_2 = 0.461 \ 274$	0.461 273
	7	89°	$a_1 = 0.650 \ 611$	0.650 610
17	7	88°	$a_6 = 0.999 \ 370$	0.999 371
19	8	22°	$a_6 = 0.568 \ 521$	0.568 520
31	11	34°	$a_8 = 0.690 \ 623$	0.690 624
32	11	67°	$a_3 = 0.552 \ 942$	0.552 941
	11	83°	$a_3 = 0.740 \ 271$	0.740 272
	11	88°	$a_7 = 0.995 \ 216$	0.995 217
	11	73°	$a_9 = 0.967 \ 502$	0.967 503
35	11	80°	$a_{10} = 0.991 \ 113$	0.991 112
	12	22°	$a_9 = 0.568 \ 521$	0.568 520
37	12	64°	$a_{11} = 0.944 \ 742$	0.944 743

JOHN TODD

Department of Mathematics  
 California Institute of Technology  
 Pasadena, California 91109

1. ERNST GLOWATZKI, *Sechsstellige Tafel der transformierten Cauer-Parameter für antimetrische TP-Filter*, Abh. Bayr. Akad. Wiss. Math.-Nat. Kl. (N. F.), Heft 106, 1962, p. 6.

**470.**—PETER HENRICI, *Discrete Variable Methods in Ordinary Differential Equations*, John Wiley & Sons, New York, 1962.

On p. 208 the following corrections should be made in Table 5.9, entitled Coefficients  $\delta_{r,m}$ :

For  $\delta_{3,3} = \frac{7}{6}$ , read  $\delta_{3,3} = \frac{11}{6}$ ; and

for  $\delta_{3,4} = -\frac{17}{12}$ , read  $\delta_{3,4} = -\frac{1}{4}$ .

MURLAN S. CORRINGTON

Advanced Technology Laboratories  
 RCA Corporation  
 Camden, New Jersey 08102