
VOLUME 67 NUMBER 223



JULY 1998

MATHEMATICS OF COMPUTATION

AMERICAN MATHEMATICAL SOCIETY

EDITED BY

James H. Bramble
Susanne C. Brenner
Arjeh M. Cohen
Howard Elman
Richard S. Falk
Walter Gautschi
Daniel W. Lozier
James N. Lyness
Roswitha März
Harald Niederreiter
Andrew M. Odlyzko
John E. Osborn
Stanley Osher
René Schoof
L. Ridgway Scott
Chi-Wang Shu
Frank Stenger
G. W. Stewart
Nico M. Temme
Vidar Thomée
Lars B. Wahlbin, *Managing Editor*
Joseph D. Ward
Hugh C. Williams
Stephen J. Wright

PROVIDENCE, RHODE ISLAND USA

ISSN 0025-5718

Mathematics of Computation

This journal publishes research articles in computational mathematics. Areas covered include numerical analysis, with emphasis on the mathematical analysis and development of methods, computational number theory and algebra, and related fields. Table errata and reviews of books in areas related to computational mathematics are also included.

Submission information. See **Information for Authors** at the end of this issue.

Publisher Item Identifier. The Publisher Item Identifier (PII) appears at the top of the first page of each article published in this journal. This alphanumeric string of characters uniquely identifies each article and can be used for future cataloging, searching, and electronic retrieval.

Subscription information. *Mathematics of Computation* is published quarterly. Beginning in January 1996 *Mathematics of Computation* is accessible from e-MATH via the World Wide Web at the URL <http://www.ams.org/publications/>. Subscription prices for Volume 67 (1998) are as follows: for paper delivery, \$322 list, \$258 institutional member, \$290 corporate member, \$209 member of CBMS organizations; \$193 individual member; for electronic delivery, \$290 list, \$232 institutional member, \$261 corporate member, \$189 member of CBMS organizations, \$174 individual member. Upon request, subscribers to paper delivery of this journal are also entitled to receive electronic delivery. If ordering the paper version, add \$12 for surface delivery outside the United States and India; \$18 to India. Expedited delivery to destinations in North America is \$17; elsewhere \$52.

Back number information. For back issues see the *AMS Catalog of Publications*.

Subscriptions and orders should be addressed to the American Mathematical Society, P.O. Box 5904, Boston, MA 02206-5904. *All orders must be accompanied by payment.* Other correspondence should be addressed to P.O. Box 6248, Providence, RI 02940-6248.

Copying and reprinting. Material in this journal may be reproduced by any means for educational and scientific purposes without fee or permission with the exception of reproduction by services that collect fees for delivery of documents and provided that the customary acknowledgment of the source is given. This consent does not extend to other kinds of copying for general distribution, for advertising or promotional purposes, or for resale. Requests for permission for commercial use of material should be addressed to the Assistant to the Publisher, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. Requests can also be made by e-mail to reprint-permission@ams.org.

Excluded from these provisions is material in articles for which the author holds copyright. In such cases, requests for permission to use or reprint should be addressed directly to the author(s). (Copyright ownership is indicated in the notice in the lower right-hand corner of the first page of each article.)

Mathematics of Computation is published quarterly by the American Mathematical Society at 201 Charles Street, Providence, RI 02904-2213. Periodicals postage is paid at Providence, Rhode Island. Postmaster: Send address changes to *Mathematics of Computation*, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248.

© 1998 by the American Mathematical Society. All rights reserved.

This journal is indexed in *Science Citation Index*®, *SciSearch*®, *Research Alert*®, *CompuMath Citation Index*®, and *Current Contents*®/Physical, Chemical & Earth Sciences.

⊗ The paper used in this book is acid-free and falls within the guidelines established to ensure permanence and durability.

10 9 8 7 6 5 4 3 2 1 03 02 01 00 99 98

Editorial Information

As of February 28, 1998, the backlog for this journal was approximately 0 issues. This estimate is the result of dividing the number of manuscripts for this journal in the Providence office that have not yet gone to the printer on the above date by the average number of articles per issue over the previous twelve months, reduced by the number of issues published in six months (the time necessary for editing and composing a typical issue).

A Consent to Publish and Copyright Agreement is required before a paper will be published in this journal. After a paper is accepted for publication, the Providence office will send out a Consent to Publish and Copyright Agreement to all authors of the paper. By submitting a paper to this journal, authors certify that the results have not been submitted to nor are they under consideration for publication by another journal, conference proceedings, or similar publication.

Information for Authors

Initial submission. An author should submit three paper copies of the manuscript. Initial submission by e-mail is not allowed. The author may suggest an appropriate editor for his paper. All contributions intended for publication and all books for review should be addressed to Lars B. Wahlbin, Managing Editor, Mathematics of Computation, Center for Applied Mathematics, 657 Frank H. T. Rhodes Hall, Cornell University, Ithaca, NY 14853-3801. The date received, which is published with the final version of an accepted paper, is the date received in the office of the Managing Editor, and it is the responsibility of the author to submit manuscripts directly to this office.

The first page must consist of a *descriptive title*, followed by an *abstract* that summarizes the article in language suitable for workers in the general field (algebra, analysis, etc.). The *descriptive title* should be short, but informative; useless or vague phrases such as “some remarks about” or “concerning” should be avoided. The *abstract* must be brief and reasonably self-contained. Included with the footnotes to the paper, there should be the 1991 *Mathematics Subject Classification* representing the primary and secondary subjects of the article. This may be followed by a list of *key words and phrases* describing the subject matter of the article and taken from it. A list of classifications may be found in the annual index of *Mathematical Reviews*, published with the December issue starting in 1990. Journal abbreviations used in bibliographies are also listed in the latest *Mathematical Reviews* annual index. The classifications and the journal abbreviations are accessible from e-MATH via the World Wide Web through the URL [http : //www.ams.org/publications/](http://www.ams.org/publications/). When the manuscript is submitted, authors should supply the editor with electronic addresses if available. These will be printed after the postal address at the end of each article.

Electronically prepared manuscripts. For the final submission of accepted papers, the AMS encourages use of electronically prepared manuscripts, with a strong preference for $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$. To this end, the Society has prepared $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ author packages for each AMS publication. Author packages include instructions for preparing electronic manuscripts, the *AMS Author Handbook*, samples, and a style file that generates the particular design specifications of that publication series. Articles properly prepared using the $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ style file automatically provide hypertext linking to the bibliography and other elements of the article for searching electronically on the World Wide Web. Because linking must often be added manually to electronically prepared manuscripts in other forms of $\mathcal{T}\mathcal{E}\mathcal{X}$, using $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ also reduces the amount of technical intervention once the files are received by the AMS. This results in fewer errors in processing and saves the author proofreading time. $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ papers also move more efficiently through the production stream, helping to minimize publishing costs.

$\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ is the highly preferred format of $\mathcal{T}\mathcal{E}\mathcal{X}$, but author packages are also available in $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$. Those authors who make use of these style files from the beginning of the writing process will further reduce their own efforts. Manuscripts prepared electronically in $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ or plain $\mathcal{T}\mathcal{E}\mathcal{X}$ are normally not acceptable due to the high amount of technical time required to insure that the file will run properly through the AMS in-house production system. $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ users will find that $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ is the same as $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$ with additional

commands to simplify the typesetting of mathematics, and users of plain \TeX should have the foundation for learning $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\text{\TeX}$.

Authors may retrieve an author package from e-MATH via the World Wide Web through the URL <http://www.ams.org/tex/> or via FTP to <ftp.ams.org> (login as **anonymous** and enter username as password). The author package can also be obtained free of charge by sending e-mail to pub@ams.org (Internet) or from the Publication Division, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When requesting an author package, please specify $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{L}\text{\TeX}$ or $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\text{\TeX}$, Macintosh or IBM (3.5) format, and the publication in which your paper will appear. Please be sure to include your complete mailing address.

The final version of the electronic manuscript should be sent to the Providence office immediately after the paper has been accepted for publication. The author should also send the final version of the paper manuscript to the Managing Editor, who will forward a copy to the Providence office. Editors will require authors to send their electronically prepared manuscripts to the Providence office in a timely fashion. Electronically prepared manuscripts can be sent via e-mail to pub-submit@ams.org (Internet) or on diskette to the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. When sending a manuscript electronically, please be sure to include a message indicating in which publication the paper has been accepted. No corrections will be accepted electronically. Authors must mark their changes on their proof copies and return them to the Providence office. Complete instructions on how to send files are included in the author package.

Electronic graphics. Figures may be sent to the AMS in an electronic format. The AMS recommends that graphics created electronically be saved in Encapsulated PostScript (EPS) format. This includes graphics originated via a graphics application as well as scanned photographs or other computer-generated images.

If the graphics package used does not support EPS output, the graphics file should be saved in one of the standard graphics formats—such as TIFF, PICT, GIF, etc.—rather than in an application-dependent format. Graphics files sent in an application-dependent format are not likely to be used. No matter what method was used to produce the graphic, it is necessary to provide a paper copy to the AMS.

Authors using graphics packages for the creation of electronic art should also avoid the use of any lines thinner than 0.5 points in width. Many graphics packages allow the user to specify a “hairline” for a very thin line. Hairlines often look acceptable when proofed on a typical laser printer. However, when produced on a high-resolution laser imagesetter, hairlines become nearly invisible and will be lost entirely in the final printing process.

Screens should be set to values between 15% and 85%. Screens which fall outside of this range are too light or too dark to print correctly.

\TeX files available. Beginning with the January 1992 issue of the *Bulletin* and the January 1996 issues of *Transactions*, *Proceedings*, *Mathematics of Computation*, and the *Journal of the AMS*, \TeX files can be downloaded from e-MATH, starting from URL <http://www.ams.org/journals/>. Authors without Web access may request their files at the address given below after the article has been published. For *Bulletin* papers published in 1987 through 1991 and for *Transactions*, *Proceedings*, *Mathematics of Computation*, and the *Journal of the AMS* papers published in 1987 through 1995, \TeX files are available upon request for authors without Web access by sending e-mail to file-request@ams.org or by contacting the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248. The request should include the title of the paper, the name(s) of the author(s), the name of the publication in which the paper has or will appear, and the volume and issue numbers if known. The \TeX file will be sent to the author making the request after the article goes to the printer. If the requestor can receive Internet e-mail, please include the e-mail address to which the file should be sent. Otherwise please indicate a diskette format and postal address to which a disk should be mailed. **Note:** Because \TeX production at the AMS sometimes requires extra fonts and macros that are not yet publicly available, \TeX files cannot be guaranteed to run through the author’s version of \TeX without errors. The AMS regrets that it cannot provide support to eliminate such errors in the author’s \TeX environment.

Any inquiries concerning a paper that has been accepted for publication should be sent directly to the Electronic Prepress Department, American Mathematical Society, P.O. Box 6248, Providence, RI 02940-6248.

Editorial Committee

ANDREW M. ODLYZKO, AT&T Labs Research, Room C 225, Building 103, 180 Park Avenue, P.O. Box 971, Florham Park, NJ 07932-0971; *E-mail*: amo@research.att.com

STANLEY OSHER, Department of Mathematics, University of California, Los Angeles, CA 90024-1555; *E-mail*: sjo@math.ucla.edu

G. W. STEWART, Department of Computer Science, University of Maryland, College Park, MD 20742-0001; *E-mail*: stewart@thales.cs.umd.edu

LARS B. WAHLBIN, Chairman. Center for Applied Mathematics, 657 Frank H. T. Rhodes Hall, Cornell University, Ithaca, NY 14853-3801; *E-mail*: awahlbin@cam.cornell.edu

Board of Associate Editors

JAMES H. BRAMBLE, Department of Mathematics, Texas A & M University, College Station, TX 77843-3368; *E-mail*: bramble@math.tamu.edu

SUSANNE C. BRENNER, Department of Mathematics, University of South Carolina, Columbia, SC 29208; *E-mail*: brenner@math.sc.edu

ARJEH M. COHEN, Faculteit Wiskunde en Informatica, TU Eindhoven, Postbus 513, 5600 MB Eindhoven, The Netherlands; *E-mail*: amc@win.tue.nl

HOWARD ELMAN, Department of Computer Science, University of Maryland, College Park, MD 20742-0001; *E-mail*: elman@cs.umd.edu

RICHARD S. FALK, Department of Mathematics, Rutgers University, New Brunswick, NJ 08903-2101; *E-mail*: falk@math.rutgers.edu

WALTER GAUTSCHI, Department of Computer Science, 164C Computer Science Building, Purdue University, West Lafayette, IN 47907-1398; *E-mail*: wxg@cs.purdue.edu

DANIEL W. LOZIER, Applied and Computational Mathematics Division, National Institute of Standards and Technology, Gaithersburg, MD 20899-0001; *E-mail*: dlozier@nist.gov

JAMES N. LYNES, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 S. Cass Avenue, Argonne, IL 60439; *E-mail*: lyness@mcs.anl.gov

ROSWITHA MÄRZ, Institut für Mathematik, Humboldt-Universität zu Berlin, D-10099 Berlin, Germany; *E-mail*: maerz@mathematik.hu-berlin.de

HARALD NIEDERREITER, Institute for Information Processing, Austrian Academy of Sciences, Sonnenfelsgasse 19, A-1010 Vienna, Austria; *E-mail*: nied@info.oeaw.ac.at

JOHN E. OSBORN, Department of Mathematics, University of Maryland, College Park, MD 20742-4015; *E-mail*: jeo@julia.umd.edu

RENÉ SCHOOF, Dipartimento di Matematica, Università di Roma "Tor Vergata", I-00133 Roma, Italy; *E-mail*: schoof@fwi.uva.nl; and schoof@volterra.science.unitn.it

L. RIDGWAY SCOTT, Department of Mathematics, University of Houston-University Park, Houston, TX 77204-3476; *E-mail*: scott@casc.math.uh.edu

CHI-WANG SHU, Applied Mathematics Division, Brown University, P.O. Box F, 182 George St., Providence, RI 02912-0001; *E-mail*: shu@cfm.brown.edu

FRANK STENGER, Department of Computer Science, University of Utah, Salt Lake City, UT 84112-1102; *E-mail*: stenger@cs.utah.edu

NICO M. TEMME, CWI, P.O. Box 94079, 1090-GB Amsterdam, The Netherlands; *E-mail*: nicot@cw.nl

VIDAR C. THOMÉE, Department of Mathematics, Chalmers University of Technology, S-41296 Göteborg, Sweden; *E-mail*: thomee@math.chalmers.se

JOSEPH D. WARD, Department of Mathematics, Texas A&M University, College Station, TX 77843-3368; *E-mail*: jward@math.tamu.edu

HUGH C. WILLIAMS, Department of Computer Science, University of Manitoba, Winnipeg, Manitoba R3T 2N2 Canada; *E-mail*: Hugh-Williams@csmail.cs.umanitoba.ca

STEPHEN J. WRIGHT, Mathematics and Computer Science Division, Argonne National Laboratory, 9700 S. Cass Avenue, Argonne, IL 60439; *E-mail*: [`wright@mcs.anl.gov`](mailto:wright@mcs.anl.gov)

(Continued from back cover)

Daniel J. Bernstein , Detecting perfect powers in essentially linear time .	1253
Anitha Srinivasan , Computations of class numbers of real quadratic fields	1285
Randy L. Ekl , New results in equal sums of like powers	1309
Ray Steiner , Class number bounds and Catalan's equation	1317
Peter Hags, Jr. and Graeme L. Cohen , Every odd perfect number has a prime factor which exceeds 10^6	1323
Reviews and Descriptions of Tables and Books	1331
Ilin and Scott 12 , Davies and Samuels 13 , Mullineux 14 , Bach and Shallit 15	

MATHEMATICS OF COMPUTATION

CONTENTS

Vol. 67, No. 223

July 1998

Alfred H. Schatz , Pointwise error estimates and asymptotic error expansion inequalities for the finite element method on irregular grids: Part I. Global estimates	877
James H. Bramble and Tong Sun , A negative-norm least squares method for Reissner-Mindlin plates	901
Bo Li and Mitchell Luskin , Nonconforming finite element approximation of crystalline microstructure	917
R. A. Nicolaides and D.-Q. Wang , Convergence analysis of a covolume scheme for Maxwell's equations in three dimensions	947
Qiang Du , Discrete gauge invariant approximations of a time dependent Ginzburg-Landau model of superconductivity	965
Qiya Hu , Interpolation correction for collocation solutions of Fredholm integro-differential equations	987
J. C. Butcher and R. P. K. Chan , Efficient Runge-Kutta integrators for index-2 differential algebraic equations	1001
Konstantin Mischaikow and Marian Mrozek , Chaos in the Lorenz equations: A computer assisted proof. Part II: Details	1023
Willem Hundsdorfer , Trapezoidal and midpoint splittings for initial-boundary value problems	1047
Knut S. Eckhoff , On a high order numerical method for functions with singularities	1063
Chun-Hua Guo and Peter Lancaster , Analysis and modification of Newton's method for algebraic Riccati equations	1089
Satya Deo and Lipika Mazumdar , An algorithm for constructing a basis for C^r -spline modules over polynomial rings	1107
David K. Maslen , The efficient computation of Fourier transforms on the symmetric group	1121
John D. Hobby , A natural lattice basis problem with applications	1149
Richard E. Crandall , Fast evaluation of multiple zeta sums	1163
Bernt Lindström , Finding finite B_2 -sequences faster	1173
Erich Kaltofen and Victor Shoup , Subquadratic-time factoring of polynomials over finite fields	1179
Sándor Szabó and Coburn Ward , Factoring elementary groups of prime cube order into subsets	1199
C. Charnes and U. Dempwolff , The translation planes of order 49 and their automorphism groups	1207
René Schoof , Minus class groups of the fields of the l -th roots of unity ...	1225
L. Dewaghe , Remarks on the Schoof-Elkies-Atkin algorithm	1247

(Continued on inside back cover)



0025-5718(199807)67:223;1-U