

A Tribute to Henri Cartan

This collection of articles paying tribute to the mathematician Henri Cartan was assembled and edited by Pierre Cartier, IHÉS, and Luc Illusie, Université Paris-Sud 11, in consultation with Jean-Pierre Serre, Collège de France. The collection begins with the present introductory article, which provides an overview of Cartan's work and a short contribution by Michael Atiyah. This overview is followed by three additional articles, each of which focuses on a particular aspect of Cartan's rich life.

—Steven G. Krantz

Jean-Pierre Serre

Henri Cartan

8 July 1904–13 August 2008

Henri Cartan was, for many of the younger generation, the symbol of the resurgence of French mathematics after World War II. He died in 2008 at the age of 104 years.

Personal Life

Henri was the eldest son of the mathematician Élie Cartan (1869–1951), born in Dolomieu (Isère), and of his wife Marie-Louise Bianconi, of Corsican origin.

Born in Nancy in 1904, he entered the École Normale Supérieure (ENS, 45 rue d'Ulm) in 1923. It was there that he forged the friendships with mathematicians who were to play a major role in his life, beginning with André Weil, who had entered the ENS a year before; others included Jean Dieudonné, Jean Delsarte, René de Possel, and Charles Ehresmann. He left the ENS in 1926, supported by a grant until the completion of his thesis in 1928, and briefly became a teacher at the Lycée Malherbe de Caen. He was then appointed to positions at the University of Lille and subsequently the University of Strasbourg, where he taught from 1931 to 1939. The year 1935 was a particular high point of both his professional and his personal life: with his friends Weil, Dieudonné, de Possel, and others, he founded the Bourbaki group, which he left only at the statutory age of fifty years; and he married the young and charming Nicole Weiss, daughter of one of his physics colleagues at Strasbourg University.

This is a slightly edited version of the memoir that originally appeared in Biographical Memoirs of Fellows of the Royal Society, Volume 55 (2009), and it is published here with permission of the Royal Society.

Jean-Pierre Serre is professor emeritus at the Collège de France. His email address is serre@noos.fr.

This happy marriage, which lasted until his death (followed, a few months later, by that of his wife), produced five children: Jean, Françoise, Étienne, Mireille, and Suzanne.

In September 1939, at the beginning of the war, he moved to Clermont-Ferrand, where the University of Strasbourg had been evacuated. A year later he got a chair at the Sorbonne, where he was given the task of teaching the students of the ENS. This was a providential choice that allowed the “normaliens” (and many others) to benefit for more than twenty-five years (1940–1965) from his courses and seminars. In fact there was a two-year interruption when he returned to Strasbourg from 1945 to 1947—alas for me, because I was then a student at the ENS and could not make his acquaintance until my final year.

He left the ENS in 1965 and, a few years later, to escape the internal disputes between the component parts (Paris VI and Paris VII) of the former Sorbonne, he accepted a chair at Orsay, where he taught until his retirement in 1975. A lecture theatre in the mathematics building has recently been named after him.

Further details on the life of Henri Cartan can be found in two interviews (Schmidt 1990, Jackson 1999).

Mathematical Work

Henri Cartan worked on many subjects but there was one to which he was particularly attached, and that was the theory of functions of several complex variables (which later became the theory of complex varieties and also “analytic geometry”). I will begin with this topic.

His thesis ([Oe], no. 3)¹ dealt with analytic functions of one variable, one of the most popular topics of the period in France. Cartan continued the work of André Bloch and Rolf Nevanlinna,

¹References in this form refer to the bibliography at the end of the text.

studying in particular the properties of analytic curves in complex projective spaces of any dimension (for example, curves not meeting a given family of hyperplanes). This sort of topic was highly fashionable at the time, but it became less so in later years (despite the work of Lars Ahlfors and H. and J. Weyl). It finally came back into the limelight thanks to the work of Shoshichi Kobayashi on hyperbolic manifolds (1970–1980) (see Demailly 1997) and also to that of Paul Vojta (around 1980), who created an astonishing dictionary relating Nevanlinna invariants to the heights of rational points on algebraic varieties.

Shortly after writing his thesis, his eyes were opened, by Weil, to the charms of functions of several complex variables. Cartan was definitely seduced by this new field. Between 1930 and 1940 he published many articles in collaboration with the German school (Heinrich Behnke and Peter Thullen), with whom he made great bonds of friendship that withstood World War II. A summary can be found in [An], sections 2–5. In particular, we can note the following:

- the introduction in ([Oe], no. 23), with Thullen, of the notion of “convexity” relative to a family of holomorphic functions.
- the following result ([Oe], no. 32), related to the work of Élie Cartan: the group of automorphisms of a bounded domain in \mathbb{C}^n is a real Lie group, and the subgroup that fixes a point is compact and embeds into $\mathrm{GL}(n, \mathbb{C})$.

Starting in 1940 it was the “Cousin problems” that attracted him most ([An], section 6). This involves the construction of functions whose local singularities (additive or multiplicative) are given. Is this possible, and if not what are the conditions that need to be met? The problem is reasonable only if one works in a domain of holomorphy, which is what Cartan assumes. He gets very close to his aim, thanks to a theorem on invertible holomorphic matrices ([Oe], no. 35), but he lacked two auxiliary results (which he later interpreted as statements of “coherence”). It was the Japanese mathematician K. Oka who proved the first of these two results. He published the proof and sent it to Cartan, who immediately saw how the same methods led at once to the second result ([Oe], nos. 36 and 38). The first Cousin problem was thereby solved, at least for domains of holomorphy.

The second Cousin problem, in contrast, does not always have a solution. There are obstructions of a topological nature: the problem should have continuous solutions (a minimal requirement if one is searching for holomorphic solutions). How can one concretely exhibit these obstructions and, moreover, show that there are no others? I

suppose (I never thought of asking him) that this was one of the reasons² that led Cartan to become interested in algebraic topology around 1945–1950. There were some striking analogies—for those who could see them—between certain concepts introduced by Oka (the “ideals of indeterminate domains”) and the theory of sheaves, which was being created by Jean Leray. In his first seminars at the ENS (1948–1951), Cartan took up Leray’s theory in a slightly modified form that was easier

to use. In a subsequent seminar (1951/1952) he reaped the fruits of his labors. He began by clarifying the notion of “coherence”, implicit in Oka’s work, defined “coherent analytic sheaves”, and proved a vast generalization of the Cousin-type theorems: the famous “Theorems A and B”.

The stronger statement is “Theorem B”, which says that the higher cohomology groups of a coherent analytic sheaf are zero; in other words that every reasonable problem (of additive type) has a solution (provided the underlying manifold is a “Stein manifold”, the natural generalization of a domain of holomorphy).

Theorems A and B are very powerful tools. Cartan and I described several applications of them in a colloquium in Brussels in 1952; apparently these theorems made a strong impression on the participants because one of them (a German) said to his neighbor, “The French have tanks (Panzer); we only have bows and arrows” (see Remmert 1995). Indeed the idea of applying the (algebro-topological) theory of sheaves to objects relevant to analysis (holomorphic functions) was a new idea; it was used later in many other situations (for example, solutions of partial differential equations) and has now become standard.

Another original idea of Cartan (now equally standard) was that, developed in the 1953/1954 seminar, of defining a complex analytic space (possibly with singularities) as a topological space



Henri Cartan, at his home desk in Paris, 1961.

²Another reason may have been the translation by Weil of the Cousin problems in terms of holomorphic fiber bundles with additive structure group (for the first problem) and multiplicative structure group (for the second problem)—see ([Oe], no. 39, section 5).

endowed with a sheaf of rings. For Cartan this sheaf was a sub-sheaf of the sheaf of continuous functions; Grauert-Remmert and Grothendieck showed a little later that it was better not to make such a hypothesis so as to allow nilpotent elements.

In subsequent years Cartan never lost interest in functions of several complex variables. He

took great pleasure in expounding in Bourbaki seminars the works in this area of other mathematicians, notably those of Hirzebruch (exposé 84), of Grauert (exposé 115), of Douady (exposé 296) and of Ramis (exposé 354).

Let us now change the subject slightly and turn to topology. I have already mentioned the expository talks, clarifying sheaf theory, in the seminars of 1948/1949 and 1950/1951. He had done something similar for fiber spaces in the seminar of 1949/1950. Other results: the spectral sequence giving the cohomology of a Galois covering (with

J. Leray), the method of “killing homotopy groups” (with me), and the study of the real cohomology of principal fiber bundles of Lie groups (with Chevalley, Koszul, and Weil). However, his most original contribution to topology was without doubt the long series of lectures in the 1954/1955 seminar (reproduced in [Oe], no. 93), where he determined the homology of the Eilenberg-Mac Lane complexes (“which required great efforts”, as he said in an interview in 1982—I can readily believe it). This work is now classified not as part of topology but as part of what is called “homological algebra”, a terminology introduced by Cartan and Eilenberg in their book with that title ([CE], completed in 1953 but only published in 1956). A “fundamental” book in the precise sense of that term, it collected scattered results and organized them in a systematic way, transforming them into an instrument of great power.

Cartan also worked on other subjects, which I will simply mention:

- Classes of infinitely differentiable real functions (with S. Mandelbrojt) ([Oe], nos. 63–68);
- General topology: introduction of the notion of a filter ([Oe], nos. 61 and 62)

and construction of the Haar measure ([Oe], no. 69);

- Potential theory ([Oe], nos. 70–75 and 84); see the report by J. Deny (1975);

- Harmonic analysis (with R. Godement ([Oe], no. 80);

- Real analytic spaces (with F. Bruhat) ([Oe], p. XVI; [Oe], nos. 45–46).

Cartan's Influence

One cannot reduce the influence of Cartan to a mere list of the theorems he proved. He did much more than that. As I said at the outset, Cartan represented (both in France and abroad) the revival of mathematics in France after World War II. How did this come about? It is difficult to answer precisely. There were several factors, among which were the following.

- The large numbers of students whom he trained (in chronological order: Deny, Koszul, Godement, Thom, myself, Cerf, Douady, Karoubi, and several others); he did not give them a research topic (believing, no doubt, that a mathematician who does not ask himself questions is not a real mathematician), but once they had started he helped them to prove their results, to clarify them, and to write them up properly. This took him on occasion much time (I am thinking in particular of a certain thesis in topology on which he—and I—spent many hours). But the pupil learned much.

- Another reason for his influence: the Cartan Seminars. I have mentioned several above. There were sixteen of them (from 1948 to 1964), and all except one (that of 1952/1953) have been written up; a summary can be found in Serre (1975). What made these seminars original and interesting was that they started from scratch and gave essentially complete proofs; despite this, at the end of the year (and after some twenty lectures) they culminated in interesting and occasionally novel results. Many mathematicians, French and foreign, learned their topology or their functions of several complex variables from these seminars.³

³The Cartan Seminars had a predecessor: the “Séminaire Julia”, organized between 1935 and 1938 by Weil, Chevalley, Cartan and others. Here also there was an annual theme (such as class field theory, Hilbert spaces, the work of Élie Cartan, ...) and the lectures were written up. And there was a successor: the impressive “Séminaire de Géométrie Algébrique” of Grothendieck at the Institut des Hautes Études Scientifiques (1960–1969), where the proofs were even more complete—if I may say so—and the results even more novel. Since 1970, mathematical seminars have multiplied, in France as elsewhere, but none, to my knowledge, has tried to follow the difficult model of Julia-Cartan-Grothendieck: one settles for inviting, week after week, a lecturer who presents (usually without proofs) his latest results, and then discusses them with specialists. This is not the same thing.



Nicole and Henri Cartan, Paris,

• Going beyond his own mathematics, I should mention the efforts that Cartan made to improve relations between French and German mathematicians after World War II. He was also active, with L. Schwartz and M. Broué, in the “Comité des Mathématiciens” that came to the aid of mathematicians imprisoned for political reasons in various countries (notably in the USSR), for example L. Pliouchitch, A. Chtcharanski, A. Chikhanovitch, and L. Massera.

Distinctions

Henri Cartan was a member of the Académie des Sciences de Paris and of several Academies in Germany, Belgium, Denmark, Spain, Finland, Italy, Japan, Poland, Russia, Sweden, and the United States. He was also an honorary member of the London Mathematical Society and a Foreign Member of the Royal Society of London.

He had honorary degrees from ETH (Zürich), Athens, Cambridge, Münster, Oslo, Oxford, Saragossa, Stockholm, and Sussex.

In France he had received the Gold Medal of the Centre National de la Recherche Scientifique in 1976 and he was Commandeur des Palmes Académiques, Grand Officier de l'Ordre National du Mérite, and Commandeur de la Légion d'Honneur.

He received the Wolf Prize in 1980 and the Heinz R. Pagels Human Rights of Scientists Award in 1989.


He had been president of the French Mathematical Society (1950) and of the International Mathematical Union (1966–1970). He had also been president (and subsequently honorary president) of the Mouvement Fédéraliste Européen (1974–1985).

Michael Atiyah

I got to know Cartan mainly through serving with him on the Executive Committee of the International Mathematical Union. This gave me a chance to see him operate on the international scene. By then he was an elder statesman, and he looked the part, always impeccably dressed in a style that one associates with earlier periods. But this formality hid a charming and friendly personality, and the twenty-five years that separated us were no barrier to our friendship.

I first met Cartan at a conference in Mexico in 1956, and, although he was then over fifty, I was struck by his restless intellectual energy. During the lectures his eyes were alarmingly alert; he seemed to be on the verge of springing from his seat with impatience at the slow pace of the

Sir Michael Atiyah is Honorary Professor of Mathematics at the University of Edinburgh. His email address is M.Atiyah@ed.ac.uk.



Henri Cartan, Freiburg, March 13, 1987.

lecturer. But he was never aggressive or rude, just interested and enthusiastic. I can only imagine what a live wire he would have been twenty years earlier.

I was very pleased when in 1973 Oxford gave him an honorary degree. The public orator in his (Latin) speech referred (as Serre has done) to the important role played by Cartan in maintaining links with German mathematicians after 1945. He also mentioned the fact that a younger brother of Henri, a talented composer who died young, had one of his compositions played in a prewar concert in the same theater (the Sheldonian) where Henri received his honorary degree.

My last memory of Cartan is of his attending a lecture of mine in Paris when he was at a very advanced age and seriously infirm. It was a touching symbol, both of his friendship and of his dedication to mathematics.

References

Books

[Oe] *Oeuvres-Collected Works*, edited by R. Remmert and J-P. Serre, 3 volumes, Springer-Verlag, 1979.


[An] *Brève analyse des travaux*, notice rédigée pour l'Académie des Sciences (1973), reproduced in [Oe, vol. I, ix-xxiv].

[CE] *Homological Algebra* (with S. Eilenberg), Princeton Univ. Press, Princeton, NJ, 1956 (translated into Russian).

Théorie Élémentaire des Fonctions Analytiques, Hermann, Paris, 1961 (translated into English, German, Japanese, Russian, and Spanish).

Calcul Différentiel, Hermann, Paris, 1967 (translated into English and Russian).

Formes Différentielles, Hermann, Paris, 1967 (translated into English and Russian).



American Institute of Mathematics

AIM, the American Institute of Mathematics, sponsors week-long activities in all areas of the mathematical sciences with an emphasis on focused collaborative research.

Call for Proposals

Workshop Program

AIM invites proposals for its focused workshop program. AIM's workshops are distinguished by their specific mathematical goals. This may involve making progress on a significant unsolved problem or examining the convergence of two distinct areas of mathematics. Workshops are small in size, up to 28 people, to allow for close collaboration among the participants.

SQuaREs Program

AIM also invites proposals for a new program called SQuaREs, Structured Quartet Research Ensembles. More long-term in nature, this program brings together groups of four to six researchers for a week of focused work on a specific research problem in consecutive years.

More details are available at:

<http://www.aimath.org/research/>
deadline: November 1



AIM seeks to promote diversity in the research mathematics community. We encourage proposals which include significant participation of women, underrepresented minorities, junior scientists, and researchers from primarily undergraduate institutions.

Séminaires de l'École Normale Supérieure

("Cartan Seminars") [Secr. Math. Inst. H. Poincaré, rue P. et M. Curie, Paris—reprinted by W. A. Benjamin, New York, 1967.]

1948/49 Topologie algébrique

1949/50 Espaces fibrés et homotopie

1950/1951 Cohomologie des groupes, suites spectrales, faisceaux

1951/1952 Fonctions analytiques de plusieurs variables complexes

1952/1953 Groupes d'homotopie (unwritten)

1953/1954 Fonctions automorphes et espaces analytiques

1954/1955 Algèbres d'Eilenberg-Mac Lane et homotopie

1955/1956 (with C. Chevalley) Géométrie algébrique

1956/1957 Quelques questions de topologie

1957/1958 (with R. Godement and I. Satake) Fonctions automorphes

1958/1959 Invariant de Hopf et opérations cohomologiques secondaires

1959/1960 (with J. C. Moore) Périodicité des groupes d'homotopie stables des groupes classiques, d'après Bott

1960/1961 (with A. Grothendieck) Familles d'espaces complexes et fondements de la géométrie analytique

1961/1962 Topologie différentielle

1962/1963 Topologie différentielle

1963/64 (with L. Schwartz) Théorème d'Atiyah-Singer sur l'indice d'un opérateur différentiel elliptique

Other texts

J.-P. DEMAILLY, Variétés projectives hyperboliques et équations différentielles algébriques, in *Journée en l'Honneur de Henri Cartan*, Société Mathématique de France (1997), Paris, 3-17.

J. DENY, Sur la contribution de H. Cartan au développement de la théorie du potentiel, in *Hommage à Henri Cartan*, Société Mathématique de France (1975), Paris, 20-23.

A. JACKSON, Interview with Henri Cartan, *Notices Amer. Math. Soc.* **46** (1999), 782-788.

R. REMMERT, Complex analysis in "Sturm und Drang", *Math. Intell.* **17** (1995), 4-11.

M. SCHMIDT, *Hommes de Science*, Hermann, Paris (1990), 32-41.

J.-P. SERRE, Les Séminaires Cartan, in *Hommage à Henri Cartan*, Société Mathématique de France (1975), Paris, 24-28.