

Teaching School Mathematics: Pre-Algebra

by Hung-Hsi Wu

Index

American Mathematical Society
Providence, RI
2016

Index

Symbols

\mathbb{N} (whole numbers) 3
 \mathbb{Q} (rational numbers) 146
 \mathbb{R} (real numbers) 96
 \mathbb{Z} (integers) 146
 a^n (a to the n -th power) 224
 \sqrt{a} (square root of a) 205
 $n!$ (n factorial) 55
 $n|m$ (n divides m) 204
 $n \nmid m$ (n does not divide m) 204
 p^* (mirror reflection of p) 146
 $x \cdot y$ (the product of x and y) 165
 $|x|$ (absolute value of x) 188
 $B : G$ (the ratio of B to G) 105
 $[a, b]$ (segment on number line) 9
 $[a, b]$ (closed interval) 189
 (a, b) (open interval) 189
 $P(n, k), {}_nP_k$ (k -permutation of n objects) 136
 $C(n, k), {}_nC_k, \binom{n}{k}$ (binomial coefficient) 138
 $<$ (less than) 15
 \leq (less than or equal to) 184
 $>$ (greater than) 15
 \geq (greater than or equal to) 184
 \parallel (parallel) 288
 \cong (triangle congruence) 289
 $\angle AOB$ (angle with vertex O) 255
 $A \subset B$ (A is contained in B) 211
 $|G|$ (geometric measurement of G) 342
 PQ (the segment joining P to Q) 254
 $|PQ|$ (the length of segment PQ) 270
 L_{PQ} (the line joining P to Q) 240
 R_{PQ} (the ray from P to Q) 246
 \overrightarrow{PQ} (the vector from P to Q) 262
 \cup (union) 343

\cap (intersection) 210
 \iff (is equivalent to) 34
 \implies (implies) 185

A

AA criterion (= *angle-angle criterion*) 320, 323–326, **324**, 328–329
absolute error **191**–192
absolute value 158, **188**–197, 358, 372
abstract algebra 14, 209
abstract (abstraction) xiii, xviii, 1, 2, 4, 13, 14, 53, 72, 139, 145, 146, 148, 155, 177, 181, 209, 230, 231, 252–253, 261, 288, 289, 333, 339
acute angle **237**
acute triangle **237**, 238
addition
 complex fractions 89
 decimals (finite) 47–49
 fractions 43–47, **44**, 51, 89, 94, 98
 rational numbers 147–159, **153**, 160, 184–185
 rational quotients **180**
 vectors **150**–152
addition algorithm
 for fractions 45, 94
 for (finite) decimals **47**–50
additive property (geometric measurements) **343**
additive structure of whole numbers 220–221
additivity **64**, 66, 67, **343**, 349
Alexandria 165
algorithm xxi, 2, 25, 38, 172, **204**, 208, 209, 213, 348, 350
addition (for decimals) **47**–50, 55
addition (for fractions) 43, 94

- cross-multiplication 34–35, 41, 52, 63, 69, 88, 100, 104, 107, 108, 180, 217, 219, 224, 330
 division (in abstract algebra) 209
 Euclidean 203, 208, **209**, 214, 216, 219
 generalized cross-multiplication **89**, 108, 115, 116
 long division 81–87, 209
 multiplication (for decimals) **68**
 multiplication (for whole numbers) 105
 subtraction (for decimals) 53, 55
 subtraction (for whole numbers) 53
 alternate interior angle **312**–316, 357–358
 altitude (on a side) **295**, 296, 320, 337, 358, 361
 angle(s) 140, 236–238, 240–241, 246, 247, **255**–**258**, 268, 274, 284, 285, 300, 313, 337, 375
 acute 237
 alternate interior **312**–316, 357, 358
 base **295**, 296
 central 140
 corresponding **313**–316
 degree of **257**–258, 268
 equal 247, **258**, 291
 exterior **317**, 331
 full 276
 obtuse 237
 of a triangle **316**
 opposite (of a parallelogram) 319, 358
 opposite (of two intersecting lines) **285**, 313, 315
 opposite interior **317**
 right 237, 238, 328, 330–332
 sides of **255**
 straight **257**, 258, 276, 317
 top **295**, 296
 vertex of **255**
- angle bisector 237, 238, **247**–248, 277, 296–297, 300, 375
 angle of rotation 284
 angle-angle criterion (= *AA criterion*) 320, 323–326, **324**, 328–329
 Anno-Mori 122, 125, 127, 134, 381
 approximating sequence 354
 approximation 95, 311, 312, 318, 352–355, 367–372
 arc **257**
 Archimedes 380
 area 13, 63–68, 69, 88, 96, 100, 119, 139–140, 145, 186, 197, 330, 331, 339–348, 356–377
 additivity of **64**, 66, 67, 343–346
 and dilation 372–374
 of congruent figures 343, 345, 346, 358, 363, 369
 area formula 339, 340, 357–361, 362, 370, 374
 for a circle 96, 368–**370**
 for a parallelogram **360**–361
 for a rectangle xvii, 56, 63, **65**–**67**, 68, 69, 88, 145, 186, 197, 346, 348, 350, **357**
 for a region in the plane **364**
 for a trapezoid **361**
 for a triangle **358**–**359**, 362, 364
 area formula of a disk 96, 368–**370**
 art appreciation 233
 ASA criterion for congruence **291**, 295, 300, 325–327, 357
 Askey, Richard A. xv, 6, 381
 associated double-inequality (of an absolute value) **190**
 associative and commutative laws for addition **143**–**144**
 for fractions **44**, 45
 for rational numbers 155–159
 for real numbers 98, 198, 200
 associative and commutative laws for multiplication **143**–**144**

for fractions 60
 associative and commutative laws for multiplication (cont.)
 for rational numbers **165**, 170
 for real numbers 98, 198, 200
 assumption(s) 98, 115, 131, 136, 200, 243
 about basic isometries **285**, 290
 on multiplication of rational numbers **165**
 auxiliary line 296–297
 average rate 115
 of lawn-mowing **115**
 of water flow **115**
 average speed 91, 97, **111**–114, 120
 axiomatic geometry 229, 230, 231, 252
 axis of symmetry 233, 238, **275**–277,
 283–285, 300, 323, 371

B

Babylonians 339, 370
 base of
 cone **377**
 parallelogram **360**
 rectangular prism **376**–379
 trapezoid **361**
 triangle **295**, **358**–361, 368–369
 base angles **295**, 296
 basic isometries 252–285, **253**, 287–288,
 290, 298, 322
 assumptions about **285**, 290
 basic rules (for doing exercises) 18, 26, 40
 Beck, Anatole 364, 381
 Behr, Merlyn 4, 5, 381
 between (two points) **254**
 bigger than (= *greater than*) **15**, 31–35,
 52, 68, 69, 146, 184, 236, 302
 bilateral symmetry (= *reflectional symmetry*) **275**–277, 285, 300
 binomial coefficients **55**, 138

Birkhoff, Garet 199, 381
 birthday problem 121–123, 128, 131–133,
 136–137
 Bleicher, Michael N. 364, 381

C

calculator 41, 42, 54, 69, 132, 136, 137,
 173, 236, 304, 318
 California Exam for Teachers, 1875 108
 cancellation law **30**, 41, 88, 181
 generalized **89**, **180**
 cancellation rule **61**, 73, 74, 81, 83, 84, **180**
 Carpenter, Thomas P. 14, 381
 Cavalieri, Bonaventura 380
 Cavalieri’s Principle 380
 CCSSM (= *Common Core State Standards for Mathematics*) xi, xiv–xv, xvii, 13,
 235, 381, 383
 center of
 a circle **275**
 a cube **378**
 a square **378**
 center of dilation **301**–310
 center of rotation **277**–279, 284
 China, Chinese 17, 339, 370
 Chung, Kai Lai 55, 122, 381
 circle(s) 96, 236, **275**
 center of 249, **275**
 radius of 96, **275**, 370
 tangent to a side **237**, 238
 circular cone 342, **377**
 circumcircle (of a triangle) **237**, 251
 circumference of a circle 96, 106, **353**–355,
 356, 369–370, 372
 Clavius, Christopher 17
 clockwise 258, 278–280, 282, 286, 322
 closed half-plane **255**
 closed interval **189**, 193

- CMA (= *cross-multiplication algorithm*) **33**–
 35, 41, 52, 63, 69, 88, 100, 104, 107,
 108, 180, 217, 219, 224, 330
- cognitive connections 5, 6
- cognitive disruption 21
- coherence, coherent 1, 2, 6, 182, 233, 234, 325
 importance of xvi–xvii
- collinear **238**, 255–257, 282, 302, 305, 350
- Common Core State Standards for Mathematics (= *CCSSM*) xi, xiv–xv,
 xvii, 13, 235, 381, 383
- common denominator **45**–47, 54, 100
 least (= *LCD*) xii, 2, 43, **46**–47, 51, 98
- common divisor 30, **207**, 208, 210
 greatest (= *GCD*) 47, 203, **207**–217,
 219, 226, 227
- common multiple **45**–46, 227
 least (= *LCM*) 46, **227**
- common unit (for two fractions) 31
- commutative law (see also *associative and commutative laws for addition* and *associative and commutative laws for multiplication*) 143–144
 for vectors **152**
- compare fractions 31, 42
- compass 10, 235, 239, 245–251
 and ruler constructions 245–251
- complete expanded form **48**–**49**
- complete ordered field 14, 201
- complex fraction 88–95, **89**, 98–101,
 103–105, 108, 115, 116, 145, 180
 denominator of 89
 numerator of **11**, 17, 30, 179
- composite (number) **205**–207
- composition (of transformations) 284, 287,
 322, 323, 374
 of isometries **287**–289, 292–295,
 298–299, 323, 335
- concatenation **14**, 24–25, 43–44, 50, 52, 58,
 145, 151–153
- condition (BC) 340, **364**
- cone **377**
 base of **377**
 circular 342, **377**
 height of **377**
 right circular **377**
 top vertex of **377**
 volume formula for **378**, 379
- congruence xii–xiii, xv–xvii, 19, 63, 229,
 231, 233–235, 253, 287–301, **288**,
 315, 322–326, 331–332, 335, 343,
 348, 374
 triangle **289**, 291
- congruence criterion for right triangles **300**
- congruence criteria for triangles 290, **291**,
 300
- constant rate 97, 99, 108, 112, 117–118, 120
 of lawn-mowing **116**
 of water flow **115**
- constant speed 97, **112**–115
- constructions using plastic triangles 239–245
- constructions using ruler and compass 245–
 251
- of a line from a point perpendicular to a line 246–247
- of a line through a point parallel to a line 248
- of a regular hexagon in a circle 249–250
- of an equilateral triangle on a given side 249
- of the angle bisector of an angle 247
- of the perpendicular bisector of a line segment 247
- of the tangents to a circle from a point 250
- contradiction, proof by **206**–**207**, 208, 223,
 225, 283, 331–332
- convention 10, 12, 17, 106, 256, 259, 289, 323,
 356, 362
- convergence **346**–347

- of areas **364**, 367, 368, 374
- of geometric figures **346**–**347**
- of lengths **353**
- of numbers **346**
- converse** **33**
 - of the Pythagorean Theorem 331–333
- conversion of a fraction to a decimal 81–86
- conversion of an absolute value inequality to a double inequality 190
- conversion of units 117–118
- coordinate 232, 259, 272, 286
 - system (in the plane) 3, 231, 259
- corner **350**–**351**
- corresponding angles (of a transversal) **313**–**316**
- corresponding parts **289**, 291, 296, 313
- count 22, 127–129, 131, 132, 134–136
- countable 199
- counterclockwise (see also *clockwise*) 258, 278–280, 282, 294, 329
- Courant, Richard 351, 381
- CPCTC 289
- cross-multiplication algorithm (= *CMA*) **34**–**35**, 52, 63, 69, 88, 100, 104, 108, 180, 217, 224, 330
 - generalized **89**, 104, 115–116
- Crowe, Donald W. 364, 381
- cryptography 221
- cubic inch 376
- curricular coherence 182, 233, 234
- cylinder(s) 339, 340, 342, **376**–**379**
- D**
- data points 310–312, 318
- decimal(s) (finite) (= *terminating decimal*)
 - xii, xv, 5, **17**–**18**, 31, 220, 227, 350, 353
 - addition algorithm for **47**–**50**
- complete expanded form of 48–**49**
- conversion to fractions to 81–86
- division of 81–86
- fractions equal to 223–225
- multiplication algorithm for **68**–**69**
- notation of 17
- subtraction algorithm for 53, 55
- decimal digit **18**
- decimal fractions **17**
- decimal point **17**
- definitions xxi
 - importance of xii, xv, 2, 5, 6, 26, 39, 76–77, 101, 102–103, 104, 111, 115, 132–133, 288–289, 321, 335
- degree of angle 234, 247, 248, **257**–**258**, 268, 274, 276, 277–285, 287, 291, 314–317, 319
- degree of rotation **277**–**278**, 279–285, 288
 - clockwise 278–279
 - counterclockwise 278–279
 - negative **280**
- denominator xii, 17, 30, 179
 - common **45**–**47**, 54, 100
 - complex fractions **89**
 - least common (LCD) xii, 2, 43, **46**–**47**, 51, 98
 - rational quotient **180**
- Descartes, René 122
- diagonal 97, 198, **301**, 319, 357, 358, 378
- diameter 106, 251, **275**, 276, 372
- dice (plural of *die*) 128–133
- die 128–133
 - fair **128**
 - special **130**
 - super- **136**–**137**
- difference (of fractions and rational numbers) **52**, 73
- dilated image **302**, 303, 305, 309, 312, 354, 373
- dilation xiii, 234, **301**–**319**, 325–328, 354, 356

and area of a region 372–374
 center of **301**
 and degrees of angles 315, 373
 and direct measurement 304, 307
 scale factor of **301**
 and similarity 321–323
 dimension analysis 117–118
 Diophantus 165, 169, 171
 direction (of a vector on number line) **149**
 discrete rate problems **108**
 disjoint **255**
 disk **265**, 339, 341, 342, 364–370, 372, 377
 distance between

- parallel lines **360**
- points 146, **189**, 260–270

 distance-preserving 261, 297
 distributive law 59–60, 70, 79, 98, 143–
 144, 145, 165–169, 171, 198, 200,
 332
 for subtraction **172**
 divide (as in “a whole number divides
 another”) **204**, 210–218, 221, 222,
 224, 226,
 divide into equal parts **10**, 21–22, 28–29,
 36–37, 64–66, 78, 101–102, 106–
 108, 248–249, 251, 257, 320
 dividend 21, 23, 85–86, **209**
 divisibility rules 217–218
 division of

- complex fractions 90, 98
- decimals (finite) 81–86
- fractions 72, 73–78, **75**
- rational numbers 174–179, **177**
- rational quotients 182

 division as multiplication 79, 178
 division between arbitrary whole

- numbers m and n **24**–26, 61, 72

 division by 0 72, 77
 division interpretation of a fraction 21–26
 division of integers 178–179
 division-with-remainder 16–17, 50, 71, 72,
 82–85, 203, **208**–215, 218
 division

- measurement interpretation of 23, 71

 division, partitive 23
 divisor **204**, **209**
 document camera 262
 Don Quixote xvii
 dot between numbers (for multiplication)
 165, 189
 double inequality **189**–190, 193, 195–196
 draw tangents to a circle from a point 250
 drawing, freehand 235–238
 dropping a perpendicular from a point to
 a line 237, 241, 246–247

E

edge **335**, 337, 342, 350, 363
 Egypt, Egyptian 165, 339
 endpoint(s) of

- curve 343, 352
- segment 3, **7**–**9**, 189, 190, 237, 245,
 254, 297
- vector **149**–153, **262**

 enlargement 333–334
 equal

- angles 247, **258**, 291
- figures **265**
- lengths **9**
- numbers **15**
- segments **248**
- sets **211**
- vectors **149**

 equal parts **257**
 equal sign 14, 23, 87
 equality of sets **211**
 equation xiv, 233
 equidistant

- points 9, **146**, 297, 300

- parallel lines **306**, 366
 equilateral triangle **239**, 249, 319, **337**
 equiprobable (in probability) **133**, 139–141
 equispaced (points) **3**, 7, 9, 10
 equivalent (statements) **34**
 equivalent fractions 28–31, **30**
 fundamental theorem on **28**, 30
 Escher, M. C. 267, 284
 estimated value 191
 Euclid 102, 209, 216, 219, 221, 229, 381
 Euclidean Algorithm 203, 208, **209**, 214,
 216, 219
 even (whole number) **218**
 even chance **123**
 event (in sample space) **133**, 137–139
 probability of **134**
 excluded middle, law of 207
 experiment (in probability) **133**
 experimental geometry 229 ff.
 exponent **17**, 224
 exponential notation **17**
 extended place value 49
 exterior angle **317**, 331
- F**
- factor **204**, 221
 factorial 55, 135
 factorization 82, 83, **204**
 fair coin **122**
 fair die **128**
 fair special die **130**
 fair super-die **131**
 FASM (= *Fundamental Assumption of School Mathematics*) 93, 95,
 97–**98**, 103, 106, 113, 197–201,
 200, 207, 357
 Fermat, Pierre 122, 220, 382
 Fermat’s Last Theorem 122, 220
 FFFP (= *Fundamental Fact of Fraction-Pairs*) 11, **35**, 44, 45, 52
- figure (= *geometric figure*) **64**
 additivity of area **64**, 66, 67
 equal **265**
 figure paved by geometric figures **64**
 finite decimals xii, 5, 47, **17**–18, 30–31, 53,
 55, 56, 68, 70, 81, 220, 223, 224,
 227, 350, 353
 finite probability 121–141
 fixed (point) **274**
 folding transformation 260, 261,
 foot of the perpendicular **237**
 fraction(s) 1–10, **11**–18, 21
 addition of 43–47, **44**, 51, 89, 94, 98
 as division 21–26
 as quotient 21
 comparing **15**, 31–35
 conversion to infinite decimals 84–86
 division of 70–78, **75**
 equivalent 28–31, **30**
 “improper” **11**, 50, 54, 69
 in lowest terms xii, **30**, 41, 203, 204,
 208, 223, 224, 226
 multiplication of 56–63, **58**
 notation of 16
 “proper” **11**, 50–51, 80, 86
 reduced form **204**, 208, 209, 217
 subtraction of 51–53, **52**, 89, 160
 unit **11**, 170
 fraction bar 16, 72
 fractions equal to finite decimals 223–225
 fraction phobia 22
 fractional multiple **76**, 80, 86, 90
 Francis, Larry 290, 292, 329, 330, 331
 FTA (= *Fundamental Theorem of Arithmetic*)
 203, 205, 219–227, **220**
 full angle 276
 fun (mathematics as) xi, xiii, xvii, 122, 230
 function xiii, xiv, 14, 108, 112, 114, 231, 270,
 321
 Fundamental Assumption of School Mathe-

- matics (= *FASM*) 93, 95, 97–**98**, 103, 106, 113, 197–201, **200**, 207, 357
 fundamental assumptions on multiplication 165
 fundamental counting principle **127**–129, 131, 132, 134, 135
 Fundamental Fact of Fraction-Pairs (= *FFFFP*) 11, **35**, 44, 45, 52
- G**
 Gauss, Carl Friedrich 221, 381
 GCD (= *greatest common divisor*) 47, 203, 207–217, 219, 226, 227
 generic “work problem” 116–117
 generalized cancellation law **89**
 generalized cross-multiplication algorithm **89**, 108, 115, 116
 generalized invert-and-multiply 182
 generalized product formula **90**
 geometric figure (= *figure*) **64**
 geometric measurement 340–347, **341**, 351–355, 364–368
 additivity property 64, 66, 67, **343**–346, 349
 congruence property **343**, 374
 convergence property **346**–347, 353, 364–367
 unit figure in **342**
 geometry (in school curriculum) xii, xiii, xviii, 1, 10, 145, 229–235, 339–340
- Ginsburg, Jekuthiel 17, 381
 graph xiii, xv, xvii, 231, 233, 321
 graph paper 370–372
 greater than (= *bigger than*) **15**, 31–35, 52, 68, 69, 146, 184, 236, 302
 greatest common divisor (= *GCD*) 47, 203, **207**–217, 219, 226, 227
 Greenes, Carole 233, 382
 grid **365**–368, 370–372
 grid squares **365**
 gut feeling 15, 252, 283
- H**
 half-plane **255**, 256, 257, 260,
 closed **255**, 256, 257, 276, 287
 hands-on (activities, experiments) xii, xiii, 5, 230, 234, 253, 258, 261, 288–290, 303, 304, 312, 372
 Hartshorne, Robin 231, 381
 have opposite signs (numbers) **195**
 have the same sign (numbers) **185**, 196
 height, of
 cone **377**
 parallelogram **360**
 solid **376**–379
 trapezoid **361**
 triangle **358**–361, 368–369, 373
 Heitin, Liana xiv, 381
 Hindu-Arabic numeral system 17
 house-painting problems 115, 116
 Hypatia 165
 hypotenuse 96, 198, **238**, 240, 244, 300, **328**, 337, 357
- I**
 identity transformation **259**, 261, 302, 322
 if and only if **33**
 image (under a transformation) **259**, **260**, 265, 266, 268, 274, 280, 284–285, 318

- dilated **302**, 303, 305, 309, 312, 354, 373
 reflected **270**–**271**, **274**
 rotated 278, **280**
 translated **265**
 improper fraction **11**, 50, 54, 69
 as mixed number 50
 Indian 339
 inequality 69, 85, 94, 95, 98, 159, 180, 184–
 188, 189–196, 200, 254
 double **189**–**190**, 193, 195–196
 isoperimetric 197, 340
 triangle **192**, 195, 196
 inequality (cont.)
 weak 195
 infinite decimal 5, 81, 85, 350, 353
 inscribe in a circle **351**, 364, 368, 375
 inscribed polygon **351**, 353, 354, 355,
 364, 368–370
 integers (**Z**) **146**, 178–179, 204, 209
 integral linear combination **209**, 214–216
 integral multiple **204**
 interpolation 312
 intersection (of sets) **210**, 255–256, **343**
 interval (on number line) 189, 190, 193,
 198
 closed **189**, 193
 open **189**, 190
 time 97, 109–118
 unit 198
 intuition, the need of 234–235
 inverse (= multiplicative inverse) **76**, 175,
 176–**178**, 181
 inverse operation xvi, 77
 invert and multiply 2, 73–**76**, 78–79, **90**
 general form 182
 irrational number 1, 93, **96**, 97, 99, 106,
 198–201, 225–227
 isometry **260**
 basic **253**, 261
 isoperimetric inequality for rectangles
 197, 340
 isosceles triangle **295**–**296**, 297, 320, 368,
 369
 base of **295**
 base angles of **295**
 top angle of **295**
 top vertex of **295**
- J**
- Jensen, Gary, xii, 381
- K**
- Katz, Victor J. 339, 381
 Kazarinoff, Nicholas D. 197, 381
 kite **301**
 Koswatta, Sunil 150, 265, 272, 280
k-permutations **136**
- L**
- Lang, Serge 378
 law of excluded middle 207
 lawn-mowing problems 115–116
 LCD (see *least common denominator*)
 LCM (see *least common multiple*)
 least common denominator (= LCD) xii,
 2, 43, **46**–**47**, 51, 98
 least common multiple (= LCM) 46, **227**
 Least Upper Bound Axiom 200
 left-pointing (vector) **149**
 leg(s) (of a right triangle) 96, 238, 240,
 244, 277, 300, **328**, 337, 358
 lemma xxi
 length of
 curve 341, 351–**353**
 polygonal segment **350**
 segment in the plane 268, **270**, 274,
 284, 285
 segment on the number line 6, 7, **9**, 13,
 14, 23, 36, 43, 52, 58

- vector **262**
 Lesh, Richard 4, 5, 381
 less than (= *smaller than*) **15, 146**, 184
 limit 191, 200, 201, 347, 353, 354, 364
 line (straight) 236 ff.
 joining two points 240
 line of symmetry **275**
 linear equations xiii, xvii, 231, 233
 linear function without constant term xi, 108, 114
 locate a fraction on the number line 16–17, 94–95
 logarithm, natural 199
 long division 81–88, 209
 lowest terms (fractions) **30**, 204, 223–225
- M**
- Mac Lane, Saunders 199, 381
 magnify, magnification (also see *dilation*) 310–312, 333, **335**
 manipulatives 290
 map, mapping **259, 260**, 265, 271, 274, 280, 289, 301, 314, 323, 328, 333
 mathematical coherence 1, 2, 6, 182, 233, 234, 325
 importance of xiv–xv
 mathematical reasoning ix, xi, xix, 98
 importance of xiii, 2, 5, 6, 15, 26, 34, 39–40, 58, 80, 93, 102, 104, 105, 109, 111, 114–115, 127, 182, 200, 229–231, 233, 235, 259, 283
 mathematical structure 199
 max 210
 measurement (geometric) 340–347, **341**, 351–355, 364–368
 measurement interpretation of division 23, 71
 median 230, **295**, 296, 375
- memorize, memorization xiii, xv, 11, 38–40, 59, 61, 113, 162, 229, 233, 289
 mensuration formulas 339
 Merseth, Kay K. 333, 335, 381
 mesh **353**
 mid-section of a unit cube **378**–379
 midpoint 236–238, 247, 295, 304
 midpoint theorem **304**
 minus (rational number) **161**
 minus sign (see also *negative sign*) 166, 174
 mirror reflection **146**–147, 153, 155, 157, 166, 169, 259, 271
 mixed numbers 20, **50**–51, 79–80, 86, 162, 164
 addition 54
 as improper fraction 50
 multiplication 69
 subtraction 53
 modeling 13
 mph **109**
 multiple (of a unit fraction) 10, **11**
 whole number 76, 83
 multiple interpretations 4, 5, 6
 multiplication algorithm for finite decimals **68**
 multiplication
 complex fractions 90, 92–93
 decimal (finite) 68
 fractions 56–63, **58**
 mixed numbers 69
 rational numbers 164–172
 rational quotients 180
 multiplicative inverse **76**, 175, **176**–178, 181
 multiplicative structure of whole numbers 220–221
- N**
- National Mathematics Advisory Panel 2, 382

- natural logarithm 199
- NCTM (National Council of Teachers of Mathematics) xiv
- necessary and sufficient condition 33
- negative degree rotation 280, 282
- negative fractions 1, 95, 146, 148
- negative numbers 146
- negative sign (see also *minus sign*) 147, 175
- negative times negative 145, 166–168, 171
- neighboring parallel lines 306
- n-gon 350, 354, 364, 369
- notation for decimal fractions 17, 18
- numbers 3, 9
- comparing 146, 184, 200
 - irrational 1, 93, 96, 97, 99, 106, 198–201, 226
 - rational xii, xvii, 1, 4, 53, 93, 95, 96, 98, 143, 145–147, 146, 150, 153–201, 204, 225–227, 381
- numbers (cont.)
- real 1, 65, 96, 205, 226
- number line xii, 3–4, 6–7, 15, 16, 43–44, 50, 52, 94–97, 145–147, 149–150, 184, 189, 198–199, 254, 257, 258, 271
- numerator 11, 17, 30, 179
- of a complex fraction 89
- numerator of rational quotient 180
- O**
- obtuse angle 237, 238
- obtuse triangle 236–238, 237
- odd (whole number) 218
- of (as in $\frac{m}{n}$ of a number) 35–38, 36, 59
- one-to-one correspondence 334–335
- open interval 189, 190
- opposite angles (of a parallelogram) 319, 358
- opposite angles (of two intersecting lines) 285, 313, 315
- opposite interior angles 317
- opposite (of a rational number) 161
- opposite signs (numbers) 195
- order (among numbers) 15, 55, 143, 144, 146, 162, 184, 200, 220
- outcomes (of an experiment) 124–137
- outcomes that are not equiprobable 139–141
- P**
- pairing 289, 334
- parallel lines 243–244, 248, 262, 268, 302, 305, 309, 312–317, 319, 320, 360
- equidistant 306, 366
- Parallel Postulate 243, 288, 305, 309, 314, 316, 331
- parallelogram 319–320, 358, 360–362, 373
- area 360–361
 - base 360
 - height 360
- part-whole 7, 21
- partitive division 23
- parts of a whole 4
- Pascal, Blaise 55, 122, 382
- Pascal’s triangle 55
- pave, paving 64, 66–67, 345–346, 356
- percent xv–xvi, 92, 99–105, 101
- perfect n -th power 227
- perfect square 225
- perimeter 69, 88, 197, 339, 340, 350, 353, 362, 369
- permute 137
- permutations and combinations 121, 133, 136–137
- perpendicular 236–238, 241–242, 246–247, 270–272, 296, 306, 376
- perpendicular to a family of parallel lines 360
- perpendicular bisector 237, 238, 247, 270, 271, 277, 296–300

- π 354–355, 368–372, 370
 approximations to 355, 368–372
 pizza (in the teaching of fractions) xvi, 4,
 13, 20, 22, 34
 plastic triangles 239–243, 248, 249, 251,
 269, 304
 polygon 234, 324, 342, **350**–351, 362,
 363–365, 373–374
 inscribed **364**
 polygonal region 342, **351**, 363–369, 374
 converging to a region **364**
 polygonal segment 340, 342, 348, **350**–351,
 352–355, 362, 364, 369
 corners **351**
 on a curve **351**
 on a curve converging to curve **353**
 vertices **351**

 positive numbers 98, **146**–147, 171, 179,
 185, 197, 205
 positive square root **205**
 Post, Thomas 4, 5, 381
 Postelnicu, Valentina xiii, 233, 382
 power **17**
 power of 10 5, 17, 217, 218, 224
 pre-mathematics 4
 precise definitions xxi
 importance of xii, xv, 2, 5, 6, 26, 39,
 76–77, 101, 102–103, 104, 111,
 115, 132–133, 288–289, 321, 335
 precision xvi
 examples of xviii, 39, 40, 104, 182,
 187, 234–235, 256, 262, 288–289,
 321
 prime (number) **205**–207, 219, 220–227
 is 1 a prime? 205
 relatively prime **207**, 210, 213, 216–
 217, 222
 prime decomposition **220**–226
 prime divisor 205, 206, 219

 probability 1, **121**–143, **123**, **124**, **134**,
 381
 of an event **134**
 theoretical **123**
 problem-solving 2, 39–40, 59, 61
 product formula xvii, **60**, 61, 63–68, **90**
 product (of fractions and rational
 numbers) 56–63, **58**
 professional development xi, xiv, xv,
 xviii, 19, 21, 43, 61
 proof by contradiction **206**–**207**, 208,
 223, 225, 283, 331–332
 proper divisor **205**–207
 proper fraction **11**, 50–51, 80, 86
 proportional (sides) **324**
 proportional reasoning 108, 111, 335
 proposition xxi
 protractor 235, 236, 282, 285, 324
 purposefulness xvii
 examples of 17, 31–33, 35–36, 50,
 91–93, 95–98, 100–101, 109–111,
 147–149, 164–165, 197–200, 252–
 253, 301, 321–322, 340–347, 364
 pyramid, pyramids 377, **378**
 Pythagorean Theorem 96, 198, 199, 201,
 320, 321, 328–332, **329**, 337

Q

- quadratic function xiii, 321
 quadrilateral 238, 301, 318–320, 362, 373
 quotient
 of fractions 4, 16, 21, 23, 71, **75**, 82,
 84–86, 112, 115, 118
 of rational numbers 175, 177, 179,
 192, 197

R

- radial direction **303**

- radius 96, 106, 198, 245–250, 257, **275**,
 300, 353, 354, 370, 377, 379
 rate xv, 92, 97, **99**, 108–109, 112–117
 ratio xv, 4, 5, 7, 21, 34, 92, 99, **105**–
 106, 107–108, 119–120, 123, 124,
 126, 128, 232, 372
 rational numbers (**Q**) xii, xvii, 1, 4, 53,
 93, 95, 96, 98, 143, 145–149, **146**,
 150, 161, 198–200, 225–226, 382
 addition **153**–155, 160, 184, 185
 as division of integers 178–179
 division **174**–**177**
 multiplication 164–166, 170–171
 order (compare) **146**, 184
 subtraction **160**–163
 rational multiple **177**
 rational quotients 88, 92–94, 98, 145, 174, 179,
 180–182, 200

 ray 241, 246, **255**, 268, 274, 284, 285, 301–
 303, 305, 309,
 vertex **255**
 real numbers (**R**) xii, 3, **96**–98, 143–144,
 197–201, 226
 reasoning (= proofs) xi, xv, xxi, 98
 importance of xv, 2, 5, 6, 15, 26, 34,
 39–40, 58, 80, 93, 102, 104, 105,
 109, 111, 114–115, 127, 182, 200,
 229–231, 233, 235, 259, 283
 reciprocal **76**
 rectangle xvii, 29–30, 63–64, 69, 100,
 119, 197, **319**, 338, 340, 357
 area xvii, 56, **63**–**68**, 69, 88, 145,
 186, 197, 346, 348, 350, **357**
 in the grid **365**
 rectangular prism 376–377, 379
 reduced form of a fraction **204**, 208, 209,
 217
 reducing fractions xii, **30**, 39

 reduction (scale drawing) 333, **335**
 reflected image 145, 271, **274**
 reflection (across a line) **270**–277, 285,
 287, 296
 reflectional symmetry (= *bilateral symmetry*)
 275–277, 285, 300
 region in the plane 255, 342, 344,
 364–368, 372–374
 area **364**
 regular hexagon 239, **249**–250, 351,
 362–363, 375
 regular octagon 284
 regular pentagon 239
 regular polygon **351**
 regular tetrahedron **378**
 relative error **192**, 372
 relatively prime (whole numbers)
 207, 208, 213, 216–217, 222
 remainder (see also *division-with-remainder*) **209**, 210–213
 removing parentheses 162, 172
 repeating block (in a decimal) 86
 reproduce a line segment (with ruler
 and compass) 245
 reproduce an angle (with ruler and
 compass) 246
 rhombus **301**
 right angle 237, 238, 328, 330–332
 right circular cone **377**
 right circular cylinder **377**
 right cylinder **376**–377
 top of **377**
 right-pointing (vector) **149**
 right pyramid **378**
 right triangle 198, **237**, 300, 328–333
 congruence criterion for **300**
 rigid motion **260**, 292–294
 Robbins, Herbert 351, 381
 Rosenlicht, Maxwell 201, 382
 Ross, Kenneth A. 201, 382

- rotated image 278, **280**, 283, 284
 rotation (around a point) xii–xiii, 233, 234, **279**, 282–285, 314
 center of **277–279**, 284
 clockwise, counterclockwise 258, 278–280, 282, 294, 329
 degree of **277–278**, 279–285, 288
 of negative degree **280**, 282
 of positive degree 280, 282
 rotational symmetry **283**–284, 300
 Rudin, Walter 201, 382
 ruler and compass 10, 245–251
- S**
- same shape xii, 231, 234, 252, 288, 312, 321, 322
 same sign (numbers) **185**, 196
 same size xii, 13, 231, 234, 245, 288, 312, 333
 sample space **133**, 134, 137–139, 141, 142
 SAS criterion for congruence **291**–295, 300, 328
 SAS criterion for similarity (= *SAS for similarity*) **326**–328
 scale drawing 320, 321, 333–337, **334**
 scale factor
 in a scale drawing **334**, 336
 of a dilation **301**–305, 310, 312, 325–328, 336, 337, 354, 355, 372–374
 of a similarity **322**
 Schoenfeld, Alan 230, 382
 Schubert C Major quintet xvi
 segment (in the plane) **254**, 268, 274, 284, 285
 equal **248**
 intercepted on a line by parallel lines **360**
 length **270**
 segment (on the number line) 3, **9**, 10, 36, 43, 52, 58
 unit **3**, 7, 342–343, 348–350, 355
 sequence of equispaced points 3, 7, **9**, 10
 sequence of *n*-ths 9, 10, **11**, 29
 Serra, Michael 234, 382
 set(s) 210–211, 260, 321, 323, 341, 343
 equality of **211**, 283, 300, 302, 308, 336
 intersection of 343
 union of 343
 short segment **7**, 8, 38
 shrink (also see *reduction*) 310–312
 Shulman, Lee 108, 382
 side (of a line in the plane) **255**
 side (of a triangle or polygon) 236–238, 249, 350
 altitude on **295**
 median of **295**
 proportional **324**
 Silver Edward 4, 5, 381
 similar figures **322**–323
 drawing 312
 similar triangles xii–xiii, **323**–328
 similarity xv–xvii, 231, 234, 303, 309–312, 320–337, **322**, 355, 374
 and dilation 321–323
 slope (of a line) xiii, xv, xvi, 231–235, 324
 identification from the graph 233
 small part **24**–25
 small squares **370**
 smaller than (= *less than*) **15**, **146**, 184, 189
 solving equations xiv, 148
 special die **130**
 sphere 339, 340, 342, 376, 379, 380
 spinner 139–141, 143
 square **320**
 square cm **356**
 square inch **356**
 square root 205, 225, 226
 SSS criterion for congruence **291**, 295–299
 standard assumptions **131**, 133, 136

standard representation 7–8
 starting point (of vector) 149–153, 262
 Stein, Mary Kay 99, 104, 382
 straight angle 257, 258, 276
 straightedge 235, 239
 sub-units 345–346, 350, 356
 subtraction
 decimals (finite) 53, 55
 fractions 51–53, 52, 89, 160
 mixed numbers 53
 rational numbers 51–53, 52, 89, 160
 rational quotients 180
 subtraction algorithm for finite decimals
 53, 55
 subtraction as addition 160–163, 178
 sum of
 degrees of angles in a triangle 316–317
 fractions 43
 rational numbers 153
 vectors 150
 super-die 131–133, 136–137
 fair 131
 surface 340, 342, 344, 378, 380
 symbol(s)
 correct use of xiv, xviii
 division 26
 fraction 11, 27, 29, 35, 78, 178

symmetry
 axis of 233, 238, 275–277, 283–285, 300,
 323, 371
 bilateral 275–277, 285, 300
 line of 275
 reflectional 275
 rotational 283–284, 300
 translational 266–267, 285
 symmetry of two figures being similar 323

T

tangent 237, 250
 terminating decimal (= *finite decimal*)
 xii, xv, 5, 17–18, 31, 68–69, 220,
 227, 350, 353
 addition algorithm for 47–49
 complete expanded form of 48–49
 conversion of fractions to 81–84
 division of 81–86
 fractions equal to 223–225
 multiplication algorithm for 68–69
 notation of 17
 subtraction algorithm for 53, 55
 Textbook School Mathematics (= *TSM*)
 xi–xviii, 2, 13, 14, 15, 21, 26, 30,
 34–36, 46–47, 49, 50, 57, 62, 68,
 71, 77, 88, 91–94, 97–99, 101, 102,
 104–109, 111, 113–117, 119, 127,
 145, 176, 178, 182, 200, 229–231,
 233, 235, 289, 321, 333, 335, 339,
 340, 342, 372
 top angle (of isosceles triangle) 295, 296
 top vertex (of cone) 377, 378
 top vertex (of isosceles triangle) 295, 296
 tossing coins 121, 122, 133
 transformation(s) (of the plane) xii–xiii,
 253, 258–263, 265, 269, 287, 288,
 301, 302, 322
 translated image 265, 266, 268, 269
 translation along a vector (= *translation from A to B*) xii–xiii, 9, 233–235,
 259, 262–270, 274, 288, 289, 300,
 313, 323, 329
 translational symmetry, translationally
 symmetric 266–267, 285
 transparency, transparencies 234, 253,
 261–263, 268, 269, 273, 274, 277,
 280, 282, 289, 293, 310
 transversal 306, 307, 312–315

- trapezoid 361
 area 361
 base **361**
 height **361**
 tree diagram **125**–130
 triangle 230, 233, 236–238, 289–295
 acute **237**, 238
 area formulas 358–359
 circumcircle of **237**, 251
 congruence **289**, 291
 equilateral **239**, 249, 319, **337**
 isosceles **295**
 obtuse 236, **237**, 238
 Pascal’s 55
 plastic 239–245, 248, 249, 269
 right 198, **237**, 300, 328–333
 side of 236–238, 249
 sum of degrees of angles **316**–**317**
 triangle Inequality **192**, 195, 196
 triangulation **363**
 trichotomy law **184**, 217
 trisect (an angle) **248**
 true value **191**–**192**, 372
 TSM (= *Textbook School Mathematics*)
 xi–xviii, 2, 13, 14, 15, 21, 26, 30,
 34–36, 46–47, 49, 50, 57, 62, 68,
 71, 77, 88, 91–94, 97–99, 101, 102,
 104–109, 111, 113–117, 119, 127,
 145, 176, 178, 182, 200, 229–231,
 233, 235, 289, 321, 333, 335, 339
 TSM (cont.) 340, 342, 372
 two-column proofs 229, 230
 two-sided number line 145–147
- U**
- union (of sets) 317, **343**, 344, 363–366,
 369, 376–378
 unique, uniqueness 31, **75**, 77, 79, 90,
 174–177, 180, 181, 183, 199, 201,
- 203–205, 216, 220–222, 224, 226,
 254, 258
 unit (also see *dimension analysis*) **3**, 12–
 13, 35–36, 111, 113, 117–118,
 342, 345–346, 349
- unit**
- circle **257**–258, 354, 370–372
 cube 342–343, 376, **378**, 379
 disk **370**, 372
 figure **342**, 356
 fraction **11**, 170
 interval 198
 rate 114–115
 segment **3**, 7, 10, 342–343, 348–350
 square 29, **63**–66, 97, 198, 342–346
- V**
- variable xiv, xvii–xviii
 vector (on the number line) 147, **149**–
 159, 164, 185
 direction **149**
 endpoint **149**
 left-pointing **149**
 right-pointing **149**
 starting point **149**
 vector (in the plane) 195, 252, 253, **262**–
 270, 285, 286, 288, 293, 297, 336
 endpoint **262**
 equal **149**
 length **262**
 starting point **262**
 sum **150**
 translation along 252, 253, **262**–270,
 286, 293, 297, 336
- vertex 236–237, 240–241, 292–295, 298,
 300, **350**, 352, 363, 365
 of an angle **255**
 of a cone **377**
 of a ray **255**

top **295**, 296, **377**, 378

volume 339–344, 376–380

volume formula for

cone 377–379

cylinder 376–377

rectangular prism 376

sphere 379

W

water flow 115–116, 118, 120

well-defined **63**, 69, 77, 177, 364

whole numbers (**N**) 3, 10, 15, 146, 208,
209, 219–221

whole number multiple **76**, 83

whole number powers of 10 17, 217, 218

Wiles, Andrew 220

winning percentage **101**

X, Y, Z

x-axis 3, 198, 286

y-axis 3, 198, 259, 260, 286

zeros, at the right end of a decimal 18, 31

Zu Chongzhi 380

Zu Geng 380