

# Proceedings of Symposia in APPLIED MATHEMATICS


---

Volume 68

## Quantum Information Science and Its Contributions to Mathematics

American Mathematical Society  
Short Course  
January 3–4, 2009  
Washington, DC

Samuel J. Lomonaco, Jr.  
Editor



**American Mathematical Society**

AMS SHORT COURSE LECTURE NOTES  
Introductory Survey Lectures  
published as a subseries of  
Proceedings of Symposia in Applied Mathematics

*This page intentionally left blank*

Proceedings of Symposia in  
**APPLIED MATHEMATICS**

---

Volume 68

Quantum Information  
Science and Its  
Contributions  
to Mathematics

American Mathematical Society  
Short Course  
January 3–4, 2009  
Washington, DC

Samuel J. Lomonaco, Jr.  
Editor



**American Mathematical Society**  
Providence, Rhode Island

## EDITORIAL COMMITTEE

Mary Pugh    Lenya Ryzhik    Eitan Tadmor (Chair)

2000 *Mathematics Subject Classification*. Primary 81P15, 81P40, 81P45, 81P68, 68Q12, 57M25, 57M27, 20C35.

---

### Library of Congress Cataloging-in-Publication Data

American Mathematical Society. Short Course (2009 : Washington, D.C.)

Quantum information science and its contributions to mathematics : AMS Short Course, quantum computation and quantum information, January 3–4, 2009, Washington, DC / Samuel J. Lomonaco, Jr., editor.

p. cm. — (Proceedings of symposia in applied mathematics ; v. 68)

Includes bibliographical references and index.

ISBN 978-0-8218-4828-9 (alk. paper)

I. Quantum logic—Congresses. I. Lomonaco, Samuel J. II. Title.

QA10.35.A446 2009

530.1201'5113—dc22

2010019765

---

**Copying and reprinting.** Material in this book may be reproduced by any means for educational and scientific purposes without fee or permission with the exception of reproduction by services that collect fees for delivery of documents and provided that the customary acknowledgment of the source is given. This consent does not extend to other kinds of copying for general distribution, for advertising or promotional purposes, or for resale. Requests for permission for commercial use of material should be addressed to the Acquisitions Department, American Mathematical Society, 201 Charles Street, Providence, Rhode Island 02904-2294, USA. Requests can also be made by e-mail to [reprint-permission@ams.org](mailto:reprint-permission@ams.org).

Excluded from these provisions is material in articles for which the author holds copyright. In such cases, requests for permission to use or reprint should be addressed directly to the author(s). (Copyright ownership is indicated in the notice in the lower right-hand corner of the first page of each article.)

© 2010 by the American Mathematical Society. All rights reserved.

The American Mathematical Society retains all rights  
except those granted to the United States Government.

Copyright of individual articles may revert to the public domain 28 years  
after publication. Contact the AMS for copyright status of individual articles.

Printed in the United States of America.

∞ The paper used in this book is acid-free and falls within the guidelines  
established to ensure permanence and durability.

Visit the AMS home page at <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 1    15 14 13 12 11 10

## Contents

Preface vii

### Part 1: Quantum Information Science

Concentration of Measure Effects in Quantum Information  
PATRICK HAYDEN 3

An Introduction to Quantum Error Correction and Fault-Tolerant Quantum  
Computation  
DANIEL GOTTESMAN 13

### Part 2: Contributions to Mathematics

Riemannian Geometry of Quantum Computation  
HOWARD E. BRANDT 61

Topological Quantum Information Theory  
LOUIS H. KAUFFMAN and SAMUEL J. LOMONACO, JR. 103

Quantum Knots and Mosaics  
SAMUEL J. LOMONACO, JR. and LOUIS H. KAUFFMAN 177

Quantum Knots and Lattices, or a Blueprint for Quantum Systems that Do  
Rope Tricks  
SAMUEL J. LOMONACO, JR. and LOUIS H. KAUFFMAN 209

### Appendix

A Rosetta Stone for Quantum Mechanics with an Introduction to Quantum  
Computation  
SAMUEL J. LOMONACO, JR. 279

Index 343

*This page intentionally left blank*

## Preface

Years ago, when I was a beginning and naive graduate student, eagerly studying mathematics at Princeton, I wanted to know the secret to success in mathematics. I actually did believe that there must be just one secret that would lead to fame and fortune in this field. So during tea time in Old Fine Hall, I approached my all-wise thesis advisor (then reverently called Professor Fox), and naively posed the question:

*What is the secret to success in mathematics?*

Ralph Fox, without a moment's hesitation, fired back:

*Work where two research fields are merging.*

At that time, I did not fully comprehend the meaning and the significance of his prompt, laconic answer. But as the years have passed, I have begun to understand more fully the wisdom behind his terse one-line response. His words of wisdom have indelibly left an impression that has shaped the many choices made throughout my research career.

Perhaps, Ralph Fox was referring to his student John Milnor's success in creating the field of differential topology, a beautiful merger of differential geometry and topology. Or perhaps, he was referring to Stephen Smale's proof of the higher dimensional Poincare conjecture? Or was it his student John Stallings' creative merger of group theory and topology? In any case, throughout my career I have come to see Ralph Fox's prophecy repeatedly come true, over and over again.

Now, Ralph Fox's prophecy is becoming true once again in the newly emerging field of quantum computation and quantum information, i.e., quantum information science (QIS). Never before have I found such a convergence of so many research fields that are currently shaping the development of QIS,...and yes, of mathematics, itself. Never before has there been such a rich and immense research opportunity for the mathematical community. In particular, mathematics is now shaping QIS, and in turn, QIS is now shaping the development of mathematics.

For that reason, I organized and gave an AMS Short Course on Quantum Computation at the Annual meeting of the American Mathematical Society held in Washington, DC in January of 2000. This past short course is now recorded and encapsulated in the AMS book

**“Quantum Computation: A Grand Mathematical Challenge for the Twenty-First Century and the Millenium,”** PSAPM, vol. 58, Providence, RI, (2002).

For the same reason, I also organized at the same AMS meeting an AMS Special Session on Quantum Computation and Information which has been recorded in a second AMS book



**“Quantum Computation and Information,”** AMS, CONM, vol. 305, (2002).

Nine years later, much has changed. But one thing still remains unchanged. The mathematical opportunities are still there, more than ever before. For that reason, I once again organized and gave an AMS Short Course on QIS at the Annual Meeting of the American Mathematical Society held in Washington, DC in January of 2009. This AMS Short Course is now recorded in this AMS PSAPM volume.

Unlike the previous volume, which emphasized quantum algorithms, this new volume instead emphasizes quantum information and its contributions to many new resulting developments in mathematical research. For the reader with little, if any, background in or knowledge of quantum mechanics, we have provided in the appendix of this book a reprint of the paper by Samuel Lomonaco, entitled **“A Rosetta Stone for Quantum Mechanics with an Introduction to Quantum Computation,”** originally published in the 2000 AMS Short Course volume.

Much like the 2009 AMS Short Course, this volume is naturally divided into two parts.

In Part 1, two papers provide an overview of some of the latest developments in the theory of quantum information. The first paper by Patrick Hayden entitled, **“Concentration of Measure Effects in Quantum Computation,”** gives a survey of quantum information theory, i.e., a survey of the generalization and application of classical information theory to quantum communication and computation. The result is a rich theory of surprising simplicity. The quantum mechanical formalisms of density operators, partial traces, and super-operators are introduced, and then used to discuss the quantum communication channels. The paper ends with a discussion of how entanglement concentration of measure naturally occurs in higher dimensional subspaces.

The second paper by Daniel Gottesman, entitled **“Quantum Error Correction and Fault Tolerance,”** gives an introduction to QIS’s first line of defense against the ravages of quantum decoherence, i.e., quantum error correcting codes and fault tolerance. The paper begins with a discussion of error models, moves on to quantum error correction and the stabilizer formalism, then to fault tolerant circuits and thresholds, and ends with a quantum error correction sonnet.

Part 2 consists of four papers illustrating how quantum information can be used as a vehicle for creating new mathematics as well as new developments in QIS. The first paper by Howard E. Brandt entitled, **“Riemannian Geometry of Quantum Computation,”** is an introduction to recent developments in the application of differential geometry to quantum algorithm implementation. In particular, it shows how Riemannian Geometry can be used to efficiently factor (i.e., compile) a global unitary transformation (i.e., quantum computer program fragment) into a product of local unitary transformations (i.e., into a sequence of quantum computer assembly language instructions.)

The second paper by Louis H. Kauffman and Samuel J. Lomonaco, Jr. entitled, **“Topology and Quantum Computing,”** gives a survey of a number of connections between quantum topology and quantum computation. The paper begins with a question about the possibility of a connection between topological and quantum entanglement. It then discusses the unitary solutions of the Yang-Baxter equation as universal quantum gates and as representations of the braid group. The bracket

polynomial is presented in the context of Temperley-Lieb recoupling and topological computation. An analysis of the Fibonacci model is given. Finally, quantum algorithms for the colored Jones polynomial and the Witten-Reshetikhin-Turaev invariant are discussed.

The remaining two papers by Samuel J. Lomonaco and Louis H. Kauffman entitled respectively, “**Quantum Knots and Mosaics**” and “**Quantum Knots and Lattices: A Blueprint for Quantum Systems that Do Rope Tricks**” together illustrate how mathematics and quantum physics can be seamlessly interwoven into one fabric to create new research directions in both of these two fields. The first paper is based on the Reidemeister knot moves, the second on a new set of knot moves called wiggle, wag, and tug. The objective of each of these papers is to construct a blueprint for a physically implementable quantum system that simulates (and hence contains) tame knot theory. Each accomplishes this in three steps. In step one, tame knot theory is found to be equivalent to a formal writing system, i.e., a formal computer programming language. In step two, the formal rewriting system is then found to be equivalent to a group representation. Finally, in step three, the group representation is used to define a quantum knot system  $(\mathcal{K}, \Lambda)$ , consisting of a Hilbert space  $\mathcal{K}$  of quantum knots together with a unitary group  $\Lambda$  of quantum knot moves. Knot invariants now become quantum observables, physically measurable in a laboratory setting. The dynamic behavior of knots can now be expressed in terms of Hamiltonians. Most surprisingly, the knot moves can be transformed into infinitesimal moves which can be used to create knot variational derivatives. An immediate consequence is that now knot invariants can be defined as those knot functionals with vanishing knot variational derivatives.

It is hoped that this book will encourage mathematicians to take advantage of the many research opportunities in quantum information science.

*Acknowledgements.* Thanks are due to the other AMS Short Course lecturers, Howard Brandt, Daniel Gottesman, Patrick Hayden, Louis Kauffman, and Peter Shor for their many contributions to the 2009 AMS Short Course on Quantum Computation and to this volume. I would also like to thank the many AMS Short Course participants for their support and helpful discussions and insights. Many thanks to Sergei Gelfand, Wayne Drady, Stephen Moye, and Christine Thivierge of the American Mathematical Society for their help throughout this effort. I would also like to thank my wife Bonnie for her support during this entire endeavor. Finally, I should mention that this work was partially supported with the gracious funding of the L-O-O-P Fund.

Samuel J. Lomonaco, Jr.

Lomonaco@umbc.edu

<http://www.csee.umbc.edu/~lomonaco>

February 15, 2010

*This page intentionally left blank*

*This page intentionally left blank*

# Index

- 0-cells, 218
- 1-cells, 218
- 2-cells, 218
- 2-qubit register, 313
- 3-bar linkage, 214
- 3-cells, 218
- 4-bar linkage, 213
- 4-bar slider, 214
- 6-j symbols, 153
  
- $\text{ad}_X(Y)$ , 65
- adjoint, 288
- ambient group, 177, 178, 180, 189, 193
- ambient group  $\Lambda_{\ell,n}$ , 261
- ambient group of order  $(\ell, n)$ , 253
- ambient group system, 272
- ambient space, 265
- ancilla, 16, 35, 38–40, 42–45, 54, 55, 321
- Anyons, 150
- Aravind Hypothesis, 120
- Artin braid group, 109
- automorphism group, 327
- average value, 299
  
- $B_n$ , 110
- bad extended rectangle, 47
- Baker-Campbell-Hausdorff formula, 65
- bell basis, 336
- Bell inequality, 120
- Bell's inequality, 120
- Bendangle, 215
- big adjoint representation, 308
- bipartite quantum system, 325
- Bit Flip, 15
- blackbox, 309
- bounded  $j$ -skeleton, 249
- bounded knot  $(\ell, n)$ -type, 250
- bounded (lattice) ambient group  $\Lambda_{\ell,n}$ , 250
- bounded lattice knots of order, 249
- bra, 285
- bra-(c)-ket, 285
- bracket polynomial, 104, 126
- bracket products, 288
- bracket state summation model, 126
  
- braid, 109
- Brauer algebra, 139
- Brauer category, 139
  
- cat state, 36, 37
- category, 134
- cell complex, 219
- Christoffel symbols, 62
- circularly polarized, 283
- classical entropy, 322, 324
- Clifford group, 28–30, 35, 42, 43, 45, 51
- closed braid, 110
- CNOT, 28, 30, 35, 116, 327, 329, 330, 332
- coding space, 15
- color coding scheme, 222
- colored Jones polynomials, 104, 171
- commutator, 300, 308
- compatible, 299
- complex projective space, 287
- concatenated codes, 48, 54
- concentration of measure, 6
- conditional authentic move, 237
- conditional entropy, 5
- conditional OP local
  - auto-homeomorphisms, 237
- conditional symbolic moves, 236
- conjugate points, 62
- connection, 61
- connection point, 181
- constants of motion, 72
- contiguous, 182
- continuous ambient group, 203, 263
- continuous knot type, 263
- control bit, 328
- controlled-NOT, 329
- correct extended rectangle, 47
- CSS code, 23, 24, 35, 38
- cubes, 218
- cubic honeycomb, 218
- curvature, 61, 213, 218
  
- decoherence, 14, 16
- decoherence-free subspaces (DFS), 26, 27
- degenerate, 19, 291

- degenerate QECC, 21–23
- Dehn, 232
- density operator, 302–304
- density operators, 304, 315
- diagonal matrix, 303
- diagonalized, 291
- differential forms, 249
- differential geometry, 61
- Dirac notation, 285, 299
- directed system, 250
- distance of a CSS code, 23
- distance of a QECC, 19, 27
- drawing convention, 221
- Dubrovnik polynomial, 173
- Dvoretzky’s Theorem, 11
- dynamical behavior, 313
- dynamical decoupling, 26, 27
- dynamical invariant, 323
  
- ebits, 6
- edge ordering conventions, 224, 230
- edge state space, 252
- edges, 218
- eigenket, 290
- eigenspace, 290
- eigenvalue, 290
- Einstein, 316
- electromagnetic knots, 264
- elliptic transformation, 197
- elliptically polarized, 283
- elongation, 213
- enongation/contraction, 218
- entangled, 315
- entangled state, 119
- entanglement classes, 319
- entanglement cost, 10
- entanglement of distillation, 10
- entanglement of formation, 9
- entanglement type, 319
- entropy of entanglement, 6
- EPR, 314, 316, 317
- EPR pair, 314
- erasure error, 20
- error model, 54
- error propagation, 30, 36, 39
- error syndrome, 22, 27, 35, 49, 50
- expected value, 299
- extendable edge, 226
- extended rectangle, 46, 47
- extensible, 213, 218
  
- faces, 218
- faithful representation, 241
- fault tolerance, 29
- fault-tolerant circuit, 45, 46
- fault-tolerant error correction, 32–36
- fault-tolerant gadget, 30
- fault-tolerant gate, 32–34
- fault-tolerant gates, 29
- fault-tolerant measurement, 32, 38, 41
- fault-tolerant preparation, 32, 33, 44, 45
- fault-tolerant protocol, 45
- fault-tolerant quantum computation, 29
- fault-tolerant simulation, 45
- faulty location, 30
- Fibonacci model, 104, 159
- five-qubit code, 19, 24
- FPS, 243
- FPS knot, 243
- fractional quantum Hall effect, 204, 264
- free Boolean ring, 327
- Frenet frame, 212
- functor, 135
- fundamental problem of knot theory, 266
  
- gate teleportation, 42, 43, 45
- Gauss integral, 247
- generalized Pauli matrices, 64
- generator matrix, 22, 23
- geodesic equation, 61
- $GF(4)$ , 25, 26
- global unitary transformation, 320
- global unitary transformations, 318
- good extended rectangle, 47
- group of orientation preserving (OP) local auto-homeomorphisms of 3-space  $\mathbb{R}^3$ , 237
  
- Hadamard, 331
- Hadamard gate, 133
- Hadamard test, 133
- Hadamard transform, 28
- Hamilton, 314
- Hamiltonian, 62, 111, 300
- Hamiltonians, 195, 255
- Heegard, 232
- Heisenberg Hamiltonian, 310
- Heisenberg model, 309
- Heisenberg picture, 309–311
- Heisenberg uncertainty principle, 299
- Heisenberg’s uncertainty principle, 300
- Hermitian, 289
- hexagon identity, 149
- hidden variables, 316
- Hilbert space, 284
- Hilbert space  $\mathcal{G}_{\ell,n}$  of lattice graphs of order  $(\ell, n)$ , 252
- Hilbert space  $\mathcal{K}^{(\ell,n)}$  of lattice knots of order  $(\ell, n)$ , 252
- Hilbert space of knot  $n$ -mosaics, 193
- hinge, 229
- hyperbolic transformation, 197
  
- ideal decoder, 31–34
- incompatible, 300
- inextensible, 213, 218
- inextensible ambient group  $\tilde{\Lambda}_{\ell,n}$ , 253
- inextensible ambient isotopy, 273

- inextensible group system, 272
- inextensible knot  $(\infty, n)$ -type, 251
- inextensible knot  $\ell$ -type, 243
- inextensible knot  $(\ell, n)$ -type, 251
- inextensible knot type, 217, 243, 251
- inextensible lattice ambient group, 234
- inextensible move, 217
- inextensible moves, 217
- inextensible quantum knot  $(\ell, n)$ -type, 254
- inextensible quantum knot system, 253
- inextensible quantum knot type, 254
- infinitesimal degrees of freedom, 212
- infinitesimal moves, 218
- infinitesimal wiggles, 249
- integrals, 249
- invariants of knots, 103
  
- $j$ -skeleton, 219
- Jacobi field, 87
- Jacobi fields, 62
- joints, 213
- Jones polynomial, 126, 202, 262
- juxtaposition, 311
  
- $\mathbb{K}$ , 246
- $\mathfrak{k}$ , 246
- $k$ -move at location, 184
- $k$ -submosaic of  $M$  at location, 183
- $k$ -submosaic, 183
- ket, 285
- Knill error correction, 41, 43, 44
- Knill-Laflamme bound, 20
- knot, 107, 178, 210, 265
- knot 3-mosaics, 206
- knot diagram, 266
- knot functional, 246
- knot invariant, 109, 267
- knot  $\ell$ -type, 243
- knot mosaics, 178
- knot  $n$ -mosaic, 182
- knot theory, 107
- knot type, 177, 216, 243, 265
- Kronecker sum, 319
  
- $LAH_{OP}(\mathbb{R}^3)$ , 237
- $LAH_{OP}(\mathbb{R}^3)^{\mathcal{F}}$ , 237
- lattice, 218
- lattice ambient group, 209, 234
- lattice graph, 219
- lattice Hopf link, 219
- lattice knot, 219
- lattice knot injection, 250
- lattice knot moves, 224
- lattice number, 262
- lattice translation, 223
- lattice trefoil knot, 219
- left and right permutations, 221
- left- and right- circularly polarized photons, 287
- level reduction, 48
- Levi-Civita connection, 62
- Levy's lemma, 6
- lexicographically (lex) order, 192
- Lie algebra  $su(2^n)$ , 61
- Lie bracket, 65
- lifted Jacobi equation, 61, 62, 89
- linear ordering, 192
- linearly polarized, 283
- linkage, 213
- little adjoint representation, 308
- local expansion/contraction move, 215
- local interactions, 317
- local Lie algebra, 319
- local move, 214, 215
- local stochastic error model, 52
- local subgroup, 318
- local torsion move, 214
- local unitary transformations, 318, 321
- locally equivalent, 319
- location in a fault-tolerant protocol, 29, 30
- logical operation, 27, 31
- logical Pauli group, 27, 34
- logical qubits, 31
  
- maximally entangled subspace, 7, 9
- measurement, 113, 296
- mechanism, 213
- memoryless stochastic source, 321
- metric tensor, 66
- mirror image transformation, 197
- mixed ensemble, 302
- mixed ensembles, 320
- mosaic injection, 190
- mosaic knot diagram, 191
- mosaic number, 202
- mosaic Reidemeister 1, 188
- mosaic Reidemeister 2, 188
- mosaic Reidemeister 3 moves, 189
- mosaic Reidemeister moves, 188
- mosaic representative, 191
- mosaic system, 177
- multipartite quantum system, 307
- multipartite systems, 307
  
- $n$ -bounded cell complex, 249
- $n$ -bounded lattice, 249
- $n$ -Cobordism Category, 135
- $n$ -mosaic, 181
- nine-qubit code, 14, 15, 21
- No-Cloning theorem, 14, 15, 20, 333
- non-Markovian environment, 55
- nondegenerate, 19, 291
- nondegenerate QECC, 22
- nondeterministic notational convention, 185
- nondeterministic tiles, 185, 188
- normal operator, 290
- NOT, 331

- notational convention, 185, 186, 188, 189, 291, 312
- observable, 199, 289, 292, 304
- operator, 289
- operator quantum error correction, 26
- orbit projector, 261
- orbits, 319
- oriented knot  $n$ -mosaic, 208
- oriented lattice graphs, 273
- oriented lattice knots, 273
- oriented  $n$ -mosaic, 208
- oriented quantum knot, 273
- oriented tiles, 207
- orthonormal bases, 287
- parity check matrix, 22, 23
- partial trace, 305–307
- partition, 321
- path-ordered integral, 301
- Pauli coordinates, 64
- Pauli group, 21, 25, 28
- Pauli matrices, 15, 62, 294
- Pauli operator, 32
- Pauli space, 15, 16
- Pauli spin matrices, 293
- penalty parameter, 64
- pentagon identity, 148
- Phase Flip, 15
- physical gate, 29
- physical location, 29
- physical qubits, 29, 31
- placement problem, 107, 265
- planar isotopy moves, 186
- Planck's constant, 300
- Podolsky, 316
- polarization states of a photon, 287
- polarized light, 282, 297
- positive operator valued measures (POVMs), 297
- POVMs, 202, 262
- preferred edges, 220, 230
- preferred faces, 220, 230
- preferred frame, 220
- preferred vertex, 220, 230
- preferred vertex approximation, 244, 245
- preferred vertex map, 244
- preparations, 304
- principle of local interactions, 316
- principle of non-locality, 316, 317
- principle of reality, 316
- projection operator, 289
- projection operators, 290
- pure ensemble, 302, 315
- quandle product, 272
- quantum algorithms, 112
- quantum capacity, 4
- quantum channel, 4
- quantum circuit complexity, 61
- quantum circuit model, 61
- quantum computation, 61, 113
- quantum computer, 112
- quantum computing, 103
- quantum computing device, 326
- quantum entanglement, 202, 262, 315, 318
- quantum entropy, 322–324
- quantum error correction, 13
- quantum error correction condition, 18
- quantum error-correcting code (QECC), 17, 18
- quantum games, 115
- quantum gates, 62
- quantum Gilbert-Varshamov bound, 19
- quantum graph, 274
- quantum Hamming bound, 19
- quantum information, 111
- quantum knot, 180, 205
- quantum knot (0,3)-invariant, 261
- quantum knot 4-invariant, 201
- quantum knot  $(\ell, n)$ -invariant, 257, 259
- quantum knot  $(\ell, n)$ -type, 254
- quantum knot  $n$ -invariant, 198, 200
- quantum knot state space, 179
- quantum knot system, 177, 179, 193, 209, 253
- quantum knot systems, 253
- quantum knot tomography, 204, 264
- quantum knot type, 180, 254
- quantum knots, 177, 209, 253
- quantum measurement, 199, 258, 294, 303
- quantum mechanics, 111
- quantum mutual information, 10
- quantum repeaters, 334
- quantum replicator, 333
- quantum Singleton bound, 20
- quantum states, 287
- quantum system, 295
- quantum teleportation, 41, 42
- quantum topology, 103, 107
- quantum vortices, 204, 264
- quaternions, 123
- qubit, 61, 113, 283, 284
- qudit stabilizer codes, 26
- qudits, 26
- qunits, 113
- $r$ -filter, 31–34
- Random states, 6
- random subspaces, 7
- recoupling formula, 153
- refinement injection, 242
- refinement map, 242
- refinement morphism conjecture, 268
- regular isotopy, 128
- Reidemeister moves, 109, 210, 266
- repetition code, 14



- reversible computation, 327
- Riemann curvature tensor, 82
- Riemannian distance, 64
- Riemannian geometry, 61
- Riemannian metric, 62
- right invariance, 62
- right-invariance of the metric, 64
- right-invariant, 62
- Rosen, 316
- row major order, 192
  
- same continuous knot  $n$ -type, 203
- same continuous knot type, 203
- same inextensible knot  $(\ell, \infty)$ -type, 251
- same knot  $(\infty, n)$ -type, 250
- same knot  $(\ell, \infty)$ -type, 250
- same knot mosaic type, 191
- same knot  $n$ -type, 190
- same quantum knot  $n$ -type, 194
- same quantum knot type, 194
- Schmidt coefficients, 8
- Schrödinger equation, 62, 300
- Schrödinger Hamiltonian, 310
- Schrödinger picture, 309–311
- Schrödinger's equation, 300, 301, 308, 314
- Schrodinger equation, 263
- Schrodinger's equation, 257
- sectional curvature, 83
- selective measurement, 297
- selective measurement operator, 297
- self-adjoint, 289
- set of all lattice graphs, 219
- set of all lattice knots, 219, 246
- set of  $n$ -mosaics, 181
- seven-qubit code, 23
- Shannon bit, 282
- Shannon entropy, 321, 322
- Shor error correction, 37, 44
- singular value decomposition, 8
- Solovay-Kitaev, 43
- spacelike distance, 317
- special unitary group, 62
- special unitary group  $SU(2)$ , 122
- special unitary unimodular group  $SU(2^n)$ , 61
- spectral decomposition, 290, 293
- spin network, 146
- stabilizer, 21
- stabilizer code, 41
- stabilizer codes, 20
- standard basis, 252
- standard Jacobi equation, 89
- standard trace, 305
- state summation, 129
- statistical difference, 54
- statistical distance, 53
- Steane error correction, 38–41, 44
- stochastic sources, 322
  
- subsystem codes, 26
- suitably connected, 182
- superdense coding, 7
- superoperator, 65, 91
- superposition, 283
- SWAP, 331
- symplectic inner product, 24, 25
- symplectic matrices, 28
  
- tangent space manifold, 64
- Tangle, 215
- tangle category, 145
- target bit, 328
- teleportation, 334
- teleportation manual, 335
- Temperley-Lieb Algebra, 139
- Temperley-Lieb Category, 139
- Temperley-Lieb recoupling theory, 104, 142
- tensor product, 286
- tensor product decomposition, 321
- tetrahedral networks, 156
- theta networks, 156
- threshold error rate, 53, 54
- threshold for fault-tolerant quantum computation, 29
- threshold theorem, 45, 46, 52–54
- tiles, 181
- Toffoli, 328, 330
- topological entanglement, 202, 262
- topological quantum computing, 104
- topological quantum field theory, 104, 142
- topology, 107
- torsion, 213
- total quantum information theory, 103
- total tug, 247
- total wag, 247
- total wiggle, 247
- TQFT, 143
- trace inner product, 65
- transformation  $\mathcal{O}$ , 289
- transversal gates, 34, 35
- trefoil, 128
- truncated extended rectangle, 50
- tug, 209, 211, 213, 215, 216, 218, 224, 225
- tugs, 249
- tunnelling transformation, 197
- two-qubit gate  $G$ , 116
- typical subspaces, 4
  
- uncertainty, 299
- uncorrelated depolarizing error model, 51
- uncorrelated error model, 51
- uncorrelated Pauli error model, 51
- unitary, 300
- unitary knot moves, 253
- unitary linear transformation, 111
- unitary transformation, 62
- Universal Bendangle, 215

- variational derivatives, 247, 248
- variational gradients, 248
- vertices, 218
- von Neumann entropy, 5, 322
  
- wag, 209, 211, 213, 214, 217, 218, 224, 229,  
232
- wags, 249
- weight, 16
- weight of a Pauli operator, 19
- wiggle, 209, 211, 213, 216, 218, 224, 227
- wiring diagram, 327
- Witten-Reshetikhin-Turaev (WRT)  
invariants, 172
- Witten-Reshetikhin-Turaev invariants, 104
- writhe, 128
  
- Yang-Baxter equation, 103, 114, 146
- Yang-Baxter operator  $R$ , 113
- Yardstick, 198, 257

