

---

# Index

- Abel, Niels Henrik  
test, 111–112  
theorem, 211, 213, 246
- abelian theorem, 123
- Achieser, Naum Il'ich, 182, 377
- adjoint, 343
- analytic function, 22
- annulus, 12
- arc length, 5
- Argand, Jean-Robert, 31–32
- arithmetic function, 36
- arithmetic progression, 1
- Baker, Alan, 89, 377
- Barker, Ronald Hugh  
polynomial, 166
- Benedetto, John Joseph, 52, 278, 377
- Bernoulli, Daniel, 88
- Bernoulli, Jakob, 247  
number, 221  
polynomial, 83, 152, 220–229
- Bernstein, Sergei Natanovich, 377  
inequality, 158–162, 182  
theorem, 184
- Beurling, Arne  
trigonometric polynomial, 152
- binomial  
coefficient, 291  
theorem, 291–298  
negative, 296
- Boas, Ralph Philip, Jr., 182
- Bôcher, Maxime, 88, 377
- Bochner, Salomon, 247
- Bois-Reymond, Paul David Gustav du,  
210, 377
- Bonaparte, Napoleon  
Emperor, theorem, 15
- Borwein, Jonathan Michael, 338, 377
- Borwein, Peter Benjamin, 182, 338, 377
- Burger, Edward Bruce, 89, 377
- Cantor, Georg Ferdinand Ludwig  
Philipp, 89, 378  
function, 185–188, 194
- cardinal series, 274
- Carleson, Lennart Axel Edvard, 210,  
378
- Catalan, Eugène Charles  
number, 298
- Cauchy, Augustin Louis, 31, 182, 278,  
378  
convolution, 241, 295  
inequality, 3, 135, 340–341  
sequence, 3
- Cesàro, Ernesto  
summability, 91–110, 121, 123, 134
- Chebyshev, Pafnuty Lvovich  
polynomials, 299–308  
of the first kind, 299  
of the second kind, 304
- Christoffel, Elwin Bruno, 84
- completeness  
for  $L^p$ , 8  
of  $\mathbb{R}$ , 4
- completing the square, 2
- complex exponential with period 1, 34

- complex number
  - argument of, 11
  - complex conjugate of, 10
  - imaginary part, 10
  - modulus of, 10
  - real part of, 10
  - unimodular, 10
- conjugate Dirichlet kernel, 84
- continuity, 4
  - absolute, 8
  - modulus of, 175
  - uniform, 4, 262, 264
- convolution
  - Cauchy, 241, 295
  - of functions in  $L^1(\mathbb{R})$ , 254
  - of functions in  $L^1(\mathbb{R}^2)$ , 287
  - of functions in  $L^2(\mathbb{R})$ , 264, 268–270
  - of functions with period 1, 69–75
    - in several variables, 282
  - of periodic arithmetic functions, 39
    - in several variables, 280
- Cooley, James William, 52, 378
- Corput, Johannes Gualtherus van der
  - inequality, 233
  - theorem, 233
- Crane, Edward Thomas, 290
- Darboux, Jean-Gaston, 84
- Darst, Richard Brian, 194, 378
- difference, forward, 298
- difference-quotient, 309
- Dini, Ulisse, 134, 378
  - test, 196, 209
- Dirac, Paul Adrien Maurice
  - delta function with
    - period 1, 60, 134
- Dirichlet, Peter Gustav Lejeune, 54, 88, 134, 378
  - kernel, 77, 92
    - conjugate, 84
    - modified, 84
    - modified conjugate, 85
  - test, 111–112
- Discrete Fourier Transform, 36–52
  - Multiple, 279–280
- discriminant, 2
- distribution, 60
- dominated convergence
  - for integrals, 7
  - for series, 6
- Dumitrescu, Bogdan, 286, 378
- Duren, Peter Larkin, 134, 378
- Egorov, Dmitri Fyodorovich
  - theorem, 7
- entire function, 22
- Euler, Leonhard, 30, 88, 247
  - constant, 226
  - Euler–Maclaurin summation, 226
  - formula for  $\sum n^{-2}$ , 83
  - identity, 23
- exponential function, 22–24
- Fast Fourier Transform (FFT), 48–52
- Fatou, Pierre Joseph Louis, 148, 378
- Fejér, Lipót, 134, 163, 182, 378
  - kernel, 92, 131, 134
    - conjugate, 107, 134
  - lemma, 101
  - theorem, 102, 121, 125
- Fejér–Riesz theorem, 163
  - false in higher dimensions, 285
- Ferguson, Ronald Aubrey, 182, 377
- Ferreira, Paulo Jorge S. G., 278, 377
- Fischer, Ernst Sigismund, 144, 148, 378
- Fourier Transforms, 249–278
  - Multiple, 286–290
- Fourier, Jean Baptiste Joseph, 54, 246, 378
  - coefficients, 54
  - Fourier Series, 54–247
    - in several variables, 280–286
    - study of heat, 211–213
- Fubini, Guido
  - theorem, 8
- function
  - almost periodic, 286
  - arithmetic, 36
    - periodic, 36
  - of bounded variation, 198–205
  - exponential, 22–24
  - harmonic, 211
  - Lipschitz, 184
  - logarithm, 25
  - nowhere differentiable, 215–216
  - sawtooth, 58, 62, 78, 79, 151
    - discrete, 42
  - square wave, 59, 62, 64
  - support of, 272
  - theta, 276
- functions
  - hyperbolic, 369–374
  - trigonometric
    - in calculus, 357–369
    - in geometry, 351–357

- inverse, 364–369
- Fundamental Theorem of Algebra, 18–21
  - applications, 309–318
    - to linear differential equations with constant coefficients, 312–313
    - linear recurrences, 315–318
    - to partial fraction expansions, 313–315
    - to the location of zeros of the derivative of a polynomial, 309–312
- Fundamental Theorem of Calculus
  - First Form, 5
  - for complex-valued functions, 27
  - Second Form, 6
- Gauss, Carl Friedrich, 31, 32, 52, 338
- geometric progression, 2
- Gibbs, Josiah Willard, 88, 378
  - phenomenon, 79
- Girard, Albert, 35
- Golay, Marcel Jules Edward, 378
  - complementary pair, 166
- Goldberg, Richard Robinson, 247, 278, 378
- Gordan, Paul Albert, 89
- Graham, Sidney West, 182, 378
- Green, George
  - theorem, 7
- Hahn, Liang-Shin, 31, 378
- Hardy, Godfrey Harold, 209, 338, 378
  - tauberian theorem, 123, 125
- heat equation, 211–213
  - steady state, 211
- Heisenberg, Werner Karl
  - uncertainty principle, 267
- Herglotz, Gustav, 247
- Hermite, Charles, 89, 379
- Hilbert, David, 89
  - inequality, 217
- Hölder, Otto Ludwig, 379
  - inequality, 325–338
- Holt, Emily Marie, 267, 278
- Horváth, John, 148, 379
- Hunt, Richard Allen, 210, 379
- Hurwitz, Adolf, 89
- induction
  - mathematical, 3
  - weak, 3
- well ordering, 3
- strong, 3
- inequalities, 319–338
- inequality
  - arithmetic–geometric, 319–325
  - Bernstein, 158–162
  - Bessel’s, 347
    - for  $L^2(\mathbb{T})$ , 136
    - for  $L^2(\mathbb{T}^2)$ , 285
  - Cauchy’s, 3, 340–341
  - Cauchy–Schwarz, 135
  - Hilbert’s, 217
  - Hölder’s, 325–338
  - isoperimetric, 218
  - Minkowski’s, 329
  - Schwarz, 345
  - triangle, 6, 10, 26, 346
    - for  $L^2(\mathbb{T})$ , 136
  - Wirtinger’s, 218
  - Young’s, 325
- inner product, 37
- integration by parts, 6
- Jackson, Dunham, 182, 379
  - kernel, 176
  - theorem, 177
- Jordan, Marie Ennemond Camille, 134
  - theorem, 88, 201, 210, 272
- Kahane, Jean-Pierre, 182, 379
- Katznelson, Yitzhak, 247, 379
- kernel
  - analogue of Fejér, 257
  - Dirichlet, 77, 92
    - modified conjugate, 85, 151
  - Fejér, 92, 131, 134
    - conjugate, 107
  - Jackson, 176
  - Poisson, 132, 213
  - positive definite, 239–241
  - summability, 130, 131
- Kolmogorov, Andrey Nikolaevich, 210, 379
- Kronecker, Leopold, 66
  - theorem on Diophantine approximation, 286
- Lacroix, Sylvestre François, 246
- Lagrange, Joseph Louis, 52, 182, 246, 247
- Lambert, Johann Heinrich, 67
- Laplace, Pierre Simon, marquis de, 246

- laplacian, 211, 247  
 lattice point, 288  
 Lebesgue, Henri Léon, 102, 106, 379  
   measure theory, 7–8  
   point, 8, 103  
   test, 209  
 Leibniz, Gottfried Wilhelm von  
   rule, 6  
 Lévy, Paul Pierre, 194, 379  
 Lindemann, Ferdinand von, 89, 379  
 linearity  
   of the Discrete Fourier Transform, 38  
   of Fourier coefficients, 56  
   of the Fourier transform, 249  
 Liouville, Joseph, 89, 379  
 Lipschitz, Rudolf Otto Sigismund, 184,  
   209  
 Littlewood, John Edensor, 338, 378  
   polynomial, 165–175  
   tauberian theorem, 125  
   three principles, 7  
 logarithm, 25  
 logarithmic derivative, 310  
 $L^p$ , weak type, 106  
  
 Maclaurin, Colin, 226  
 Mahler, Kurt, 242, 244  
 mathematical induction, 3  
 matrix  
   adjoint, 343  
   circulant, 347  
   diagonal, 343  
   Hermitian, 343  
   orthogonal, 342  
   symmetric, 342  
   transpose, 339  
   unitary, 343  
 mean  
   arithmetic, 320  
     weighted, 323  
   geometric, 320  
     weighted, 323  
   harmonic, 322  
 Mean Value Theorem of differential  
   calculus, 4  
 measure  
   Mahler, 242  
 Mehta, Harsh, 134, 379  
 Minkowski, Hermann, 379  
   convex body theorem, 288–290  
   inequality, 329, 331, 338  
 Möbius, August Ferdinand, 31  
  
 modified Dirichlet kernel, 84  
 Moivre, Abraham de  
   formula, 12, 24  
 Monge, Gaspard, comte de Péluse, 246  
 monotone convergence theorem, 7  
 Montgomery, Hugh Lowell, 209, 379  
 Mossinghoff, Michael John, 182, 377  
  
 Napoleon's theorem, 15  
 von Neumann, John, 52  
 Newman, Donald Joseph, 194, 379  
 Newton, Isaac, Sir, 35  
 Newton–Girard formulæ, 35  
 Niven, Ivan Morton, 89, 379  
 norm  
    $L^p$ , 73  
    $L^1$ , 70  
   convergence in, 98  
    $\ell^q$ , 140  
    $L^1(\mathbb{R})$ , 249  
   of an algebraic polynomial, 241–246  
   uniform, 95  
 Nyquist, Harry, 274  
  
 operator, 88  
 Ostrowski, Alexander Markowich, 32  
  
 parallelogram law, 13, 167  
 Parseval, Marc-Antoine des Chênes,  
   148, 379  
 Parseval's Identity, 138–148  
   for the DFT, 43, 52  
   in several variables, 280  
   in several variables, 285  
 partition of an interval, 5  
   mesh, 5  
 Pascal, Blaise  
   triangle, 292  
 periodic arithmetic function, 36  
 Plancherel, Michel, 380  
   theorem, 265–266, 278  
 Poisson, Siméon Denis  
   kernel, 132  
 Pólya, George, 338, 378  
 polynomial  
   algebraic, 17–21  
     Bernoulli, 83, 220–229  
     Chebyshev, 299–308  
   trigonometric, 76, 77, 149–182  
     Barker, 166  
     Beurling, 152  
     degree of, 76

- in several variables, 282
  - Littlewood, 165–175
  - PM, 182
  - Shapiro, 167
  - ultra-flat, 182
  - Vaaler, 157
- power series, 21–23
- power sum, 35
- progression
  - arithmetic, 1
  - geometric, 2
- Pythagorean triangle, 13
- Rayleigh, John William Strutt, Lord, 278, 380
- rectangle theorem, 27
- Rees, Elmer Gethin, 290
- rhombus, 14
- Riemann, Georg Friedrich Bernhard, 88, 102, 106, 134
  - Principle of localization, 195
- Riemann–Lebesgue Lemma, 59, 102, 106
- Riesz, Frigyes, 144, 148, 163, 182, 380
- Riesz, Marcel, 134, 380
- Riesz–Fischer theorem, 144
- Rogosinski, Werner Wolfgang, 209, 378
- Rolle, Michel
  - theorem, 4
- Rudin, Walter, 182, 380
- Runge, Carl David Tolmé, 52
- sawtooth function, 58, 62, 78, 79, 151
- Schaeffer, Albert Charles, 182, 380
- Scheeffer, Ludwig, 194, 380
- Schwarz, Karl Hermann Amadeus
  - inequality, 135, 345
- set
  - convex, 288
  - symmetric about the origin, 288
- Shapiro, Harold Seymour, 182, 380
  - polynomials, 167
- Siegel, Carl Ludwig, 89, 290, 380
- singular, 8
- Sobolev, Sergei Lvovich, 253, 266
- square wave function, 59, 62, 64
- Steele, John Michael, 338, 380
- sum set, 12
- summability
  - Abel, 123
  - Cesàro, 91–110, 121
- summability kernel, 130–134
- summation formula
  - Euler–Maclaurin, 226, 278
  - Poisson, 270–278
    - in several variables, 288–290
- supremum, 72
- Tauber, Alfred, 123
- tauberian theorem, 123
  - Hardy’s, 123, 125
  - Littlewood’s, 125
- Titchmarsh, Edward Charles, 278, 380
- triangle inequality
  - for complex numbers, 10
  - for integrals, 6, 26
  - for real numbers, 10
- trigonometry, 351–374
  - hyperbolic, 369–374
  - in calculus, 357–369
  - in geometry, 351–357
- Tubbs, Robert Earl, 89, 377
- Tukey, John Wilder, 52, 378
- Turyn, Richard Joseph, 182, 380
- uniform distribution, 229–238
- unimodular, 10
- Vaaler, Jeffrey David, 182, 378
  - polynomial, 157
- Vallée Poussin, Charles-Jean Étienne
  - Gustave Nicolas de la
    - kernel, 133
    - power kernel, 133
- Vaughan, Robert Charles, 209, 379
- vector spaces, 339–348
  - abstract, 344–348
  - familiar, 339–344
- Vinogradov, Ivan Matveyevich, 34
- Wagon, Stanley, 32, 380
- Wallis, John
  - formula, 229
- wave equation, 213–215
- Weierstrass, Karl Theodor Wilhelm, 89, 97, 134
- well ordering, 3
- Weyl, Hermann Klaus Hugo, 380
  - criterion, 232, 247
  - theorem, 234
- Whittaker, Edmund Taylor, 278, 380
- Wiener, Norbert, 194, 380
  - theorem on  $1/f$ , 191–193
  - theorem on translates, 277–278

Wilbraham, Henry, 88, 381

Wirtinger, Wilhelm  
inequality, 218

Young, William Henry, 381  
inequality, 325, 338

Zygmund, Antoni, 182, 194, 209, 381