
Index

- absorbing Markov chain, 297
- absorbing state, 297
- additive commutator, 156
- adjacency matrix, 223–225
- adjacency matrix of a digraph, 236
- adjacency matrix of a graph, 170
- adjacent edges, 222
- adjacent vertices, 169
- adjoint, 18, 36
- $\|A\|_F$, 77
- algebraic multiplicity, 41
- asymptotically stable, 289

- balanced incomplete block design, 185, 189–191
- banded, 131
- bandwidth, 131
- basis, 3
- Bessel’s inequality, 28, 31
- best least squares fit, 26
- BIBD, 185, 189–191
 - symmetric, 190–191
- bidiagonal, 130
- bijective, 4
- bilinear form, 89
 - conjugate bilinear, 90
 - conjugate symmetric, 90
 - symmetric, 89
- Birkhoff theorem, 176–178
- block cycle matrices, 165–167
- block cyclic form, 244
- block cyclic matrices, 244
- block design, 185, 189
 - symmetric, 190–191
- block diagonal, 11
- block triangular, 11
- block triangular matrix, 84
- block triangular matrix, 80
- Bruck–Ryser–Chowla theorem, 187, 192, 202–204

- $\mathcal{C}[a, b]$, 18
- canonical form, 51
- Cauchy’s interlacing theorem, 97
- Cauchy–Schwarz inequality, 20
- Cayley–Hamilton theorem, 64–65
- chain, 224
 - directed, 236
- change of basis, 6–7
- change of basis matrix, 6
- characteristic polynomial, 39
- characteristic polynomial of a graph, 226
- characteristic values, 40
- Cholesky decomposition, 140
- circulant matrices, 163–165
- closed walk, 224
- cofactors, 12
 - expansion by, 12
- cohort model, 281
- Collatz, 253
- column operations, 102–105
- column rank, 5
- column space, 5
- commutator, additive, 156
- companion matrix, 66

- complement of a graph, 232
- complete bipartite graph, 227
- complete graph, 222
- complete metric space, 27
- complete orthonormal sequence, 28
- components, strong, 236
- condensation digraph, 240
- configuration, 171
- conformally partitioned, 10
- congruence, 198
- congruent matrices, 91
- conjugate bilinear, 17
- conjugate bilinear form, 90
- conjugate symmetric bilinear form, 90
- conjugate symmetric inner product, 17
- conjugate transpose, 8
- conjunctive matrices, 91
- connected graph, 225
 - diameter, 225
- continuous linear dynamical system, 279
- convergence in the norm, 31, 114, 116
- coordinates, with respect to a basis, 3
- coset leader, 273
- Courant–Fischer theorem, 95–96
- covers, 274
- cubic graph, 223, 227
- cycle
 - directed, 236
- cycle in a graph, 224
- deflation, 136
- degree of a regular graph, 223
- degree of a vertex, 222
- determinant, 11–12, 175
- diagonalizable, 42
- diagonal matrix, 8
- diagonalizability, 41–44
- diagonalizable, 42
- diagonalization, 41–44
- diagonally dominant, 46
- diameter of a graph, 225
- difference equation, 280
- differential equation, 280
- digraph, 235
 - of a matrix, 237
- dimension, 3
- direct sum
 - matrix, 11
 - subspace, 2
- directed
 - chain, 236
 - cycle, 236
 - trail, 236
- directed edge, 235
- directed graph, 235–238
- directed walk, 236
- discrete linear dynamical system, 279
- distance between vertices of a graph, 225
- dominant eigenvalue, 135
- dot product, 4
- doubly stochastic matrices, 176–178
- dual basis, 35
- dual space, 35
- dynamical system, 279–281
- Eckart–Young theorem, 124
- edge
 - directed, 235
- edge of a graph, 169, 221
- edges
 - adjacent, 222
 - multiple, 223
- eigenspace, 40
- eigenvalue, 39–40
 - of a Hermitian matrix, 94, 95, 97
 - of a positive definite matrix, 100
- eigenvector, 39
 - left, 40
- elementary matrix, 112
- elementary row and column operations, 102–105
- elementary row operations, 138
- ellipse, 145
- endpoints of an edge, 222
- entry-wise product, 178
- equilibrium point, 289, 291
- equivalent matrices, 7
- equivalent norms, 114
- error vector, 267, 269
- error-correcting codes, 265–267
- expansion by cofactors, 12
- exponential of a matrix, 51
- Fibonacci numbers, 279, 286
- field, 1
- field of values, 143–150
 - convexity, 148
 - two-by-two matrices, 145–147
- finite dimensional, 3
- finite projective planes, 191–197
- first-order difference equation, 283
- first-order differential equation, 283
- fixed point, 289, 291

- flag, 188
- \mathbb{F}^n , 2
- Fourier coefficients, 30
- Fourier series, 29
- Frobenius, 153, 252, 262
- Frobenius norm, 77, 118, 123
- Frobenius normal form, 242
- Frobenius–Schur index, 245
- full column rank, 70

- general digraph, 235
- general graph, 223
- generalized Hamming code, 272
- generator matrix, 268–269
- geometric multiplicity, 40
- Geršgorin Circle Theorem, 45–46, 119, 252
- Givens, 149
- Gram–Schmidt orthogonalization
 - process, 33
- graph, 169, 221
 - characteristic polynomial of, 226
 - complement of, 232
 - complete, 222
 - connected, 225
 - cubic, 223
 - diameter, 225
 - edge, 221
 - general, 223
 - imprimitive, 242
 - isomorphic, 222
 - order, 221
 - primitive, 242
 - regular, 223
 - simple, 222
 - spectrum, 226
 - strongly regular, 227–231
 - vertex, 221
- Hadamard, 33
- Hadamard codes, 276
- Hadamard determinant inequality, 33, 37, 105
- Hadamard matrices, 207–208
- Hadamard product, 15, 178
- Hall, Philip, 174–175
- Hamming code, 266–267, 271–272
 - generalized, 272
- Hamming distance, 269
- Helly’s theorem, 181
- Hermitian matrix, 8, 92, 139
 - eigenvalues, 94, 95, 97
 - field of values, 144
 - inertia, 92, 102
 - principal submatrix of, 97
 - repeated eigenvalue, 98
- Hessenberg matrix, 131
- Hilbert space, 25, 27
- Hoffman, 154, 179
- Hoffman–Wielandt theorem, 154, 178–180
- homogeneous linear system, 285
- Householder matrix, 38
- Householder transformation, 38, 127–133
- hyperplane, 23

- identity matrix, 5
- image, 4
- imprimitive graph, 242
- imprimitive matrix, 260–262
- incidence matrices for 2-designs, 189–191
- incidence matrix, 171
- incident, 222
- indefinite, 100
- indegree, 235
- index of imprimitivity, 242–244
- index of nilpotency, 57
- induced norm, 117
- inertia
 - Sylvester’s law, 93–94
- inertia of a Hermitian matrix, 92, 102
- initial vertex, 235
- injective, 4
- inner product, 17
 - conjugate bilinear, 17
 - conjugate symmetric, 17
 - in \mathbb{C}^n , 21–22
 - standard, 18
 - symmetric, 17
- interlacing theorem, 97
- invariant subspace, 10, 151
- inverse power method, 136
- invertible, 4, 6
- irreducible components, 242
- irreducible matrix, 238, 259–260
- isolated vertex, 222
- isomorphic, 4
- isomorphic graphs, 222
- isomorphism, 4

- J , 163
- Jacobi identity, 157

- J_n , 40
- Jordan block, 58
- Jordan canonical form, 52, 63–64
- $J_p(\lambda)$, 58
- kernel, 3
- $K_{m,m}$, 227
- König–Egerváry theorem, 173
- Kronecker delta, 35
- l^2 , 116
- L property, 158–161
- Lagrange expansion by cofactors, 12
- Lagrange four-square theorem, 202
- latent roots, 40
- lattice graph $L_2(m)$, 231
- LDU factorization, 138–140
- least squares fit, 26
- left eigenvector, 40
- length of a vector, 17, 18
- Leslie matrix, 282
- Lie algebra, 157
- line, 3
- line of a matrix, 173
- linear code, 267–269
- linear combination, 2
- linear constant coefficient systems, 285–288
- linear dynamical system, 279–281
- linear functional, 35
- linear transformation, 3
- linearly dependent, 2
- linearly independent, 2
- loop, 169, 221, 222, 235
- lower triangular matrix, 9
- l^p -norm, 114
- l^2 , 25
- $\mathcal{L}^2(a, b)$, 30
- majorization, 180
- Markov chain, 295–300
 - absorbing, 297
- Markov process, 295–300
- matrix, 4
 - block diagonal, 11
 - block triangular, 11, 80
 - companion, 66
 - diagonal, 8
 - equivalent, 7
 - Hermitian, 8, 92, 139
 - imprimitive, 260–262
 - irreducible, 259–260
 - lower triangular, 9
 - $m \times n$, 4
 - nilpotent, 57–61
 - nonderogatory, 66
 - nonnegative, 249, 258–259
 - normal, 78, 81–83
 - of a linear transformation, 5
 - orthogonal, 32
 - positive, 249
 - positive definite, 22, 99–102
 - primitive, 260–262
 - product, 4
 - similar, 7, 40
 - skew-Hermitian, 8
 - skew-symmetric, 8
 - strictly lower triangular, 9
 - strictly upper triangular, 9
 - symmetric, 8, 139
 - tensor product of, 13
 - triangular, 9, 40
 - unitary, 15, 32
 - upper triangular, 9
- matrix norms, 117–118
- max norm, 114
- maximin, 95–96
- McCoy’s theorem, 157–158
- Metzler matrix, 293
- minimal polynomial, 65–66
- minimax, 95–96
- minimum distance of a code, 270–271
- Minkowski’s inequality, 114
- multigraph, 223
- multiple edges, 223
- multiplicity
 - algebraic, 41
 - geometric, 40
- nearest neighbor decoding, 269–270
- negative definite, 99, 101
- negative semi-definite, 99
- nil algebra, 156
- nil ideal, 156
- nilpotent algebra, 156
- nilpotent ideal, 156
- nilpotent matrix, 57–61
- nonderogatory, 66
- nonnegative matrix, 249, 258–259
- nonnegative system, 292
- nonsingular, 6
- norm, 113–118, 123
- norm, Frobenius, 77
- normal matrix, 78, 81–83

- field of values, 144
- n -set, 171
- null space, 3
- nullity, 4
- number of walks of length m in a graph, 225
- numerical range, 143

- one-to-one, 4
- onto, 4
- open walk, 224
- operator norm, 123
- order of a graph, 221
- order of a projective plane, 191, 195
- orthogonal
 - complement, 23
 - projection onto a line, 19–20
 - projection onto a subspace, 23–26
 - set, 19
 - vectors, 19
- orthogonal matrix, 32
- orthogonal projection
 - onto a line, 19–20
 - onto a subspace, 23–26
- orthonormal, 19
- orthonormal basis, 21
- orthostochastic, 178
- outdegree, 235
- outer product, 18

- Paley, 208
- Paley's theorem, 209
- parity check, 266
- parity check matrix, 267–268, 271
- Parker, 81
- partitioned conformally, 10
- partitioned matrices, 9
- Pearcy, 86
- pencil, 158
- perfect code, 272
- permanent, 175–176
- permutation matrix, 172
- Perron's theorem, 249, 254–257
- Perron–Frobenius theorem, 249
- Petersen graph, 227
- plane, 3
- polar decomposition, 107–108, 126–127
- polar factorization, 107–108
- population cohort model, 281
- positive definite matrix, 22, 99–102, 139
 - eigenvalues, 100
- positive matrix, 249
- positive semi-definite, 99
- positive semi-definite matrix
 - square root of, 106
- positivity, 17
- power method, 135
- power series, 288
- primitive graph, 242
- primitive matrix, 245, 260–262
- principal submatrix, 9, 47
- principal submatrix of a Hermitian matrix, 97
- probability vector, 295
- product of matrices, 4
- projection, 15, 49
- projective plane of order 2, 185, 186, 191
- projective planes, 191–197
- proper values, 40
- property L, 158–161
- property P, 152
- Pythagorean theorem, 18–19

- QR factorization, 33, 129–130
- quadratic character, 209
- quadratic form, 198–199
- quadratic residue matrix, 209–211

- range space, 4
- rank, 4, 47
 - column, 5
 - of a linear transformation, 4
 - of a matrix, 5
 - row, 5
- rank k approximation, 123–125
- rank plus nullity theorem, 4
- rational canonical form, 64
- Rayleigh quotient, 94
- Rayleigh–Ritz ratio, 94
- reducible matrix, 238
- regular graph, 223
 - degree of, 223
- regular of degree k , 236
- repetition code, 265–266
- right shift operator, 31
- row echelon form, 138
- row operations, 102–105
- row rank, 5
- row space, 5
- row stochastic matrix, 295

- scalar, 2
- Scarpis, 208

- Schmidt, 124
 Schur, 245
 Schur complement, 10
 Schur, trace inequality, 80
 Schur, unitary triangularization theorem, 78
 SDR, 174, 176
 Segre characteristic, 61
 sequences
 square summable, 25
 similar matrices, 7
 similarity, 7, 51
 simple graph, 222
 simultaneous row and column operations, 102–105
 simultaneous triangularization, 151–158
 Singleton bound, 271
 singular value decomposition, 108–109, 121–126
 singular values, 108–109, 121–122
 skew-Hermitian matrix, 8
 skew-symmetric matrix, 8
 span, 2
 spanning set, 2
 Specht's theorem, 86
 spectral norm, 123
 spectral radius, 46, 123, 249, 252
 spectral theorem, 79, 83
 spectrum, 41
 spectrum of a graph, 226
 sphere-packing bound, 272
 square root of positive semi-definite matrix, 106
 square summable sequences, 25
 stable equilibrium point, 289, 291
 standard inner product, 18
 state vector, 279
 Steiner system, 185
 stochastic matrix, 295
 strictly lower triangular matrix, 9
 strictly upper triangular matrices, 155
 strictly upper triangular matrix, 9
 strong components of a digraph, 236
 strongly connected, 236, 238
 strongly connected vertices, 236
 strongly regular graph, 227–231
 subdigraph, 236
 submatrix, 9
 principal, 9
 subspace, 2
 direct sum, 2
 invariant, 10
 sum, 2
 subword, 274
 sum
 direct, 2
 subspace, 2
 sum norm, 114
 supply demand model, 284
 surjective, 4
 Sylvester's law of inertia, 93–94
 Sylvester's theorem, 53–54
 symmetric 2-design, 190–191
 symmetric bilinear form, 89
 symmetric block design, 190–191
 symmetric inner product, 17
 symmetric matrix, 8, 139
 syndrome, 273
 system of distinct representatives, 174, 176

t-designs, 185–189
 tensor product of Hadamard matrices, 208
 tensor product of matrices, 13
 tensor products, 13
 term rank, 173, 177
 terminal vertex, 235
 $T(m)$, 230
 trace, 15, 46
 trail, 224
 directed, 236
 transient state, 297
 transition matrix, 295
 transition probabilities, 295
 transpose, 8
 triangle in a graph, 224
 triangle inequality, 113
 triangular graph, 230
 triangular matrix, 9, 40
 triangularization, simultaneous, 151–158
 tridiagonal matrix, 131–133

 unitarily invariant norm, 118
 unitary equivalence, 77
 unitary invariants, 86
 unitary matrix, 15, 32
 unitary similarity, 77, 84–86
 unitary space, 18
 unitary transformation, 31
 upper bidiagonal, 130
 upper triangular matrix, 9

-
- valency of a vertex, 222
 - Vandermonde matrix, 34, 167
 - vector norms, 113–116
 - vector space, 1
 - vertex
 - degree of, 222
 - initial, 235
 - isolated, 222
 - terminal, 235
 - vertices of a graph, 169, 221

 - walk
 - closed, 224
 - directed, 236
 - open, 224
 - walk in a graph, 224
 - Weyr, 60
 - Weyr characteristic, 60–61
 - Weyr normal form, 67–68
 - Wielandt, 154, 179
 - Williamson, 212–216
 - Witt cancellation theorem, 200

 - $(0, 1)$ -matrix, 169
 - zero matrix, 5
 - zero-one matrix, 169