
Index

- \Leftrightarrow (logical equivalence), 288
- \Rightarrow (implies), 287
- \forall (for all, for every), 277
- \wedge (and, conjunction), 286
- \vee (or, disjunction), 285
- $\sim P$ (negation of P), 289
- 1-norm, 154
- (a, b) (open interval), 283
- (t_0, t_1, \dots, t_n) (partition of an interval), 178
- (x, y) (ordered pair), 323
- (x_1, x_2, \dots, x_n) (n -tuples), 324
- $D_k f$ (k^{th} partial derivative of f), 212
- $J_\epsilon(a)$ (ϵ -neighborhood about a), 2
- $P \vee Q$ (smallest common refinement of partitions), 178
- S^c (complement of a set S), 301
- S^n (n -fold Cartesian product), 324
- $S_1 \times \dots \times S_n$ (n -fold Cartesian product), 324
- TS (composite of linear maps), 135
- T_a (translation by a), 158
- $V \oplus W$ (direct sum of vector spaces), 130
- $[T]$ (matrix representation of a linear map), 148
- $[a, b]$ (closed interval), 283
- $[a_j^i], [a_{ij}]$ (matrix notation), 142
- $[x, y]$ (closed segment in a vector space), 132
- ΔF_a , 193
- ΔF_a (difference function), 53
- \mathbb{R}^n (n -space), 324
- \mathbb{R}^{m+n} ($\mathbb{R}^m \times \mathbb{R}^n$), 211
- $|x|$ (absolute value of x), 322
- αA (scalar multiple of a subset of a vector space), 126
- αa (scalar multiple of a matrix), 142
- $[f_k^j(a)]$ (Jacobian matrix), 225
- \cap (intersection), 299
- χ_A (characteristic function of a set), 178
- \circ (composition), 328
- \cong (isomorphism), 140
- \cup (union), 297
- \emptyset (empty set, null set), 281
- \exists (there exists), 278
- \forall (for all, for every), 277
- $\int_a^b \sigma$ (integral of a step function), 179
- $\int_a^b f$ (integral of a regulated function), 182
- $\int_c^d \left(\int_a^b f(x, y) dx \right) dy$ (iterated integrals), 214
- $\langle x, y \rangle$ (dot product, inner product), 217
- (a_{n_k}) (subsequence of a sequence), 29
- $\angle(x, y)$ (angle between two vectors), 218
- $\nabla \phi(a)$ (gradient of ϕ at a), 221
- $\|T\|$ (norm of a linear transformation), 164
- $\|f\|_u$ (uniform norm on $\mathcal{B}(S, V)$), 160
- $\|f\|_u$ (uniform norm on $\mathcal{B}(S, \mathbb{R})$), 154
- $\|x\|$ (norm of a vector), 153
- $\|x\|_1$ (the 1-norm on \mathbb{R}^n), 154
- $\|x\|_u$ (uniform norm on \mathbb{R}^n), 154
- $\overset{\circ}{\subseteq}$ (open subset of), 5, 71

- $\frac{\partial f}{\partial x_k}$ (k^{th} partial derivative of f), 212
 π_k (coordinate projection), 337
 ρ (Greek airline metric), 63
 $\sum_{k=1}^{\infty} a_k$ (infinite series), 234
 $\sum_{k=1}^{\infty} a_{\phi(k)}$ (rearrangement of a series), 240
 \times (Cartesian product), 324
 $\mathbf{0}$ (zero vector), 125
 $\mathbf{0}_{m \times n}$ (zero matrix), 146
 $\mathbf{1}$ (multiplicative identity in an algebra), 242
 ab (product of matrices), 143
 ax (action of a matrix on a vector), 144
 $d_k f_a$ (k^{th} partial differential), 210
 $f \wedge g$ (infimum of two functions), 92
 $f \vee g$ (supremum of two functions), 92
 $f(a, \cdot)$, $f(\cdot, b)$, 92
 $f(x) \rightarrow l$ as $x \rightarrow a$ (limit of a function at a point), 45, 93
 f^y , ${}^x f$, 214
 $f: A \rightarrow B: x \mapsto f(x)$ (function notation), 325
 $f|_A$ (restriction of f to A), 330
 f_k^j (k^{th} partial derivative of j^{th} component), 213
 f^k (k^{th} component of a function), 91
 f^{-1} (inverse of a function f), 334
 $f^{\leftarrow}(B)$ (inverse image of a set B under a function f), 327
 $f^{\rightarrow}(A)$ (image of a set A under a function f), 327
 f_k (k^{th} partial derivative of f), 212
 $f_n \rightarrow g$ (ptws) (pointwise convergence), 83, 161
 $f_n \rightarrow g$ (unif) (uniform convergence), 82, 160
 f_{loc}^{-1} (local C^1 -inverse of f), 252
 j_k (k^{th} canonical injection), 209
 $x \perp y$ (perpendicular, orthogonal), 219
 x^{-1} (inverse of an element of an algebra), 243
 $x_n \rightarrow a$ as $n \rightarrow \infty$ (limit of a sequence), 22, 77
 $A + B$ (sum of subsets of a vector space), 126
 $a + b$ (sum of matrices), 142
 $:=$ (equality by definition), 282
 $=$ (equals), 282
 \subseteq (subset of), 281
 \subsetneq (proper subset of), 281
 \sim (cardinal equivalence), 339
 \simeq (tangency), 52, 192
 $\stackrel{2}{\sim}$ (bitangency), 273
 ∂A (boundary of A), 68
 \bar{A} (closure of A), 7, 68
 A' (derived set of A , set of accumulation points), 7, 68
 A^+ (positive elements of a set A), 284
 A° (interior of A), 3, 67
 J^* (deleted neighborhood), 45
 T^* (adjoint of a bounded linear map), 172
 V^* (dual of a Banach space), 172
 a^t (transpose of a matrix), 143
 a^{-1} (inverse of a matrix), 146
 f' (derivative of f), 55
absolute
 convergence, 240
 maximum, 43, 57
 minimum, 43
 summability, 240
 value, 322
accumulation point, 7, 68
action of a matrix, 144
additive inverse, 125, 303
adjoint, 172
algebra, 141
 Banach, 242
 normed, 242
 unital, 141
algebraic number, 345
alternating series, 237
alternating series test, 238
 generalized, 237
angle, 218
antiderivative, 206
antisymmetric, 281
approximation theorem
 Weierstrass, 170, 187
arc, 111
Archimedean property, 321
arcwise connected, 111
arithmetic, 303
associative, 303
average value, 206
axiom
 least upper bound, 320
 of trichotomy, 309
 order completeness, 320
axioms
 categorical, 311

- consistent, 311
- $\mathcal{B}(S)$, $\mathcal{B}(S, \mathbb{R})$ (bounded real valued functions on a set), 81
- $\mathcal{B}(S, V)$ (bounded vector valued functions on a set), 160
- $\mathfrak{B}(V, W)$ (bounded linear maps), 163
- $\mathfrak{B}^2(V, W)$ (bounded bilinear maps), 266
- $\mathfrak{B}^n(V, W)$ (bounded multilinear maps), 270
- $B_r(a)$ (open ball of radius r about a), 60
- $B_r^*(a)$ (deleted open ball), 93
- ball
 - closed, 73
 - deleted, 93
 - open, 60
- Banach
 - algebra, 242
 - space, 171
- basis
 - standard, 131
- bijection, 332
- bijective, 332
- bilinear
 - functional, 266
 - associated with an operator, 266
 - symmetric, 269
 - map, 265
 - bounded, 266
- binary operation, 303
- binomial theorem, 315
- bitangent, 273
- Bolzano–Weierstrass theorem, 108
- bound
 - greatest lower, 318
 - least upper, 318
 - lower, 317
 - upper, 317
- boundary, 68
- bounded
 - above, 317
 - below, 317
 - bilinear map, 266
 - function, 81
 - interval, 283
 - linear functionals, 172
 - linear map, 163
 - multilinear map, 270
 - sequence, 26
 - subset of \mathbb{R} , 283, 317
 - subset of a metric space, 100
 - totally, 104
 - vector valued function, 160
- $C_r(a)$ (closed ball of radius r about a), 73
- $\mathcal{C}^2(U, W)$ (twice continuously differentiable functions), 271
- $\mathcal{C}(M)$, $\mathcal{C}(M, \mathbb{R})$ (continuous real valued function on M), 101
- $\mathcal{C}(M, N)$
 - family of continuous functions from M into N , 92
- \mathcal{C}^1 -inverse
 - local, 252
- \mathcal{C}^1 -invertible, 252
 - locally, 252
- \mathcal{C}^1 -isomorphism, 252
 - local, 252
- $\mathcal{C}^1(A, W)$ (continuously differentiable functions), 204
- \mathcal{C}_0 (functions continuous at $\mathbf{0}$), 51
- $\mathcal{C}_{\mathbf{0}}$ (functions continuous at $\mathbf{0}$), 191
- canonical injection maps, 209
- Cantor intersection theorem, 108, 115
- cardinal number, 340
- card S (cardinal number of S), 340
- Cartesian product, 324
- categorical, 311
- Cauchy
 - criterion, 236
 - integral, 182
 - product, 245
 - sequence, 113
- chain rule, 56, 57, 196, 228
- change of variables, 208
- characteristic function, 178
- closed, 8, 72
 - ball, 73
 - interval, 283
 - mapping, 209
 - segment, 132
- closure, 7, 68
- codomain, 325
- cofactor, 147
- column
 - index, 142
 - vector, 144
- commutative, 303
 - Banach algebra, 242
 - normed algebra, 242
- commute, 329
- commuting

- diagram, 329
- family, 168
- compact, 40
 - metric space, 99
 - sequentially, 103
 - subset, 99
- comparison test, 239
- complement
 - relative, 302
- complete, 114
- complex numbers, 310
- components
 - of a function, 91, 337
 - of a metric space, 112
- composite
 - function, 328
 - number, 315
 - of linear maps, 135
- conditionally convergent, 240
- conjunction, 286
- connected
 - arcwise, 111
 - metric space, 109
 - path, 111
 - subset, 109
 - subset of \mathbb{R} , 33
- conservation of energy, 222
- conservative, 222
- consistent, 311
- contains, 281
- continuous, 13, 17, 85
 - at a point, 11, 17, 85
 - piecewise, 182
 - uniformly, 175
- continuously differentiable, 204
- continuously differentiable, 139
- contraction, 117
 - constant, 117
- contraction mapping, 117
- contractive mapping theorem, 118
- contradiction, proof by, 292
- contrapositive, 290, 292
- convergence
 - absolute, 240
 - conditional, 240
 - of a sequence, 22, 77
 - of a series, 234
 - pointwise, 83, 160
 - uniform, 82, 160
- converse, 287
- convex
 - combination, 132
 - hull, 132
 - set, 132
- coordinate projections, 91
- countable, 343
- countably infinite, 343
- cover, 40, 99, 302
 - open, 40, 99
- covering, 302
- covers, 302
- criterion
 - Cauchy, 236
- curve, 111, 197, 204
 - at a point, 197
 - derivative of, 198
 - parametrized, 197
- $D_v f$ (directional derivative), 199
- D_c (derivative of a curve c), 198
- ΔF_a , 193
- ΔF_a (difference function), 53
- $\Delta^2 f_a$ (second order difference), 272
- $\frac{\partial^2 f}{\partial x_j \partial x_i}, D_{x_j} D_{x_i} f, D_j D_i f, \frac{\partial^2 f}{\partial x_i^2}, D_{x_i}^2 f,$
- $D_i^2 f$ (second order partial derivatives), 271
- $d^2 f_a$ (second order differential of f at a), 271
- d (Euclidean metric), 79
- $d(A, B)$ (distance between two sets), 79
- $d(x, y)$ (distance between two points), 60
- d_1 (taxicab metric, product metric), 62, 79
- $d_k f_a$ (k^{th} partial differential), 210
- d_u (uniform metric), 62, 79, 81
- df_a (differential of f at a), 55, 194
- De Morgan's laws
 - for sets, 301
 - in logic, 289
- decreasing
 - sequence, 26
 - strictly, 26
- deleted
 - neighborhood, 45
 - open ball, 93
- denial, 289
- dense, 74
- denumerable, 343
- dependent
 - linearly, 131
- derivative

- directional, 199
- in Banach algebras, 249
- of a curve, 198
- of a function from \mathbb{R} into \mathbb{R} , 56
- partial, 212
 - second order, 271
- derived set, 7, 68
- $\det a$ (determinant of a matrix), 147
- diagonal
 - main, 146
 - principal, 146
- $\text{diam } A$ (diameter of a set), 115
- difference
 - second order, 272
- differentiable
 - at a point, 55, 194
 - continuously, 139, 204
 - on a set, 203
 - twice, 271
- differential, 55, 194
 - Gâteaux, 199
 - partial, 210
 - second order, 271
- Dini's theorem, 102
- direct proof, 292
- direct sum
 - external, 130
- directional derivative, 199
- disconnected
 - metric space, 109
 - subset, 109
 - subset of \mathbb{R} , 33
- discrete metric, 63
- disjoint, 300
 - family, 300
 - pairwise, 300
- disjunction, 285
- distance
 - between real numbers, 1
 - between sets, 79
 - function, 60
- distributive law, 304
 - generalized, 300
 - in logic, 286
 - left, 304
 - right, 304
- divergence
 - of a sequence, 23
 - of a series, 234
- domain, 325
- $\text{dom } f$ (domain of a function f), 325
- dot product, 143, 217
 - of functions, 219
- double limit, 94
- dual space, 172
- \exists (there exists), 278
- E -valued step function, 178
- ϵ -neighborhood, 2
- e^1, \dots, e^n (standard basis vectors), 131
- element, 279
- empty set, 281
- \emptyset (empty set, null set), 281
- enumeration, 343
- equality, 282
 - by definition, 282
- equivalent
 - cardinally, 339
 - logically, 286, 288
 - metrics, 64
 - norms, 156
 - topologically, 75, 89
- error, 120
- Euclidean metric, 61
- Euclidean norm, 154
- evaluation map, 167
- eventually, 77
- eventually in, 22
- existential quantifier, 278
- expansion
 - of a determinant, 147
- exponential function, 248
- extension, 330
 - from closed sets, 238
- external direct sum, 130
- extreme
 - value, 43, 101
- extreme value theorem, 101
- $\mathcal{F}(S)$, $\mathcal{F}(S, \mathbb{R})$ (real valued functions on a set), 326
- $\mathcal{F}(S, T)$ (functions from S into T), 325
- $\mathcal{F}(S, V)$ (vector valued functions on a set S), 128
- \mathcal{F}_a (functions defined in a neighborhood of a), 49
- $\mathcal{F}_a(V, W)$ (functions defined in a neighborhood of a), 189
- factor, 315
 - trivial, 315
- family
 - commuting, 168
 - separating, 169

- field, 303
 - vector, 204
- finite, 339
 - intersection property, 102
- fixed point, 37, 118
- function, 325
 - E -valued step, 178
 - bounded, 81
 - characteristic, 178
 - exponential, 248
 - linear, 135
 - of a real variable, 325
- functional
 - bilinear, 266
 - multilinear, 270
- functionals
 - bounded linear, 172
- functions
 - regulated, 181
- fundamental theorem of calculus, 199, 206
- Gâteaux
 - differential, 199
 - variation, 199
- generalized distributive law, 300
- generated subspace, 129
- geometric
 - series, 235
- global
 - maximum, 43, 57, 101
 - minimum, 43, 101
 - property, 14
- gradient
 - at a point, 221
 - on an open set, 221
- graph, 325
- greatest, 318
 - lower bound, 318
- Greek airline metric, 63
- $H(a)$ (Hessian matrix at a), 272
- Heine–Borel theorem, 107
- Hessian matrix, 272
- homeomorphic, 37, 89
- homeomorphism, 37, 89
 - class, 38
- homogeneous, 231
- I_S (identity function on a set S), 329
- I_n, I (identity matrix, 146
- $\iota_{A,S}$ (inclusion map of A into S), 329
- idempotent, 112
- identity
 - elements, 303
 - function, 329
- identity matrix, 146
- iff (logical equivalence), 288
- image
 - inverse, 327
 - of a function, 327
 - of a point, 325
- implication, 287
- inclusion map, 329
- increasing
 - sequence, 26
 - strictly, 26
- independent
 - linearly, 131
- indirect proof, 292
- induced metric, 67
- induction
 - mathematical, 314
- inductive set, 313
- inequality
 - mean, 204
 - Minkowski, 61
 - Schwarz, 61, 218
 - triangle, 153
- infimum, 318
 - of two functions, 92
- $\inf A$ (infimum of A), 318
- infinite, 339
 - countably, 343
 - series, 234
- injection, 331
- injection maps
 - canonical, 209
- injective, 331
- inner product, 143, 217
 - of functions, 219
- input space, 325
- integers, 283, 314
- integral
 - Cauchy, 182
 - iterated, 214
 - of a step function, 179
 - test, 239
- integration by parts, 208
- interior, 67
 - of a set, 3
 - point, 3, 67
- intermediate value theorem, 36

- intersection, 300
- interval, 35
 - bounded, 283
 - closed, 283
 - open, 283
- inverse
 - additive, 125, 303
 - function theorem, 252, 256
 - image, 327
 - left, 334
 - local C^1 -, 252
 - multiplicative, 243, 303
 - of a matrix, 146
 - of an element of an algebra, 243
 - right, 334
- invertible, 334
 - C^1 -, 252
 - element of an algebra, 243
 - function, 140
 - linear mapping, 140
 - locally C^1 -, 252
- Inv A (invertible elements of an algebra), 243
- isometric isomorphism, 221
- isometric spaces, 89
- isometry, 89
- isomorphic, 140
 - naturally, 268
- isomorphism, 140
 - C^1 -, 252
 - isometric, 221
 - local C^1 -, 252
 - natural, 268
 - topological, 38
- iterated integrals, 214
- iterated limits, 94
- J^* (deleted neighborhood), 45
- $J_\epsilon(a)$ (ϵ -neighborhood about a), 2
- j_k (k^{th} canonical injection), 209
- Jacobian matrix, 225
- kernel, 138
- ker T (kernel of a linear map), 138
- kinetic energy, 222
- \mathcal{L} (linear functions from \mathbb{R} into \mathbb{R}), 50
- $\mathcal{L}(V, W)$ (linear maps between vector spaces), 135
- Laplace expansion, 147
- largest, 318
- law of cosines, 219
- least, 318
 - upper bound, 318
 - axiom, 320
- left inverse, 334
- Leibniz's formula, 216
- Leibniz's rule, 56, 195
- length, 153
- limit
 - double, 94
 - iterated, 94
 - of a function, 45, 93
 - of a sequence, 22, 77
 - pointwise, 83, 161
 - uniform, 82, 160
- $\lim_{(x,y) \rightarrow (a,b)} f(x,y)$ (double limits), 94
- $\lim_{n \rightarrow \infty} x_n$ (limit of a sequence), 22, 77
- $\lim_{x \rightarrow a} (\lim_{y \rightarrow b} f(x,y))$ (iterated limits), 94
- $\lim_{x \rightarrow a} f(x)$ (limit of a function at a point), 45, 93
- line
 - parametrized, 198
 - tangent, 198
- linear, 50, 135
 - combination, 130
 - dependence, independence, 131
 - function, 135
 - mapping, 135
 - invertible, 140
 - operator, 135
 - subspace, 128
 - transformation, 135
 - transformation, norm of a, 164
- linearity
 - of the inner product, 218
- local
 - C^1 -inverse, 252
 - C^1 -isomorphism, 252
 - maximum, 43, 57
 - minimum, 43, 57
 - property, 14
- locally C^1 -invertible, 252
- logical equivalence, 286, 288
- lower bound, 317
- \mathfrak{M}_n (square matrices), 142
- $\mathfrak{M}_{m \times n}$ (m -by- n matrices), 142
- m (bounded sequences of real numbers), 172
- M -test, 237
- main diagonal, 146
- map, 325

- mapping, 325
 - linear, 135
 - invertible, 140
- mathematical induction, 314
- matrix, 142
 - Hessian, 272
 - identity, 146
 - inverse of a, 146
 - Jacobian, 225
 - representation
 - of a bilinear functional, 269
 - of a linear map, 148
 - symmetric, 269
 - transpose of a, 143
 - zero, 146
- maximum, 43, 57, 101, 318
 - absolute, 43, 57
 - global, 43, 57, 101
 - local, 43, 57
 - of two functions, 92
 - relative, 43, 57
 - value, 43, 101
- max A (maximum of A), 318
- mean
 - inequality, 204
 - for curves, 204
 - for normed linear spaces, 205
 - for vector fields, 205
 - value, 206
 - theorem, 58, 208
 - theorem for vector fields, 207
- mean value theorem
 - failure of, 204
 - for scalar fields, 223
 - second order, 275
- member, 279
- Mertens' theorem, 245
- method of steepest descent, 223, 224
- metric, 60
 - discrete, 63
 - Euclidean, 61
 - Greek airline, 63
 - induced, 67
 - induced by a norm, 155
 - product, "the", 79
 - space, 60
 - taxicab, 62
 - uniform, 81, 160
 - on \mathbb{R}^n , 63
 - usual, 61
- metrics
 - equivalent, 64
 - on products, 79
 - topologically equivalent, 75
- minimum, 43, 101, 318
 - absolute, 43
 - global, 43, 101
 - local, 43, 57
 - of two functions, 92
 - relative, 43, 57
 - value, 43, 101
- min A (minimum of A), 318
- Minkowski inequality, 61
- minor, 147
- modus ponens*, 291
- monotone
 - sequence, 26
- multilinear
 - functional, 270
 - map, 270
 - bounded, 270
- multiplicative inverse, 243, 303
- multiplicity, 280
- mutually separated, 34, 110
- \mathbb{N} (the natural numbers), 283
- n -linear maps, 270
- n -space, 324
- natural numbers, 283, 313
- naturally isomorphic, 268
- negation, 289
- neighborhood
 - deleted, 45
 - of a point, 2, 9, 77
 - in a subset, 16
 - of a set, 203
 - relative, 16
- nested sequence of sets, 30
- Newton quotient, 194
- Newton's second law, 222
- nilpotent, 242
- norm, 153
 - 1- (on \mathbb{R}^n), 154
 - Euclidean, 154
 - of a bilinear map, 267
 - of a bounded multilinear map, 270
 - of a linear transformation, 164
 - preserving, 158
 - product, 157
 - uniform
 - on \mathbb{R}^n , 154
 - on $\mathcal{B}(S, \mathbb{R})$, 154
 - uniform _____ on $\mathcal{B}(S, V)$, 160

- usual
 - on $\mathcal{B}(S, V)$, 160
 - on \mathbb{R}^n , 154
- normed
 - algebra, 242
 - linear space, 153
- norms
 - equivalent, 156
- n -tuple, 324
- null set, 281
- null space, 138
- \emptyset (empty set, null set), 281
- number
 - composite, 315
 - prime, 315
- numbers
 - integers, 283
 - natural, 283, 313
 - rational, 283
 - real, 283
 - strictly positive, 309
- $\mathfrak{D}(V, W)$ functions, 190
- $\mathfrak{o}(V, W)$ functions, 190
- $\mathfrak{o}^2, \mathfrak{o}^2(V, W)$ functions, 273
- \mathfrak{D} functions, 50
- \mathfrak{o} functions, 50
- one-to-one, 331
- one-to-one correspondence, 332
- onto, 331
- open, 5
 - ball, 60
 - cover, 40, 99
 - in a subset, 16
 - interval, 283
 - mapping, 209
 - sentence, 277
 - subset of a metric space, 71
- operator
 - linear, 135
 - unilateral shift, 140
- order completeness axiom, 320
- ordered
 - n -tuple, 324
 - pair, 323
- orthogonal, 219
- output space, 325
- \mathbb{P} (the strictly positive real numbers), 283
- \mathfrak{P} (power set), 281
- π_k (coordinate projection), 337
- pairwise disjoint, 300
- parallelogram law, 218
- parameter, 197
 - interval, 197
- parametrization, 197
- parametrized
 - curve, 197
 - line, 198
- partial
 - derivative, 212
 - second order, 271
 - differential, 210
 - sum, 234
- partition, 178
 - associated with a step function, 179
- path, 111
- path connected, 111
- peak term, 29
- perpendicular, 219
- piecewise continuous, 182
- point
 - accumulation, 68
 - interior, 67
- pointwise
 - addition, 128
 - convergence, 83, 160
 - limit, 83, 161
- positive
 - elements of a set, 284
 - strictly, 283, 309
- positive definite, 218
- potential
 - energy, 222
 - function, 222
- power series, 247
- prime number, 315
- principal diagonal, 146
- principle
 - of mathematical induction, 314
 - of well-ordering, 316
- product
 - Cartesian, 324
 - Cauchy, 245
 - dot, 143, 217
 - inner, 143, 217
 - metric, “the”, 79
 - metrics, 79
 - norm, 157
 - of matrices, 143
 - of metric spaces, 79
 - of vector spaces, 130

- projections
 - coordinate, 91, 337
- proof
 - by contradiction, 292
 - direct, 292
 - indirect, 292
- proofs, 291
- proper subset, 281
- properly contains, 281
- property
 - Archimedean, 321
- Pythagorean theorem, 219
- \mathbb{Q} (the rational numbers), 283
- quantifier
 - existential, 278
 - restricted, 281
 - universal, 277
- quotient
 - Newton, 194
- \mathbb{R} (the real numbers), 283
- \mathbb{R}^n (n -space), 324
- \mathbb{R}^{m+n} ($\mathbb{R}^m \times \mathbb{R}^n$), 211
- $\text{ran } f$ (range of a function f), 327
- ratio test, 239
- rational numbers, 283
- real valued function, 325
- rearrangement of a series, 240
- recursive definition, 25
- refinement, 178
 - smallest common, 178
- reflexive, 281
- regulated functions, 181
- relation, 324
- relative
 - ϵ -neighborhood, 17
 - complement, 302
 - maximum, 43, 57
 - minimum, 43, 57
 - neighborhood, 16
 - topology, 16, 76
- relatively open, 16
- representation
 - of a bilinear functional, 269
 - of a linear map, 148
- restricted quantifiers, 281, 288
- restriction, 330
- Riesz–Fréchet theorem, 220
- right inverse, 334
- Rolle’s theorem, 58
- root test, 240
- row
 - index, 142
 - vector, 145
- rule of inference, 291
- $S_r(a)$ (sphere or radius r about a), 73
- s (sequences of real numbers), 127
- sandwich theorem, 25
- scalar, 126
 - field, 204
- Schwarz inequality, 61, 218
- second
 - order difference, 272
 - order differential, 271
 - order mean value theorem, 275
 - order partial derivative, 271
- self-adjoint, 222
- separable, 104
- separated
 - by open sets, 90
 - mutually, 34, 110
- separating
 - family of functions, 169
- sequence, 21, 77
 - Cauchy, 113
 - summable, 234
- sequentially compact, 103
- series
 - alternating, 237
 - convergent, 234
 - divergent, 234
 - geometric, 235
 - infinite, 234
 - power, 247
 - rearrangement of a, 240
 - sum of a, 234
- set, 279
 - membership in a, 279
 - subtraction, 302
- shift
 - unilateral, 140
- smallest, 318
 - common refinement, 178
- smallest subspace containing a set, 129
- space
 - Banach, 171
 - dual, 172
 - input, 325
 - metric, 60
 - normed linear, 153
 - output, 325
 - product, 79

- target, 325
- span, 131
- sphere, 73
- square matrix, 145
- square summable, 241
- standard basis, 131
- steepest descent, method of, 223, 224
- step function, 178
 - integral of, 179
- Stone–Weierstrass theorem, 169
- strictly
 - decreasing sequence, 26
 - increasing sequence, 26
- subalgebra, 141, 243
 - unital, 141
- subcover, 40, 99
- submultiplicative, 242
- subsequence, 29, 103
- subset, 281
 - proper, 281
- \subseteq (subset of), 281
- \subsetneq (proper subset of), 281
- subspace
 - generated by a set, 129
 - of a metric space, 67
 - vector, 128
- successive approximation, 119
- sufficiently large, 239
- sum
 - external direct, 130
 - of an infinite series, 234
 - of a geometric series, 31
 - partial, 234
- summable
 - absolutely, 240
 - sequence, 234
 - square, 241
- supremum, 318
 - of two functions, 92
- $\sup A$ (supremum of A), 318
- surjective, 331
- symmetric, 218
 - bilinear functional, 269
 - matrix, 269
- T_a (translation by a), 158
- tangent
 - at points other than 0, 53
 - at zero, 52, 192
 - line, 198
 - vector, 198
- target space, 325
- tautology, 288
- taxicab metric, 62
- term
 - of a sequence, 21, 77
 - peak, 29
- Tietze extension theorem, 238
- topological
 - equivalence, 89
 - isomorphism, 38
 - property, 15
- topologically
 - equivalent metrics, 75
- topology, 6, 75
 - relative, 16, 76
- total
 - energy, 222
- totally bounded, 104
- transformation, 325
 - linear, 135
- transitive, 281
- translation, 53, 158
- transpose, 143
- triangle inequality, 153
- trichotomy, 309
- trivial
 - factor, 315
- twice
 - continuously differentiable, 271
 - differentiable, 271
- uncountable, 343
- uniform
 - continuity, 175
 - convergence, 82, 160
 - limit, 82, 160
 - metric, 81, 160
 - on \mathbb{R}^n , 63
 - norm
 - on $\mathcal{B}(S, \mathbb{R})$, 154
 - on $\mathcal{B}(S, V)$, 160
 - on \mathbb{R}^n , 154
- unilateral shift, 140
- union, 299
- unit vector, 153
- unital
 - algebra, 141
 - Banach algebra, 242
 - normed algebra, 242
 - subalgebra, 141
- universal quantifier, 277
- upper bound, 317
- Urysohn’s lemma, 90

usual

metric on \mathbb{R}^n , 61

norm

on $\mathcal{B}(S, V)$, 160

on \mathbb{R}^n , 154

value

average, 206

mean, 206

variation

Gâteaux, 199

vector, 126

column, 144

fields, 204

mean inequality for, 205

row, 145

space, 125

endomorphism, 135

subspace, 128

unit, 153

velocity, 198

Weierstrass M -test, 237

Weierstrass approximation theorem,

170, 187

well-ordering, 316

\mathbb{Z} (the integers), 283

zero

matrix, 146

vector, 125