

- abundant number, E6.3.3 (177)
- accomplish, (154)
- additive arithmetic function, D6.1.4 (166)
 (completely), D6.1.5 (166)
 characterization of, T6.8.1 (207)
- additive basis, T12.3.3– (397), E12.3.10 (403)
- additive complement, 12.6 (412–419)
- Agrawal–Kayal–Saxena primality test (AKS), 157
- algebraic element, D10.1.4 (313)
 degree of, $\deg \vartheta$, D10.1.5 (313)
 minimal polynomial of, m_ϑ , D10.1.5 (313)
- algebraic integer, D9.6.1 (306)
- algebraic number, D9.1.1 (285)
 approximation of, T9.4.1 (296), T9.4.3 (298), T9.4.4 (298)
 conjugate over \mathbf{Q} of, $\vartheta_{(j)}$, D10.4.1 (331)
 degree of, $\deg \alpha$, D9.2.4 (289)
 minimal polynomial of, m_α , D9.2.1 (288)
 norm (in $\mathbf{Q}(\vartheta)$) of, $N(\alpha)$, D10.4.4 (334), T10.4.5 (334)
 relative conjugate of, $f(\vartheta_{(j)})$, D10.4.2 (332), T10.4.3 (333)
- algebraic number field, $\mathbf{Q}(\vartheta)$, D10.2.1 (315), T10.2.3 (316)
- algebraically closed field, P9.3.6+ (294)
- amicable numbers, E6.3.7 (178)
- approximation (Diophantine), 8.1 (263–270)
 of algebraic numbers, T9.4.1 (296), T9.4.3 (298)
 of irrational numbers, 8.1 (263–270)
 of rational numbers, E8.1.1 (268)
 simultaneous, T8.1.3 (265), T8.1.4 (265)
- arithmetic function, D6.1.1 (165)
 additive, D6.1.4 (166)
 completely additive, D6.1.5 (166)
 completely multiplicative, D6.1.3 (166)
 multiplicative, D6.1.2 (166)
- arithmetic progressions, monochromatic, T12.4.4 (406), T12.4.4A (406)
 primes in, (116), T5.3.1 (125)
- average order function = mean value function
- average order of magnitude of $\varphi(n)$, T6.7.4+ (197)
 of $\sigma(n)$, T6.7.3+ (196)
- basis (additive), T12.3.3– (397), E12.3.10 (403)
- basis, integral, in $\mathbf{Q}(\vartheta)$, $\omega_1, \dots, \omega_n$, D10.5.1 (336), T10.5.4 (338)
- Bertrand’s postulate (Chebyshev’s theorem), T5.5.3+ (135)
- binomial congruence, T3.5.1 (88)
- C** = complex numbers
- canyon theorem, T6.4.1 (178)
- Carmichael number, D5.7.3 (152)
- Cauchy–Davenport–Chowla theorem, T12.3.1 (395)
- ceiling, $\lceil \]$, P1.2.1 (11)
- characterization of additive arithmetic functions, T6.8.1 (207)
- Chebyshev’s inequality, P6.7.7+ (202), P12.1.1 (378)
- Chebyshev’s theorem, T5.5.3 (135)
- Chevalley’s theorem, T3.6.1 (91)
- Chinese Remainder Theorem, T2.6.2 (59)
- class number, T11.6.3 (373)
- colorings, T12.4.2 (405), T12.4.4 (406), T12.4.4A (406)
- commensurability of segments, E1.3.17 (21)
- common divisor, greatest, (a, b) , $\gcd\{a, b\}$, D1.3.1 (15), D7.4.9 (225)
- common divisor, special, (a, b) , D1.3.2 (15)
- common multiple, least, $[a, b]$, $\text{lcm}\{a, b\}$, D1.6.5 (30)
- commutative field, F , T2.8.3+ (69)
- commutative group, P2.8.5+ (69)
- complement (additive), 12.6 (412–419)
 completely economic (CEC), T12.6.2– (415)
- complete residue system, D2.2.2 (41), T2.2.3 (42)
- completely additive arithmetic function, D6.1.5 (166)
- completely economic complement (CEC), T12.6.2– (415)
- completely multiplicative arithmetic function, D6.1.3 (166)
- congruence, $a \equiv b \pmod{m}$, D2.1.1 (37)
 for Eulerian integers, D7.7.8 (245)
 for numbers $a + b\sqrt{3}$, P5.2.4 (122)
 modulo prime powers, T3.7.1 (96)
 binomial, $x^k \equiv a \pmod{p}$, T3.5.1 (88)
 linear, $ax \equiv b \pmod{m}$, D2.5.1 (52), T2.5.3 (53)–T2.5.5 (55)
 number of solutions of, D2.5.2 (53)
 quadratic, $x^2 \equiv a \pmod{p}$, D4.1.1 (101)
- conjugate over \mathbf{Q} , $\vartheta_{(j)}$, D10.4.1 (331)

- relative, $f(\vartheta_{(j)})$, D10.4.2 (332), T10.4.3 (333)
 continued fraction, 8.3 (275–281)
 digit, D8.3.1 (275)
 convolution, $f * g$, D6.6.1 (190)
 coprime = relatively prime, D1.3.7 (18)
 pairwise, D1.3.8 (18)
 covering congruences, 12.5 (408–412)
 disjoint (DCC), E12.5.6 (412)
 cryptography, 5.8 (160–165)
 cryptosystem, public key, 5.8 (160–165)
 cyclotomic polynomial Φ_m , P5.3.4 (126)
- $d(n)$ = number of (positive) divisors of n , T1.6.3 (29)
 $d_k(n)$, D6.2.6 (171), T6.2.7 (171)
 decimal fraction, E3.2.20 (79)
 deficient number, E6.3.3 (177)
 deg = degree
 degree of algebraic element, $\deg \vartheta$, D10.1.5 (313)
 of algebraic number, $\deg \alpha$, D9.2.4 (289)
 of field extension, $\deg(M : L)$, D10.1.2 (311)
 of polynomial modulo m , $\deg f$, D3.1.1 (73)
 derivative of a polynomial, f' , T3.7.1 (96), P5.3.4 (126)
 Diffie–Hellman principle, (160)
 Diophantine approximation, 8.1 (263–270)
 Diophantine equation, T1.3.6– (18)
 linear, T1.3.6 (18), T7.1.1 (212)
 Dirichlet series, $F(s)$, D6.6.3 (192)
 Dirichlet's theorem (on primes in arithmetic progressions), T5.3.1 (125)
 discrete logarithm = index, $\text{ind } a$, $\text{ind}_g a$, D3.4.1 (86)
 discriminant of $\mathbf{Q}(\vartheta)$, P10.5.4+ (338)
 of n -tuples in $\mathbf{Q}(\vartheta)$, $\Delta(\alpha_1, \dots, \alpha_n)$, D10.5.2 (337)
 disjoint covering congruences (DCC), E12.5.6 (412)
 divisibility, divisor, $b \mid a$, D1.1.1 (7), D7.4.4 (224)
 among Gaussian integers, $\beta \mid \alpha$, D7.4.4 (224)
 among ideals, $B \mid A$, D11.4.3 (359)
 among integers, $b \mid a$, D1.1.1 (7)
 divisibility laws, E1.1.14 (10)
 division algorithm (for integers), T1.2.1 (11), T1.2.1A (12)
 in Euclidean rings, D11.3.4 (353)
 for Gaussian integers, T7.4.8 (224)
 divisors, number of, $d(n)$, T1.6.3 (29)
 divisors, sum of, $\sigma(n)$, D6.2.1 (170), T6.2.2 (170)
- e is irrational, T9.5.1 (301)
 e is transcendental, T9.5.3 (303)
 Egyptian fraction, E7.3.6 (222)
 elementary symmetric polynomial, σ_j , T9.3.1+ (291)
 equivalence relation, P2.1.2+ (38)
 equivalent ideals, D11.6.1 (373)
 Eratosthenes, sieve of, T5.1.2 (114)
 Euclidean algorithm, P1.3.3 (16)
 Euclidean ring, D11.3.4 (353), T11.3.5 (354)
 Euler–Fermat Theorem, T2.4.1 (50)
 Eulerian integer, $\alpha = a + b\omega$, D7.7.4 (244)
 Eulerian prime, T7.7.7 (245)
 Eulerian rational, 9.6.E3 (306)
 Euler's function φ , $\varphi(n)$, D2.2.7 (43), T2.3.1 (47)
 Euler's theorem for partitions, T7.9.5 (258)
 even numbers, number theory of, P1.1.3+ (8), P1.4.3+ (22), P1.5.1– (24)
 extension = field extension
- F : denotes a commutative field in general
 $F[x]$ = ring of polynomials over the field F
 $\varphi(n)$ = Euler's function φ , D2.2.7 (43), T2.3.1 (47)
 factor ring, R/I , T11.1.6 (344)
 Fermat number, F_n , 5.2 (118–125)
 primality test for, T5.2.2 (119)
 (prime) divisors of, T5.2.1 (119)
 Fermat prime, F_n , E1.4.4 (23), 5.2 (118–125)
 Fermat's Last Theorem, T7.7.1 (241)
 for exponent 3, T7.7.10 (247)
 for exponent 4, T7.7.2 (242)
 Fermat's Little Theorem, T2.4.1A (50), T2.4.1B (51)
 Fibonacci number, φ_n , E1.2.5 (13)
 field, F , T2.8.3+ (69)
 algebraically closed, P9.3.6+ (294)
 field extension, $M : L$, D10.1.1 (311)
 degree of, $\deg(M : L)$, D10.1.2 (311)
 finite, D10.1.2 (311)
 quadratic, $\mathbf{Q}(\sqrt{t})$, 10.3 (320–331)
 simple, $\mathbf{Q}(\vartheta)$, D10.2.1 (315), T10.2.2 (315)

- simple algebraic, D10.2.1 (315), T10.2.3 (316)
 tower theorem, T10.1.3 (312)
 finite extension, D10.1.2 (311)
 finitely generated ideal, (a_1, \dots, a_k) ,
 D11.1.4 (343)
 floor, $\lfloor \]$, P1.2.1 (11)
 Four Squares Theorem, T7.5.3 (232)
 fractional part, $\{ \}$, P8.1.2 (264)
 Frobenius, problem of, E7.1.11 (215)
 fundamental parallelogram (of lattice),
 T8.2.1 (270)
 Fundamental Theorem of Arithmetic,
 T1.5.1 (24), T7.4.13 (226), 11.3
 (350–356)
 for Gaussian integers, T7.4.13 (226)
 for ideals, T11.5.8 (368)
 for integers, T1.5.1 (24)
 in integral domains, 11.3 (350–356)
 in quadratic fields, T10.3.5 (325), T10.3.6
 (327)
 Fundamental Theorem of Symmetric
 Polynomials, T9.3.2 (291)
- $g(k)$, D7.6.1 (237)
 $G(k)$, D7.6.3 (238)
 gaps between consecutive primes, 5.5
 (134–140)
 Gauss' lemma, for primitive polynomials,
 E11.5.9 (372)
 for quadratic congruences, T4.2.1 (104)
 Gaussian integer, $\alpha = a + bi$, D7.4.1 (223)
 irreducible, π , D7.4.10 (226)
 prime, π , D7.4.11 (226), T7.4.15 (227)
 Gaussian rational, 9.6.E3, (306)
 Gelfond–Schneider theorem, T9.3.5 (293)
 generating function for partitions, 7.9
 (256–263)
 Goldbach conjecture, (115)
 greatest common divisor, (a, b) , $\gcd\{a, b\}$,
 D1.3.1 (15), D7.4.9 (225)
 for Gaussian integers, (α, β) , D7.4.9
 (225)
 for ideals, (A, B) , D11.4.4 (359), T11.4.5
 (359)
 for integers, (a, b) , $\gcd\{a, b\}$, D1.3.1 (15)
 standard form of, T1.6.4 (29)
 greatest common measure, E1.3.17d (21)
 group, P2.8.5+ (69)
- Hardy–Ramanujan theorem, T6.7.7 (202),
 T6.7.7A (202)
- harmonic number, E6.3.6 (177)
- $I(\vartheta)$ = ring of algebraic integers in $\mathbf{Q}(\vartheta)$
 Im = imaginary part (of complex numbers)
 ideal, I , D11.1.1 (341)
 ideal class, T11.6.3– (373)
 ideal, finitely generated, (a_1, \dots, a_k) ,
 D11.1.4 (343)
 generated, (a) , (a_1, \dots, a_k) , D11.1.2
 (342), D11.1.4 (343)
 irreducible, D11.4.6 (360)
 maximal, D11.4.6+ (360)
 prime, D11.4.7 (360)
 principal, (a) , D11.1.2 (342)
 smallest, T11.1.3 (342), T11.1.5 (343)
 trivial, 11.1.E4, (342)
- ideals, divisibility of, $B \mid A$, D11.4.3 (359)
 equivalence of, D11.6.1 (373)
 greatest common divisor of, (A, B) ,
 D11.4.4 (359), T11.4.5 (359)
 least common multiple of, E11.4.5 (362)
 product of, AB , D11.4.1 (357), T11.4.2
 (357)
 sum of, $A + B$, E11.4.4b (362)
- identity, identity element (for
 multiplication), 1, e , E1.1.23a (11)
 imaginary quadratic field, T10.3.6– (327)
 incongruent = not congruent, $\not\equiv$, D2.1.1+
 (37)
- index, $\text{ind}_g a$, D3.4.1 (86) (119)
 infinite descent, P7.5.3+ (232)
 infinite product, E5.6.6 (148), E5.6.7 (148)
 integer part (lower) = floor
 upper = ceiling
- integral basis (in $\mathbf{Q}(\vartheta)$), $\omega_1, \dots, \omega_n$, D10.5.1
 (336), T10.5.4 (338)
 integral domain, E1.1.23 (11)
 inverse (multiplicative), T2.8.3– (69)
 inversion formula, T6.5.3 (187)
 inversion function, \tilde{f} , T6.5.2 (186)
 irrational number, approximation of, 8.1
 (263–270)
- irrationality of e , T9.5.1 (301)
 of $\sqrt[n]{n}$, E1.6.33a (36)
 of $\log_a b$, E1.6.33b (36)
 of π , T9.5.2 (302)
 of $\sqrt{2}$ (geometrically), E1.3.17e (21)
- irreducible, ideal, D11.4.6 (360)
 number, D1.4.1 (21)
 isolated prime, T5.5.2 (135)
- Jacobi symbol, $\left(\frac{a}{m}\right)$, D4.3.1 (109)

- k th power non-residue, D3.5.2 (89)
 residue, D3.5.2 (89), T3.5.3 (89)
 Kőnig–Rados theorem, T3.6.2 (93)
 Kronecker's theorem (for ideals), T11.5.5 (366)
- lattice, T8.2.1 (270), L8.2.2 (271)
 least absolute value, remainder of, r ,
 T1.2.1A+ (12)
 least common multiple, $[a, b]$, $\text{lcm}\{a, b\}$,
 D1.6.5 (30)
 standard form of, T1.6.6 (30)
 least non-negative remainder, r , P1.2.1+ (11)
 Legendre's formula = standard form of $n!$,
 T1.6.8 (32)
 Legendre symbol, $\left(\frac{a}{p}\right)$, D4.1.3 (102)
 linear Diophantine equation, $ax + by = c$,
 T1.3.6 (18), T7.1.1 (212)
 linear congruence, $ax \equiv b \pmod{m}$,
 D2.5.1 (52), T2.5.3 (53)–T2.5.5 (55)
 Liouville's approximation theorem, T9.4.1 (296)
 Liouville number, E9.4.1 (300)
 lower integer part = floor
 Lucas–Lehmer test (for Mersenne numbers), T5.2.4 (122)
- $\mu(n)$ = Möbius function, D6.2.3 (170)
 maximal ideal, D11.4.6+ (360)
 mean value function(= mean value),
 D6.7.1 (195)
 of $d(n)$, T6.4.3 (179), T6.4.4 (181)
 of $\varphi(n)$, T6.7.4 (197)
 of $\omega(n)$, T6.7.6 (200)
 of $\Omega(n)$, E6.7.5 (206)
 of $\sigma(n)$, T6.7.3 (196)
 measure zero, D8.1.7 (266)
 Mersenne number, M_p , 5.2 (118–125)
 primality test for, T5.2.4 (122)
 (prime) divisors of, T5.2.3 (121)
 Mersenne prime, M_p , E1.4.4 (23), 5.2 (118–125)
 Miller–Lenstra–Rabin primality test,
 T5.7.5 (156)
 minimal polynomial of algebraic element,
 m_ϑ , D10.1.5 (313)
 of algebraic number m_α , D9.2.1 (288)
 Minkowski's theorem, T8.2.1 (270)
 modulus of congruence, m , D2.1.1+ (37)
 monochromatic arithmetic progressions,
 T12.4.4 (406), T12.4.4A (406)
- Möbius function, $\mu(n)$, D6.2.3 (170)
 Möbius inversion formula, T6.5.3 (187)
 multiple, D1.1.1 (7), D7.4.4 (224)
 least common, $[a, b]$, $\text{lcm}\{a, b\}$, D1.6.5 (30)
 multiple roots of polynomials, P5.3.4 (126)
 multiplicative arithmetic function, D6.1.2 (166)
 (completely), D6.1.3 (166)
 multiplicative inverse, T2.8.3– (69)
- $n!$, standard form of (= Legendre's-formula), T1.6.8 (32)
 norm in algebraic number fields, $N(\alpha)$,
 D10.4.4 (334)
 in quadratic fields, D10.3.3 (323)
 of Eulerian integers, D7.7.5 (244)
 of Gaussian integers, D7.4.2 (223),
 T7.4.3 (223)
 of quaternions, P7.5.4+ (232)
 number of ideal classes, T11.6.3 (373)
 number of solutions of congruences,
 D2.5.2 (53)
 number systems, T1.2.2 (12)
- $\omega(n)$ = number of distinct (positive) prime divisors of n , D6.2.5 (171)
 $\Omega(n)$ = number of “all” (positive) prime divisors of n
 (counted with multiplicity), D6.2.5 (171)
 order (modulo m), $o(a)$, $o_m(a)$, D3.2.1 (76)
 Ore number, E6.3.6 (177)
- p_n : denotes the n th prime in general
 $p(n)$ = number of partitions of n , D7.9.1 (256)
 π is irrational, T9.5.2 (302)
 $\pi(x)$ = number of primes not greater than x , T5.4.1– (128)
 lower and upper bounds, T5.4.3 (130)
 pairwise coprime = pairwise relatively prime, D1.3.8 (18)
 partition, D7.9.1 (256)
 peak theorem, T6.4.2 (179)
 Pell's equation, T7.8.1 (251), T7.8.2 (253)
 Pepin's test = primality test for Fermat numbers, T5.2.2 (119)
 perfect number, D6.3.1 (176), T6.3.2 (176)
 polynomial, cyclotomic, Φ_m , P5.3.4 (126)
 degree modulo m of, D3.1.1 (73)
 derivative of, f' , T3.7.1 (96), P5.3.4 (126)
 multiple roots of, P5.3.4 (126)

- primitive, E11.5.9 (372)
 power non-residue (k th), D3.5.2 (89)
 residue (k th), D3.5.2 (89), T3.5.3 (89)
 primality test, Agrawal–Kayal–Saxena, (157)
 based on Fermat’s Little Theorem, T5.7.2 (152)
 for Fermat numbers, T5.2.2 (119)
 for Mersenne numbers, T5.2.4 (122)
 Miller–Lenstra–Rabin, T5.7.5 (156)
 Solovay–Strassen, T5.7.4 (153)
 prime, prime number, p , D1.4.2 (21)
 prime divisors, number of all, $\Omega(n)$, D6.2.5 (171)
 prime divisors, number of distinct, $\omega(n)$, D6.2.5 (171)
 prime formulas, (116)
 prime ideal, D11.4.7 (360)
 prime number theorem, T5.4.1 (128)
 prime power modulus, congruence of, T3.7.1 (96)
 primes in arithmetic progressions, (116), T5.3.1 (125)
 primitive polynomial, E11.5.9 (372)
 primitive Pythagorean triple, T7.2.1 (216)
 primitive root (modulo m), g , D3.3.1 (80), T3.3.2 (80)
 principal ideal, (a) , D11.1.2 (342)
 principal ideal domain, D11.3.2 (352), T11.3.3 (352)
 pseudoprime, of base a , D5.7.3 (152)
 universal, D5.7.3 (152)
 public key cryptosystem, 5.8 (160–165)
 Pythagorean triple, T7.2.1 (216)
 primitive, T7.2.1 (216)
- Q** = rational numbers
 $Q(\vartheta)$ = simple extension of **Q**, D10.2.1 (315), T10.2.2 (315), T10.2.3 (316)
 quadratic congruence, $x^2 \equiv a \pmod{p}$, D4.1.1 (101)
 quadratic field, **$Q(\sqrt{t})$** , 10.3 (320–331)
 imaginary, T10.3.6– (327)
 real, T10.3.6– (327)
 algebraic integers in, T10.3.2 (321)
 quadratic non-residue, D4.1.1 (101)
 quadratic reciprocity law, T4.2.3 (106)
 quadratic residue, D4.1.1 (101)
 quasiperfect number, E6.3.4 (177)
 quick algorithms, T5.7.1 (149)
 quotient at division algorithm, q , P1.2.1+ (11)
- R** = real numbers
 Re = real part (of complex numbers)
 Ramsey number, T12.4.1+ (404)
 Ramsey’s theorem, T12.4.1 (404)
 rational numbers, approximation of, E8.1.1 (268)
 real quadratic field, T10.3.6– (327)
 reciprocity law, T4.2.3 (106)
 reduced residue class, D2.2.6 (43)
 reduced residue system, D2.2.8 (43), T2.2.9 (43)
 relative conjugate in **$Q(\vartheta)$** , $f(\vartheta_{(j)})$, D10.4.2 (332), T10.4.3 (333)
 relatively prime, D1.3.7 (18)
 pairwise, D1.3.8 (18)
 probability of, T6.7.5 (198)
 remainder (at division algorithm), r , P1.2.1+ (11)
 of least absolute value, T1.2.1A+ (12)
 least non-negative, P1.2.1+ (11)
 remainder number system, P2.6.E2- (62)
 repeated squarings, (77), P5.7.1 (149)
 repunit, E1.3.12 (20)
 residue class, modulo an ideal in factor rings $a + I$, T11.1.6 (344)
 modulo m at congruences, (a) , $(a)_m$, D2.2.1 (41)
 reduced, D2.2.6 (43)
 residue, quadratic, D4.1.1 (101)
 residue system, complete, D2.2.2 (41), T2.2.3 (42)
 reduced, D2.2.8 (43), T2.2.9 (43)
 Riemann Hypothesis, T6.6.4– (193)
 Riemann zeta function, $\zeta(s)$, E5.6.6 (148), T6.6.4– (193)
 ring, R , P2.8.2+ (68)
 Euclidean, D11.3.4 (353), T11.3.5 (354)
 with unique prime factorization, T11.3.1 (351)
 Roth’s approximation theorem, T9.4.4 (298)
 RSA scheme, T5.8.1 (162)
- $\sigma(n)$ = sum of (positive) divisors of n , D6.2.1 (170), T6.2.2 (170)
 Schur numbers, T12.4.2+ (405)
 Schur’s theorem, T12.4.2 (405)
 Sidon set, 12.2 (386–394)
 Sieve of Eratosthenes, T5.1.2 (114)
 simple algebraic extension of **Q** = algebraic number field

- simple extension, $\mathbf{Q}(\vartheta)$, D10.2.1 (315),
 T10.2.2 (315)
 simultaneous approximation, T8.1.3 (265),
 T8.1.4 (265)
 simultaneous system of congruences, 2.6
 (58–65)
 smallest ideal, T11.1.3 (342), T11.1.5 (343)
 smallest (sub)field, T10.2.2 (315)
 Smith determinant, T6.5.4 (188)
 Solovay–Strassen primality test, T5.7.4
 (153)
 special common divisor, (a, b) , D1.3.2 (15)
 squarefree integer, E1.6.10 (34)
 squareful number, E5.6.1f (147)
 standard form (of integers), T1.6.1 (28)
 of divisor, T1.6.2 (28)
 of Gaussian integers, P7.5.1 (230)
 of greatest common divisor, T1.6.4 (29)
 of ideals, T11.5.9– (370)
 of least common multiple, T1.6.6 (30)
 modified, T1.6.1+ (28)
 of $n!$, T1.6.8 (32)
 summation function, f^+ , D6.5.1 (186)
 superperfect number, E6.3.5 (177)
 symmetric polynomial, T9.3.1+ (291)
 elementary σ_j , T9.3.1+ (291)
 symmetric polynomials, fundamental
 theorem, T9.3.2 (291)
 Szemerédi’s theorem, T12.4.5 (407)
- Three Squares Theorem, T7.5.2 (232)
 Thue’s approximation theorem, T9.4.3
 (298)
 Thue’s lemma, E7.5.21a (236)
 totally additive/multiplicative =
 completely additive/multiplicative
 tower theorem, T10.1.3 (312)
 transcendence of e , T9.5.3 (303)
 of $\log n$, E9.3.7 (295)
 transcendental number, D9.1.2 (286)
 existence of, T9.1.3 (286), T9.4.2 (297)
 trivial divisor, D1.4.1- (21)
 trivial ideal, 11.1.E4, (342)
 twin primes, (114)
 Two Squares Theorem, T7.5.1 (230)
- uniform distribution, D8.4.3 (282), T8.4.4
 (282)
 unique prime factorization =
 Fundamental Theorem of Arithmetic
 unit, ε , D1.1.2 (8), D7.4.6 (224)
 (among Eulerian integers), T7.7.6 (245)
 (among Gaussian integers), D7.4.6
 (224), T7.4.7 (224)
 (among integers), D1.1.2 (8), T1.1.3 (8)
 (in quadratic fields), T10.3.4 (323)
 universal pseudoprime, D5.7.3 (152)
 upper integer part = ceiling
- Van der Waerden numbers, T12.4.4A+
 (406)
 Van der Waerden’s theorem, T12.4.4 (406),
 T12.4.4A (406)
- Waring’s problem, 7.6 (236–241)
 Weyl’s theorem, T8.4.4 (282)
 Wiles’ theorem = Fermat’s Last Theorem,
 T7.7.1 (241)
 Wilson’s theorem, T2.7.1 (66), P3.1.2+ (74)
 witness, (154)
- \mathbf{Z} = integers
 \mathbf{Z}_m = ring of modulo m residue classes,
 T2.8.2 (68)
 zero divisor, T2.8.5– (69)
 zeta function, $\zeta(s)$, E5.6.6 (148), T6.6.4–
 (193)

Selected Published Titles in This Series

- 48 **Róbert Freud and Edit Gyarmati**, *Number Theory*, 2020
- 47 **Michael E. Taylor**, *Introduction to Analysis in One Variable*, 2020
- 46 **Michael E. Taylor**, *Introduction to Analysis in Several Variables*, 2020
- 45 **Michael E. Taylor**, *Linear Algebra*, 2020
- 44 **Alejandro Uribe A. and Daniel A. Visscher**, *Explorations in Analysis, Topology, and Dynamics*, 2020
- 43 **Allan Bickle**, *Fundamentals of Graph Theory*, 2020
- 42 **Steven H. Weintraub**, *Linear Algebra for the Young Mathematician*, 2019
- 41 **William J. Terrell**, *A Passage to Modern Analysis*, 2019
- 40 **Heiko Knospe**, *A Course in Cryptography*, 2019
- 39 **Andrew D. Hwang**, *Sets, Groups, and Mappings*, 2019
- 38 **Mark Bridger**, *Real Analysis*, 2019
- 37 **Mike Mesterton-Gibbons**, *An Introduction to Game-Theoretic Modelling*, Third Edition, 2019
- 36 **Cesar E. Silva**, *Invitation to Real Analysis*, 2019
- 35 **Álvaro Lozano-Robledo**, *Number Theory and Geometry*, 2019
- 34 **C. Herbert Clemens**, *Two-Dimensional Geometries*, 2019
- 33 **Brad G. Osgood**, *Lectures on the Fourier Transform and Its Applications*, 2019
- 32 **John M. Erdman**, *A Problems Based Course in Advanced Calculus*, 2018
- 31 **Benjamin Hutz**, *An Experimental Introduction to Number Theory*, 2018
- 30 **Steven J. Miller**, *Mathematics of Optimization: How to do Things Faster*, 2017
- 29 **Tom L. Lindstrøm**, *Spaces*, 2017
- 28 **Randall Pruim**, *Foundations and Applications of Statistics: An Introduction Using R*, Second Edition, 2018
- 27 **Shahriar Shahriari**, *Algebra in Action*, 2017
- 26 **Tamara J. Lakins**, *The Tools of Mathematical Reasoning*, 2016
- 25 **Hossein Hosseini Giv**, *Mathematical Analysis and Its Inherent Nature*, 2016
- 24 **Helene Shapiro**, *Linear Algebra and Matrices*, 2015
- 23 **Sergei Ovchinnikov**, *Number Systems*, 2015
- 22 **Hugh L. Montgomery**, *Early Fourier Analysis*, 2014
- 21 **John M. Lee**, *Axiomatic Geometry*, 2013
- 20 **Paul J. Sally, Jr.**, *Fundamentals of Mathematical Analysis*, 2013
- 19 **R. Clark Robinson**, *An Introduction to Dynamical Systems: Continuous and Discrete*, Second Edition, 2012
- 18 **Joseph L. Taylor**, *Foundations of Analysis*, 2012
- 17 **Peter Duren**, *Invitation to Classical Analysis*, 2012
- 16 **Joseph L. Taylor**, *Complex Variables*, 2011
- 15 **Mark A. Pinsky**, *Partial Differential Equations and Boundary-Value Problems with Applications*, Third Edition, 1998
- 14 **Michael E. Taylor**, *Introduction to Differential Equations*, 2011
- 13 **Randall Pruim**, *Foundations and Applications of Statistics*, 2011
- 12 **John P. D'Angelo**, *An Introduction to Complex Analysis and Geometry*, 2010
- 11 **Mark R. Sepanski**, *Algebra*, 2010
- 10 **Sue E. Goodman**, *Beginning Topology*, 2005
- 9 **Ronald Solomon**, *Abstract Algebra*, 2003

For a complete list of titles in this series, visit the
AMS Bookstore at www.ams.org/bookstore/amstextseries/.