

CONTENTS

Introduction	1
1. Preliminaries	11
1.1. General notation and conventions	11
1.2. Reminder of norms on algebraic varieties	15
1.3. A useful lemma	18
1.4. Common spaces of functions	22
1.5. Harish-Chandra Schwartz space	24
1.6. Measures	29
1.7. Spaces of conjugacy classes and invariant topology	31
1.8. Orbital integrals and their Fourier transforms	33
1.9. (G, M) -families	34
1.10. Weighted orbital integrals	36
2. Representations	39
2.1. Smooth representations, elliptic regularity	39
2.2. Unitary and tempered representations	40
2.3. Parabolic induction	44
2.4. Normalized intertwining operators	48
2.5. Weighted characters	49
2.6. Matricial Paley-Wiener theorem and Plancherel-Harish-Chandra theorem	51
2.7. Elliptic representations and the space $\mathcal{X}(G)$	53
3. Harish-Chandra descent	57
3.1. Invariant analysis	57
3.2. Semi-simple descent	61
3.3. Descent from the group to its Lie algebra	66
3.4. Parabolic induction of invariant distributions	69
4. Quasi-characters	73
4.1. Quasi-characters when F is p -adic	73
4.2. Quasi-characters on the Lie algebra for $F = \mathbb{R}$	77
4.3. Local expansions of quasi-characters on the Lie algebra when $F = \mathbb{R}$	89
4.4. Quasi-characters on the group when $F = \mathbb{R}$	91
4.5. Functions c_θ	96
4.6. Homogeneous distributions on spaces of quasi-characters	97
4.7. Quasi-characters and parabolic induction	100

4.8. Quasi-characters associated to tempered representations and Whittaker datas	103
5. Strongly cuspidal functions	107
5.1. Definition, first properties	107
5.2. Weighted orbital integrals of strongly cuspidal functions	109
5.3. Spectral characterization of strongly cuspidal functions	110
5.4. Weighted characters of strongly cuspidal functions	111
5.5. The local trace formulas for strongly cuspidal functions	115
5.6. Strongly cuspidal functions and quasi-characters	117
5.7. Lifts of strongly cuspidal functions	121
6. The Gan-Gross-Prasad triples	129
6.1. Hermitian spaces and unitary groups	129
6.2. Definition of GGP triples	131
6.3. The multiplicity $m(\pi)$	133
6.4. $H \backslash G$ is a spherical variety, good parabolic subgroups	134
6.5. Some estimates	139
6.6. Relative weak Cartan decompositions	144
6.7. The function $\Xi^{H \backslash G}$	147
6.8. Parabolic degenerations	154
7. Explicit tempered intertwining	159
7.1. The ξ -integral	159
7.2. Definition of \mathcal{L}_π	162
7.3. Asymptotics of tempered intertwining	167
7.4. Explicit intertwining and parabolic induction	171
7.5. Proof of Theorem 7.2.1	181
7.6. A corollary	183
8. The distributions J and J^{Lie}	185
8.1. The distribution J	185
8.2. The distribution J^{Lie}	195
9. Spectral expansion	197
9.1. The theorem	197
9.2. Study of an auxiliary distribution	197
9.3. End of the proof of Theorem 9.1.1	203
10. The spectral expansion of J^{Lie}	205
10.1. The affine subspace Σ	205
10.2. Conjugation by N	206
10.3. Characteristic polynomial	208
10.4. Characterization of Σ'	209
10.5. Conjugacy classes in Σ'	210
10.6. Borel subalgebras and Σ'	212
10.7. The quotient $\Sigma'(F)/H(F)$	217
10.8. Statement of the spectral expansion of J^{Lie}	220

10.9. Introduction of a truncation	221
10.10. Change of truncation	225
10.11. End of the proof of Theorem 10.8.1	231
11. Geometric expansions and a formula for the multiplicity	233
11.1. Some spaces of conjugacy classes	233
11.2. The linear forms m_{geom} and $m_{\text{geom}}^{\text{Lie}}$	239
11.3. Geometric multiplicity and parabolic induction	247
11.4. Statement of three theorems	247
11.5. Equivalence of Theorem 11.4.1 and Theorem 11.4.2	248
11.6. Semi-simple descent and the support of $J_{\text{qc}} - m_{\text{geom}}$	250
11.7. Descent to the Lie algebra and equivalence of Theorem 11.4.1 and Theorem 11.4.3	252
11.8. A first approximation of $J_{\text{qc}}^{\text{Lie}} - m_{\text{geom}}^{\text{Lie}}$	254
11.9. End of the proof	255
12. An application to the Gan-Gross-Prasad conjecture	257
12.1. Strongly stable conjugacy classes, transfer between pure inner forms and the Kottwitz sign	258
12.2. Pure inner forms of a GGP triple	262
12.3. The local Langlands correspondence	262
12.4. The theorem	264
12.5. Stable conjugacy classes inside $\Gamma(G, H)$	264
12.6. Proof of Theorem 12.4.1	268
A. Topological vector spaces	271
A.1. LF spaces	272
A.2. Vector-valued integrals	272
A.3. Smooth maps with values in topological vector spaces	273
A.4. Holomorphic maps with values in topological vector spaces	276
A.5. Completed projective tensor product, nuclear spaces	277
B. Some estimates	281
B.1. Three lemmas	281
B.2. Asymptotics of tempered Whittaker functions for general linear groups	282
B.3. Unipotent estimates	284
Bibliography	295
List of notations	301