

TABLE OF CONTENTS

HENRI DARMON & VICTOR ROTGER — <i>Stark-Heegner points and diagonal classes</i>	1
1. Introduction	2
2. Stark-Heegner points	9
3. p -adic L -functions associated to Hida families	15
4. A p -adic Gross-Zagier formula for Stark-Heegner points	18
5. Setting the stage	18
6. Factorisation of p -adic L -series	21
7. Main results	23
References	27
 HENRI DARMON & VICTOR ROTGER — <i>p-adic families of diagonal cycles</i>	 29
Introduction	29
1. Background	30
1.1. Basic notations	30
1.2. Modular forms and Galois representations	32
1.3. Hida families and Λ -adic Galois representations	33
1.4. Families of Dieudonné modules	39
2. Generalized Kato classes	44
2.1. A compatible collection of cycles	44
2.2. Galois cohomology classes	47
2.3. Λ -adic cohomology classes	52
3. Higher weight balanced specializations	53
4. Crystalline specializations	57
5. Triple product p -adic L -functions and the reciprocity law	66
5.1. Perrin-Riou’s regulator	68
References	74
 MASSIMO BERTOLINI & MARCO ADAMO SEVESO & RODOLFO VENERUCCI — <i>Reciprocity laws for balanced diagonal classes</i>	 77
1. Description and statement of results	78
1.1. The three-variable reciprocity law	79

1.2. Specializations at unbalanced points	82
2. Cohomology of modular curves	84
2.1. Modular curves	85
2.2. Degeneracy maps	86
2.3. Relative Tate modules and Hecke operators	86
2.4. Deligne representations	90
2.5. Comparison with de Rham cohomology	91
3. Diagonal classes	94
3.1. The explicit reciprocity law	97
3.2. Comparison with Gross-Kudla-Schoen diagonal cycles	101
4. <i>Big</i> étale sheaves and Galois representations	104
4.1. Locally analytic functions and distributions	105
4.2. Étale sheaves	110
4.3. The ordinary case	115
5. Hida families	117
6. Garrett-Rankin p -adic L -functions	126
6.1. Test vectors and special value formulae	128
7. Selmer groups and big logarithms	129
7.1. A four-variable big logarithm	129
7.2. The balanced Selmer group	131
7.3. The three-variable big logarithms	134
8. Proof of Theorem A	136
8.1. Construction of $\kappa(\mathbf{f}, \mathbf{g}, \mathbf{h})$	136
8.2. Balanced specializations of $\kappa(\mathbf{f}, \mathbf{g}, \mathbf{h})$	138
8.3. p -stabilization of diagonal classes	144
8.4. p -stabilization of de Rham classes	150
8.5. Conclusion of the proof	152
9. Proof of Theorem B	153
9.1. Proof in the non-exceptional case	154
9.2. Derivatives of big logarithms I	156
9.3. Improved diagonal classes	164
9.4. Conclusion of the proof	167
References	171

MASSIMO BERTOLINI & MARCO ADAMO SEVESO & RODOLFO VENERUCCI

— *Balanced diagonal classes and rational points on elliptic curves*

1. Description and statement of results	175
2. Derivatives of big logarithms II	181
2.1. The projection $\varpi_{\mathbf{f}\mathbf{g}\mathbf{h}}$ and the class $\kappa_{\alpha\alpha}(f, g, h)$	182
2.2. Tate's theory and the constant c_f	183
2.3. An exceptional zero formula and Equation (??)	185
3. Factorisations of p -adic L -functions	192
3.1. The Mazur-Kitagawa p -adic L -function	192

3.2. Hida-Rankin p -adic L -functions attached to quadratic fields	194
3.3. Proof of Theorem 3.1	195
3.4. Proofs of Lemma 3.2 and Lemma 3.3	196
References	200