

Index

- Abel, Niels Henrik, 121, 123
 - convergence test, 233
- absolute continuity, 204–205
 - of an integral, 210, 212, 216
- absolute convergence, 209
- accuracy, numerical, 237, 242–244
- Aczél, János, 186
- aggregate, 2
- Agnew, Ralph Palmer, 139
- airline space, 23
- algebra, fundamental
 - theorem of, 59
- algebraic numbers, 11–15
- algorithms, 21
- almost everywhere, 74
 - continuous, 206, 274
 - convergence, 220–221
 - differentiability, 155, 165–170, 204, 214–215
 - finite, 210
 - limit of continuous
 - functions, 202
 - zero derivative, 160–164, 204–205
- almost uniform
 - convergence, 202
- alphabet, 3
- Alsina, James, 122
- alternating series test, 233
- Ampère, André Marie, 103
- analytic function, 47, 69, 189–192
- antecedent, 19
- antiderivative, 66, 195, 206, 242
- antipodal points, 100–102
- antisymmetric, 238, 279
- Apostol, Tom M., 228
- approximation
 - by nonmonotonic
 - functions, 70
 - by open and closed sets, 197–198
 - by polygonal functions, 128
 - by polynomials, 128–132
 - by rational numbers, 75
 - by step functions, 128
 - of a numerical series, 237–243
 - of an integral, 229–230

- of continuous functions, 126–132
 - of power series by partial sums, 47
- arbitrary functions, 84–85, 87, 154–155
- arbitrary shape, 101
- arithmetic, 7, 242, 246
- arithmetic mean, 181–183
- Austin, Donald G., 175
- automobile, 202
- average, 136, 181, 215, 220
- axiom of choice, xi, 200
- Aziz, Abdul Kadir, 156

- B , 25, 44, 47, 127
- B_E , 110, 112
- Baire category, *see* category
- Baire class, 125, 201–202
- Baire measure, 236
- Baire's theorem, 61–72, 123–126, 192
- Baire, René, 125, 126
- Baker, Richard L., xii
- Balaguer, Ferran Sunyer i, 72
- Bamón, Rodrigo, 138
- Banach, Stefan, 72, 200
- Banach-Tarski paradox, 200
- Bartle, Robert G., 205
- base 2 expansion, 40–42, 115–116, 152, 161–163
- base 3 expansion, *see* base 2 expansion
- basis, Hamel, 138

- Beckenbach, Edwin F., 186
- Beekmann, Wolfgang, 61
- Beesley, E. Maurice, xii, 158
- Bellman, Richard, 186
- Benavides, Tomás Domínguez, 75
- Bernoulli numbers, 241–242
- Bernoulli polynomials, 241
- Bernstein equivalence theorem, *see* Schroeder-Bernstein theorem
- Bernstein's theorem on analytic functions, 191–192
- Bernstein, Felix, 21
- Bernstein, Sergei, 191
- Besicovitch, Abram Samoilovitch, 73
- Bessel's inequality, 222
- bibliography of bibliographies, 4
- bicompactness, 48
- big game hunting, 52
- billions, 14, 237
- binary expansion, *see* base 2 expansion
- binomial theorem, 191, 264
- biology, 44
- bird trap, 46
- bisecting areas and volumes, 101–102
- bisection method, 46–47
- block of digits, 244
- Blumberg, H., 90
- Boas, Anne Louise, vii
- Boas, Harold Philip, vii, xii

- Boas, Mary Elizabeth
Layne, xi
- Boas, Ralph Layne, vii
- Boas, Ralph Philip, vii, 157,
192, 193, 243, 244
- Boghossian, Artin B., 72
- Bolzano-Weierstrass
theorem, 45–48, 50,
59, 60, 91
- Bonnet's theorem, 231
- Borel, Émile, 193
measure, 236
sets, 198, 272
- Borsuk's theorem, 100, 101
- Borwein, Jonathan M. and
Peter B., 21
- Bose Majumder, N. C., 138
- Botsko, Michael W., 158,
210
- Bottazzini, Umberto, 111
- bound
of derivatives, 150–151
positive lower, 89
- boundary, 27
empty, 28
is closed, 30
nonempty, 35
of boundary, 28
of complement, 28
of neighborhood, 28
point, 27
- bounded
above, 5
convergence, 111
convergence theorem,
213
derivative, 70
functional, 234
functions, 25, 110–112,
209
continuous, 45, 46, 48,
89
not separable, 44
partial sums, 233
sequences, 24, 43, 44
set, 7, 26
variation, 203–204, 216,
226, 228, 230, 234
- Bourbaki, Nicolas, 2
- box of maximum volume,
182
- Brennan, J. G., 104
- Briggs, James M., 200
- Bromwich, Thomas John
I'Anson, 123
- Brown, Johnny M., 138
- Brownian motion, 72
- Bruckner, Andrew M., xii,
90, 155, 158
- Buck, Ellen F. and Robert
Creighton, xi
- Bunyakovsky, Victor Ya.,
185
- Burckel, Robert B., viii,
156, 186
- C , 24, *see* continuous
functions
- $C(E)$, 3
- c_0 , 23, 24, 43
- C_E , 110, *see* continuous
functions
- calculation of π , 21

- calculator, 242
- Cantor function, 161–163, 204, 216
 - characterization of, 174
 - integral of, 208
- Cantor set, 39–42, 44
 - arithmetical description, 41
 - distance property, 134
 - first category, 64
 - generalized, 74–75, 206
 - irrational points of, 42
 - limit points of, 39, 40, 44
 - measure zero, 74, 196
 - nowhere dense, 40
 - uncountable, 41, 65
- Cantor teepee, 42
- Cantor's nested set
 - theorem, 62–63
- Carathéodory's criterion, 198, 200
- cardinality, 8–20
- Cargo, Gerald T., xii, 157
- Carroll, Francis W., 126
- Cartan, Henri, 193
- Cartesian product, 79
- catching a lion, 46
- category, 63–65
 - for differentiable functions, 70–72, 193
 - of level sets, 152–153
 - of points of discontinuity, 125–126
- Cater, Frank S., 76, 174, 193
- Cauchy sequence, 55–58, 62, 108, 110, 222, 223
- Cauchy's inequality, 185, 186
- Cauchy, Augustin-Louis, 108
 - error of, 108, 121
- center of gravity, 180, 193
- Četković, S., 157
- chain of elements, 18–19
- chain rule, 141
- Chalice, Donald R., 174
- change of variable, 261, 268
- characterization
 - of bounded set, 7
 - of Cantor function, 174
 - of continuous functions, 92
 - of linear functionals, 236
 - of polynomials, 67–69
- checkerboard, 135
- Chinn, William G., 104
- Chittenden, Edward W., 103
- chords, 96–100, 144, 175–180
- Chudnovsky, David V. and Gregory V., 21
- Civin, Paul, 103
- Clark, H. M., xi
- class, 2
 - Baire, 125, 201–202
- Clavius, 200
- clock, 100
- closed interval, 6, 24, 28, 72
- closed sets, 25–37
 - alternative definitions, 29

- approximation by,
 - 196–198
- compact, 49
- complements of, 29
- contain limit points, 29
- intersections of, 36–37
- level sets, 30
- measure of, 196
- nowhere dense, 38
- of measure zero, 174
- unions of, 36–37
- closure, 35–36
 - diameter of, 61
 - of neighborhood, 37
- cluster point, 29
- Cobb, John, 44
- coffee, 102
- Cohen, Paul J., xi
- collection, 1, 2
- common error, 151
- compact set, 48–52
 - closed subset of, 49
 - continuous function on,
 - 48–49, 57, 91–93, 100,
 - 109, 112, 126–132
 - distance attained for,
 - 60–61
 - largest element, 59
- competent analyst, 186
- complement, 3
 - boundary of, 28
- complete, 56–58, 64, 112,
 - 222–224
- completion, 56
- computation, 21, 237–243
- computer, 20, 21, 195, 203,
 - 237, 243
- concave, 180, 181, 184
- condensation of
 - singularities, 114
- confusion, 86, 91, 108, 208,
 - 229
- conjecture, 160
- connected set, 32–35
 - continuous function on,
 - 92, 93
 - \mathbf{R}_1 , 35, 117
 - \mathbf{R}_2 , 35
- connectedness: intrinsic
 - property, 34
- consonant, 3
- constant function, 78
- constant, Euler's, 240
- contain, 1, 2
- continuous curve, 114–117
- continuous functions,
 - 24–25, 83–89
 - absolutely, 204–205, 216
 - almost everywhere, 206,
 - 274
 - approximation of,
 - 126–132
 - at most two-to-one,
 - 95–96
 - bounded, 45, 89
 - completeness of, 112
 - convex, 175, 177
 - definitions, 85–88
 - determined by moments,
 - 131–132
 - differentiable, 140, 151
 - equivalence of
 - definitions, 88–89

- everywhere oscillating,
 - 69–70
- fixed points, 100
- graphs, 85
- intermediate value
 - property, 84, 92
- limits of, 202
- linear, 133–134
- linear functionals on,
 - 233–236
- maxima, 45–46, 48–49,
 - 92, 142
- measurable, 201
- neighborhood in space
 - of, 26
- nondifferentiable, 70–72,
 - 153
- of bounded variation,
 - 204
- on compact sets, 127
- periodic, 97–98
- pointwise convergence,
 - 109
- pointwise limits, 123–126
- positive lower bound, 89
- properties of, 90–102
- ranges of, 93
- represented by formulas,
 - 82
- separable space, 43
- two-to-one, 94–95
- uniform continuity, 127
- uniform convergence,
 - 110–122
- velocity, 156
- with connected domains,
 - 92
- with continuous inverse,
 - 91
- with equal derivatives,
 - 164–165
- with infinite derivative,
 - 151
- with zero derivative,
 - 161–163
- continuous on the right, 87,
 - 140
- continuum hypothesis, 210
- convergence, 52–61
 - Abel's test, 233
 - absolute, 209
 - almost uniform, 202
 - bounded, 111, 213
 - dominated, 212
 - Fatou's lemma, 213
 - integral test, 220
 - mean square, 222
 - monotone, 214
 - necessary condition, 183
 - of derivatives, 145–147,
 - 171–172
 - of monotonic functions,
 - 159
 - of sequences and series,
 - 52–56, 237–243
 - of sequences of functions,
 - 108–111
 - of Taylor series, 189–192
 - pointwise, 108–109
 - radius of, 192
 - uniform, 110–122
- convex
 - curves, 102
 - functions, 175–186, 200

- pancakes, 102
- strictly, 180
- Cooke, Roger L., 200
- coordinates, 17
- Copson, Edward Thomas, 52, 61
- Corominas, Ernest, 72
- correspondence, one-to-one, *see* one-to-one correspondence
- countable sets, 8–20
 - algebraic numbers, 11
 - dense, 42
 - disjoint intervals, 30
 - integers, 9
 - jumps of monotonic functions, 159
 - lattice points, 10
 - measure zero, 74
 - polynomials, 11, 43
 - proper maxima, 142
 - rational numbers, 11
 - subsets, 10
 - union of, 10, 11
- countably additive, 198
- countably infinite, 9
- counting, 8
- covering, 2, 48–52, 73, 172
- Cox, Raymond H., 21
- cross section, 166
- cross-shaped sets, 134
- cup of coffee, 102
- curve
 - area under, 195
 - continuous, 114–117
 - convex, 102, 179
 - space-filling, 114
- cuspidal, 71
- Darboux functions, 90
- Darboux, Gaston, 89
- Darst, Richard B., 158, 193
- de La Vallée Poussin, Charles Jean, 126
- decimals, 12–15, 17–20, 40–42, 84, 237
- decomposition of a closed interval, 72
- decreasing function, 158
- δ -function, 228
- Denjoy, Arnaud, 72
- dense sets, 38–44
- density, point of, 172
- derivates, 139–155
 - at a maximum, 142
 - bounds of, 150
 - continuous, 151
 - infinite, 152
 - mean-value theorem, 149
 - nonnegative, 150
 - of arbitrary function, 155
 - of continuous function, 149–151
 - of discontinuous function, 150, 152
 - of sums, 140
 - zero, 154
- derivatives, 66, 139–155
 - at maximum, 142
 - behave worse, 148
 - bounded, 70
 - cannot jump, 151
 - chain rule, 141

- continuous, 118
- discontinuous, 151
- finite, 154, 215
- Fubini's theorem, 171
- infinite, 140, 151, 174
- integrals of, 215–216
- integration by parts, 228
- intermediate values, 100, 143
- level sets, 152
- limits of, 151, 187
- nonexistent, 70–72, 153, 154
- nonnegative, 149, 191
- not everywhere infinite, 151
- not integrable, 119, 215
- of composite function, 141
- of convex functions, 177
- of delta function, 228
- of fixed sign, 191
- of infinite order, 118
- of integrals, 214–215
- of jump function, 161
- of monotonic functions, 165–170
- of periodic function, 143
- of sequence, 119, 145–147
- of series, 171–172
- positive, 141
- product of, 155
- range of, 143–145
- right-hand, 140
- zero, 67, 142, 160–164, 204
- desert, Sahara, 46
- DeTemple, Duane W., 244
- determinant, 135
- Devlin, Keith, 21
- diameter, 50, 59–61
- Diamond, Harvey, 75
- Diaz, Joaquín Basilio, 103, 156, 157
- Dieudonné, Jean Alexandre, 156
- difference quotient, 68, 143–145, 150, 178–179
- differences, 133, 199
- differentiation, *see* derivatives
- dilation, 199
- Dini derivatives, *see* derivatives
- Dini's theorem, 112, 122
- Dini, Ulisse, 155
- disconnected, totally, 42
- discontinuous functions, 87, 112, 226
 - examples, 84, 85, 108, 125, 133, 150, 151, 159
 - properties, 89, 93, 114, 123, 125, 151, 153, 175
 - with infinite derivative, 140
- dishes, 2
- disjoint, 3
- disk, 11, 25
- dispersion point, 33
- distance, 21–25

- as continuous function, 88
 - between sets, 61
 - from point to set, 88, 173
- distributions, 228
- diverge, 54
- divergent Taylor series, 189–190
- Divide et impera, 264
- domain, 77
- dominate, 211
- dominated convergence, 212
- dot product, 221
- Drobot, Vladimir, 156
- duality, 75, 234
- Dutch, 225

- e , 14, 120, 183, 240, 264
- Egoroff's theorem, 202, 205, 212
- Egorov's theorem, *see* Egoroff's theorem
- element, 1, 2
- Elements of Euclid*, 200
- empty set, 2
 - bounds of, 8
 - countable, 9
 - is open and closed, 28
- engine, 202
- English words, 4
- ensemble, 2
- epsilons, vii
- equations defining
 - functions, 78, 82
- equilateral triangle, 255
- equivalence class, 210, 217
- equivalence theorem, 21
- Erdős, Paul, 157, 175
- ergodic theorem, 202
- erratic clock, 262
- error, 108, 151, 238, 243
- essential supremum, 218
- Euclid, 200
- Euler's constant, 240
- Euler-Maclaurin formula, 239–243
- everywhere dense, 38
- exception, 80, 141, 155, 166
- existence proof, 14, 72
- expansion, formal, 221
- expectation, 224
- exponential function, 118, 120, 190, 191
- extremal problems, 182

- f^{-1} , 91
- $f(x_0^+)$, $f(x_0^-)$, 107
- f^+ , f_+ , f^- , f_- , 139
- f'_+ , f'_- , 140
- factor, prime, 82
- fallacious proof, 15, 141
- Fast, Henryk, 90
- Fatou's lemma, 213, 223, 276
- fence, 46
- field, 79
- Filipczak, F. M., 157
- finite
 - sequence, 53
 - set, 9, 16
 - subsets, 12
- Fink, Arlington M., 186

- first category, 64, 73
 - analytic functions are set of, 193
 - but not measure zero, 74
 - countable set need not be, 64
 - differentiable functions
 - form set of, 70
 - duality with measure zero, 75
 - of level sets, 152
 - points of discontinuity
 - form set of, 125, 153
- Fischer, Ernst, 222, 224
- fixed fraction, 75, 169, 172
- fixed-point theorem, 100, 102
- Flett, Thomas Muirhead, 103, 156
- flowing water lemma, 166
- Folland, Gerald B., 229
- formal expansion, 221
- formulas, 81–82
- Fort's theorem, 153–154, 157
- Fort, Marion Kirkland, Jr., 157
- Fourier series, 221, 225, 231
- fourteenth century, 256
- Fox, William C., 52
- Frank, Alan, 20
- Freilich, Gerald, 174
- French language, 2, 123
- French mathematician, 229
- French, Robert M., 200
- frong, 4
- frontier point, 27
- Frullani integrals, 139
- Fubini's theorem, 164, 171, 173, 175, 215
- functional analysis, 207
- functionals, 233–236
- functions, 77–83
 - absolutely continuous, 204–205
 - abstract definition, 77–79
 - analytic, 47, 69, 189–192
 - approximation of, 47
 - arbitrary, 84–85, 87, 154–155
 - Baire classes, 125, 201–202
 - bounded, 25, 44–46, 48, 111, 209
 - cardinality of set of, 17
 - constant, 78
 - continuous, 83–102, 123–132
 - convex, 175–186
 - Darboux, 84
 - defined by equations, 78
 - defined by formulas, 81–82
 - delta, 228
 - differentiable, 139–155
 - discontinuous, 84, 86, 87, 89, 93, 112, 114, 123–126, 133, 140, 150, 153, 175
 - distance, 22
 - generalized, 140, 228
 - greatest integer, 158, 227, 238, 277

- identity, 81
- infinitely differentiable,
 - 118, 120, 186–192
- integrable, 202, 206,
 - 208–210
- inverse, 91
- jump, 160
- linear, 132–138
- measurable, 201–205
- monotonic, 113, 141,
 - 155, 158–174
- multiple-valued, 77
- nondifferentiable, 70–72,
 - 153
- notations for, 80–81
- of a real variable, 79
- one-to-one, 91, 94
- orthogonal, 221–224
- oscillating, 69–70
- oscillating differentiable,
 - 70
- periodic, 97–98, 143,
 - 238, 240
- polygonal, 127, 128
- restriction of, 86–87
- ruler, 85, 154, 158, 218
- saw-tooth, 70
- sequences of, 108–111
- sine, 182
- singular, 161–164, 174,
 - 204
- spaces of, 24–25
- step, 127, 128, 214, 226,
 - 276
- strictly monotonic, 94
- tangent, 247, 270
- two-to-one, 94
- univalent, 91
- wiggly, 70
- with equal derivatives,
 - 154, 164–165
- fundamental theorem
 - of algebra, 59
 - of calculus, 195, 214

- Galilei, Galileo, 156
- game, 52
- γ , 240
- Garg, Krishna Murari, 157
- Gehman, Harry M., xi
- Gelbaum, Bernard R., 72
- Gellès, Gregory, 75
- generalized
 - Cantor set, 74–75, 206
 - function, 140, 228
- geometric mean, 181–183
- geometric progression, 52
- geometry, 21, 22
- German mathematician,
 - 229
- Gillespie, D. C., 103
- Gödel, Kurt, xi
- Goffman, Casper, 217
- Goldberg, Richard R., 52,
 - 224
- Goldowsky, G., 174
- Gould, Henry W., 244
- Graduate Record
 - Examination, 156
- graph, 79, 85, 95, 100, 126,
 - 133, 175
- gravity, center of, 180, 193

- greatest integer function,
 158, 227, 238, 277
 greatest lower bound, 6, 7
 Green, John W., 138
 Gustin, William, 138
- Haber, S., xii
 Halmos, Paul R., 262
 ham sandwich theorem, 102
 Hamel basis, 138
 Hamel, Georg, 138, 139
 Hardy, Godfrey Harold, 61,
 83, 138, 186, 207, 243
 harmonic series, 196, 237,
 242, 256
 Harrold, Orville G., 103
 healthy skepticism, x
 Heath, Thomas L., 200
 Hegyvári, Norbert, 244
 Heine-Borel theorem, 49–51
 converse of, 51
 in \mathbf{R}_2 , 50
 heirloom, vii
 Heligoland bird trap, 46
 Hellmann, M. S., 21
 Hersch, Joseph, 139
 Heuer, Gerald A., 158
 Hewitt, Edwin, 217
 Hildebrandt, Theophil
 Henry, 72
 historical reasons, 241
 Hobson, Ernest William,
 156
 Hölder's inequality, 185
 home-made supercomputer,
 21
- Hopf, Heinz, 103, 104
 horizontal chords, 97–99,
 144
 Hrbáček, Karel, 138
 Huggins, Frank N., 206
 hunting, 52
 Hurewicz, Witold, 122
 hypotenuse, 248
- idea, misleading, 237
 identity function, 81
 image, 79
 inverse, 88
 not necessarily open, 88
 improper
 integral, 279
 maxima, 142
 increasing
 at a point, 141, 155
 bounded sequence, 57
 function, 113, 141, 149,
 158
 indefinite integrals, 117,
 119, 195, 214, 216
 inequality
 arithmetic and geometric
 means, 181
 Bessel, 222
 between sines and
 cosines, 182
 Cauchy, 185
 for integrals, 181
 Hölder, 185
 Jensen, 180–182, 185
 midpoint, 176
 Minkowski, 24, 184

- Schwarz, 185, 221, 223
 - triangle, 22
- inf, infimum, 6, 7
- infinite
 - derivative, 70–71, 140, 151, 152, 174
 - measure, 197
 - numbers, 7
 - sequences, 23–24, 55–61
 - series, 52–55, 189, 237–243
 - sets, 8–20, 45–47
- infinitely differentiable
 - functions, 118, 120, 186–192
- inner measure, 198
- inner product, 221
- instruction, undergraduate, 225
- integer points of \mathbf{R}_2 , 10, 26
- integers, 8, 19
- integrable functions, 202, 206, 208–210
 - Riemann, 117, 118
- integral test, 220, 239
- integrals, 195–243
 - connection with sums, 220–221
 - derivatives of, 214–215
 - inequalities for, 181
 - Lebesgue, 206–224
 - mean-value theorem for, 229–230
 - of derivatives, 215–216
 - of periodic functions, 97
 - repeated, 66
 - Riemann, 206
- Stieltjes, 224–236
 - vanishing of, 66
- integration by parts, 187, 227, 228, 231–233, 239–241, 275
- integration of sequences, 117–122, 212–214
- intercept, 102, 262
- interior, 26
- intermediate value property, 84–85
 - applications of, 93–102
 - for continuous functions, 92
 - for derivatives, 143, 156
- intersection, 3
 - of closed sets, 36–37
 - of open sets, 37
- interval, 6
 - closed, as a union of closed sets, 72
 - collection is countable, 30
 - open and closed, 28
- intrinsic property, 34
- inverse
 - function, 91
 - image, 88
 - tangent, 164
- Italian edition, 155
- Jech, Thomas, 138
- Jensen's inequality, 180–182, 185
- joggers, 104
- Johnson, Peter D., Jr., 72

- jump, 85, 151, 159–161
 jump function, 160
- Kaplansky, Irving, 61
 Kestelman, Hyman, 138, 175
 Klamkin, Murray S., 186
 Kleiner, Israel, 83
 knife, 101
 König, Heinz, 186
 Kraft, Roger L., 138
 Krantz, Steven George, 193
 Kuczma, Marek, 186
 Kuratowski, Kazimierz, 37
- L^2 , 221–224
 l^2 , 24
 $L^2 \cap C$, 25, 109
 L^p , 217
- La Vallée Poussin, Charles
 Jean de, 126
- Landau, Edmund, 132
 Laplace transforms, 224
 lattice points, 10
 law of the mean, *see*
 mean-value theorem
- least upper bound, 5
 property, 5–7, 56
- Lebesgue
 differentiation theorem,
 175
 integral, 206–224
 measurable, 197, 201
 measure, 195–200
- Lebesgue, Henri Leon, 90,
 126, 175, 207
- Lebesgue-Stieltjes integrals,
 224
- Lee, Ken W., 138
- left-hand derivative, 140
- Lehmer, Derrick Henry, 244
- lemma
 Fatou, 213
 flowing water, 166
 Riesz, 166
 rising sun, 166
- level sets, 152
- Levit, Robert J., 103
- Lévy, Paul, 103, 262
- librarian, 4
- limit of
 derivative, 151, 187
 function, 107
 integral, 136–138, 279
 integration, 227
 monotonic function, 159
 sequence, 54–56, 58
 boundedly convergent,
 111
 increasing, 57
 nonuniformly
 convergent, 112, 114
 of continuous functions,
 108, 123–126
 of derivatives, 145–147
 of differentiable
 functions, 119
 of monotonic functions,
 113
 uniformly convergent,
 110–122
- sums approximating an
 integral, 226

- limit point, 29–30, 45–46, 58–59
- limit, lower (lim inf), 104–107
- limit, upper (lim sup), 104–107
- line, supporting, 179
- linear
 - functionals, 233–236
 - functions, 132–138
- lion, 46
- Liouville numbers, 75
- Lipiński, Jan Stanislaw, 174
- Littlewood, John Edensor, 138, 186
- locus, 23, 173–174
- log 2, 121
- logarithm, 80
- logical difficulties, 4
- Lorch, Edgar Raymond, 126
- Lorch, Lee, 122
- lower
 - bound, 6
 - limit, 109
 - sums, 208
- m , 24, 43, 44
- $m(E)$, 197
- M -test, 111, 115, 159, 163, 264
- Majumder, N. C. Bose, 138
- mapping, 79
- Markus (Marcus), Solomon, 157
- masses, 224
- maxima, 6, 142
 - computing by
 - integration, 217–219
 - improper, 142
 - number of, 142–143
 - of compact set in \mathbf{R}_1 , 59
 - of functions, 46, 93, 142
 - proper, 142
- May, Kenneth Ownsworth, 138
- McCarthy, John, 72
- McHugh, James A. M., 193
- McLeod, Robert M., 211
- meager set, 64
- mean-value theorem, 143–145, 229–230
 - Bonnet, 231
 - generalized, 148–149, 152
- means, arithmetic and geometric, 181–182
- measurable
 - functions, 201–205
 - sets, 197
- measure
 - Baire, 236
 - Borel, 236
 - finite, 210
 - inner, 198
 - Lebesgue, 195–200
 - of an interval, 196
 - of points at given distance from a set, 173–174
 - outer, 172, 197, 198
 - positive, 134, 211
 - zero, 73–75, 160, 165, 209
- mechanics, 224

- member, 1
- memorial, vii
- Memory, J. D., 104
- Menger, Karl, 83
- Metcalf, Frederic T., 103
- metric, 22
 - space, 21–25
- middle thirds, 39, 134
- midpoint inequality, 176
- Miller, Anthony D., 157
- million, 20
- minimum, 6
- Minkowski's inequality, 24,
 - 184, 186, 218, 223
- Minty, George J., 83
- Mirkil, Hazleton, 193
- misleading idea, 237
- Mitrinović, Dragoslav S.,
 - 186
- model, 79
- molecule, 102
- moment, 131, 224
- monotone convergence, 112,
 - 214
- monotonic functions, 94,
 - 158–174
 - bounded, 159, 226
 - bounded variation, 203
 - convergence of, 159
 - differentiability, 155,
 - 161, 165–170
 - integral test, 220
 - jumps of, 159–160
 - limits, 159
 - measurable, 201
 - sequence of, 113
 - series of, 171–172
- singular, 161
 - strictly, 158
- Morayne, Michal, 156
- Morgenstern, Dietrich, 193
- Morse, Anthony Perry, xii,
 - 73, 157, 158
- motions, rigid, 200
- mountain, 104, 166
- $\mu(E)$, 172
- multiple-valued, 77
- Munroe, Marshall Evans, 52

- neighborhood, 25, 37
 - boundary of, 28
 - closure of, 36, 37
 - diameter of, 61
 - in C , 26
 - in lattice, 26
 - is open, 26, 28
- nested sets, 61–62
- Ng, Che Tat, 186
- nineteenth century, 59, 70,
 - 108
- Niven, Ivan Morton, 21, 186
- noncollinear points, 50
- nondecreasing function,
 - 113, 149, 150, 158,
 - 171, 174, 177, 213,
 - 230
- nondifferentiable functions,
 - 70–72
- nonincreasing function, 158
- nonmeasurable set, 198, 200
- norm, 218, 221
- Norton, Alec, 158

- nowhere dense sets, 38–44,
 63, 66, 67, 69, 71
 closed, 38
 complement of dense
 open set, 69
 perfect, 39
 singletons, 65
 nowhere differentiable,
 70–72, 122, 131, 154,
 273
 null set, 209
 number of subsets, 16–17
 number theory, 14, 135
 numbers
 algebraic, 11–15
 rational, 11
 real, 5–8
 transcendental, 12,
 14–15, 75
 Nurcombe, J. R., 186
 Nymann, J. E., 158
- Oehring, Charles C., xii
 Olmsted, John Meigs
 Hubbell, xii, 72
 one-sided derivative, 140,
 177, 178
 one-to-one correspondence,
 8
 Cantor set and real
 numbers, 42
 continuous functions and
 sequences, 132
 infinite set and proper
 subset, 15
- integers and even
 integers, 9
 interval and line, 16
 interval and square, 17,
 117
 sequences and numbers,
 20
 sets of integers and real
 numbers, 19, 20
 one-to-one function, 91
 open and closed set, 28, 29,
 32
 open intervals, 28
 open sets, 25–37
 alternative definitions,
 29
 complement closed, 29
 disjoint from boundary,
 29
 images and inverse
 images of, 88
 measure of, 196
 neighborhoods, 28
 structure in \mathbf{R}_1 , 30
 union and intersection,
 37
 openness: not intrinsic
 property, 33
 operator, 79
 ordered pair, 22, 77–80, 91
 ordinates of maxima, 142,
 156
 Oresme, Nicole, 256
 orthogonal functions,
 221–224
 orthonormal, 221
 oscillating curve, 32

- oscillating function, 69–70,
203
- Osgood, William Fogg, 126,
268
- Ostrowski, Alexander M.,
186
- outer measure, 172, 197,
198
- Oxtoby, John C., xii, 75,
103, 104
- Paige, Lowell J., 157
- Pambuccian, Victor, 90
- pancake, 101–102
- paradox, 4, 16, 200, 227
- parametric equations, 115,
116
- Parks, Harold R., 193
- partial summation, 232
- partial sums, 47, 52, 54,
233, 237–243
- partition, 206–208, 236
- pea, 200
- Peano curve, 114
- Pečarić, Josip E., 186
- pencil, 85, 242
- perfect set, 37
 - continuous functions on,
125
 - nowhere dense, 38
- periodic functions, 97–98,
115, 143, 238, 240,
242
- Pétard, H. W. O., 52
- Petersen, Bent E., 229
- Pfaff, Donald C., 158
- π , 14, 20, 237
- picnic table, 104
- piecewise monotonic, 158,
177
- Piranian, George, 174
- Plancherel, Michel, 139
- Plato, 156
- Plaza, Sergio, 138
- point, 1
 - as nowhere dense set, 38,
65
 - of density, 172
- pointwise convergence,
108–109, 123–126
- Pólya, George, 122, 138,
139, 156, 186
- polygonal function, 127, 128
- polynomials, 59
 - approximating
 - continuous functions,
43, 128–132
 - Bernoulli, 241
 - characterized by
 - vanishing derivatives,
67–69
 - extremal problems for,
182
 - power series reducing to,
47
 - with integral coefficients,
11–12, 20
- Pompeiu, Dimitrie, 156
- Pondiczery, Ersatz
 - Stanisław, 52
- Porter, Gerald J., 158
- Posey, Eldon E., 156
- positivity of metric, 22

- Poussin, Charles Jean de La Vallée, 126
- power series, 47, 189–192
- Preston, Richard, 21
- Priestley, William
 McGowen, 75
- prime factors, 82
- primitives, 195
- probability, 72, 207, 224
- product
 Cartesian, 79
 of continuous functions, 90–91
 of sets, 3
- progression, geometric, 52
- pronunciation, 225
- proper
 maximum, 142
 subset, 2, 15
- pure existence proof, 14
- pure jump function, 160
- quadrillionth, 14
- quantum mechanics, 225
- quotients of continuous functions, 90–91
- \mathbf{R}_n , 23
 compact subsets, 45, 49, 51
 complete, 57
 connected, 32, 35
 density in, 172–173
 measure in, 73, 199
 separable, 43
 uncountable, 15
- radius, 25
 of convergence, 192
- Radó, Tibor, 175
- Randolph, John F., 138
- range, 77
 of continuous functions, 92, 93
 of derivatives, 143–145
- rational numbers countable, 11
- rational points
 Bolzano-Weierstrass fails for, 47
 boundary of, 249
 dense, 38, 42
 disconnected, 32
 incomplete, 64
 neither open nor closed, 29
 no interior, 26
- real functions, 3, 79
- real numbers, 5–8
 not countable, 15
 number of sequences of, 20
 number of sets of, 17
- real variable, ix, 79
- reciprocal, 91
- Redheffer, Raymond M., 193
- Reich, Ludwig, 138
- Reich, Simeon, 157
- Reichbach, Marian, 21
- remainder (Taylor's theorem), 187
- repeated integrals, 66
- restriction, 78

- continuous,
 - discontinuous, 86–87
- Riemann integration, 206, 209, 222
- Riemann zeta function, 243
- Riemann-Stieltjes integrals, 224–228
- Riesz representation
 - theorem, 233–236
- Riesz's lemma, 166–168, 170
- Riesz, Frigyes, 158, 166, 174, 175, 205, 222, 224, 234
- Riesz-Fischer theorem, 222, 224
- right-hand derivative, 140
- rigid motions, 200
- rising sun lemma, 166, 269
- Roberts, John Henderson, 103
- Rolle's theorem, 103, 104, 156
- Rooij, Arnoud C. M. van, 126
- Rosenbaum, J. T., 104
- Rosenthal, Arthur, 193
- Ross, Kenneth A., 229
- Rosser, J. Barkley, 83
- Rota, Gian-Carlo, 139
- Royden, Halsey L., 205
- Rubel, Lee A., 174, 175
- Rudin, Walter, 76, 217
- rule, 79
 - chain, 141
 - divide and, 264
 - of arithmetic, 246
 - ruler function, 85, 154, 158, 218
- Sack, John, 52
- Sahara desert, 46
- Saks, Stanisław, 73, 155, 156, 174
- Salzmann, Helmut R., 193
- Samelson, Hans, 156
- sandwich theorem, 102
- saw-tooth function, 70
- scalar
 - field, 79
 - product, 221
- Schaffter, Thomas, 200
- Schiff, Leonard I., 225, 228
- Schikhof, Wilhelmus
 - Hendricus, 126
- Schoenberg, Isaac Jacob, 122
- Schroeder-Bernstein
 - theorem, 18–20
- Schwartz, Laurent, 229
- Schwarz's inequality, 185, 221, 223, 229
- Schwarz, Hermann
 - Amandus, 186, 229
- second category, 64, 258
 - complete metric space is, 64
 - function continuous and not differentiable at points of set of, 153
 - nowhere differentiable functions are set of, 71

- set of, with measure
 - zero, 74, 75
- second derivative, 179
- Seebach, J. Arthur, Jr., 44
- Segal, Arthur C., xii, 158
- separable, 42-44
- sequence, 78-81
 - bounded, 24, 43, 44, 59
 - boundedly convergent, 111
 - Cauchy, 55-58
 - convergence of, 52-56
 - differentiation of, 119, 145-147
 - finite, 53, 80
 - increasing, 57
 - integration of, 117-122, 212-214
 - monotone convergence, 112
 - of functions, 108-111, 201
 - of moments, 131
 - of numbers, 20, 53
 - of partial sums, 54
 - orthogonal, 221
 - orthonormal, 221
 - pointwise convergence, 108
 - uniform convergence, 110-122
 - upper and lower limits, 104-107
- sequence spaces, 23-24
- series, 52-55
 - connection with
 - integrals, 220-221
 - convergence of, 183, 214
 - differentiation of, 164, 171-173
 - divergent, summed, 55
 - Fourier, 225, 231
 - harmonic, 196, 237, 242, 244, 256
 - M*-test, 111
 - numerical computation
 - of, 237-243
 - of continuous functions, 108, 121
 - of monotonic functions, 171-172
 - of orthogonal functions, 221-224
 - partial sums of, 237-243
 - power, 47, 224
 - special, summed, 120-122, 237
 - Stieltjes integrals applied to, 232-233
 - Taylor, 189-192
 - trigonometric, 207, 225, 231
- set of all sets, 4, 16
- sets, 1-4
 - arbitrary, as metric spaces, 25
 - Borel, 198
 - boundary of, 27
 - bounded, 7, 26, 45, 49
 - Cantor, 39-42, 74-75
 - category of, 64
 - closed, 28
 - compact, 48
 - connected, 32

- countable, 9
- dense, 38–44
- density of, 172–173
- disjoint, 3
- empty, 2
- finite, 9
- first category and
 - positive measure, 74
- infinite, 9, 15
- interior of, 26
- intersection of, 3
- measurable, 197, 198
- nested, 61–62
- nonmeasurable, 198–200
- nowhere dense, 38–44
- nowhere dense perfect, 39
- null, 209
- of distances, 133
- of limit points, 30
- of measure zero, 73–75, 173, 198
- of positive integers, 19
- of positive measure, 199, 206, 211
- of real numbers, 5–8
- open, 28
- perfect, 37, 38
- product of, 3
- second category and
 - measure zero, 74
- uncountable, 9, 14–15
- uncountable and
 - measure zero, 74
- union of, 3
- Shanks, Daniel, 20
- Shkarin, S. A., 73
- Shchat, Alan Howard, xii
- sibling, vii
- Sierpiński, Waclaw, 83, 90, 155, 200
- Sierpiński's theorem, 73
- Silverman, Stephen, 138
- Simoson, Andrew, 200
- sine function, 78, 182, 190
- Singh, Avadhesh Narayan, 157
- singular functions, 161–164, 174
- size of sets, 73–75
- slope, ix, 72, 100, 147, 177, 179, 262
- snake, 33
- Solovay, Robert M., 200
- sophomore, 44
- space, 2, 21
 - complete, 56, 64, 112
 - metric, 21–25
 - separable, 42
- space-filling curve, 114
- spaces, special
 - B , 25, 44, 47, 127
 - B_E , 110
 - C , 24, 26, 108, 233
 - c_0 , 23, 24, 43
 - C_E , 110
 - integral points, 26, 38
 - L^2 , 221–224
 - l^2 , 24
 - $L^2 \cap C$, 25, 109
 - L^p , 217, 236
 - m , 24, 43, 44
 - \mathbf{R}_n , 23

- rational points, 29, 47, 56, 62
- square, 17, 33, 115, 116, 134, 182
- Squire, William, 244
- staircase, 96
- Steen, Lynn Arthur, 44
- Steenrod, Norman Earl, 104
- Steinhaus, Hugo, 138, 200
- step functions, 127–128, 214, 226, 276
- Stieltjes integrals, 224–236, 238
- Stieltjes, Thomas Jan, 225
- stirring coffee, 102
- Stone, Arthur H., 104
- strictly monotonic function, 94
- Stromberg, Karl Robert, 200, 217
- student, 21, 44, 79, 151, 237
- subsequence principle, 59, 63
- subset, 2
 - countable, 10, 15
 - of compact set, 49
 - of countable set, 10
 - of finite set, 16
 - of infinite set, 15
 - of metric space, 25, 57, 58
 - proper, 2, 15
- success, 234
- sum
 - connection with integral, 220–221
 - of continuous functions, 90–91
 - of series, 52
 - of sets, 3
 - upper and lower, 208
 - summability method, 55, 61
 - summation by parts, 232
 - sun, rising, 166
 - Sunyer i Balaguer, Ferran, 72
 - supercomputer, 21
 - supporting line, 179
 - supremum, 5, 6
 - essential, 218
- symbols
 - \subset, \supset, \in , 2
 - \cup, \cap , 3
 - ∞ , 6, 7, 77, 140, 210, 211
 - (a, b) , $[a, b]$, etc., 6
 - $C(E)$, 3
 - $f(x_0^+)$, $f(x_0^-)$, 107
 - f^+ , f^- , etc., 139
 - f^{-1} , 91
 - $\|f\|_\infty$, 218
 - $\|f\|_p$, 218
 - $\{x\}$, 2
 - $[x]$, 158
- symmetry, 242, 249
 - in the origin, 101, 102
 - of metric, 22, 248, 259
- Szász, Otto, 61
- Szegő, Gabor, 122, 156
- Szőkefalvi-Nagy, Béla, 158, 174, 175, 205
- Takács, Lajos, 174

- tangent function, 247, 270
tangents, 71, 122, 143, 147,
179, 180
Tannery's theorem, 120
Tarski, Alfred, 200
Taylor series, 189
divergent, 189–190
Taylor's theorem, 67, 187
Taylor, Gerald D., 158
teepee, 42
teeth, 70, 215
telescoping sum, 98, 215,
223, 235, 277, 279
ter Horst, H. J., 229
termwise
differentiation, 118–119,
145–147, 264
integration, 117–120, 214
ternary expansion, *see* base
3 expansion
Thurston, Hugh A., xii
Titchmarsh, Edward
Charles, 216
topology, 115
total variation, 203, 216,
279
totally disconnected, 42
transcendental, 12
transformation, 79
translation, 199
triangle inequality, 22
triangle of largest area, 50
Tricomi, Francesco
Giacomo, 103
trigonometric series, 207,
221, 225, 231
Tucker, Albert William, 104
Tukey, John Wilder, 104
two-place accuracy, 237
two-to-one functions, 94
Ulam, Stanislaw M., 210
unbounded set, 27
uncountable sets, 9
Cantor set, 41, 65
points where $f^+(x) \leq C$,
149
polynomials, 43
real numbers, 15, 65
undergraduate instruction,
225
uniform continuity, 127–128
uniform convergence,
110–122
almost, 202
and continuity, 112
and differentiation, 119,
146
and integration, 117
union, 3
of closed sets, 36–37
of countable sets, 10, 11
of open sets, 37
of sets of measure zero,
74
supremum of, 8
univalent, 91
universal chord theorem,
98–100, 144
negative part, 99
upper
bound, 5

- limit (lim sup), 105, 106,
 - 109
 - sums, 208
- Vallée Poussin, Charles
 - Jean de La, 126
- values of a function, 79
- van Rooij, Arnoud C. M.,
 - 126
- Varberg, Dale E., 156
- Varga, Richard S., 224
- variable, 79
- variation
 - bounded, 203–204, 216,
 - 226, 228, 230, 234
 - total, 203, 216, 279
- Vaughan, Jerry E., 156
- vector field, 79
- velocity, 156
- Vera, Jaime, 138
- Vitali, Giuseppe, 205
- vowels, 3, 245
- Voxman, William L., 44
- Výborný, Rudolf, 157

- Wadhwa, A. D., 243
- Wagon, Stan, 200
- Walker, Peter L., 217
- Walsh, John L., xi
- Walter, Wolfgang L., 186
- Wang, Shun-Hwa, 244
- water, flowing, 166
- Wayment, Stanley G., 156
- Weierstrass approximation
 - theorem, 132, 267
- Weierstrass M -test, 111

- weighted means, 181, 182
- Weil, Clifford E., 72
- Wen, Liu, 122
- Whyburn, Gordon Thomas,
 - 122
- Widder, David Vernon, xi,
 - 132, 228
- Wiener, Norbert, 202
- wiggly function, 70
- Wilansky, Albert, 37, 138
- Williams, K. P., 107
- Woodruff, Edythe P., 156
- Wrench, John W., Jr., 20

- Young's theorem, 157
- Young, Gail S., 138
- Young, William Henry, 157
- Youngs, John William
 - Theodore, 122

- Zajíček, Luděk, 175
- Zamfirescu, Tudor, 174
- Zeller, Karl, 61, 193
- zeta function, 243
- Zitronenbaum, A. C., 104
- Zygmund, Antoni, 90, 138