

Index

- $2^{11} - 1 = 2047 = 23 \cdot 89$
 - and binary Golay codes, 268
 - and perfect numbers, 267
- $2^{11} - 1 = 2047 \stackrel{?}{=} 23 \cdot 89$
 - and Hudalricus Regius, 267
 - and L. E. Dickson, 267
- (7, 3, 1)
 - block design, 29, 105, 137, 165, 209, 210, 214
 - complex and quaternion subalgebras of the octonions, 225
 - difference set, 107, 182, 214
 - doubly regular tournament, 214
 - Fano plane, 137, 165
 - Hamming $H(7, 4)$ code, 172
 - Heawood graph, 210
 - Heawood's map on the torus, 210
 - multiplication rule for octonion units, 224
 - orthogonal Latin squares of order 2, 212
 - P-positions for three-heap Nim, 29
 - Rick's Tricky Six Puzzle, 299–302
 - skew-Hadamard matrix, 215
 - Steiner triple system, 105
 - the \mathcal{F}_7 matroid, 229
 - three-circle Venn diagram, 172
- (11, 5, 2) biplane, 257–273
 - and difference sets, 259
 - and error-correcting codes, 266–270
 - and Galois, 265
 - and Mathieu groups, 274–277
 - and Steiner systems, 270–272
- affine planes, 140–142
- $AG(2, \mathbb{F}_5)$, 141
- Alberti, Leon Battisti
 - and perspective in art, 123
- Alekseev, V. E., 89
 - and partitioning problems
 - $x + y = z$, 89
- algebraic number fields, 192–198
 - quadratic (degree-2) fields, 194, 195
 - biquadratic (degree-4) fields, 194, 195
 - octic (degree-8) fields, 194, 217
- Anderson, Ian, 311
- arithmetic progressions, 91
- Aschbacher, Michael, 122
 - and symmetric (79, 13, 2) designs, 122
- associahedrons, 55
- automorphism, 147
 - of a graph, 147

- outer automorphism, 279, 287
- automorphism group, 147, 152, 153
 - of a block design, 147
 - of a Steiner system, 274
 - of Rick's Tricky Six Puzzle, 279, 286–293
 - of the $(7, 3, 1)$ block design, 148–153, 265
 - on the octahedron, 150–152
 - on the regular heptagon, 150
 - of the Fano plane, 147, 148
 - of the Golay code \mathcal{G}_{12} , 309
 - of the Hamming code $H(7, 4)$, 253
 - of the Heawood graph, 147
 - of the Hoffman–Singleton graph, 303
 - of the quadratic residue code C_{17} , 255
 - of $S(5, 8, 24)$, 311
 - of the $(11, 5, 2)$ biplane, 261–265
- Babylonian cuneiform, 51
- Beatty sequences, 8–18, 21, 34, 41, 78
 - complementary, 9–11, 21, 22, 34
- Beatty's Theorem, 9
- Beatty, Samuel, 10
- Berlekamp, Elwyn R., 31
- Binet J. P. M.
 - and the Fibonacci numbers, 41
- binomial coefficients, 45–47
- biplanes
 - symmetric $(v, k, 2)$ designs, 261
- block designs, 117–123, 132–136
 - $(7, 3, 1)$, 120, 138, 139, 142, 146–152, 194, 209
 - $(11, 5, 2)$, 120, 259
 - $(13, 4, 1)$, 139
 - $(15, 3, 1)$, 187, 190, 195, 196, 203, 204
 - $(15, 7, 3)$, 196, 198
 - $(16, 6, 2)$, 111
 - $(25, 9, 3)$, 122
 - $(31, 15, 7)$, 139
- Bruck–Ryser–Chowla Theorem, 119
- dual designs, 139
- elementary relations, 119
- resolvable designs, 187, 189, 190, 196, 203, 204
- symmetric designs, 119–122, 133–138, 147, 185, 194, 196–198
- Bose's theorem
 - for projective planes, 135
 - on Singer designs, 133, 135
- Bouton's Theorem, 28, 34, 244
- Bouton, Charles L., 28
- bow ties, 13–19
- bricks
 - and enumeration problems, 77
 - and the Fibonacci numbers, 41
 - and the MOG, 319–324
- Brooks, R. L., 94
 - and perfect squared squares, 94
- Brown, Ezra, 155, 187, 209, 217, 257
 - $(7, 3, 1)$ and combinatorics, 209–215
 - $(7, 3, 1)$ and normed algebras, 217–227
- Kirkman's Schoolgirls, fields, spreads, and hats, 187–207

- the (11, 5, 2) biplane, codes, designs, and groups, 257–273
- the groups $PSL(2, 7)$ and $GL(3, 2)$ and why they are isomorphic, 155–163
- Bruce, J. W., 49
 - and the Lucas–Lehmer primality test, 49
- Bruck–Ryser–Chowla Theorem, 119
- Brunelleschi, Filippo
 - and perspective in art, 123
- Catalan numbers, 39, 54–65, 69, 71, 74
 - André’s Reflection Principle, 57
 - associahedrons, 56
 - Dyck paths, 58–60
 - formula for, 57
 - grouping of products, 55
 - in Catalan, 60
 - strings of L ’s and R ’s, 57
 - triangulations of regular polygons, 59
 - walks, 60
- Cayley, Arthur
 - and Kirkman’s Schoolgirls Problem, 206
 - and partitioning polygons, 64
 - and the Cayley–Dickson construction, 223–226
 - and the octonions, 181, 223
- codewords, 167–173, 203, 205
- coil diagrams, 91
- coin-turning games, 243–255
 - Mock Turtles, 250–254
 - Moebius, 254–255
 - Mogul, 255
 - Turning Corners, 247–249
 - Turning Turtles, 245–247
- combinations, 46
- combinatorial games, 21–38, 243–255
- complete graphs, 90
 - genus of K_n , 92
 - K_{25} , 103
 - K_5 , 100, 101, 294
 - K_n , 90–92
- complex numbers, 220
 - and the Two-Squares Identity, 220
- continued fraction, 43
- Conway worms, 15
- Conway, John Horton, 12–19, 35
 - On Numbers And Games*, 36
 - and Nim multiplication, 247
 - and Rick’s Tricky Six Puzzle, 283
 - and the “alias-alibi” problem, 284
 - and the hexacode \mathcal{H} , 326
 - and the Hoffman–Singleton graph, 304
- Conway worms, 15
- kites and darts, 15
- monads, duads, and synthemes, 291
- short and long bow ties, 15
- the Ace, 15
- current graphs, 93–97
- Dürer, Albrecht
 - and perspective in art, 124
- darts, 13–15
- Dawson’s Chess, 31
- de Bruijn cycles, 115–116

- de Bruijn graph, 116
- de Moivre, Abraham
 - and the Fibonacci numbers, 41
- Denniston, R. H. F., 206
 - and Kirkman parades, 206
- Desargues, Girard
 - and Desargues' Theorem, 124
 - and projective geometry, 124
- Dickson, Leonard Eugene, 155
 - and $2^{11} - 1 = 2047 \stackrel{?}{=} 23 \cdot 89$, 268
 - and $PSL(2, 7)$, 155
 - and the Cayley–Dickson construction, 223–226
- difference sets, 105, 107–113, 115–117, 120–122
 - (7, 3, 1), 107, 110, 113–115, 117
 - (11, 5, 2), 108, 110, 113, 114, 120, 260
 - (13, 4, 1), 110
 - (15, 7, 3), 115
 - (16, 6, 2), 38, 111, 112, 183
 - (19, 9, 4), 110
 - (21, 5, 1), 115, 294
 - (23, 11, 5), 110
 - (31, 15, 7), 110
 - (37, 9, 2), 115
 - (40, 13, 4), 115
 - (43, 21, 10), 110
- Hadamard, 111, 183
- Paley, 109, 183, 214
- planar, 108, 109
- Singer, 116, 135, 136
- Whiteman, 112
- Diophantus, 218
 - Two-Squares Identity, 220
- directed Euler circuit, 116
- dodecads, 314
 - and $S(5, 8, 24)$, 314
- Dots and Boxes, 31
- duads, 287–297
- dual graphs, 96, 97, 144
- Duijvestijn, A. J. W., *see* perfect squared square, 94
- Dyck paths, 58–60, 77, 78
- eigenvalues and eigenvectors
 - and the Fibonacci numbers, 41
- Emmy Noether Boarding School, 188
- error-correcting codes, 167–174, 266–270
- Euclid
 - and the *Elements*, 42
 - and the GCD algorithm, 42
- Euler, Leonard
 - Euler's polyhedral formula, 97
- Euler, Leonhard
 - and Latin squares, 212
 - Euler characteristic, 98
 - Euler circuit, 116
 - Euler's conjecture disproved, 212
 - Euler's misattribution, 51
 - Euler's polyhedral formula, 97, 99, 99
 - for nonplanar graphs, 99
 - sketch of a proof, 98
- evil numbers, 250–252
- face-centered-cubic lattice, 176–179
- Fano plane, 132, 137, 138, 144–148, 152, 155, 156, 165, 172, 182, 183, 238, 300
- Fano, Gino, 132
- Fermat, Pierre

Index

- $2^{11} - 1 = 2047 = 23 \cdot 89$
 - and binary Golay codes, 268
 - and perfect numbers, 267
- $2^{11} - 1 = 2047 \stackrel{?}{=} 23 \cdot 89$
 - and Hudalricus Regius, 267
 - and L. E. Dickson, 267
- (7, 3, 1)
 - block design, 29, 105, 137, 165, 209, 210, 214
 - complex and quaternion subalgebras of the octonions, 225
 - difference set, 107, 182, 214
 - doubly regular tournament, 214
 - Fano plane, 137, 165
 - Hamming $H(7, 4)$ code, 172
 - Heawood graph, 210
 - Heawood's map on the torus, 210
 - multiplication rule for octonion units, 224
 - orthogonal Latin squares of order 2, 212
 - P-positions for three-heap Nim, 29
 - Rick's Tricky Six Puzzle, 299–302
 - skew-Hadamard matrix, 215
 - Steiner triple system, 105
 - the \mathcal{F}_7 matroid, 229
 - three-circle Venn diagram, 172
- (11, 5, 2) biplane, 257–273
 - and difference sets, 259
 - and error-correcting codes, 266–270
 - and Galois, 265
 - and Mathieu groups, 274–277
 - and Steiner systems, 270–272
- affine planes, 140–142
- $AG(2, \mathbb{F}_5)$, 141
- Alberti, Leon Battisti
 - and perspective in art, 123
- Alekseev, V. E., 89
 - and partitioning problems
 - $x + y = z$, 89
- algebraic number fields, 192–198
 - quadratic (degree-2) fields, 194, 195
 - biquadratic (degree-4) fields, 194, 195
 - octic (degree-8) fields, 194, 217
- Anderson, Ian, 311
- arithmetic progressions, 91
- Aschbacher, Michael, 122
 - and symmetric (79, 13, 2) designs, 122
- associahedrons, 55
- automorphism, 147
 - of a graph, 147

- outer automorphism, 279, 287
- automorphism group, 147, 152, 153
 - of a block design, 147
 - of a Steiner system, 274
 - of Rick's Tricky Six Puzzle, 279, 286–293
 - of the $(7, 3, 1)$ block design, 148–153, 265
 - on the octahedron, 150–152
 - on the regular heptagon, 150
 - of the Fano plane, 147, 148
 - of the Golay code \mathcal{G}_{12} , 309
 - of the Hamming code $H(7, 4)$, 253
 - of the Heawood graph, 147
 - of the Hoffman–Singleton graph, 303
 - of the quadratic residue code C_{17} , 255
 - of $S(5, 8, 24)$, 311
 - of the $(11, 5, 2)$ biplane, 261–265
- Babylonian cuneiform, 51
- Beatty sequences, 8–18, 21, 34, 41, 78
 - complementary, 9–11, 21, 22, 34
- Beatty's Theorem, 9
- Beatty, Samuel, 10
- Berlekamp, Elwyn R., 31
- Binet J. P. M.
 - and the Fibonacci numbers, 41
- binomial coefficients, 45–47
- biplanes
 - symmetric $(v, k, 2)$ designs, 261
- block designs, 117–123, 132–136
 - $(7, 3, 1)$, 120, 138, 139, 142, 146–152, 194, 209
 - $(11, 5, 2)$, 120, 259
 - $(13, 4, 1)$, 139
 - $(15, 3, 1)$, 187, 190, 195, 196, 203, 204
 - $(15, 7, 3)$, 196, 198
 - $(16, 6, 2)$, 111
 - $(25, 9, 3)$, 122
 - $(31, 15, 7)$, 139
- Bruck–Ryser–Chowla Theorem, 119
- dual designs, 139
- elementary relations, 119
- resolvable designs, 187, 189, 190, 196, 203, 204
- symmetric designs, 119–122, 133–138, 147, 185, 194, 196–198
- Bose's theorem
 - for projective planes, 135
 - on Singer designs, 133, 135
- Bouton's Theorem, 28, 34, 244
- Bouton, Charles L., 28
- bow ties, 13–19
- bricks
 - and enumeration problems, 77
 - and the Fibonacci numbers, 41
 - and the MOG, 319–324
- Brooks, R. L., 94
 - and perfect squared squares, 94
- Brown, Ezra, 155, 187, 209, 217, 257
 - $(7, 3, 1)$ and combinatorics, 209–215
 - $(7, 3, 1)$ and normed algebras, 217–227
- Kirkman's Schoolgirls, fields, spreads, and hats, 187–207

- the (11, 5, 2) biplane, codes, designs, and groups, 257–273
- the groups $PSL(2, 7)$ and $GL(3, 2)$ and why they are isomorphic, 155–163
- Bruce, J. W., 49
 - and the Lucas–Lehmer primality test, 49
- Bruck–Ryser–Chowla Theorem, 119
- Brunelleschi, Filippo
 - and perspective in art, 123
- Catalan numbers, 39, 54–65, 69, 71, 74
 - André’s Reflection Principle, 57
 - associahedrons, 56
 - Dyck paths, 58–60
 - formula for, 57
 - grouping of products, 55
 - in Catalan, 60
 - strings of L ’s and R ’s, 57
 - triangulations of regular polygons, 59
 - walks, 60
- Cayley, Arthur
 - and Kirkman’s Schoolgirls Problem, 206
 - and partitioning polygons, 64
 - and the Cayley–Dickson construction, 223–226
 - and the octonions, 181, 223
- codewords, 167–173, 203, 205
- coil diagrams, 91
- coin-turning games, 243–255
 - Mock Turtles, 250–254
 - Moebius, 254–255
 - Mogul, 255
 - Turning Corners, 247–249
 - Turning Turtles, 245–247
- combinations, 46
- combinatorial games, 21–38, 243–255
- complete graphs, 90
 - genus of K_n , 92
 - K_{25} , 103
 - K_5 , 100, 101, 294
 - K_n , 90–92
- complex numbers, 220
 - and the Two-Squares Identity, 220
- continued fraction, 43
- Conway worms, 15
- Conway, John Horton, 12–19, 35
 - On Numbers And Games*, 36
 - and Nim multiplication, 247
 - and Rick’s Tricky Six Puzzle, 283
 - and the “alias-alibi” problem, 284
 - and the hexacode \mathcal{H} , 326
 - and the Hoffman–Singleton graph, 304
- Conway worms, 15
- kites and darts, 15
- monads, duads, and synthemes, 291
- short and long bow ties, 15
- the Ace, 15
- current graphs, 93–97
- Dürer, Albrecht
 - and perspective in art, 124
- darts, 13–15
- Dawson’s Chess, 31
- de Bruijn cycles, 115–116

- de Bruijn graph, 116
- de Moivre, Abraham
 - and the Fibonacci numbers, 41
- Denniston, R. H. F., 206
 - and Kirkman parades, 206
- Desargues, Girard
 - and Desargues' Theorem, 124
 - and projective geometry, 124
- Dickson, Leonard Eugene, 155
 - and $2^{11} - 1 = 2047 \stackrel{?}{=} 23 \cdot 89$, 268
 - and $PSL(2, 7)$, 155
 - and the Cayley–Dickson construction, 223–226
- difference sets, 105, 107–113, 115–117, 120–122
 - (7, 3, 1), 107, 110, 113–115, 117
 - (11, 5, 2), 108, 110, 113, 114, 120, 260
 - (13, 4, 1), 110
 - (15, 7, 3), 115
 - (16, 6, 2), 38, 111, 112, 183
 - (19, 9, 4), 110
 - (21, 5, 1), 115, 294
 - (23, 11, 5), 110
 - (31, 15, 7), 110
 - (37, 9, 2), 115
 - (40, 13, 4), 115
 - (43, 21, 10), 110
- Hadamard, 111, 183
- Paley, 109, 183, 214
- planar, 108, 109
- Singer, 116, 135, 136
- Whiteman, 112
- Diophantus, 218
 - Two-Squares Identity, 220
- directed Euler circuit, 116
- dodecads, 314
 - and $S(5, 8, 24)$, 314
- Dots and Boxes, 31
- duads, 287–297
- dual graphs, 96, 97, 144
- Duijvestijn, A. J. W., *see* perfect squared square, 94
- Dyck paths, 58–60, 77, 78
- eigenvalues and eigenvectors
 - and the Fibonacci numbers, 41
- Emmy Noether Boarding School, 188
- error-correcting codes, 167–174, 266–270
- Euclid
 - and the *Elements*, 42
 - and the GCD algorithm, 42
- Euler, Leonard
 - Euler's polyhedral formula, 97
- Euler, Leonhard
 - and Latin squares, 212
 - Euler characteristic, 98
 - Euler circuit, 116
 - Euler's conjecture disproved, 212
 - Euler's misattribution, 51
 - Euler's polyhedral formula, 97, 99, 99
 - for nonplanar graphs, 99
 - sketch of a proof, 98
- evil numbers, 250–252
- face-centered-cubic lattice, 176–179
- Fano plane, 132, 137, 138, 144–148, 152, 155, 156, 165, 172, 182, 183, 238, 300
- Fano, Gino, 132
- Fermat, Pierre

- and Fermat's Little Theorem, 50
- and the Fermat powers 2^{2^n} , 36, 247
- and the Pell Equation, 51
- Fibonacci
 - Liber abaci*, 39
 - numbers, 12, 39–44, 47
 - Beatty sequences, 41
 - counting problems, 40–41
 - de Moivre–Binet Formula, 41
 - Euclidean algorithm, 42
 - Virahanka, 40
 - origin of the name, 40
 - rabbits, 39
- field, 126, 127, 129, 131, 133, 145
- finite field, 129, 130, 133, 146
 - construction, 129
- finite projective planes, 132–140, 144–152, 183, 211, 230, 238, 261, 283, 294
- finite projective spaces, 127–152, 198–201, 238, 239
 - $PG(2, \mathbb{F}_2)$, 132
 - $PG(3, \mathbb{F}_2)$ sits inside $PG(2, \mathbb{F}_4)$, 300
 - $PG(3, \mathbb{F}_2)$, 183, 185, 189, 199–201, 205
 - $PG(n, \mathbb{F}_q)$, 137
- Fink, Alex, 279
 - Rick's Tricky Six Puzzle, 279–309
- Fisher, R. A., 118
 - Fisher's Inequality, 119, 139, 166
- Four Color Theorem, 91
- fractals, 53
 - and Pascal's triangle, 53
- Fundamental Theorem of Matroids
 - and Greedy Algorithms, 241
- Galois, Évariste, 194, 217
 - Fundamental Theorem of Galois Theory, 207
 - Galois group, 207, 217
 - Galois theory, 194
- generalized Fibonacci numbers, 48–53
 - Brahmagupta–Pell numbers, 50
 - Chebyshev polynomials, 52, 53
 - Jacobsthal numbers, 50
 - Mersenne numbers, 49
- genus, 91
 - of a graph, 91
 - of the complete graph K_n , 92
- Golay codes
 - \mathcal{G}_{11} , 170, 259, 266, 269, 270, 308
 - \mathcal{G}_{12} , 170, 259, 266, 269, 270, 283, 307, 308
 - and Rick's Tricky Six Puzzle, 307
 - \mathcal{G}_{23} , 170, 255, 259, 266, 269, 270
 - \mathcal{G}_{24} , 170, 255, 259, 266, 269, 270, 272, 325, 326
- Golay, Marcel, 167
 - see also Golay codes, 167
- golden section ϕ , 8, 12, 14, 43
- graph coloring, 91–93
 - proper, 91–93
- graph covering, 90, 99–103
- graph decomposition, 99–105
 - of K_{25} into 100 triangles, 103
 - of K_5 into two 5-cycles, 101
 - of K_7 into seven triangles, 105
- graph packing, 90, 99–104
- graphs, 56
 - associahedron graph, 55

- and Fermat's Little Theorem, 50
- and the Fermat powers 2^{2^n} , 36, 247
- and the Pell Equation, 51
- Fibonacci
 - Liber abaci*, 39
 - numbers, 12, 39–44, 47
 - Beatty sequences, 41
 - counting problems, 40–41
 - de Moivre–Binet Formula, 41
 - Euclidean algorithm, 42
 - Virahanka, 40
 - origin of the name, 40
 - rabbits, 39
- field, 126, 127, 129, 131, 133, 145
- finite field, 129, 130, 133, 146
 - construction, 129
- finite projective planes, 132–140, 144–152, 183, 211, 230, 238, 261, 283, 294
- finite projective spaces, 127–152, 198–201, 238, 239
 - $PG(2, \mathbb{F}_2)$, 132
 - $PG(3, \mathbb{F}_2)$ sits inside $PG(2, \mathbb{F}_4)$, 300
 - $PG(3, \mathbb{F}_2)$, 183, 185, 189, 199–201, 205
 - $PG(n, \mathbb{F}_q)$, 137
- Fink, Alex, 279
 - Rick's Tricky Six Puzzle, 279–309
- Fisher, R. A., 118
 - Fisher's Inequality, 119, 139, 166
- Four Color Theorem, 91
- fractals, 53
 - and Pascal's triangle, 53
- Fundamental Theorem of Matroids
 - and Greedy Algorithms, 241
- Galois, Évariste, 194, 217
 - Fundamental Theorem of Galois Theory, 207
 - Galois group, 207, 217
 - Galois theory, 194
- generalized Fibonacci numbers, 48–53
 - Brahmagupta–Pell numbers, 50
 - Chebyshev polynomials, 52, 53
 - Jacobsthal numbers, 50
 - Mersenne numbers, 49
- genus, 91
 - of a graph, 91
 - of the complete graph K_n , 92
- Golay codes
 - \mathcal{G}_{11} , 170, 259, 266, 269, 270, 308
 - \mathcal{G}_{12} , 170, 259, 266, 269, 270, 283, 307, 308
 - and Rick's Tricky Six Puzzle, 307
 - \mathcal{G}_{23} , 170, 255, 259, 266, 269, 270
 - \mathcal{G}_{24} , 170, 255, 259, 266, 269, 270, 272, 325, 326
- Golay, Marcel, 167
 - see also Golay codes, 167
- golden section ϕ , 8, 12, 14, 43
- graph coloring, 91–93
 - proper, 91–93
- graph covering, 90, 99–103
- graph decomposition, 99–105
 - of K_{25} into 100 triangles, 103
 - of K_5 into two 5-cycles, 101
 - of K_7 into seven triangles, 105
- graph packing, 90, 99–104
- graphs, 56
 - associahedron graph, 55

- connected, 71, 97
- de Bruijn, 116
- genus of a graph, 91
- Moore graphs, 303
- paths, 58
- planar, 56, 97–99
- walks, 78
- Graves, John T.
 - and the Eight-Squares Identity, 223
 - and the octonions, 181, 222
- greedy algorithms
 - Dijkstra and minimal connectors, 240
 - Euler and the Königsberg Bridges, 240
 - Ford–Fulkerson and max-flow min-cut, 240
 - Hall and maximal matchings, 240
 - Hungarian Assignment algorithm, 240
 - Kruskal and minimal spanning trees, 240
 - Menger’s theorem, 240
 - Prim and minimal spanning trees, 240
- groups
 - A_8 , 156
 - $GL(3, 2)$, 147, 148, 152, 153, 155–158, 161, 163, 253
 - $GL(\mathbb{F}_8)$, 157, 161, 163
 - k -transitive groups, 275
 - M_{11} , 258, 275, 277
 - M_{12} , 258, 275, 277
 - M_{24} , 255, 258, 275, 277
 - Mathieu groups, 258, 274–277
 - Multiple Transitivity Theorem, 275
 - multiply transitive, 275
 - $PGL(2, 5)$, 279
 - $PSL(2, 7)$, 147, 148, 153, 155, 156, 159–161, 163, 275
 - $PSL(2, 11)$, 257
 - $PSL(2, 17)$, 254
 - $PSL(3, 4)$, 156
 - S_5 , 279
 - S_5 sits specially in S_6 , 279
 - S_6 , 279
 - simple, 275, 276
 - $SLF(7)$, 159–163
 - why $PSL(2, 7)$ and $GL(3, 2)$ are isomorphic, 152–163
- Grundy number, 31, 33–35, 244, 245, 247–252, 254, 255
- Grundy’s Theorem (*see* Sprague–Grundy Theorem), 32
- Grundy, Patrick M., 31
- Guy, Richard K., 61, 77, 279
 - Catwalks, Sandsteps and Pascal Pyramids, 61–75
 - Rick’s Tricky Six Puzzle, 279–309
 - unique rook circuits, 77–87
- Hadamard difference sets, 111
- Hadamard matrix, 111, 181–184, 215
 - normalized, 182
 - regular, 183
 - skew-Hadamard matrix, 215
- Hadamard, Jacques, 182
- Hamilton, William R.
 - and the quaternions, 221
 - could not multiply triples, 221
- Hamming

- distance, 168, 179, 307
- sphere, 168, 169, 180
- weight, 168, 180
- Hamming codes, 170–174, 179, 201, 203–205, 252, 253
 - (3, 1) triplication code, 170
 - (7, 4) code, 170
 - (15, 11) code, 203
 - extended Hamming code, 179, 252, 253
- Hamming, Richard, 167
- Hats Games, 202, 203
 - The Three Hats Game, 202
 - The Fifteen Hats Game, 203
- Heawood graph, 93, 99, 142, 143
- Heawood's conjecture, 91
- Heawood, Percy J., 91
- hexacode, 326–327
- hexads
 - and $S(5, 6, 12)$, 305, 307
- Hoffman–Singleton graph, 303–305
- homomorphisms, 152–163
- Hudalricus Regius, 268
 - and $2^{11} - 1 = 2047 \stackrel{?}{=} 23 \cdot 89$, 268
- hyperplanes, 133, 134
- incidence graph, 210
- incidence matrix, 265, 266, 270
 - of (7, 3, 1), 166
 - of a block design, 166, 190
 - of a finite projective geometry, 165
 - of the (15, 11) Hamming code, 205
 - of the Fano plane, 165, 173, 182, 183
 - of the Kirkman design, 190, 203, 204
 - of $PG(3, \mathbb{F}_2)$, 183
- inner automorphism, 287
- Isaacs's game, 32
- Isaacs, Rufus, 21
- isomorphic
 - block designs, 139, 205
 - finite fields, 129
 - games, 21
 - graphs, 99
 - groups, 265, 275
 - $PGL(2, 5)$ and S_5 , 279
 - $PSL(2, 7)$ and $GL(3, 2)$, 152
 - the alternating group A_8 and the linear group $L_4(2)$, 325
- Hadamard matrices, 182
- matroids, 236
- subalgebras
 - of the octonions, 225
 - of the sedenions, 226
- isomorphism
 - between $GL(3, 2)$ and $\text{Aut}(7, 3, 1)$, 153
 - between $PGL(2, 5)$ and S_5 , 279
 - between $PSL(2, 7)$ and $GL(3, 2)$, 155–163
 - between graphs, 99
 - between projective spaces and Kirkman designs, 201
 - exceptional: $A_8 \cong L_4(2)$, 324
 - of combinatorial games, 22
 - the Galois correspondence, 207
- Kepler conjecture, 176, 178
 - proof by Hales *et al.*, 178
- Kirchhoff's current law, 93, 95
- Kirchhoff, Gustav, 93

- Kirkman parades, 206
 Kirkman's Schoolgirls Problem, 187–206
 and algebraic number fields, 194–198
 and difference sets, 191
 and Hamming codes, 203, 204
 and hats, 201–205
 and Rick's Tricky Six Puzzle, 299–303
 and spreads, 199, 201
 and the group $(\mathbb{Z}/2\mathbb{Z})^4$, 207
 solutions, 188, 192, 196, 200, 203, 207
 Kirkman, Thomas P., 133, 185, 187–191, 196, 200, 201, 205
 and Kirkman designs, 196, 200, 201, 205
 kites, 13–15

 Langford sequences, 6, 78, 90
 Langford, Dudley, 5
 son playing with blocks, 5, 89, 327
 Laplace transform coefficients, 63
 Latin squares, 141
 and finite projective planes, 211
 Euler's conjecture, 212
 Euler's conjecture disproved, 212
 of order n , 211
 orthogonal, 141, 211
 Leech lattice
 E_8 in \mathbb{R}^8 , 179, 180
 Λ in \mathbb{R}^{24} , 179, 315, 327
 Leech, John, 179
 Leonardo of Pisa, *see* Fibonacci
 Loehr, Nicholas A., 155
 the groups $PSL(2, 7)$ and $GL(3, 2)$
 and why they are isomorphic, 155–163
 Lucas numbers, 12

 M_{11} , 258, 275, 277
 M_{12} , 258, 275, 277
 M_{24} , 255, 258, 275, 277
 magic squares, 140–142, 191
 3×3 , 140, 191
 5×5 , 141
 pandiagonal, 141
 map, 71
 Hamiltonian, 71
 rooted, 71
 matroids, 229–242
 and bases, 234
 and fields, 237
 and greedy algorithms, 239
 and independence, 236
 and independent sets, 231, 232
 and optimal spanning trees, 230
 and projective planes, 238
 and spanning trees, 233
 and the Fano plane, 230, 238
 basis axioms, 234
 cycle matroid, 235
 graph matroid, 235
 origin of the name, 235
 uniform matroid, 235
 vector matroid, 235
 Meeker, Darcy
 and perfect squared squares, 94
 Mellinger, Keith A., 187
 Kirkman's Schoolgirls, fields, spreads,
 and hats, 187–207

- Mersenne numbers, 49
 Lucas–Lehmer primality test, 49
 Mersenne primes, 49
- mex, 31, 32, 35, 247, 250
- Miracle Octad Generator (MOG)
 and parity, 319
- Miracle Octad Generator (MOG)
 octads of $S(5, 8, 24)$, 317
- Miracle Octad Generator (MOG), 317–
 327
 a picture of $S(5, 8, 24)$, 317, 319
 and the Mathieu group M_{24} , 317
 and $S(3, 4, 16)$, 319
 and apples in buckets, 319
 and parity, 324
 and the exceptional isomorphism
 $A_8 \cong L_4(2)$, 324
 and the hexacode, 326
 and the Leech lattice in \mathbb{R}^{24} , 327
 bricks (eight-element subsets), 319–
 324
 elementary construction, 319
 octads of $S(5, 8, 24)$, 326
 tetrads, 319–324
 the fundamental correspondence,
 319
- Mock Turtles, 250–254
- Moebius transformations, 159, 254,
 265, 279, 285, 286, 289
- MOG, *see* Miracle Octad Generator
- monads, 287–306
- Moore graphs, 303
- multipliers, 113–115
 The Multiplier Theorem, 114
- Mystical Hexagram Theorem, 124,
 125
- N-positions, 25, 26, 28, 29, 31, 34,
 244, 248, 249, 251
- Nim, 23, 24, 27, 28, 34, 37, 144–146,
 243–253
 addition, *see* Nim sum
 multiplication, 35–38, 247, 249
 product, 247, 248
 sum, 27, 34–36, 144–146, 201, 203,
 204, 244, 246–248, 251, 252
- numbers, 27, 28, 31, 144–146, 203,
 244, 247–249
- nonexistence of three-dimensional
 real normed algebras, 226
- nonisomorphic simple groups of the
 same order, 156
- normed algebra, 219
- octads, 312
 and $S(5, 8, 24)$, 312–315
 nonobvious properties, 312–315
- octonions, 181, 222, 223
 and $(7, 3, 1)$, 224
 and sums of eight squares, 223
- odious numbers, 250–255
- OEIS, 61–63, 71
- Online Encyclopedia of Integer Se-
 quences, *see* OEIS
- Orbit-Stabilizer Theorem, 148–152,
 254, 265
- orbits, 114, 115, 148–152
 planetary, 176
- P-positions, 25, 26, 28–33, 35, 244–
 255
- packings, *see* graph packings, sphere
 packings
 in $PG(3, \mathbb{F}_2)$, 189

- partitioning problems, 63, 64, 89, 91, 99
 - partitioning polygons, 63, 64
 - $x + y = z$, 90, 91, 99
 - $x + y = 2z$, 90
 - $x + y = 3z$, 91
- Pascal's triangle, 39, 44–54, 60
 - and the Catalan numbers, 55
 - mod 2 triangle, 53
 - origins, 47
 - quarter-pyramid, 69, 70
 - semi-pyramid, 66, 67, 74
 - semi-triangle, 63
- Pascal, Blaise, 124
 - and projective geometry, 124
 - and the Mystical Hexagram Theorem, 124
- Paulhus, Mark M., 77
 - unique rook circuits, 77–87
- Penrose tiling, 13–15, 17, 18, 20
 - ace, 15, 17
 - aperiodic set, 13
 - bow ties, 12–17
 - Conway worms, 17, 18, 20
 - darts, 13–15
 - kites, 13–15
 - rhombus, 14
- perfect squared squares, 94–96
- permutations, 46
 - on an error-correcting code, 253
 - and multipliers, 114–115
 - on $\mathbb{Z}/v\mathbb{Z}$, 113
 - on a set, 46, 114
 - on block designs, 139
 - on Rick's Tricky Six Puzzle, 282–285
 - on sliding block puzzles, 280
 - on the (11, 5, 2) biplane, 261–265
 - on the (7, 3, 1) block design, 147–153
 - that preserve adjacency in a graph, 147
- perspective art
 - and projective geometry, 125
- perspective drawing, 123–125
 - $PG(2, \mathbb{F}_2)$, 132, 144
 - $PG(2, \mathbb{F}_3)$, 139, 140
 - $PG(2, \mathbb{F}_4)$, 294
 - $PG(2, \mathbb{F}_5)$, 141
 - $PG(3, \mathbb{F}_2)$, 183, 185, 189, 199–201, 205
 - $PG(3, \mathbb{F}_q)$, 199, 200
 - $PG(n, \mathbb{F})$, 126–129
 - $PG(n, \mathbb{F}_q)$, 130–137
- Piero della Francesca
 - and perspective in art, 124
- Plücker, Julius
 - and plane cubic curves, 117
 - and the (9, 12, 4, 3, 1) block design, 118, 120, 122
- planar graph, 92, 97–99
- point classes, 126, 129
- Poncelet, Jean-Victor
 - and projective geometry, 125
- positions, *see* P-positions, N-positions, terminal positions
- projective geometry, 131
- projective geometry, 123
 - and perspective art, 125
- projective planes, 86, 126, 132, 135, 137–141, 147, 152, 153
 - axioms, 126

- projective spaces, 126–137
 - definition, 126–127
 - dual subspaces, 128
 - $PG(n, \mathbb{F})$, 126–129
 - $PG(n, \mathbb{F}_q)$, 130
 - Subspace Correspondence Theorem, 127
- projective transformation, 125
- $PSL(2, 5)$, 265
- $PSL(2, 7)$, 265
- $PSL(2, 11)$, 265
- $PSL(2, p)$
 - and Galois, 265
- quaternions, 181, 221, 222
 - and $(7, 3, 1)$, 225
- Rank-Nullity Theorem, 128
- resolvable block designs, *see* block designs
- Restriction Theorem for Steiner Systems, 312
- Rick's Tricky Six Puzzle, 279–309
 - and K_5 , 294
 - and $S(5, 6, 12)$, 305
 - and five-coloring the edges of K_6 , 288
 - and Kirkman's Schoolgirls Problem, 299–303
 - and outer automorphisms, 287–294
 - and Rick Wilson's theorem, 282
 - and the Fano plane, 299–302
 - and the Golay code \mathcal{G}_{12} , 307
 - and the Hoffman–Singleton graph, 303–304
 - and the projective plane of order 4, 294–300
 - the six equivalence classes, 284–285
- Ringel–Youngs Theorem, 92
- rook circuits, 77–87
 - 4-corner, 80–82
 - guideposts, 79, 81, 83, 84, 86
 - the 4-Corner Principle, 80, 83, 86
 - the Cul-de-sac Principle, 80
 - the Parity Principle, 79, 81
 - the Two Neighbor Principle, 79
- rook tour, 78
- $S(5, 8, 24)$, 259, 277, 311–315
 - and M_{24} , 311
 - and the Golay code \mathcal{G}_{24} , 272
 - internal structure, 311–315
 - Restriction Theorem, 312
- Sands, Bill
 - Sands walks, 63
 - Sands' Theorem, 61
 - walks of length n , 67
- sedenions, 225
 - and a $(15, 3, 1)$ block design, 226
- Shannon, Claude, 167, 170
 - and the first Hamming code, 170
- Singer designs, 132, 133, 135, 139
- Singer difference sets, 110, 136
- Singer, James, 135–140
 - Singer's two theorems on difference sets, 135
- Skolem sequences, 7, 8, 78, 89, 90
- Skolem, Thoralf, 8
 - and Skolem sequences, 7, 8, 78, 89, 90

- and Steiner Triple Systems, 89
- Sloane, Neil A. J., 61
 - and the OEIS, 61
- Smith, C. A. B., 94
 - and perfect squared squares, 94
- sphere packing, 174
 - density, 175
 - in \mathbb{R}^2 , 175
 - in \mathbb{R}^3 , 176, 178
 - in \mathbb{R}^4 , 179
 - in \mathbb{R}^8 , 179–181
 - in \mathbb{R}^{24} , 179, 315
 - kissing number, 178
 - lattice packing, 177
- Sprague, Roland P., 34, 94
- Sprague–Grundy Theorem, 34, 37, 244, 251
- spreads, 189
 - in $PG(3, \mathbb{F}_2)$, 198–200
- stabilizers, 149, 151, 152
- Steiner systems
 - Restriction Theorem, 271, 274, 312
 - syntheses, 297
 - $S(2, 3, 7)$, 270, 274
 - $S(3, 4, 8)$, 156, 270
 - $S(4, 5, 11)$, 271, 273
 - and M_{11} , 273
 - $S(5, 6, 12)$, 271, 273, 305
 - and M_{12} , 273
 - and Rick’s Tricky Six Puzzle, 305
 - $S(5, 7, 28)$, 271
 - $S(5, 8, 24)$, 259, 271, 272, 274, 277, 311–315
 - and \mathcal{G}_{24} , 272
 - and M_{24} , 275
 - $S(p, q, r)$, 270
 - with $p > 3$, 271
- Steiner triple systems, 90, 103–105, 107, 120, 187, 190, 206
- Stirling numbers of the second kind, 64
- Stone, A. H., 94
 - and perfect squared squares, 94
- Subspace Correspondence Theorem, 127, 130, 134
- sums of squares, 217–226
 - Two-Squares Identity, 218
 - Four-Squares Identity, 218
 - Eight-Squares Identity, 219
 - no Sixteen-Squares Identity, 226
- Sylvester, J. J., 287
 - monads, duads, and syntheses, 287
- symmetric designs, *see* block designs
- symmetry, 13, 16, 33, 67, 70, 103, 146, 152, 176, 190, 257, 258, 261, 262, 274
- Taxicab metric, 72
- terminal positions, 24–26, 32, 243, 245, 250
- three-dimensional real normed algebras, nonexistence of, 226
- tiling, 13, 15
 - aperiodic set, 14
 - nonperiodic, 13
 - periodic, 13
 - prototile, 13, 14
 - tile, 13
- tournaments, 213
 - doubly regular, 213–215

- regular, 213
- transitive, 213
- transitivity of groups, *see* groups
- Turning Corners, 243
- Turning Turtles, 243, 245–249
- Tutte, W. T., 94
 - and perfect squared squares, 94
- vanishing point, 123–125
- vector spaces, 126–131, 152, 229, 231,
 - 232, 235, 236, 238, 241
- Venn diagram, 172
- Viazofska, Maryna
 - and sphere-packing in \mathbb{R}^8 and \mathbb{R}^{24} ,
 - 315
- Virahanka, 40
- walks, 61–75
 - one-dimensional, 63, 69
 - two-dimensional, 74
 - three-dimensional, 74
 - four-dimensional, 74
 - on lattice points, 61–75
 - using the Taxicab metric, 72
- Winning Ways, 31
- Wyt Queens, 23
- Wythoff's game, 21–23, 32, 33, 35,
 - 37
- Wythoff, Willem Abraham, 21
- Zarankiewicz's problem, 166