

INDEX

- \aleph , 29
- absolute F and G , 157
- absolute concepts, 140
- absolute value, 112
- absolutely closed, 140
- absolutely compact, 142
- accumulation, point of, 124
- addition axiom, 113
- adherence, 132
- \aleph (alef), 28, 29, 82
- almost all, 10
- α -closed, 318; α -function, 320; α -open, 318;
-set, 318
- Analysis Situs, 257
- analytically representable, 294
- antinomy, 11
- argument, 85
- associativity, 20
- axiomatics, 39
- axioms, 258 ff.
distance, 109
- B -set, 211, 328
- Baire, 281, 282, 289, 291, 294, 301, 316,
320, 325, 337
- Baire condition, 316, 320, 325
- Baire function, 294, 337
- Baire image, 301
- Baire space, 117, 118, 239
- Baire system, 191, 261, 291
- Banach, 315, 337
- basis, 199, 320
- beginning number, 82, 85
- belonging to (a set), 12
- Bendixson, 159
- Bernstein, 201
- β -function, 320; β^* -function, 325; β -point,
130; β -set, 316
- bi-continuous, 224
- bi-unique, 16
- Bolzano-Weierstrass, 126
- border, 127
- Borel class, 100
- Borel covering theorem, 149
- Borel separable, 326
- Borel set, 97, 203, 237
- Borel system, 96
- bound, 9, 10
- boundary, 130
- bounded, 9, 10, 125
totally, 125
- Brouwer, 232
- \mathfrak{c} , 29
- calibration curve, 116
- Cantor, 11, 17, 25, 45, 54, 79, 83, 89, 111,
122, 132, 154, 156, 159, 181, 188
- Cantor's discontinuum, 154
- cardinal number, 28
of algebraic numbers, 43
of complexes, 42
of continuous functions, 46
of continuum, 29, 44
of integers, 41
power, product, sum of, 35
of rational numbers, 42
set of all, 39
- cardinality (*see also* cardinal number),
28; of continuum, 29, 44
- category, first and second, 163, 315
- Cauchy, 120
- chain, 66, 174
of differences, 92
 \mathcal{C} -, 180, 254
- characteristic functions, 22
- class, Baire, 281, 292, 302
($M, *$), ($*$, N), etc., 267
- cleavable, 332
- closed, 9, 133, 140
- closed limit, 168
- closed sphere, 157
- cluster point, 130
- coherence, 132, 136, 190
- collinear, 111
- combining of sets, 11
- commutativity, 20

- compact, 124, 142
- comparability of sets, 31-32
- complement, 15
 - of a sum, etc., 20
- complete, 120, 124, 267
- complete function system, 267
- complete hull, 124
- completion of spaces, 122
- complex, 25, 26
- component, 174
- composite continuum, 254
- condensation, 130
- congruence, 87
- congruent, 313
- connected, 172, 177
- contained in (of sets), 14
- continuous, 222
 - uniformly, 225
- continuous (in Dedekind sense), 62
- continuous curve, 228
- continuous function, 128
- continuous function space, 121
- continuum, 173, 200, 229, 253, 254
- cardinality of, 29, 44
 - composite, 254
 - dyadic, 229
 - irreducible, 200
 - prime, 253
 - of prime parts, 254
- continuum hypothesis, 45-46
- convergence, 119, 168, 285, 305
 - criterion for, 120
 - metrical, 168
 - of numbers, 10
 - sets of, 305
 - uniform, 285
- convergent sequence, 21
- convex, 111, 112, 153
- coordinate, 110
- correspondence, one-to-one, 16
- countable, 29
- covering, 25
- curve, 223, 228
- cut, 62
- \mathfrak{D} , 18
- decimal representation, 44
- decomposable, 262
- decomposition, natural, 177
- Dedekind cut, 62
- δ -process, 96
- δ -ring, 268
- δ σ -function, 103
- δ -system, 96
- dense, 58
 - in, 144
 - nowhere, 159
 - to, 143
- dense-in-itself, 132
 - kernel, 136
- density class, 144
- denumerable, 29
- dependent, 111, 120
- derivate, 309
- derivative, 284
- derived set, 130
- diagonal process, 41-42, 46
- diagonal sequence, 126
- difference, symmetric, 312
- differential element, 66
- Dirichlet, 17, 287
- disconnected, totally, 174
- discontinuous, 174
 - pointwise, 285
- discrepant, 170
- disjoint, 18
- distance, 109
 - between sets, 167
 - lower, 128
- distance axioms, 109
- distributativity, 20
- divergence, 10; 307
- domain, 173
- $d\sigma$ -function, 103
- dyadic continuum, 229
- dyadic discontinuum, 154
- dyadic set, 151
- element, of a set, 12
- element complex, 25
- empty, 11
- enumerable, 29
- ε -numbers, 79
- equality of sets, 12
- equivalence of sets, 16, 28, 30
- equivalence theorem, 30
- Euclidean algorithm, 75
- Euclidean space, 109

- exponent, 86
- extended field, 94
- extended space, 299
- exterior, 130
- f (ordinary function system), 267
- f^* , 268
- $F\xi$, 203
- F_I , 165
- F_{II} , 165
- F_S , 204
- F_σ , 156
- field, 91, 94
- final portion, 251
- “finally” greater, 297
- finite sets, 29
- first category, 163, 315
- first (Baire) class, 281
- Fl , 168
- $>$ (follows), 48
- Fréchet, 144, 261
- frontier, 130
- function, 16
 - continuous, 222
 - inverse of, 16
 - partial, 222
- fundamental sequence, 120
- g , 268
- G_S , 156
- $G\xi$, 203
- G_I , 165
- G_{II} , 165
- G_S , 204
- γ -point, 130
- gap, 62
- $G1$, 168
- $g.l.b.$, 10
- greater, “finally,” 297
- greater than, 13-14
- greatest connected subset, 174
- greatest lower bound, 10
- greatest subset, 138
- Hahn, 177, 236, 253, 256, 307
- half-line, 9
- half-schlicht, 326
- Hamel, 199
- Hensel, 118
- Hilbert, 231
- Hilbert space, 114
- homeomorphic, 224
- homeomorphism, 224, 242
- hull, 112, 124, 133, 189
- Hurewicz, 336
- image, 16, 221, 223
- imperfect, totally, 201
- improper, 9
- incomparable, 86
- independent, linearly, 111
- index, of a set, 214
- induction, transfinite, 72
- inequality of sets, 21
- infimum, 10
- infinite sets, 29
- infinitely often, 10
- infinity, 9
- initial portion, 251
- integrable functions, 121
- integrals, 114
- interior, 127
- intersection of sets, 18
 - associativity of, 20
- intersection theorem, 149, 150
- interval, 9, 111
- interval-image, 228
- inverse elements, 49
- inverse image, 16, 221, 264
- irreducible continuum, 200
- isolated, 72, 132
- isometry, 110
- Janiszewski, 184, 201
- Jordan curve, 249
- jump, 62
- k , 268
- kernel, 112, 189, 190, 214
- Knopp, 230
- König’s theorem, 39
- Kuratowski, 258, 316, 322, 337
- L -set, 211
- $l.u.b.$, 9
- λ -point
- Lavrentiev, 245
- Lebesgue, 231, 317
- Lebesgue-integrable, 121
- Lebesgue measure, 155

- Lebesgue sets, 264
- Leibnitz, 257
- length, 155
- Lennes, 252
- lexicographic order, 54
- ligne de Jordan, 249
- Lim, 21
- limes inferior, 21
- limes superior, 21
- limit, 10, 21, 72, 119, 130, 168, 261
 - metric, 168
 - upper, 10
- limit axioms, 261
- limit inferior, 10
- limit number, 72
- limit point, 119, 130
- limit superior, 10
- line, 9, 111
 - segment, 111
- linear set, 111
- linear space, 110
- linearly dependent, 111
- locally connected, 177, 179
- lower boundary, 10
- lower distance, 128
- lower limit, 10, 21
- lower section, 62, 68
- lower semi-continuous, 281

- many-valued function, 17
- mathematical statements, 13
- maximal ordered subset, 87
- maximal set, 198
- maximum, 9
- Mazurkiewicz, 179, 236
- mean-value, 227
- measure, 155
- metric limit, 168
- metric space, 109
 - product of, 119
- metrically convergent, 168
- metrizable space, 257
- minimal set, 198
- minimum, 9
- Minkowski, 61, 115
- Minkowski's inequality, 115
- module, 313
- monotone, 129, 337
- Moore, 256

- multiple image, 329

- N , 319
- natural decomposition, 177
- natural product, 80
- natural sum, 80
- neighborhood, 127, 135, 259 ff.
 - special, 146, 148
- neighborhood axioms, 259
- net, 145
- Nikodym, 316
- non-overlapping sets, 18
- nondenumerable, 29
- nonenumerable, 29
- norm, 112
 - axioms, 112
- normal set, 67
- nowhere dense, 159
- null function, 115
- null point, 314
- null set, 13
- number, cardinal (*see also* cardinal number), 28
 - ordinal, 65, 74
 - real, 9
- number class, 81

- obere grenze, 9
- one-one, 16
- one-to-one, 16, 221
- one-valued, 16, 221
- open, 127, 129, 141
 - relatively, 141
- open interval, 9
- open kernel, 127, 129
- open limit, 168
- operations on sets, 11 ff.
- order, of sets, 48
- order type, 51
- ordered pair, 15, 24
- ordered set, 48 ff., 76
- ordering set, 49
- ordinal numbers, 65, 74
- ordinary function system, 267
 - complete, 267
- origin, 110
- oscillation, 306

- p -adic, 118
- pair, ordered, 15, 24
- paradox, 11, 30, 155
- parametric representation, 135
- partial function, 222
- partition, 172
- path, polygonal, 175
- Peano, 12
- Peano curves, 230
- perfect, 133
 - relatively, 142
- perfect part, 159
- point, 109, 110 ff.
- pointwise discontinuous, 285
- polyadic set, 152
- polygonal path, 175
- polynomial, 79
- positive point, 314
- power, 26, 28, 35, 57, 86
- pre-image, 16, 221
- \prec (precedes), 48
- predecessor, 213
- prime continuum, 253
- prime part, 253
- product, 23, 26, 35, 54, 56, 75 f., 80, 87, 119
- projection, 119
- proper divergence, 307
- proper subset, 14
- pseudo-Euclidean space, 116

- radius, 127
- range, 264
- rationaly dependent, 200
- rationaly independent, 200
- ray, 9
- real functions, 264 ff.
- reducible, 193
- regular, 253
- relative concepts, 139
- remainder, 68, 74
- remainder type, 74
- residue, 193
- \mathcal{O} -chain, 180
- Riemann, 257
- Riemann-integrable, 121
- ring, 90

- S -set, 328
- schlicht, 16, 211

- second category, 163, 315
- segment, 68, 111
- semi-continuous, 281
- separable, 144
- separated, 136
- separation, 180, 254
- separation axioms, 258 ff.
- separation diameter, 183
- sequence, 9, 21, 120
- set (*see* also Borel, empty, etc.), 20
 - of convergence, 305
- set complex, 26
- set theory, 11
- Sierpinski, 185, 202, 233, 252, 308, 317
- Σ , 18
- σ -module, 313; σ -process, 96; σ -ring, 268;
 - σ -system, 96
- $\sigma\delta$ -system, 97
- similarity, of ordered sets, 51
- simple curve, 228, 249
- simple image, 329
- simplex, 111
- single-valued function, 16, 221
- singular, 253, 254
- singular separation, 254
- smaller than, 13-14
- sphere, closed, 157
- step function, 278
- subset, 14
- successor, 66, 213
- sum, 18, 19, 20, 33, 51, 52, 75, 76, 80
 - natural, 80
- supremum, 9
- Suslin set, 106, 203
 - absolute, 204, 237
- symmetric difference, 312
- system, Borel, 96
 - of sets, 90

- ternary set, 154
- tetrahedron, 111
- topological, 224, 257
- topologically equivalent, 257
- topology, 257
- totally imperfect, 201
- transfinite induction, 72
- translation, 112
- triadic set, 154
- triangle, 111

- triangle inequality, 109
- triples, ordered, 24
- true, vacuously, 14
- Tychonoff, 261
- type, 51, 57; ω , ω^* , 51; ζ , 58; η , 60; λ , 61
- type-equation, 53
- ultimately, 10
- unbounded (ordered) set, 58
- uncondensed, 132
- uncountable, 29
- uniform convergence, 285
- uniform continuity, 225
- univalent function, 16
- untere grenze, 10
- "up to," 296
- upper bound, least, 9
- upper boundary, 9
- upper limit, 10, 21
- upper section, 62, 68
- upper semi-continuous, 281
- Urysohn, 261
- v , 272
- vacuously true, 14
- Vallée Poussin, 22
- valuation, 118
- value, 264
 - absolute, 112
 - of a function, 25
- vector, 112
- Weierstrass, 9, 126, 145
- well-ordered, 65
- words, 43
- Young, 156, 285
- Young sets, 157
- Zermelo, 39, 65
- Zoretti, 186, 200, 255