

Notation Index

- $\|\cdot\|_{\text{sup}}$, *see* $\|f\|_{\text{sup}}$
 α^{deg} , 269
 α_k , 328, 330, 346, 348
 β , 78, 84
 $\gamma_{E,j}$, 13
 $\gamma_{K,j}$, 13, 14
 $\Delta \cdot \Gamma_\gamma$, 305
 $\Delta_n(t)$, 52, 101
 ε , 121, 160
 $\vartheta(C/\mathbb{F}_q)$, 4, 5
 $\vartheta(k, \alpha_k, X_k)$, 331
 $\vartheta(n)$, 163–164, 176, 195, 257, 373
 $\vartheta(z)$, 319
 $\vartheta_{g,q}$, 353
 ϑ_n , 351
 λ , 121, 160
 Λ , 275
 μ , 31, 74, 75, 78, 82, 89, 113, 115
 $\mu(A, K)$, 2
 $\mu(A, K, \rho, \text{offsets } c)$, 23
 $\mu(A, N)$, 75, 82, 89
 $\mu(A, U(N))$, 2
 $\mu(A, U(N), \text{offsets } c)$, 18
 $\mu(A, U(N), \text{separations } a)$, 19
 $\mu(A, U(N), \text{steps } b)$, 19
 $\mu(C/\mathbb{F}_q)$, 2
 $\mu(G(N), \text{offsets } c)$, 39, 40
 $\mu(\text{hyp}, d, g, k, \alpha_k)$, 321
 $\mu(\text{intrin}, g, k, \alpha_k)$, 316, 364
 $\mu(\text{intrin}, g, \text{prin}, k, \alpha_k)$, 330
 $\mu(K)$, 3
 $\mu(K, \text{offsets } c)$, 23
 $\mu(K, \rho, \text{offsets } c)$, 23
 $\mu(k, s)$, 289
 $\mu(k, s, \alpha_s)$, 286
 $\mu(N)$, 82
 $\mu(n, k)$, 348, 403
 $\mu(n, k, \psi, \alpha_k)$, $\mu(n, k, \alpha_k)$, 348
 $\mu(n, N)$, 110, 113–116, 121, 144
 $\mu(\text{naive}, A, G(N), \text{offsets } c)$, 35–37
 $\mu(\text{naive}, A, G(N), \text{separations } a)$, 37
 $\mu(\text{naive}, A, G(N), \text{steps } b)$, 37
 $\mu(\text{naive}, g, k, \alpha_k)$, 364
 $\mu(\text{naive}, g, \text{prin}, k, \alpha_k)$, 329
 $\mu(\text{naive}, G(N), \text{offsets } c)$, 37
 $\mu(\text{naive}, \text{univ}, \text{offsets } c)$, 37–38
 $\mu(O_-(2N+2))$, 108
 $\mu(P)$, 20
 $\mu(\text{Poisson})$, 9
 $\mu(SO(2N))$, 108
 $\mu(SO(2N+1))$, 108
 $\mu(U(N))$, 107, 113
 $\mu(\text{univ})$, 2, 3
 $\mu(\text{univ}, \text{offsets } c)$, 24
 $\mu(\text{univ}, \text{sep. 's } a)$, 197
 $\mu(USp(2N))$, 107
 $\mu^\#$, 351
 $\mu_\gamma^\#$, 361
 $\mu_-(n, N)$, 122
 μ_0 , 411
 μ_{Haar} , 5
 $\mu_{i,\varphi}$, 74, 75, 78
 $\mu_{g,q,\text{intrin}}(A/\mathbb{F}_q, \phi)$, 355
 $\mu_{g,q,\text{intrin}}(C/\mathbb{F}_q)$, 354
 $\mu_{g,q,\text{naive}}(C/\mathbb{F}_q)$, 353
 μ_n , 361
 $\mu_{n,\gamma}$, 362
 $\nu(+, j)$, 10
 $\nu(-, j)$, 10
 $\nu(c, G(N))$, 176, 195, 257, 364, 380
 $\nu(j)$, 10
 $\nu(n, G(N))$, 10, 164
 $\nu_G(f, T)$, 383
 $\xi(\cdot, U(N))$, 177, 181
 $\pi_1(X, \xi)$, 267
 $\pi_1^{\text{geom}}(X, \bar{\eta})$, 268
 π_{aff} , 293
 ρ , 23, 121, 160
 σ , 121, 160; 311
 τ , 121, 161
 $\varphi, \varphi(A), \varphi(j)$, 10, 17, 35–37, 54–57, 74, 78, 175, 195, 373–375, 405

- $\varphi(j + lN)(A)$, 405
 φ -discrep(ν_1, ν_2), 75, 79
 φ_n , 109, 113–115
 Φ_n , 388
 $\Phi_{n,r}$, 388
 χ_γ , 362
 χ_l , 282
 $\omega_{C/S}$, $\Omega_{C/S}^1$, 307
 $\Omega_{S/k}^1(\log D)$, $\Omega_{S/k}^i(\log D)$, 335
 $3K$ structure, 308
 a , $a(i)$, 18, 46, 50
 A , 2
 $A(a, b)$, 399
 $[a, b]^N$ (ordered), 32
 $[-a, b + 1]$, 177
 $\text{Ab}_{g, \text{prin}}(\mathbb{F}_q)$, 355
 $\text{Ab}_{g, \text{princ}}$, 329
 $\text{Ab}_{g, \text{princ}, 3\mathcal{L}}$, 323
 $\underline{\text{Aut}}_{C/S}$, 307
 b , $b(i)$, 18
 B_n , 271
 $B_n(s, t, G(N))$, 252
 c , $c(j)$, 18, 46, 50, 192, 378, 401
 C/\mathbb{F}_q , 1
 \mathcal{C}^{aff} , 293
 \mathcal{C}_{aff} , 293
 $\text{Card}(\gamma)$, 288
 CDF_μ , 2, 20, 189
 $\text{Clump}(a)(E)$, 50
 $\text{Clump}(a, f)$, 50
 $\text{Clump}(a, f, N, X)$, 50, 51
 $\text{Clump}(a)(s)$, 43, 46
 $\text{Cor}(a, f, G(N), A)$, 54–57
 $\text{COR}(a, f, G(N))$, 57
 dA , 2, 38, 147
 $D(f, A, K)$, 406
 $D(f, A, \gamma K)$, 406
 $D(f, K)$, 406
 $D(f, \gamma K)$, 406
 $D(f, A, U(N))$, 405
 $D(n, N)$, 110, 144
 $\text{deg}(x)$, 271
 $\underline{\text{Der}}_D(S/k)$, 335
 $\det(1 + TK)$, Fredholm determinant, 141, 142, 234, 245
 $\text{Diff}(y)(i)$, 185
 $\text{discrep}(\nu, \mu)$, 3, 20
 $\text{Domain}(c, s)$, 199
 $E(f)$, 104
 $E(n, F, \text{univ})$, 127
 $E(N, T, s)$, 156, 159
 $E(T, s)$, 210
 $E(T, s, G(N))$, 260
 $E(T, s, t, G(N))$, 252
 $E_-(n, F, N, G(N))$, 130
 $E_-(Z[n, F, G(N)])$, 127, 130
 $E_\pm(N, T, s)$, 158, 159
 $E_\pm(T, s)$, 211
 $E_{\pm, n}(s)$, 212
 $E_{\pm, n}(N, s)$, 159
 $E_{\pm, W}(s)$, 261
 $E_{\pm, W}(s, t)$, 256
 \mathcal{E}_n , 14
 $E_n(N, s)$, 159
 $E_n(s)$, 212
 $E_n(s, G(N))$, 260
 $\mathcal{E}_{n,+}$, $\mathcal{E}_{n,-}$, 14
 $E_{\text{sign}(\varepsilon), n}(s)$, 215
 $E_W(s)$, 260
 $E_W(s, G(N))$, 260
 $E_W(s, t)$, 256
 $E_W(s, t, G(N))$, 256
 $\text{eigen}(n, \mathcal{I}, G(N))$, 147–148, 160, 249
 $\text{Eigen}(n, \mathcal{I}, G(N))$, 147–148, 160, 248
 $\text{eigen}(n, s, G(N))$, 160, 258
 $\text{Eigen}(n, s, G(N))$, 160, 258
 $f_\pm(x)$, 406
 $\mathcal{F}(-n)$, 269
 $F[n, N]$, 53, 103, 110, 122, 153
 $F(T, s)$, 225
 $F(x)$, 178
 $\mathcal{F} \otimes \alpha^{\text{deg}}$, 269
 $F_\pm(T, s)$, 225
 $F_c(\vartheta(k, \alpha_k, C/k))$, 364
 $f_{G(N)}[r, N]$, 375
 F_J , 245
 F_k , 267
 $F_{k,x}$, 268
 F_n , 169, 176
 \mathbb{F}_q , 1
 $\|F\|_{\text{sup}}$, 101
 $\text{Fermat}(q + 1)/\mathbb{F}_q$, 8
 g , 1
 $G_1(T, s)$, 208
 $G_{i,\varphi}$, 78
 G_{geom} , 269, 275
 $G_{\text{geom}, \bar{\eta}}$, 283
 $G_N(x, y)$, 152, 154
 $G_q(\psi, \chi_2)$, 7
 $H_c^I(X \otimes_k \bar{k}, \bar{\mathbb{Q}}_l)$, 271
 $H_c^I(X \otimes_k \bar{k}, \bar{\mathbb{Q}}_l)(i/2)$, 271
 \mathcal{H}_d , 300
 $\bar{\mathcal{H}}_d$, 300
 $\mathcal{H}_d(k)$, 300
 Haar_K , 23, 25
 $\text{Haar}_{O_{-(2N+2)}}$, 36
 $I(\alpha)$, 101

- $\mathcal{I}(s, t)$, 248
 $I(t)$, 297
 $I_{r,k,N,n}(\vartheta, T)$, 390
 $I_{r,N,n}(\vartheta, T)$, 390
 $\text{Int}(a, f, G(N), A)$, 54–57, 82
 $\text{INT}(a, f, G(N))$, 57, 82
 $\text{INT}(a, f, \text{univ})$, 82
 $\text{Intrin Card}(Ab_{g,\text{prin}}(\mathbb{F}_q))$, 355
 $\text{Intrin Card}(Ab_{g,\text{prin}}(k))$, 330
 $\text{Intrin Card}(\text{Iso } \mathcal{H}_{n,d}(k))$, 347
 $\text{Intrin Card}(\mathcal{M}_g(\mathbb{F}_q))$, 354
 $\text{Intrin Card}(\mathcal{M}_g(k))$, 316
 $\text{Iso } \mathcal{H}_{n,d}$, 346
 $\text{Iso } \mathcal{H}_{n,d,\pm}(k)$, 368

 J/S , 305
 $J_{r,l,N}(\vartheta)$, 394
 $J_{r,l,N}(\vartheta, T)$, 394
 $J_{r,l,N,n}(\vartheta)$, 394
 $J_{r,l,N,n}(\vartheta, T)$, 394

 K , 2, 23
 $K(x, y)$, 210, 374
 $K^\#$, 5, 329, 351
 $K_\pm(x, y)$, 211, 374
 $K_{\pm,N,s}$, 156, 213
 $(K_{\text{arith},\gamma})^\#$, 288
 K_C , 312
 $K_N(x, y)$, 110, 113–115, 142, 144, 149
 $K_{N,\alpha}$, 157
 $K_{N,s,\alpha}$, 156, 213
 $\text{Kl}_n(\psi, a \in \mathbb{F}_q^\times)$, 6
 $\text{Kl}_n(k, \psi, a)$, 348

 L , 178
 $L_2(J, d\mu)$, 248
 $L_N(x, y)$, 116–121, 160
 $L_{N,\pm}(x, y)$, 121

 $\mathcal{M}_g(\mathbb{F}_q)$, 3, 353
 $\mathcal{M}_g(S)$, 304
 $\mathcal{M}_{g,3K}$, 13, 308
 $\mathcal{M}_{g,3K,\text{aut} \leq 1}$, 313
 $\mathcal{M}_{g,\mathcal{P}}$, 305
 M - φ -discrep (ν_1, ν_2) , 80, 87
 multip_G , 284

 N_n , 271
 $N_n(X/k)$, 271

 $O_\pm(\text{prim}(n, d))^\#$, 368
 Off , 185
 $\text{Off } \mu$, 185
 $\text{Off } \mu(U(N), \text{offsets } c)$, 186
 $[\text{offset } c]$, 378
 $\text{order}(X)$, 51

 $P(T)$, 1, 9
 $\mathcal{P}_{N,C}$, 32
 $\mathcal{P}_{N,Z}$, 32

 pr , 293
 Prim_l^n , 333
 $\text{Proj Aut}(X/S)$, 335
 $\text{Proj Aut}_{\mathcal{X}_{n,d}/\mathcal{H}_{n,d}}$, 335

 $\bar{Q}_l(-i/2)$, 273
 $\bar{Q}_l(n)$, 269

 $R(s)$, 189
 $R(x, \varphi)$, 78
 $\mathbb{R}^N(\text{ordered})$, 51, 376
 R_{\max} , 79, 84
 rev , 39
 $\text{rev}_* \nu$, 39

 $s^*(R^i \pi_! \bar{Q}_l)$, 273
 S, S_i , 78
 $S_{\pm,N}(x, y)$, 156, 212
 s_i , 9, 17, 30, 179, 183
 $s_i(\text{naive, offsets } c)$, 35–37
 $s_i(\text{offsets } c)$, 18
 $s_i(\text{separations } b)$, 19
 $s_i(\text{steps } b)$, 19
 S_i , 179
 $S_N(x)$, 118, 153
 $S_N(x, y)$, 156, 212
 strunc , 260
 $[\text{sep } a]$, 379
 $\text{Sep}(a)(E)$, 50
 $\text{Sep}(a, f)$, 50
 $\text{Sep}(a, f, N, X)$, 50, 51
 $\text{Sep}(a)(s)$, 43, 46
 $[\text{sep } a]$, 379
 $\text{SuccMax}(s)$, 259
 $\text{SuccMin}(s)$, 259
 SuccSub , 177
 $\text{Sum}[b]$, 65
 $SU(n)^\#$, 403

 $T(n)$, 101
 $T_0(n)$, 101
 T , 53
 $T(s)$, 189
 $\text{Tail}_\mu(s)$, 164, 190
 $\text{TClump}(k, a, f, N, X)$, 54
 $\text{TCor}(k, a, f, G(N), A)$, 54–57
 $\text{TCOR}(k, a, f, G(N))$, 57
 $\text{TCOR}(k, a, f, \text{univ})$, 73
 $\text{Teich}(x)(x)$, 285

 $U_k(N)$, 373
 $USp(2g)^\#$, 5, 329

 V^K , 288
 $V_r(A, U(N))$, 387
 $V_r(A, U_k(N))$, 387
 $V_r(F, A, U(N))$, 386, 388
 $V_r(F, A, U_k(N))$, 386
 $V_r(F, U_N)$, 386
 $V_r(F, U_k(N))$, 386

$V_r(U(N))$, 387
 $V_r(U_k(N))$, 387
Vandermonde($f(1), \dots, f(N)$), 109
Var, 104, 133

$W(n, N)$, 126
 $W(n)(x(1), \dots, x(n))$, 124
 $W(\text{sep } a, f, A, G(N))$, 379–380
 $W(\text{sep } a, G(N))$, 379
 $W_G(f, T)$, 382–383
 $W_r(f, A, G(N))$, 373, 374
 $W_r(f, G(N))$, 373, 374
 $W_r(x(1), \dots, x(r))$, 374
 $W_{r,\pm}(x(1), \dots, x(r))$, 374
 $W_{r,G(N)}(x)$, 377

\bar{x} , 267
 X , 42, 45, 49, 50
 $X(A)$, 54–57, 107–108
 $X_0(l)$, 8
 $X_{\bar{\eta}}$, 283
 $X_{n,\gamma}$, 362

$Z[a, b]$, 32
 $Z(C/\mathbb{F}_q, T)$, 1
 $Z[n, F, G(N)]$, 103, 122
Zeta($X/k, T$), 271

Subject Index

- 3K structure, 307, 308
- abelian varieties,
 - principally polarized, 324–328
- angles, 17, 35–37, 55–57, 163, 175, 195, 373–374, 405
 - normalized, 163, 176, 195, 257, 364, 373
- approximate identity, 388
- Artin-Schreier curves, 301
- bi-bounded, *see also* bounded distortion
 - C^1 -diffeomorphism, 30
 - homeomorphism, 74, 75, 78, 98
- Birch & Swinnerton-Dyer Conjecture, 15
- bounded distortion, *see* bi-bounded
 - C^1 -diffeomorphism of, 30
 - C^1 partial coordinate system of, 30
- characteristic polynomial (reversed), 141
- Chebyshev’s lemma, 59
- compact support modulo the diagonal, 101
- “correlation” (Cor), 54
- cumulative distribution function,
 - of a Borel measure, 20
 - of $\mu(\text{univ, sep.}'s n)$, 204
- curves
 - Artin-Schreier, *see* Artin-Schreier curves
 - elliptic, *see* elliptic curve
 - hyperelliptic, *see* hyperelliptic curve
- “cutoff”, 77
- degree,
 - of a closed point, 271
- Deligne’s equidistribution theorem, 275, 276, 287
- Density Lemma, 264
- determinant,
 - Fredholm, 142, 211, 235
 - spectral, 142, 211, 234
 - Vandermonde, 109
- determinant-trace inequality, 156
- direct image properties (of spacing measures), 65–71
- Dirichlet L -function, *see* L -function, Dirichlet
- discrepancy, φ -discrepancy (of two measures), *see* measure, discrepancy
- distribution function, *see* cumulative distribution function
- eigenvalue, Frobenius, *see* Frobenius eigenvalue
- eigenvalue location measure, *see* measure, eigenvalue location
- elliptic curve, 14, 280, 326, 341
- embedding, Segre, *see* Segre embedding
- equidistribution theorem, *see*
 - Deligne’s equidistribution theorem
- Euler-Poincaré formula, 296
- everywhere tame, 296
- expected value (of a measure), *see* measure, expected value
- Fermat curve, 8
- finite rank, operator, *see* operator of finite rank
- Fredholm determinant, *see* determinant, Fredholm
- Frobenius
 - conjugacy class, 5, 268
 - unitarized, 5
 - eigenvalue distribution in families
 - of abelian varieties, 365–366
 - of curves, 364–365
 - of hypersurfaces, 366, 368–369
 - of Kloosterman sums, 367
 - geometric, *see* geometric Frobenius
- fundamental group (geometric), 268
- Gauss’ integral formula, 99
- Gauss sum, 7
- genus, 304
- geometric
 - Frobenius, 267
 - fundamental group, *see* fundamental group (geometric)
 - generic fibre, 283
 - monodromy group, *see* monodromy group
 - point, 267
- grid diameter, M - φ -, 78, 85
- grid discrepancy, M - φ -, 80
- grid points, 78
 - finite, 78
- “grid size”, 77

- “group size”, 77
 GUE measure, *see* measure, GUE
 GUE discrepancy in families, 352
 of abelian varieties, 355
 of curves, 353
 of hypersurfaces, 356
 of Kloosterman sums, 358

 Hadamard’s lemma, 398
 Heine’s formula, 391
 hyperelliptic curve, 7, 13, 293, 300, 302, 311, 320, 365
 hyperelliptic probability measure, *see* measure, hyperelliptic probability

 inertia group, 297
 “integral” (Int), 54
 intersection multiplicity, 305

 Kloosterman sum, 6, 348
 Kolmogoroff-Smirnov discrepancy, *see* measure, discrepancy

L-function,
 Dirichlet, 13
 Lebesgue-Stieltjes positivity condition, 191
 Lefschetz pencils, 312
 level n structure, 305
 limit lemma, 191
 lisse sheaf, *see* sheaf, lisse
 literal spacings, *see* vector, of spacings, literal
 low lying zeros, *see* zeros, low lying

 mass formula, 309, 314, 329, 346
 measure,
 calculate strongly, 12
 calculate weakly, 12
 classical spacing, 208
 discrepancy, 3, 20
 φ -discrepancy, 75, 79
 eigenvalue location, 378–381
 expected value of, 37, 57
 exponential decay, 221
 GUE, 1, 2
 hyperelliptic probability, 321
 intrinsic probability,
 on $USp(2g)^\#$, 316, 330
 multi-eigenvalue location, 176
 naive probability, 329
 Poisson, 9
 spacing, 23
 moments of offset, 194–195
 offset, 185–189
 static spacing, 177, 181
 tail of, 189–192
 universal probability, 24
 Wigner, 2
 modular curve, 8
 moduli problem, 324–327

 Moebius inversion relation, 192
 monodromy group, 283
 monodromy of families, 293
 of curves of genus $g \geq 2$, 304–307
 of hyperelliptic curves, 320–321
 of hypersurfaces, 331–334
 of Kloosterman sums, 347–349
 of principally polarized abelian varieties, 323–324
 Montgomery-Odlyzko law, 1, 3
 Mordell-Weil group, 15
 multi-eigenvalue location measure, *see* measure, multi-eigenvalue location

 naive probability measure, *see* measure, naive probability
 naive spacings, *see* vector, of spacings, naive normalized
 normalized spacings, *see* vector, of spacings, normalized

 offsets, *see* vector, of offset
 operators,
 of finite rank, 141
 integral, 141–143
 “order” map, 51

 Poisson distribution, 9
 Poisson measure, *see* measure, Poisson
 polynomial, characteristic, *see* characteristic polynomial
 positive trace class, 234
 principal polarization
 of A/S , 323
 isomorphism classes, 355
 principally polarized abelian varieties, *see* abelian varieties, principally polarized
 projective automorphism, 335
 pure (lisse sheaf), 268

 rectangle, φ -,
 marked, 78
 semi-finite, 74, 78
 semi-infinite, 74, 78
 “reversing” map, 39
 Riemann hypothesis
 for abelian varieties, 329
 for C/k , 315
 for curves over finite fields, 1, 295,
 for $L(s, \chi_K)$, 13
 for $Y^2 = f(X)$, 299

 Sato-Tate conjecture, 7
 for $X_0(l)$, 8, 9
 scaling limits, 212–215, 251–263, 385
 Segre embedding, 332
 Serre’s lemma, 325
 sheaf, 268
 lisse, 268
 sine ratios, 118–120

- spacing measure, *see* measure, spacing
- spacing vector *see* vector, of spacings
- spacings,
 - literal, 17
 - normalized, 2, 17, 30, 183
- Tail estimate, 174, 175
- Tail integration lemma, 170
- tame, *see* everywhere tame
- Teichmüller decomposition, 285
- “total correlation” (TCor), 54
- universal probability measure, *see* measure,
 - universal probability
- Vandermonde determinant, *see* determinant,
 - Vandermonde
- varieties, *see* abelian varieties
- vector,
 - of offsets, 18, 46, 50, 186, 192, 195, 378, 401
 - of separations, 18, 46, 50, 186
 - of spacings,
 - literal, 18
 - naive normalized, 35–37
 - normalized, 18
 - of steps, 18, 186
 - Witt, 344
- Weyl integration formulas, 107–109
 - explicit, via S_N , 120–121
 - $K_N(x, y)$ versions, 109–116
- Widom’s theorem, 385
- Wigner measure, *see* measure, Wigner
- Wigner surmise (unitary), 412
- zeros,
 - low lying, 9
 - of elliptic curves, 14
 - of Dirichlet L -series, 13
- zeta function,
 - of A/k , 329, 355
 - of C/F_q , 1, 4, 306, 331, 353
 - of C/k , 315