

Index

- Almost holomorphic modular form, 23, 38, 184, 331
- Andrews-Dragonette Conjecture, 171
- Appell and Appell-Lerch series
 - completed functions $\widehat{A}_\ell(z_1, z_2; \tau)$, 147
 - completed function $\widehat{\mu}(z_1, z_2; \tau)$, 137
 - level ℓ functions $A_\ell(z_1, z_2; \tau)$, 146
 - $\mu(z_1, z_2; \tau)$, 133
 - multivariable sum
 - $A_{B, \mathcal{L}}(w; \xi_1, \xi_2, \dots, \xi_N; q)$, 327
- Asymptotics for coefficients of modular-type functions, 245
- Automorphic
 - forms, 50
 - functions, 50
- Bernoulli
 - numbers B_n , 5, 197, 334
 - polynomials $B_n(x)$, 259
- Birch and Swinnerton-Dyer Conjecture, 307, 310
- Bol's identity, 69
- Borcherds product, 266, 281, 291
 - generalized product, 295, 302
 - twisted product, 295, 303
- Bruinier-Funke pairing, 75, 174, 196, 202
- Circle Method, 224, 258
- Class numbers
 - Cohen's $H(k, |D|)$, 22, 29, 43
 - Hurwitz (imaginary quadratic) $H(1, |D|)$, 17, 22, 86, 182, 210, 256, 264, 279, 293
- CM point 292
- Complementary error
 - function $\operatorname{erfc}(w)$, 63
 - integral $\operatorname{Ein}(z)$, 64
- Congruent, 313
- Convexity bound, 54
- Cycle integrals
 - and mock modular forms, 274
 - of $j_m(\tau)$, 274
 - of weakly holomorphic modular forms, 203
 - regularized $C(F; Q)$, 205
- Dedekind eta-function $\eta(\tau)$, 10, 14
- Deligne's Theorem, 249
- Differential operators
 - D -operator, 67
 - \mathfrak{F}_k flipping operator, 77
 - ξ_k -operator, 74
- Dirichlet character
 - totally even, 15
- Discriminant kernel subgroup, 297
- Divisor function $\sigma_k(n)$, 5
- Doubly periodic function, 3
- Eichler integrals
 - and partial theta functions, 342
 - for a newform $\mathcal{E}_f(\tau)$, 117
 - for a weight 2 cusp form $\mathcal{E}_F(\tau)$, 10
 - for an elliptic curve E/\mathbb{Q} , 89, 193
 - for weakly holomorphic modular forms, 200, 287
- Eichler-Shimura Theorem, 12, 195
- Eisenstein-Hurwitz mock modular form
 - $\mathcal{H}^+(\tau)$, 85
- Eisenstein series
 - Cohen's, 23, 29, 106, 109
 - $E(\tau; s)$, 52
 - $G_{2k}(\Lambda)$ for a lattice, 4
 - incoherent, 279

- inhomogeneous $G_{2k}(\tau)$, 4
- Jacobi-Eisenstein series
 - $E_{2k,m}(z; \tau)$, 21
 - $E_{k,m,\ell}(z; \tau)$, 26
- nonholomorphic $E(\tau; s)$, 283
 - completed $E^*(\tau; s)$, 283
- normalized $E_{2k}(\tau)$, 5
- weight 2
 - holomorphic $E_2(\tau)$, 9, 83
 - nonholomorphic $E_2^*(\tau)$, 83
- Zagier's $\mathcal{H}(\tau)$, 85
- Elliptic curve, 307
 - congruent number, 309
 - modular parameterization, 89
 - naive height $H(E_{A,B})$, 308
 - quadratic twist, 312, 317
- Elliptic function, 3
- Elliptic function field, 7
- Euler-Mascheroni constant γ , 64
- Euler polynomials, 260
- Exceptional eigenvalues
 - Selberg's Conjecture, 51
 - Theorem of Kim-Sarnak, 51
- Fricke
 - group $\Gamma_0^+(p)$, 324
 - involution, 272
- Fuchsian group of the first kind, 49
- Fundamental parallelogram, 4
- Generalized exponential integral $E_s(z)$, 64
- Generalized Jacobian, 272
- Genus character $\chi_\delta(Q)$, 204
- Goldfeld's Conjecture, 313
- Gross-Zagier Theorem, 311
- Habiro ring, 350
- Harmonic Maass forms
 - almost, 185, 331
 - and quadratic twists of elliptic curves, 317
 - definition, 62
 - of depth d , 209
 - Fourier expansions, 63
 - ghost, 69, 201, 205
 - good, 116
 - harmonic Maass function, 62
 - harmonic Maass Jacobi form, 140
 - holomorphic and nonholomorphic parts, 65
 - locally, 218
 - of manageable growth, 62
 - mixed, 152, 208
 - strong, 208
 - p -adic, 110
 - polar, 216, 255
 - principal part, 62
 - sesquiharmonic Maass form, 107
 - vector-valued, 164, 166, 298
 - weight one, 278
- Hauptmodul, 264
- Head representation H_n , 324
- Hecke characters, 55
- Hecke eigenforms, 113
 - weakly holomorphic, 115
- Hecke operators
 - on harmonic Maass forms, 113
 - on holomorphic Jacobi forms, 30
 - on Maass cusp forms, 56
- Heegner divisor, 292
 - twisted
 - $Z_\Delta(d)$, 300
 - $Z_{\Delta,r}(m, h)$, 301
 - $Z_{\Delta,r}(f)$, 301
- Heegner points, 311
- Higher Green's function \mathcal{G}_k , 215
- Hilbert class polynomial, 265
 - twisted, 294
- Holomorphic projection, 177
 - regularized, 180
- Hyperbolic Laplacian operator
 - Δ (weight 0), 49
 - Δ_k (weight k), 61, 107
 - $\Delta_{k,2}$, 107
- Hypergeometric series (function)
 - ${}_2F_1(a, b; c; z)$, 40
 - Kummer's confluent hypergeometric function, 96
 - q -hypergeometric series, 160, 168, 246, 349
 - $\sigma(q), \sigma^*(q)$, 57, 340
- Incomplete Gamma function $\Gamma(s, z)$, 63
- Inner product
 - Jacobi-Petersson, 34
 - Petersson, 71
 - regularized, 72
- Jacobi forms

- cuspidal, 16
 - holomorphic, 16
 - meromorphic, 183
 - mock, 140, 142, 145, 163, 170, 184, 185, 229, 237
 - mixed mock, 327
 - skew-holomorphic, 46
 - Taylor expansion, 36
 - theta decomposition, 28
- Jacobi group Γ^J , 21
- Jacobi Triple Product, 14
- Kac-Wakimoto characters
 - $\text{ch}F_\ell$, 330
 - $\text{tr}_{(\Lambda(s);m,1)}q^{L_0}$, 328
- Kloosterman sums
 - $A_k(n)$, 171
 - $K_{k,\chi}(m, n; c)$, 94
- Kolyvagin's Theorem, 310
- Kontsevich's function
 - $F(q)$, 238
 - $\phi(x)$, 341, 344
- Lattice (in \mathbb{C}), 3
- L -function (series)
 - Artin $L(\chi_1, s)$, 58
 - critical values, 197
 - for a Maass cusp form $L(f, s)$, 53
 - Hasse-Weil $L(E, s)$, 309
 - Hecke $L(f, s)$, 197
 - p -adic, 110
 - Rankin-Dirichlet series $L(f \otimes f, s)$, 284
 - Rankin-Selberg $L(f_1 \otimes f_2, s)$, 54, 284
 - regularized, 199
 - shifted convolution $D(f_1, f_2, h; s)$, 285
 - shifted double Dirichlet series
 - $Z(f_1, f_2; s, w)$, 285
 - sign of the functional equation, 54, 309
- Lindelöf Hypothesis, 54
- Liouville's Theorem, 4
- Maass cusp form, 50
 - $c(\tau)$, 58
 - from real quadratic fields, 55
 - period functions, 56
- Maass operators
 - lowering operator L_k , 67
 - raising operator R_k , 67
- Maass Spezialchar, 45
- Mathieu group \mathbb{M}_{24} , 334
- Mazur's Theorem, 308
- McKay-Thompson series $T_g(q)$, 325
- Mock modular forms, 80
 - algebraicity of coefficients, 117
 - almost, 185
 - mixed, 208, 256
 - strong, 208
 - normalized, 290
 - p -adic coupling, 119
 - shadow, 80, 117
 - period integral, 81
- Mock Theta Conjectures, 170
- Mock theta functions, 80, 161, 173
 - and indefinite theta series, 165
 - classical (Ramanujan) mock theta functions, 351
 - fifth order $f_0(q)$, 159, 162, 183
 - order, 159, 163
 - radial limits, 173
 - seventh order $\mathcal{F}_0(q), \mathcal{F}_1(q), \mathcal{F}_2(q)$, 165
 - tenth order $\phi(q)$, 330
 - third order $f(q), \omega(q)$, 159, 161, 162, 164, 171, 180, 304, 330, 337, 346
 - universal mock theta functions
 - $g_2(q), g_3(q)$, 167, 329, 348
- Modular equations, 326
- Modular forms
 - cuspidal form, xi, 255
 - newforms, 10
 - quadratic twist $f_D(\tau)$, 312
 - $S_{2k}^{\text{new}}(\Gamma_0(N))$, 203
 - $S_k(\Gamma)$, 10
 - Kohnen's plus space
 - $M_{k-\frac{1}{2}}^+(\Gamma_0(4))$, 29
 - $\mathbb{M}_{\frac{1}{2}}^!(\Gamma_0(4))$, 292
 - M_{2k} , 5
 - $M_k(\Gamma_0(N), \chi)$, 15
 - meromorphic, xi
 - meromorphic cusp form, 253
 - modular function, xi
 - p -adic, 108, 123, 287
 - p -ordinary, 120
 - vector-valued, 28
 - weakly holomorphic, xi, 251
 - $M_k^!(\Gamma_0(N), \chi)$, 65
- Modularity Theorem, 309
- Monster group \mathbb{M} , 323
- Moonshine
 - Monstrous Moonshine, 323, 325
 - Umbral Moonshine, 334, 336

- Mordell integral, 161
 $h(z; \tau)$, 135
- Mordell-Weil Theorem, 307
- Niemeier root system, 336
- p -adic zeta function, 108
- Pariah sporadic groups 337
- Partitions, 223
 crank, 228
 generating function $C(\zeta; q)$, 229, 333, 345
 crank moment $M_k(n)$, 240
 function $p(n)$, 223
 asymptotics, 224
 congruences, 226
 exact formula, 224
 rank, 228
 generating function $R(\zeta; q)$, 229, 333, 345
 rank moment $N_k(n)$, 240
 smallest parts function spt , 240
- Pell equation, 205
- Period $r_n(f)$, 81
- Period polynomials
 period relations, 194
 regularized period integral, 198
 $r(f; \tau)$, 194
 $r^+(f; \tau)$, 196
 $r^-(f; \tau)$, 196
 r_n , 196
- Pochhammer symbol
 $(a)_n$, 40
 q -Pochhammer symbol $(a; q)_n$, 160
- Poincaré dual form, 270
- Poincaré series
 of exponential type
 (Jacobi) $P_{k,m;(n,r)}(z; \tau)$, 22
 $\mathcal{P}_{k,m,N}(\tau)$, 91
 Maass-Poincaré series, 96, 267
 meromorphic elliptic Poincaré series of
 Petersson $\psi_{2k,n}^{\mathfrak{J}}(z)$, 217
 Niebur Poincaré series
 $\mathfrak{F}_{N,-n,s}(z)$, 212
 $\mathfrak{F}_\lambda(\tau)$, 268
 $\mathbb{P}_{k,N}(\varphi; \tau)$, 91
 Polar harmonic $P_{N,s}(\mathfrak{J}, z)$, 214
 seed, 91
- Primitive vectors, 297
- Projection operator $|\text{pr}$, 92
- Quadratic form
 bilinear form $B(X, Y)$, 148
 Kudla-Millson Schwartz function, 270
 type, 149
- Quantum modular forms, 339
 and Eichler integrals, 341
 and radial limits of mock modular forms, 344
 strong quantum modular form, 339
- Quasimodular form, 38
- Ramanujan's partition congruences, 226
- Ramanujan-Petersson Conjecture, 50
- Rankin-Cohen operators $[\cdot, \cdot]_n$, 39
- Regularized integral, 198
- Replication formulae, 326
- Riemann Hypothesis, 54
- Riemann ζ -function, 23
- Rogers-Ramanujan identities, 160
- Saito-Kurokawa Conjecture, 46
- Salié sums $S_k(D_1, D_2; N)$, 269
- Sato-Tate conjecture, 250
- Serre-Stark Basis Theorem, 15
- Shimura correspondence, 314
- Shintani lift $f | \mathcal{S}_{k,N,D}^*(\tau)$, 204
- Siegel modular form, 44
 Fourier-Jacobi expansion, 44
- Sign function sgn , 9
- Singular moduli, 264
- Slash operator
 Jacobi $|_{k,m}$, 21
 modular $|_k$, 63
- Special orthogonal group, 76
- Spectral Theorem, 52
- Symplectic group, 44
- Theta functions (series)
 false, 348
 indefinite, 148, 165
 Jacobi
 $\vartheta(z; \tau)$, 13, 21, 87
 $\theta_{m,a}(z; \tau)$, 27
 $\Theta_{Q,x_0}(z; \tau)$, 148

- Kudla-Millson $\theta_{\text{KM}}(\tau, z)$, 270
- partial, 342, 348
- Thetanullwert $\vartheta_{m,\ell}^0(\tau)$, 42
- twisted Siegel $\theta_{\Delta,r,h}(\tau, z)$, 300
- twisted $\theta_\chi(\tau)$, 14
- weight $3/2$ $g_{a,b}(\tau)$, 140
- with characteristic
 - $\Theta_{A,a,b,c_1,c_2}(\tau)$, 150
 - $\Theta_{A,c_1,c_2}(z;\tau)$, 150
- Trace
 - of a harmonic Maass form, 226
 - of singular moduli Tr_d , 264
 - twisted
 - Tr_{D_1,D_2} , 267
 - \mathcal{T}_{D_1,D_2} , 274
- Umbral group G^X , 336
- Unimodal sequences, 234
 - counting functions
 - for strongly unimodal sequences $u(n)$, 234
 - for strongly unimodal sequences with rank m $u(m, n)$, 236
 - $u^*(n)$, 234
 - generating functions
 - strongly unimodal $U(q)$, 235
 - unimodal $U^*(q)$, 259
 - unimodal rank $U(\zeta; q)$, 236, 344, 345
 - rank, 236
 - strongly, 234
- U_ℓ and V_ℓ operators
 - on Jacobi forms, 30
 - on modular forms, 31
- Upper-half complex plane \mathbb{H} , 4
- Weakly holomorphic cusp form, 115
 - $S_k^!$, 115
- Weak Maass form, 62
- Weakly holomorphic modular form, xi, 251
- Weierstrass
 - mock modular function, 89
 - \wp -function, 6, 25
 - σ -function, 87
 - ζ -function, 8
- Weil representation ρ_L , 296
- Weyl's law, 51
- Zwegers' thesis, 133