

## Subject Index

- absolute continuity, 16
  - local, 16
- abstract buckling problem, 783
- acoustic black hole operator, 489
- adjoint space/conjugate dual, 821
- Airy potential, 443
- algebro-geometric (finite-band)
  - stationary KdV solutions, 189
- analytic family (of operators), 404, 405
  
- Basic criterion for self-adjointness, 762
- Bessel function, 143, 145, 468, 472, 484, 486, 502, 855, 856
  - modified, 856
- Bessel operator, 141, 143, 463, 467, 484, 499
  - generalized, 141, 144, 277, 472, 486, 502
  - short-range perturbation, 463
- Beurling–Deny criterion, 636
- Birman–Schwinger bound, 343, 347
- Birman–Schwinger-type operator
  - non-symmetrized, 755
  - symmetrized, 756
- Birman–Solomyak spaces, 751
- Blaschke product, 841
- Blaschke-type condition, 234
- boundary condition
  - coupled, 35, 47, 53, 57, 67, 70, 83, 98, 102, 103, 154, 220, 349, 357, 362, 383, 398, 399, 403, 412, 413, 417, 425, 450, 479, 480, 520, 525, 534, 545, 552, 569, 572, 573, 605, 632, 634, 635, 638, 640, 641, 644, 669, 670, 691, 809, 812
  - Dirichlet, 9, 35, 47, 50, 61, 62, 72, 73, 80, 81, 141, 143, 159, 172, 174, 180, 185, 191, 201, 245, 249, 263, 282, 303, 309, 311, 314, 342, 343, 345, 358, 370, 403, 424, 425, 427, 435, 446, 449, 450, 452, 495, 496, 504, 581, 603, 616, 650, 669, 673, 678, 680, 682, 686, 687, 689, 691, 692, 695, 698, 737, 777, 789, 796, 816
  - Krein–von Neumann, 400
  - Neumann, 47, 79, 143, 159, 308, 424, 446, 504, 650, 680, 682, 691, 692, 796
  - Robin, 424, 435, 680, 686, 691, 698
  - separated, 11, 12, 35, 47, 49, 50, 53, 58, 65, 83, 97, 99, 100, 102, 103, 105, 107, 108, 129, 153, 220, 246, 248, 249, 264, 269, 271, 276, 298, 314, 349, 357, 358, 375, 383, 399, 400, 403, 412, 413, 419, 422, 446, 450, 479–482, 495, 520, 521, 542, 552, 568, 572, 573, 575, 577, 579–581, 586, 601, 604, 605, 616, 634, 635, 637, 638, 640, 644, 645, 647, 651, 655, 659, 660, 663, 672, 673, 677, 680, 686, 691, 698, 809, 812, 813
- boundary data map, 349, 350, 373–376, 379, 387, 393, 809
- boundary trace map, 349, 352, 370, 371, 374–376, 379, 391, 393
  - Dirichlet, 349, 352, 370
  - Neumann, 349, 352, 370
- boundary triplet, 57, 803
- Burchnell–Chaundy curve, 189

- Cartwright class, 652, 653, 681  
 Cayley transform, 358, 393, 786, 798  
 commutator, 188  
 confluent hypergeometric operator,  
     509  
 conjugate points, 602  
 conjugation, 84, 557, 560, 573, 770  
 constant coefficient operator  
     full-line, 167, 212  
     half-line, 141, 142  
  
 de Branges space, 645, 647, 648, 681  
 deficiency indices, 39, 84, 94, 117,  
     121, 269, 270, 344, 347, 392,  
     400, 560, 564, 599, 631, 722,  
     761, 765, 770, 771, 780, 788,  
     791, 793, 796, 800, 802, 819,  
     827, 830  
 deficiency subspaces, 765, 786, 790  
 density matrix, 160, 537  
 density of states  
     integrated, 208, 209, 311  
 diagonalization, 135, 139, 161, 166,  
     457, 459, 461, 538, 541, 542,  
     582, 583, 588, 589  
 differential expression, 15  
     disconjugate, 259, 262, 264, 511,  
         602, 603, 618, 619, 625, 626  
     nonoscillatory, 123, 249, 250, 252,  
         253, 256, 258, 269, 270,  
         274–276, 278, 279, 281, 284–290,  
         298, 317, 320, 321, 323, 325,  
         338, 472, 477, 511, 594–598,  
         600, 601, 604, 626, 629, 816, 817  
     oscillatory, 252, 269–271, 273, 274,  
         279, 298, 317, 320, 321, 323–325,  
         329, 477, 594, 626, 627, 629  
     quasi-regular, 90, 95, 97, 98, 100,  
         102, 109, 603, 604  
     regular, 19, 35–40, 42, 43, 47, 49,  
         58, 60, 61, 70, 202, 214, 249,  
         303, 368, 384, 600, 617, 622,  
         623, 625, 626, 630, 663  
         at one endpoint, 19, 21, 31, 258,  
             259, 264, 555, 557, 560, 569,  
             580, 593, 627, 629, 693  
     singular, 19  
         at one endpoint, 19, 555  
  
 direct sum, 72, 159, 309, 392, 598,  
     624, 628, 630, 766, 769, 772,  
     773, 775, 803, 807, 813  
 Dirichlet data, 240  
 Dirichlet divisors, 240  
 Dirichlet Laplacian, 141, 688, 690  
 Dirichlet-to-Neumann map, 349, 374,  
     376  
 distributional potential, 551–553,  
     649, 650, 654, 658, 673–676,  
     680–682, 816  
 Donoghue model representation, 791  
 Donoghue–Weyl  $M$ -operator, 786,  
     787, 789, 807  
 Donoghue-type  $m$ -function, 792, 793  
  
 eigenfunction transform, 60, 135,  
     139, 143, 150, 161, 162, 166,  
     168, 457, 459, 461, 470, 501,  
     538, 541, 542, 581–583, 588, 589  
 eigenspace  
     algebraic, 724  
     geometric, 719  
 eigenvalue, 140, 719  
     algebraic multiplicity, 65, 79, 404,  
         408, 415, 446, 723, 724, 743,  
         754, 755, 758  
     degenerate, 66, 68, 70, 76  
     Dirichlet ground state  
         monotonicity, 61  
     geometric multiplicity, 65, 408,  
         415, 723  
     multiplicity, 43, 53, 54, 56, 64, 65,  
         67, 98, 100, 201, 202, 407, 414,  
         415, 771  
 entire family (of operators), 404, 405  
 ergodic mean value, 193  
 essential closure, 227, 584, 836, 837,  
     852  
 essential range, 139  
  
 field of regularity, 562, 721, 723  
 Floquet discriminant, 67, 70, 198,  
     417, 851  
 Floquet multipliers, 196, 198, 199  
 Floquet solutions, 199, 206, 210, 315  
 Floquet theory, 70, 198, 205, 239,  
     417, 851  
 form

- of self-adjoint operator, 826
- sesquilinear, 50, 63, 312, 313, 384, 822
  - $\mathcal{V}$ -coercive, 822
  - bounded, 822
  - bounded from below, 823
  - closable, 823
  - closed, 823
  - closure, 778, 823
  - extension, 823
  - form sum, 830, 831
  - infinitesimally bounded, 831
  - nonnegative, 823
  - relatively bounded, 831
  - restriction, 823
  - second representation theorem, 824, 834
  - strictly positive, 823
  - symmetric, 822, 823
- Fourier transform, 168, 751, 829
  - generalized, 60, 135, 143, 150, 161, 162, 168, 457, 538, 581, 582, 588, 589
  - inverse, 168, 751
- Fourier-cosine transform, 143
- Fourier-sine transform, 141
- Fredholm alternative, 743
- Fredholm determinant, 51, 54, 70, 72, 201, 202, 387, 388, 403–405, 413, 416, 445, 754, 755, 759
  - modified, 756
- Fredholm index, 724
- function
  - entire, exponential type of, 414
  - entire, order of, 414
  - entire, type of, 414
  - inner, 842
  - mean type of, 646
  - of bounded type, 646
  - outer, 841
  - real entire, 23
  - singular inner, 842
- fundamental solution of the heat equation, 686
- gamma field, 803
- Gaussian heat kernel, 686
- generalized boundary values, 83, 102, 109, 450, 478–483, 485, 487, 490, 492, 504, 512, 547, 604
- Green identity, 20, 84, 527, 554
  - abstract, 802
- Green's function, 43, 49, 59, 72, 73, 98, 99, 124, 155, 157–159, 180, 207, 214, 235, 340, 342, 344, 376, 420, 432, 437, 449, 450, 455, 460, 469, 474, 497, 500, 503, 522, 524, 525, 528, 532, 545, 579, 585, 590, 623, 638, 795
- diagonal, 155, 172, 175, 182, 193, 197, 207, 221, 226, 232, 522, 601, 672, 851
- Hankel function, 143, 145, 468, 473, 500, 502, 795, 855, 856
- Hankel transform, 470, 501
- Hardy space  $H^p(\mathbb{C}_+)$ , 842
- Hardy space  $H^p(\mathbb{R})$ , 842
- Hardy's inequality, 318, 334
  - perturbative, 327, 336
- Harnack's inequality, 250
- heat equation, 9, 685
  - solution in spherical form, 10
  - spherically symmetric, 10
- Hilbert transform, 843
- Hilbert–Schmidt theorem, 743
- homogeneous set, 224, 844
  - compact, 231
- Its–Matveev formula, 194
- Jacobi
  - operator, 490
  - polynomial, 701
- Jacobi's factorization identity, 260, 602, 610, 620
- Jost function, 148, 151, 176, 432, 438
- Kato–Lax–Lions–Milgram–Nelson (KLLMN) theorem, 831
- Kato–Rellich theorem, 711
- KdV hierarchy
  - recursion relation, 187
- KdV invariants, 182, 185
- Kneser's oscillation criterion, 321
- Krein's spectral shift function, 81, 182, 390

- Krein's trace formula, 390
- Krein-type resolvent formula, 53, 72, 81, 357, 359, 363, 380, 381, 432, 544, 639, 643, 644, 786, 799, 800, 805
- Kummer  
 nonprincipal solution, 511  
 operator, 509  
 principal solution, 511
- Lagrange identity, 20, 40, 41, 84, 554, 557, 558, 564, 580
- Laguerre  
 nonprincipal solution, 511  
 operator, 509  
 polynomial, 519, 550  
 principal solution, 511
- Laplace–Beltrami operator, 700
- Laplacian, 9
- Lax pair, 188
- Lax–Milgram theorem, 834
- Legendre  
 functions of the 1st and 2nd kind, 505  
 nonprincipal solution, 504  
 operator, 504  
 principal solution, 504
- Levinson's theorem, 150, 179
- Lidskii's theorem, 748
- limit circle case, 71, 90, 92, 94, 95, 97–100, 102, 109, 112, 114, 120, 122, 130, 131, 141, 143, 145, 147, 258, 269, 270, 273, 286, 288, 298, 308, 472, 478–481, 484, 486, 490, 495, 497, 499, 502, 504, 525, 542, 543, 562–564, 567, 568, 570, 572, 573, 575, 577, 579, 580, 585, 586, 603, 604, 615, 616, 633, 651–655, 811–813, 816
- limit point case, 71, 90, 92–94, 99, 100, 108, 112, 118–120, 140–143, 145, 147, 175, 179, 192, 198, 212, 220, 221, 227, 264, 268–271, 273–275, 281, 282, 286, 287, 290, 298–300, 306, 338, 451, 456, 463, 467, 472, 477, 481, 484, 486, 490, 497, 499, 502, 504, 519, 542, 543, 563–567, 570, 575, 597, 616, 633, 812, 813
- linear fractional transformation, 131, 155, 522, 787
- Liouville–Green transformation, 28, 421, 422, 446, 654, 656
- local Wiener's theorem, 840
- Lyapunov exponent, 208
- m*-dimensional extension/restriction, 772
- Macdonald function, 856
- max-min principle, 833
- min-max principle, 833
- monodromy matrix, 198
- Neumann function, 855
- Neumann Laplacian, 143, 689–691
- Neumann-to-Dirichlet map, 374
- Nevanlinna class  $N(\mathbb{C}_+)$ , 842
- Nevanlinna–Herglotz  
 exponential representation, 840  
 function, 133, 155, 187, 452, 787, 793, 837, 851  
 generalized function, 451, 497  
 matrix, 156, 461, 523, 800  
 property, 155, 800  
 representation, 133, 156, 523, 838, 846
- Nevanlinna–Herglotz function, 849
- noncommutative Fatou lemma, 753
- one-dimensional heat kernel, 686
- operator  
 adjoint, 37, 705  
 associated with a form, 824  
 bounded, 703  
 bounded from below, 39, 252, 253, 707, 774, 822  
 closable, 84, 706  
 closed, 37, 706  
 closure, 706  
 compact, 742  
 completely non-self-adjoint, 112, 114, 117, 788, 791, 793  
 continuous, 703  
 core, 706  
 densely defined, 37, 84

- essentially self-adjoint, 94, 707, 761
- extension
  - common part, 781
  - Dirichlet, 50, 245, 342, 358, 370, 550, 777, 789
  - Dirichlet Schrödinger, 72
  - Friedrichs, 35, 50, 61, 143, 245, 259, 262, 263, 321, 330, 339, 347, 350, 357, 358, 403, 450, 480, 481, 485, 488, 490, 492, 500, 501, 503–505, 513, 525, 528, 542–544, 549, 550, 552, 604, 605, 609, 611, 613, 615–617, 619–623, 630, 640, 664, 666, 669, 673, 677, 683, 761, 773, 775, 777–780, 782, 785, 789, 790, 794, 818, 827, 829, 830
  - Krein–von Neumann, 51, 57, 143, 350, 357, 368, 369, 400, 403, 417, 418, 425, 427, 450, 481, 482, 486, 488, 490, 493, 501, 548, 552, 630–633, 645, 679, 761, 773, 775–780, 782, 783, 785, 790, 794, 818, 819
  - maximal common part, 781
  - Neumann, 370, 550, 777, 790
  - reduced Krein–von Neumann, 782–785, 819
  - relatively prime, 781
  - self-adjoint, 39, 42, 43, 47, 95, 102, 566, 570, 769, 786, 793
- finite rank, 387, 433
- finite-rank, 741
- formal adjoint, 84, 704
- Fredholm, 724, 740
- graph, 705
- graph norm, 706
- graph scalar product, 706
- Hilbert–Schmidt, 46, 50, 65, 101, 269, 343, 573, 667, 671, 745, 746
- ideal, 742, 746, 748, 753
- infinitesimally bounded, 709, 714
- isometry, 708
- maximal, 36, 83
- minimal, 36, 84
- nonnegative, 774, 822
- norm, 703
- numerical range, 708, 723
  - convexity of, 708, 715
- partial isometry, 708
  - final domain, 708
  - initial domain, 708
- positivity improving, 634, 636–638, 645
- positivity preserving, 634, 636, 637
- preminimal, 38, 84, 223
- relatively bounded, 709, 713
- relatively compact, 712, 713, 715
- relatively form bounded, 713, 714
- relatively form compact, 713, 715
- restriction
  - self-adjoint, 42, 570
  - self-adjoint, 707, 761, 822
  - semi-Fredholm, 739, 740
  - semibounded, 774
  - strictly positive, 774
  - supersymmetric Dirac-type, 724, 826
  - symmetric, 37, 84, 707, 761
  - $T$ -bound, 709, 713
  - $T$ -bounded, 709
  - $T$ -compact, 712, 713
  - trace class, 343, 404, 747, 750
  - trace ideals, 746, 748, 752, 754
  - unitary, 708
- orthogonal direct sum, 773, 782, 788
- oscillation theory
  - classical, 246
  - perturbative, 321
  - renormalized, 298
- Pick function, 837
- Plücker relation, 21, 91, 101, 103, 108, 109, 130, 178, 555, 567, 569, 576
- polar decomposition, 785
- Povzner–Wienholtz theorem, 282
- Prüfer transformation, 22
- Prüfer variables, 22, 301
- projection-valued measure, 727
- quadratic forms, 778, 783
- quasi-derivative, 15, 551, 553
  - modified, 663
- quotient space, 772

- Rayleigh principle, 734  
 Rayleigh quotient, 262, 833  
 real Hardy space  $\widetilde{H}^1(\mathbb{R})$ , 843  
 reducing subspace, 738  
 reflection coefficient, 178  
 reflectionless, 197, 221, 244, 845, 852  
   potential, 226, 234  
   Schrödinger operator, 226, 234  
 resolvent, 43, 98, 159, 719  
 resolvent set, 719, 723  
 Riccati equation, 33, 181  
 Riesz projection, 723  
 Riesz–Herglotz representation, 838, 846  
 Riesz–Schauder theorem, 743  
  
 scattering matrix, 150, 178  
 scattering phase shift, 150, 178, 184  
 Schrödinger operator, 119, 791, 793, 794, 851  
   algebro-geometric finite-band  
   potential, 189, 191  
   genus one Lamé potential, 196  
   higher-order trace relations, 179  
   scattering  
     full-line, 175  
     hall-line, 147, 429  
   short-range potential, 147, 175, 429  
   1-soliton potential, 169  
    $N$ -soliton potential, 172  
 Schrödinger's equation, 12, 697  
   solution in spherical form, 12  
   spherically symmetric, 12  
 Schur–Lalesco–Weyl inequality, 754  
 singular value, 744  
 Smirnov class  $N_+(\mathbb{C}_+)$ , 842  
 Sodin–Yuditskii class  $\text{SY}(\mathcal{E})$ , 224  
 solution, 16  
   fundamental solution matrix, 19  
   fundamental system, 16, 449, 468, 472  
   Jost, 147, 176, 429, 431, 437, 438  
   linearly independent, 16  
   minimal, 257  
   nonprincipal, 257, 596  
   nontrivial, 16  
   principal, 250, 257, 596  
   regular, 147  
   spectral function, 152, 160  
   spectral measure, 135  
   spectral multiplicity, 139, 166, 459, 591, 592  
   spectral projection, 160, 727  
   spectral subspace  
     absolutely continuous, 738  
     continuous, 738  
     pure point, 737  
     singular, 738  
     singularly continuous, 738  
   spectral theorem, 135, 139, 161, 166, 457, 459, 461, 538, 541, 542, 582, 583, 588, 589, 730  
   spectral zeta function, 407  
     relative, 409, 431, 434  
   spectrum, 139, 719, 723, 731  
     absolutely continuous, 739  
     invariance of, 758, 832  
     approximate point, 723  
     continuous, 723, 739  
     discrete, 724, 732  
     essential, 726, 731  
     invariance of, 731, 770, 832  
     point, 719, 723, 731  
     purely discrete, 43, 98, 201  
     residual, 723  
     singular, 739  
     singularly continuous, 739  
   spherical harmonics, 700  
   stationary KdV hierarchy, 188  
   Stieltjes inversion formula, 134, 156, 523, 839  
   Stone's formula, 113, 115, 134, 162, 457, 538, 588  
   Stone–Weierstrass theorem, 589, 677  
   strict domain monotonicity, 61  
   strongly singular potential, 466  
   Sturm comparison theorem, 284  
   Sturm oscillation theorem, 248  
   Sturm separation theorem, 247  
   Sturm–Liouville operator  
     bounded from below at a point, 600  
     impedance form, 650  
     one regular endpoint, 129, 141–143, 145, 147  
     periodic coefficients, 198

- regular, 35, 47, 60, 71, 108, 351, 412, 634, 692, 734, 808
- singular, 83, 153, 561
- uniqueness
  - Hochstadt–Lieberman, 662
  - local Borg–Marchenko, 661
  - three spectra theorem, 656
  - two spectra theorem, 653
- subspace
  - $T$ -closed, 766
  - $T$ -orthogonal, 766
  - $T$ -symmetric, 766
- supercharge, 724, 826
- support of a measure, 835
  - essential/minimal, 227, 835–837, 848
  - topological, 835
- theta function associated with  $\mathcal{K}_n$ , 194
- Tiktopoulos' formula, 406, 444
- trace formula, 183
  - for the potential  $q$ , 184, 190, 222
- trace measure, 60, 156, 160, 166, 229, 234, 237, 537, 541, 587, 591, 846, 849
- trace of trace class operator, 416, 440, 748, 750
- transmission coefficient, 178
- variation of constants formula, 19, 24
- Volterra integral equation, 17, 23, 147, 176, 464, 466
- Volterra integral kernel, 53
- von Neumann parametrization, 767, 791
- von Neumann theorem, 826
- Wüst theorem, 712
- wave equation, 10, 695
  - solution in spherical form, 11
  - spherically symmetric, 11
- Weber function, 855
- Weierstrass  $\sigma$ -function, 195
- Weierstrass  $\wp$ -function, 194
- Weierstrass  $\zeta$ -function, 195
- Weyl disk, 91
  - nesting property of, 92
- Weyl's alternative, 89, 561
- Weyl's theorem, 731
- Weyl–Titchmarsh
  - $m$ -function, 130, 154, 460, 793
  - matrix, 155, 470
    - Green's function induced
      - $M$ -function, 57, 59, 157, 237, 533, 535
    - operator, 803
    - solution, 130, 154, 451, 460, 468, 473, 793
- Wronskian, 20, 21, 29, 71, 73, 91, 225, 360, 376, 510, 512, 534, 554, 567, 856
  - derivative of, 554
  - zeros of, 297, 299–301, 308–310, 315
- zeta determinant, 423, 427
- zeta regularized determinant, 420, 422, 423, 425, 434