

Index

- Abel's theorem, 5, 83
- Abel-Jacobi map, 5, 75, 176, 292
 - analyticity, 75, 185
 - functoriality properties, 183
- Abelian variety, 12, 93, 259, 298, 299, 307, 314
 - Albert classification, 307
 - algebraic family, 336
 - degenerate, 339, 340
 - elliptic curve, 307, 329, 330, 342–344
 - endomorphism algebra, 306, 348
 - endomorphism ring, 336
 - four-dimensional, 319
 - fourfold, 308, 323–326, 333, 335, 343, 348
 - general, 310, 342, 343, 345
 - index of degeneracy, 336
 - level structure, 336, 348
 - morphism, 299
 - nondegenerate, 338, 339
 - of CM-type, 309, 327, 329, 337, 339, 340, 349
 - of Fermat type, 319–321, 334
 - of Hodge type, family, 349
 - of prime dimension, 308, 326, 339, 345
 - of Ribet type, 308
 - of RM-type, 329
 - of type H, 330
 - of type III, 324, 334
 - of Weil type, 308, 319, 321–323, 333, 334, 341, 349
 - polarization, 306, 335, 336, 348, 349
 - principal polarization, 14, 175, 343
 - simple, 306, 324, 326, 332, 333, 335, 336, 338, 344
 - stably degenerate, 335
 - stably nondegenerate, 330–332, 335, 342, 345, 348
 - threefold, 342, 343
 - with multiplication by an imaginary quadratic field, 307
 - with quaternionic multiplication, 309, 343
 - with real multiplication, 308
- adequate equivalence, 194
- adjoint representation, 302
- adjunction formula, 43
 - for complete intersections, 43
 - for hypersurfaces, 43
- affine variety, 8
- Albanese map, 178
- Albanese variety, 171
- Albert classification, 307, 308
- algebraic cocycle, 58, 189
- algebraic equivalence, 84, 180, 194
 - vs. homological equivalence, 84
- algebraic group, 299, 301, 316
 - affine, 299
 - linear, 299, 300
 - real reductive, 303
 - reductive, 300, 301, 313
 - semisimple, 300
- algebraic torus, 300, 315, 328, 337
- almost complex structure, 30
- alternating group, 340
- analytic hypersurface, 42
- analytic map, 1, 182, 183
- analytic subset, 11
- analytic subvariety, 48
- arithmetic filtration, 87, 272

- base locus, 71, 205
- Bertini's theorem, 52, 203, 220
- Betti number, 193
- Bezout's theorem, 123, 203, 254
- Bianchi identity, 116
- bilinear form
 - alternating, 324, 327
 - skew-symmetric, 301, 303, 325
 - symmetric, 303
- bimeromorphic map, 200
- birational map, 200
- birational invariance of $\text{GHC}(1, n, -)$, 200
- Bloch conjecture, 254
- Bloch-Beilinson filtration, 273, 281
- blow-up, 21
 - along a manifold, 27
 - of a point, 21
- bounded symmetric domain, 314, 349
- branching rule, 336

- c -closed, 248
 - dimension, 248
- canonical bundle, 41

- for complete intersections, 42
 - for hypersurfaces, 42
 - for projective space, 41
 - of Grassmannian, 54
- canonical divisor, 214
- canonical extension, 235, 242
- Cartan decomposition, 303, 315
- Cartan involution, 303, 315
 - differential, 303
- Cartan structure equation, 104
- Cartier divisor, 48
- Cauchy-Riemann equations, 1
- Cech cohomology, 43, 44
- cellular decomposition, 7, 13
- character group, 318
- chemistry, 336
- Chern character, 119
- Chern class, 106, 110, 112, 119
 - for dual bundle, 107
 - functoriality, 108
 - of line bundle, 33, 46
 - total Chern class, 106
- Chern root, 119
- Chow group, 181
 - continuous part, 173, 181
 - finite dimensional, 272
 - finite dimensionality, 251, 261
 - higher, 291
 - infinite dimensionality, 261
 - level, 272, 277
 - of projective space, 255
- Chow variety of zero-cycles, 248, 249
- Chow's lemma, 287
- Chow's moving lemma, 181
- Chow's theorem, 11, 110
- chronological listing, 350
- classical group, 300
- Clifford algebra, 303
 - even, 303
- CM-field, 309, 332, 337, 342
- CM-Hodge cycle, 341
- CM-type, 90, 94, 307, 309, 315–318, 320, 326, 329–331, 333, 337, 338, 340–344, 350
 - degenerate, 338–340
 - in composite dimension, 339
 - index of degeneracy, 335
 - lower bound, 341
 - nondegenerate, 316, 326, 338–340
 - primitive, 340
 - rank, 337, 339
 - simple, 338, 339, 341
- coboundary, Cech, 44
- cocycle, Cech, 44
- coherent sheaf, 9
- cohomology
 - Cech, 43
 - de Rham, 31
 - Dolbeault, 31
 - étale, 348
 - L_2 , 349
 - of blow-up, 198
 - of complex tori, 12
 - of Grassmannian, 12
 - of projective space, 8
 - primitive, 123, 128, 134, 193, 211
 - singular, 58
- complete intersection, 43, 92, 119, 254, 259
- complex Abelian variety, 305, 313, 316
 - isogenous, 306
- complex linear map, 1
- complex structure, 305, 314
- complex torus, 3, 305
 - polarization, 306
- condition (H_2) , 336
- connected linear algebraic group, 312
- connected linear group, 302
- connection, 103
 - canonical, 106
 - Gauss-Manin, 233
 - metric, 106
- connection matrix, 103
- cotangent bundle, 18
- Cremona transformation, 27
- cubic threefold
 - Hodge conjecture, 209
 - Jacobi inversion, 200
- curvature form, 33
- curvature matrix, 104
- curve, 3
- cuspidal, 9
- cycle class map, 273
- cycles algebraically equivalent, 180
- cycles rationally equivalent, 180
- cylinder homomorphism, 204, 223, 279
- de Rham cohomology, 31
 - finite dimensionality, 145
 - isomorphism theorem, 38, 46, 60, 145
- degenerate, 338, 340, 341
- degree
 - of a curve, 67
 - of a divisor, 63
 - of a hypersurface, 11, 43
- Dehn twist, 73
- derivation, 302
 - left invariant, 302
- derived group, 347
- desingularization, 4, 61, 200
- determinant cycle, 335
- differential, 29, 302
- dihedral group, 338
- dimension of a variety, 8, 11
 - infinite dimensionality, 252
- Dirichlet inner product, 151
- Dirichlet norm, 151
- divisibility (of $A^*(X)$), 182

- division algebra, 307
- division quaternion algebra, 307
 - indefinite, 309
- divisor, 43, 318, 335
 - Cartier, 48
 - effective, 43
 - exceptional, 21
 - line bundle associated to, 49
 - linear equivalence, 49
 - principal, 49
 - rational equivalence, 49
 - Weil, 48
- Dolbeault cohomology, 31
 - finite dimensionality, 145
 - isomorphism theorem, 38
- Dolbeault lemma, 31
- double point, ordinary, 71, 80
- dual bundle, 18
 - Chern class, 107
- dual map for hypersurfaces, 80
- dual projective space, 23, 52
- dual variety, 53, 81

- effective divisor, 43
- effective zero-cycle, 248
- elliptic curve, 4, 307, 329, 330, 342–344
 - of CM-type, 89, 318
 - product, 317
- elliptic integral, 5
- endomorphism algebra, 324
- Euler characteristic, 119, 193
- exceptional cycle, 324, 334, 338
 - in codimension 2, 334
- Fano variety
 - of k -planes, 218
 - of lines, 201
- Fermat curve, 320, 341
- Fermat hypersurface, 11
- Fermat threefold
 - Hodge conjecture, 94
- filtration, 265
 - arithmetic, 87, 260
 - by coniveau, 272
 - by niveau, 285
 - Hodge, 85, 88, 234, 241, 284, 292
 - monodromy weight, 242
 - on Chow group, 265
 - Bloch-Beilinson, 273, 281
 - Murre's approach, 280
 - weight, 241, 284, 292
- fine sheaf, 37
- flag manifold, 91, 259
- flag space, 103, 112
- flat vector bundle, 208, 233, 242
- frame, 19
- Fubini-Study metric, 33
- fundamental 2-form, of a metric, 32
- fundamental class, 61, 68, 237, 285

- Galois group, 340
- Gårding inequality, 151, 153
- Gauss-Manin connection, 233
- general linear group, 328, 332
- genus, 3
 - geometric, 41
 - topological, 120
- geometric genus, 41
 - of complete intersection, 50
 - of hypersurface, 50
- Goursat's lemma, 316, 319, 330
- Grassmannian, 12
 - canonical bundle, 54
 - cohomology, 12
 - tangent bundle, 54
- Green's operator, 144, 152
- Griffiths group, 186, 238
 - non-triviality, 84, 238
- Grothendieck's counterexample, 88
- group homomorphism
 - equivariant, 300
 - linear, 300
- Gysin map, 134
- Gysin sequence, 86
 - associated to a blow-up, 198, 222

- harmonic, 141, 142
- harmonic form, 144
- Hermitian form, 301, 321, 322, 327, 328, 341, 348
- Hermitian manifold, 24
- Hermitian metric, 24
- Hermitian symmetric domain, 335, 336
- Hermitian type, 303, 314
- Hessian, 81
- Hilbert scheme, 99, 186, 227
- Hirzebruch-Riemann-Roch theorem, 119
 - for curves, 120
 - for surfaces, 120
 - generalization, 121
- Hodge (p, q) decomposition theorem, 57, 161
- Hodge class, 322
 - exceptional, 93, 322–324, 332, 334
- Hodge conjecture, 313, 321, 323, 333, 349
 - counterexample, 66
 - for Abelian varieties, 93, 297–351
 - for complete intersections, 92
 - for flag manifolds, 91
 - for hypersurfaces, 92
 - for singular varieties, 287
 - for unirational varieties, 92
 - for uniruled varieties, 92
 - general, 342–345, 347, 348
 - Grothendieck amended, 88
 - popular version, 64, 88
- Hodge cycle, 313, 318, 322, 333–337, 341, 342
 - determinant, 335

- exceptional, 333, 334
- Hodge decomposition, 57, 85, 161, 310, 328
- Hodge filtration, 85, 234, 241, 284, 292, 310, 342
 - rational, 88, 261
- Hodge group, 312–317, 321, 326, 328, 330, 332, 337, 344, 347, 349
 - semisimplicity, 314, 336, 347
- Hodge inner product, 140
- Hodge manifold, 12
- Hodge number, 85, 119
- Hodge ring, 321
- Hodge structure, 85, 313, 323
 - morphism, 313
 - rational, 310–312, 314, 342, 343, 345
 - associated to an Abelian variety, 311
 - dual, 311
 - morphism, 311
 - Mumford-Tate group, 312
 - polarization, 311, 313
 - type, 311
 - real, 310
- Hodge theorem, 144
- Hodge type, family of Abelian varieties, 347, 349, 350
- Hodge vector, 311, 313
- Hodge-Kähler identities, 160
- Hodge-Riemann bilinear relation, 167
- homological equivalence, 84, 180, 194, 273
 - vs. algebraic equivalence, 84, 173
 - vs. numerical equivalence, 274
- homology, *see also* cohomology
 - Borel-Moore, 68, 284
 - primitive, 74, 228
- homology class, 77
- Hopf manifold, 13, 34
 - not Kähler, 13
- horizontal displacement, 205
- horizontal normal function, 240
- horizontality condition, 235
- hyperelliptic curve, 321
 - Jacobian, 319
- hyperelliptic Riemann surface, 7
- hyperplane at infinity, 7, 76, 192
- hyperplane bundle, 22
- hypersurface, 8, 11
 - imaginary quadratic field, 324, 326, 328
 - indecomposable, 320
 - infinitesimal period relation, 234, 240
 - integral homology, 14
 - intersection pairing, 61
 - invariant cycles conjecture, 349, 350
 - invariant theory, 337
 - irreducible subset, 8
 - irregularity, 83
 - isogenous, 316
 - isogeny, 306, 316, 320
 - degree of, 306
 - dual, 306
- Jacobi identity, 301
- Jacobi inversion, 75, 173, 238
 - failure, 79, 187, 238
- Jacobian, 292, 320
 - generalized, 75
 - generalized intermediate, 236
 - higher, 348
 - intermediate, 343
 - Griffiths, 171
 - Weil, 171
 - Lieberman, 173
 - of a curve, 75
 - of a Fermat curve, 319
 - of elliptic modular curves, 330
 - of hyperelliptic curve, 321
- Kähler form, 32
- Kähler manifold, 11, 29, 32
 - test, 34
- Kähler metric, 11, 32
- Kodaira dimension, 266
- Kodaira-Serre duality, 60
- Koszul complex, 130
- Künneth formula, 161
- Lefschetz (1, 1) theorem, 58, 79
 - analog for Stein manifolds, 67
- Lefschetz decomposition, 166, 275
- Lefschetz decomposition theorem, 165
- Lefschetz group, 316, 326, 328, 330, 344, 347
- Lefschetz hyperplane section, 71
- Lefschetz pairing, 167
- Lefschetz pencil, 71, 227
- Lefschetz theorem
 - strong (hard), 165, 167, 227, 268, 283, 290
 - for Chow groups, 275
 - weak, 166, 167
 - for Chow groups, 239
 - for hypersurfaces, 270
- Lefschetz vanishing cocycle, 206
- Lefschetz vanishing cone, 74, 228
- Lefschetz vanishing cycle, 72, 74, 206, 228
- Leray cohomology sheaf, 113, 228
- Leray spectral sequence, 113, 228, 231
- level
 - of a Chow group, 272, 277, 288
 - of a Hodge structure, 265, 272, 345
- Lie algebra, 301, 304, 315
 - bracket, 301
 - of an algebraic group, 302
 - reductive, 344
 - semisimple part, 344
- Lie group, 314
 - compact, 3
 - complex analytic, 3

- connected, 3
- line bundle, 20
 - ample, 23
 - associated to a divisor, 49
 - Chern class, 33, 46
 - metric on, 32
 - positive, 23, 33
 - tautological, 21, 112
 - very ample, 23
 - (weakly) positive, 22
 - (weakly) negative, 22
- linear algebraic group, 298
- linear equivalence, 49, 83, 84, *see also*
 - rational equivalence
- linear system, 23, 83
- lines, Fano variety, 201
- local invariant cycle property, 229
- local monodromy transformation, 73, 206, 229, 241
- local ring, 48
- local trivialization, 17
- manifold, 1–13
 - flag, 91
 - Grassmannian, 12
 - Hermitian, 24
 - Hodge, 12
 - Hopf, 13, 34
 - Kähler, 11, 29, 32
 - Moishezon, 11, 15
 - projective algebraic, 11
 - Riemannian, 24
 - Stein, 8, 9, 66
- maximal order, 305
- meromorphic form, 50, 76, 129
 - Poincaré residue, 50, 76, 131
- meromorphic function field, 11, *see also*
 - rational function field, 36
- meromorphic map, 200
- metric connection, 106, 116
- metric on a complex vector bundle, 24
- mixed Hodge structure, 241, 284, 292
 - extension, 292
- Moishezon manifold, 11, 15
- monodromy group, 206
- monodromy theorem, 241
- monodromy transformation, *see also* local
 - monodromy transformation
- Mumford's CM fourfold, 333
- Mumford's example, 333
- Mumford's theorem, 252
- Mumford-Serre conjecture, 349
- Mumford-Tate group, 312, *see also* Hodge
 - group, 313–317, 328, 332, 333, 337
 - special, 312
- node, 9
- Noether-Lefschetz theorem, 207
- non-singular point, 8
- non-singular variety, 10
- normal bundle, 42
- normal function, 76, 236
 - homology class, 77, 237
 - horizontal, 236
 - main theorem, 237, 240
- numerical equivalence, 273, 274
- ordinary double point, 71, 80
- orientation, standard, 34
- Parseval's inequality, 147
- period, 5, 75, 178
- Picard group, 45
 - continuous part, 46
- Picard variety, 46
- Picard-Lefschetz formula, 73
- Picard-Lefschetz transformation, *see also*
 - local monodromy transformation
- Plücker embedding, 13
- pluricanonical differential form, 254
- Pohlmann's criterion, 337
- Pohlmann's theorem, 338
- Poincaré duality, 60
- Poincaré divisor, 84
- Poincaré lemma, 31
- Poincaré's complete reducibility theorem, 183, 250, 306, 348
- Poincaré's existence theorem, 80, 238
- polarization, 12, 14, 97, 313, 314, 316, 321, 324, 349
 - principal polarization, 14
- positive involution, 306
- presheaf, 34
 - associated sheaf, 35
 - complete, 35
- primitive cohomology, 123, 128, 134, 166, 193, 211
- primitive homology, 74, 228
- principal torus, 174
- privileged extension, 235
- projection formula, 111, 189, 257, 286, 290
- projective algebraic manifold, 11
- projective bundle, 111
- projective space, 7
 - canonical bundle, 41
 - cohomology, 8
 - Picard group, 63
- projective variety, 10
- proper transform, 190, 243
- Prym variety, generalized, 343
- QM-type, 309
- quadratic transform, *see also* blow-up
- quartic threefold
 - Hodge conjecture, 209
 - uniruledness, 98, 213
- quasi-decomposable, 320
- quaternion algebra, 304, 330

- canonical involution, 304
- definite, 304, 324, 325
- Hamiltonian, 304, 307, 345
- indefinite, 304, 325
- maximal order, 305
- order, 305
- partially indefinite, 336
- reduced norm, 304
- reduced trace, 304
- quaternionic multiplication, 309, 330, 343
- rank of a vector bundle, 17
- rational algebraic cohomology class, 63
- rational curve, 3
- rational equivalence, 49, 83, 194, *see also*
 - linear equivalence
- rational form, 129
- rational function field, 8
- rational map, 200
- real multiplication, 308, 329
 - generalized, 329
- reduced dimension, 331
- regular map, 182
- regularity theorem, 151, 154
- relative dimension, 333, 335
- Rellich lemma, 148, 151
- representation, 300, 313
 - G -equivariant, 300
 - G -linear, 300
 - contragredient, 300
 - dual, 300
 - half-spin, 304, 315
 - irreducible, 300
 - odd, 341
 - reductive, 313
 - semisimple, 313
 - spin, 303, 304, 315
 - standard, 300, 315, 346
 - subrepresentation, 300
 - symplectic, 315
- residue, 76, 127
- residue map, generalized, 86
- restriction of scalars functor, 299, 300
- Riemann form, 305, 306, 309, 314, 327, 349
 - equivalent, 306
- Riemann-Roch theorem, *see also*
 - Hirzebruch-Riemann-Roch theorem
- Riemannian manifold, 24
- Riemannian metric, 24
- rigidity, 336
- RM-type, 329
- Rosati involution, 307, 323
- sheaf, 35
 - coherent, 9, 51
 - cohomology, 37
 - exact sequence, 37
 - fine, 37
 - invertible, 51
 - locally free, 51
 - of invariant cocycles, 229
 - resolution, 38
 - torsionless, 38
- Siegel half-space, 310, 335, 343
- similitude norm, 301
- simple Abelian fourfold, 323
- Simple Abelian variety, 326
- singular homology, 60
- singular point, 9, *see also* double point
- skyscraper sheaf, 37, 110, 127
- smooth base locus, 228
- smooth cubic, 125
- smooth hypersurface, 92
- smooth point, *see also* non-singular point
- Sobolev s -norm, 146, 151
- Sobolev s -space, 146
- Sobolev lemma, 147, 151
- Sobolev norm, 147
- special orthogonal group, 332
- special unitary group, 301
- sporadic cycle, 338
- standard conjectures, Grothendieck's, 349
- standard Lefschetz conjecture, 259
 - for Abelian variety, 259
 - for complete intersection, 259
 - for flag manifold, 259
- standard orientation, 34
- standard representation, 318, 324, 332, 346, 347
- star operator, 139, 141, 145, 349
- Stein manifold, 9, 66
 - Theorem A, 66
 - Theorem B, 67
- Stoke's theorem for analytic varieties, 61
- sub-Hodge structure
 - rational, 346, 347
 - irreducible, 347
- symmetric group, 340
- symmetric product, 75, 247
- symplectic group, 301, 327, 332, 345
 - semisimple, 301
- symplectic representation, 323, 324, 332, 335, 336
- symplectic similitude group, 301, 328
- symplectic space, 303
- tangent bundle, 18, 29
- tangent space, 8, 302
- Tate conjecture, 348, 349
- Todd class, 119
- torsion algebraic cocycle, 68
- torsion class, 9, 60
- total transform, 189, 243
- totally indefinite division quaternion
 - algebra, 326
- totally real algebraic number field, 307
- totally real field, 323, 325–327
- transition functions, 2, 17

- triangular polymer
 - without double bond, 337
 - without Hexatram, 337
 - without short cycle, 337
- type H, 330
- type of Abelian variety, 307

- uniformization, 9
- unimodular, 175
- unirational variety, 92, 94, 200
 - Hodge conjecture, 92, 200
- uniruled variety, 92, 214
 - Hodge conjecture, 92, 214
- unitary group, 301, 328, 332
- universal bundle, 18, 25, 109

- vanishing cycle, *see also* Lefschetz
 - vanishing cycle
- vector bundle, 17
 - rank, 17

- Weierstrass \wp function, 6
- Weil classes with respect to K , 322
- Weil cycle, 341
- Weil divisor, 48
- Weil type, 314, 342
- Weil-Hodge cycle, 321, 333, 341, 342, 349
 - exceptional, 333
- Weitzenböck identity, 153
- Whitney product formula, 108
- Wirtinger theorem, 34

- Young diagram, 336, 346
 - number of boxes, 346

- Zariski topology, 8, 10
- Zariski's main theorem, 110

Index of Notation

- (A, K) (Abelian variety of Weil type), 308
 $(\)'$ (canonical involution on quaternion algebra), 304
 \emptyset (empty set), 8
 $*$ (star operator), 139
 $\alpha * \beta$ (a convolution on $\mathfrak{A}_m^r \times \mathfrak{A}_m^s$), 319
 \bar{a} (integer congruent to $a \pmod{m}$), 319
 $t \cdot \alpha$ (a mod m scalar multiplication), 319
 $|\alpha|$ (a norm on \mathfrak{A}_m^n), 319
 $|z| = \text{supp } z$ (support of z), 294
 $p^\alpha \mid N$ (p^α exactly divides N), 341
 $\langle \ , \ \rangle$ (natural pairing between V and V^\vee), 300
 $[\ , \]$ (bracket operation in a Lie algebra), 301
 $[\]$ (fundamental class map), 61
 \sim_{alg} (algebraic equivalent to), 180
 \sim_{rat} (rational equivalent to), 173

 $A(\mathbb{C})$ (underlying complex torus of Abelian variety A), 299
 $A^*(X)$ (Chow group of cycles algebraically equivalent to zero), 181
 $A^k(X)$ (Chow group of cycles algebraically equivalent to zero), 173
 $A^k(X)_{\text{ab-jac}}$ (Chow group of cycles Abel-Jacobi equivalent to zero), 265
 $A^k(X)_{\text{inc}}$ (Chow group of cycles incident equivalent to zero), 265
 $A^k(X)_{\text{tor}}$ (torsion subgroup), 186
 $A_k(X)$, 272
 \mathfrak{A}_m^n (a set of $(n+2)$ -tuples mod m), 319
 Ad (adjoint representation of G on $T(G)_e$), 302
 ad (adjoint representation of $\text{Lie}(G)$ on itself), 302
 $\text{Alb}(X)$ (Albanese variety), 171

 $B(*)$ (standard Lefschetz conjecture), 258
 $B(X)$ (standard Lefschetz conjecture), 259
 \mathfrak{B}_m^n (a subset of \mathfrak{A}_m^n), 319
 $b_n(X)$ (Betti number), 193
 $B_D(X)$ (blow-up of X along a manifold D), 21
 $B_p(X)$ (blow-up of X at a point p), 21

 $C(V)$ (Clifford algebra of orthogonal space V), 303
 $C^+(V)$ (even Clifford algebra of orthogonal space V), 303
 $C^k(X)$ (cycle group), 61
 $C^k(X)_{\text{alg}}$ (cycles algebraically equivalent to zero), 180
 $C^k(X)_{\text{hom}}$ (cycles homologous to zero), 173
 $C^k(X)_{\text{rat}}$ (cycles rationally equivalent to zero), 180
 \mathbb{C} (complex numbers), 1
 $\mathbb{C}(X)$ (function field of X), 8
 $c(V)$ (total Chern class), 106
 $c_k(V)$ (Chern class of a vector bundle V), 106
 $c_k(X)$ (Chern class of X), 106
 $c_t(V)$, 108
 $c_t(X)$, 118
 $\text{CH}^*(X)$ (Chow group), 181
 $\text{CH}^k(X)$ (Chow group), 173
 $\text{CH}^k(X)_{\mathbb{Q}}$, 272
 $\text{CH}^k(X)_{\text{hom}}$ (Chow group of cycles homologous to zero), 173
 $\text{CH}^k(X)_{\text{num}}$ (Chow group of cycles numerically equivalent to zero), 273
 $\text{CH}_k(X)$ (Chow group), 272
 $\text{ch}(V)$, (Chern character), 119
 $\text{ch}_y(V)$, 121
 $\chi(M)$ (Euler characteristic), 193
 $\chi(X, V)$, 119
 $\chi^p(X)$, 120
 $\chi^p(X, V)$, 120
 $\chi_y(X)$, 121
 $\chi_y(X, V)$, 120
 $cl^r(z)$ (cycle class map), 275
 $cl_k(z)$ (cycle class map), 287
 $\text{codim}_X Y$ (codimension), 42, 87

 $D^p(A)$ (\mathbb{Q} -linear span of p -fold intersections of divisors on A), 311
 $D^p(A)$ (\mathbb{Q} -linear span of intersections of divisors on A), 311
 d , 30
 $d\phi_x$ (differential of morphism ϕ at point x), 302
 df , 30

- $\deg Z$ (degree), 270
 Δ (Laplacian), 140
 Δ_{∂} (Laplacian), 160
 $\Delta_{\bar{\partial}}$ (Laplacian), 142
 $\delta = d^*$ (adjoint), 140
 $\delta: C^q(\mathcal{U}, \mathcal{S}) \rightarrow C^{q+1}(\mathcal{U}, \mathcal{S})$ (Čech coboundary operator), 44
 $\text{Der}_F(A, A)$ (F -derivations from A to A), 302
 $\dim X$ (dimension), 8
 $\text{Div}(X)$ (divisor group on X), 48

 E_X^k , 30
 $E_X^{p,q}$, 30
 \mathcal{E}_X^k , 30
 $\mathcal{E}_X^{p,q}$, 30
 $\text{End}(A)$ (endomorphism ring of Abelian variety A), 306
 $\text{End}^0(A)$ (endomorphism algebra of Abelian variety A), 306
 $\text{Ex}(n)$ (a set of integers), 344

 $\mathcal{F}(d)$, 50
 f^* (pull-back), 172
 f_* (push-forward), 172
 $F_a^p H^\ell(X, \mathbb{Q})$ (Grothendieck's arithmetic filtration), 87
 F^{alg} (algebraic closure of F), 299
 $F_h^p H^\ell(X, \mathbb{Q}) = F_{\mathbb{Q}}^p H^\ell(X, \mathbb{Q})$ (rational Hodge filtration), 88

 $G(n, k)$ (Grassmannian), 12
 G_{ab} (Abelian part of reductive linear algebraic group), 300
 G_{ss} (semisimple part of reductive linear algebraic group), 300
 $\mathbb{G}_m := \text{GL}(1)$, 300
 \mathcal{G} (Galois group of \mathbb{Q}^{alg} over \mathbb{Q}), 318
 $\mathfrak{g} = \mathfrak{k} + \mathfrak{p}$ (Cartan decomposition of Lie algebra \mathfrak{g}), 303
 \mathfrak{g}_ℓ (ℓ -adic Lie algebra), 349
 $\text{Gal}(F^{\text{alg}}/F)$ (absolute Galois group of F), 299
 $\Gamma(\mathcal{S})$ (global sections of the sheaf \mathcal{S}), 37
 $\Gamma_1(N)$ (congruence subgroup of level N), 330
 $\text{GHC}(p, \ell, X)$ (general Hodge conjecture), 88
 $\text{GL}(n)$ (general linear group of invertible matrix $n \times n$), 299
 $\text{GL}(r, \mathbb{C})$ (general linear group), 17
 $\mathfrak{gl}(V) := \text{End}(V)$ as Lie algebra, 301
 $\text{Gr}_N^\ell H^\cdot(X, \mathbb{Q})$ (graded piece of filtration by coniveau), 272
 $\text{Gr}_\ell^W V$ (graded piece of weight filtration), 284
 $\text{GSp}(2n)$ (symplectic similitude group in $2n$ variables), 301

 $\text{GSp}(V, E)$ (symplectic similitude group), 301

 $H_{\text{de R}}^k(X, \mathbb{C})$ (de Rham cohomology), 31
 $H^n(X, \mathbb{Q})_{\text{v}}$ (vanishing cohomology), 206
 $H^{k,k}(X, \mathbb{Q})$ (rational Hodge classes), 63
 $H^{k,k}(X, \mathbb{Z})$ (integral Hodge classes), 60
 $H^{p,q}(X, \mathbb{C})$ (Dolbeault cohomology), 31
 $H_{\text{ét}}^{2p}(A_0 \otimes F^{\text{alg}}, \mathbb{Q}_\ell(p))$ (ℓ -adic étale cohomology of A_0), 348
 \mathbb{H} (Hamiltonian quaternion algebra), 304
 $\mathcal{H}^k(X)$ (harmonic space), 144
 $\mathcal{H}^{p,q}(X)$ (harmonic space), 144
 $\mathcal{H}^q(X, \mathcal{S})$ (Čech cohomology), 44
 \mathfrak{H} (complex upper half-plane), 330
 $\mathcal{H}(A)$ (ring of all Hodge classes on A), 311
 $\mathcal{H}^p(A)$ (codimension p Hodge classes on A), 311
 $h: \mathbb{S} \rightarrow \text{GL}(V_{\mathbb{R}})$ (morphism defining a Hodge structure, 310
 $h: \mathbb{S} \rightarrow \text{GL}(W_{\mathbb{R}})$ (morphism defining a complex structure), 305
 $h^{p,q}(X)$ (Hodge number), 119
 $h_1: \text{U}(1) \rightarrow \text{GL}(V_{\mathbb{R}})$ (morphism defining a Hodge structure, 310
 $h_1: \text{U}(1) \rightarrow \text{GL}(W_{\mathbb{R}})$ (morphism defining a complex structure), 305
 $h_n(X)$, 191
 $H_a^{2k-1}(X, \mathbb{Q})$, 186
 $H_a^{p,q}$, 261
 $\text{Hg}(A)$ (Hodge group of Abelian variety A), 312
 $\text{Hg}(V)$ (Hodge group of rational Hodge structure V), 312
 $\mathfrak{hg}(V)$ (Lie algebra of $\text{Hg}(V)$), 312
 $H_h^{2k-1}(X, \mathbb{Q})$, 188
 $\text{Hodge}^{p,p}(X, \mathbb{Q})$ (popular version of Hodge conjecture), 88
 HRR (Hirzebruch-Riemann-Roch theorem), 119

 Int_g (inner automorphism by g), 302

 J (endomorphism defining a complex structure), 305
 $J(X_m)$ (Jacobian of X_m), 320
 $J^k(X)$ (intermediate Griffiths Jacobian), 171
 $J^p(A)$ (p^{th} Weil intermediate Jacobian of A), 348
 $j_* R^{n-1} f_* \mathbb{C}$ (sheaf of invariant cocycles), 229
 $J_a^k(X)$ (Lieberman Jacobian), 173
 $J_a^k(X)_{\text{tor}}$ (torsion subgroup), 186
 $J_h^k(X)$, 188
 $J_W^k(X)$ (intermediate Weil Jacobian), 171

 $\kappa(X)$ (Kodaira dimension), 269
 κ_N , 248

- $\kappa_{N,M}$, 248
- $L(G)$ (space of left-invariant derivations on G), 302
- Level, 265
- $\text{Lf}(A)$ (Lefschetz group of Abelian variety A), 316
- $\text{Lie}(G)$ (Lie algebra of algebraic group G), 302
- M_m (a set of m -tuples of integers), 320
- $M_m(d)$ (a subset of M_m), 320
- \mathcal{M}_X , 45
- \mathcal{M}_X^* , 45
- Mer_X (field of meromorphic functions on X), 36
- MHS (mixed Hodge structure), 241
- $\text{MT}(A)$ (Mumford-Tate group of Abelian variety A), 312
- $\text{MT}(V)$ (Mumford-Tate group of rational Hodge structure V), 312
- $\text{mt}(V)$ (Lie algebra of $\text{MT}(V)$), 312
- $N(Y/X)$ (normal bundle of Y in X), 42
- $N^p H^i(X, \mathbb{Q}) = F_a^p H^i(X, \mathbb{Q})$ (filtration by coniveau), 272
- $N_k H_i(X, \mathbb{Q})$ (filtration by niveau), 285
- \mathbb{N} (natural numbers), 53
- \mathcal{O} (ring of integers), 308
- \mathcal{O} order in quaternion algebra), 309
- \mathcal{O}_X , 45
- $\mathcal{O}_X(-D)$, 50
- $\mathcal{O}_X(D)$, 50
- $\mathcal{O}_X(d)$, 50
- \mathcal{O}_X^* , 45
- Ω_X (Fano variety of lines in X), 201
- $\Omega_X(k)$ (Fano variety of k -planes on X), 218
- Ω_X^p (sheaf of germs of holomorphic p -form), 30
- $\Omega_Y^p(\log X)$, 131
- \mathbf{P}^n (complex projective space), 3
- $\mathbf{P}^{n,*}$ (dual projective space), 23
- $\bar{\partial}$, 31
- $\bar{\partial}^*$ (adjoint), 142
- ∂ , 31
- ∂^* (adjoint), 160
- $\text{Pg}(X)$ (geometric genus), 41
- $\text{PGL}(\mathbf{P}^n)$ (projective general linear group), 24
- Φ_* (cylinder homomorphism), 204
- Φ_k (Abel-Jacobi map), 173
- $\phi(m)$ (Euler phi function), 320
- ϕ^* (pullback of a morphism), 302
- $\text{Pic}(X)$ (Picard group), 45
- $\text{Pic}^0(X)$ (Picard variety), 46
- $\text{Prim}^k(M)$ (primitive cohomology), 166
- $\text{Prim}^{p,q}(M)$ (primitive cohomology), 166
- $\text{Prim}_n(X)$ (primitive homology), 232
- \mathbb{Q} (rational numbers), 37
- $\mathbb{Q}(m)$ (one-dimensional rational Hodge structure of type $(-m, -m)$), 311
- $\bar{\mathbb{Q}}$ (algebraic closure of \mathbb{Q} in \mathbb{C}), 283
- $q(X)$ (irregularity of X), 83
- $\bar{\mathbb{Q}}(\mathbb{R})$ (algebraic closure of \mathbb{Q} in \mathbb{R}), 213
- $R^i f_* \mathbb{C}$ (Leray cohomology sheaf), 228
- \mathbb{R} (real numbers), 1
- $\text{rank}(K, S)$ (rank of CM-type), 337
- $\text{rdim } A$ (reduced dimension of A), 331
- $\text{rel dim}(A)$ (relative dimension of A), 333
- Res (residue), 127
- $\text{Res}_{K/F} V$ (Weil restriction of scalars functor), 299
- ρ^\vee (dual representation), 300
- $\rho_m(X)$ (Picard number), 207
- $\mathbb{S} := \text{Res}_{\mathbb{C}/\mathbb{R}} \mathbb{G}_{m/\mathbb{C}}$, 300
- $\mathcal{S}^{(N)}(X)$ (symmetric product of X), 247
- \mathfrak{S}_m (a quotient space of \mathfrak{A}_m^1), 320
- $\text{SL}(n)$ (special linear group of size n), 301
- $\mathfrak{sl}(V)$ (Lie algebra of $\text{SL}(V)$), 303
- $\text{SO}(V, S)$ (special orthogonal group on V with respect to symmetric form S), 301
- $\text{SO}(n)$ (special orthogonal group in n variables), 301
- $\mathfrak{so}(n)$ (Lie algebra of $\text{SO}(n)$), 303
- $\text{Sp}(2n)$ (symplectic group in $2n$ variables), 301
- $\text{Sp}(V, E)$ (symplectic group on V with respect to symplectic form E), 301
- $\mathfrak{sp}(2n)$ (Lie algebra of $\text{Sp}(2n)$), 303
- $\text{SU}(V, H)$ (special unitary group on V with respect to Hermitian form H), 301
- $\text{SU}(n) := \text{SU}(n, 0)$ (special unitary group on n variables), 301
- $\text{SU}(p, q)$ (special unitary group of signature p, q), 301
- supp (support), 37
- $T^*(X)_{\mathbb{C}}$ (complexified cotangent bundle), 29
- $T(G)_e$ (tangent space to G at identity e), 302
- $T(X)$ (real tangent bundle), 18
- $T(X)_{\mathbb{C}}$ (complexified tangent bundle), 29
- $T^*(X)$ (real cotangent bundle), 18
- $T^p(X, V)$, $T^p(X)$, 121
- $T^{0,1}(X)$, 30
- $T^{1,0}(X)$ (holomorphic cotangent bundle), 18
- $T_y(X)$, 121
- $T_y(X, V)$, 121
- $T_{0,1}(X)$, 29
- $T_{1,0}(X)$ (holomorphic tangent bundle), 18
- $\bigwedge^{p,q} T^*(X)$, 30
- $\text{td}(V)$, $\text{td}(X)$ (Todd class), 119
- Θ (curvature matrix), 104

- θ (connection matrix), 103
 $\mathrm{Tr}_{K/\mathbb{Q}}$ (trace from K to \mathbb{Q}), 309
 $U(k, n)$ (universal bundle), 18
 $U(1, \mathbb{R})$ (unitary group of complex numbers
of absolute value 1), 301
 $U(V, H)$ (unitary group on V with respect
to Hermitian form H), 301
 $U(n)$ (unitary group), 13, 301
 $U(p, q)$ (unitary group of signature p, q),
301
 $V(K)$ (K -points of variety V), 299
 $V(\mu)$ (zero set of an ideal μ), 8
 $V = H^1(A, \mathbb{Q})$, 311
 $V^\vee = \mathrm{Hom}(V, F)$, 300
 V_F (algebraic variety or vector space over
field F), 299
 $V_k = V_F \times_{\mathrm{spec} F} \mathrm{spec} K$ (base change from
 F to K), 299
 $V_{\mathbb{C}, \sigma}$ (summand of $V_{\mathbb{C}}$ where K acts via σ),
322
 $V_{\mathbb{C}, \sigma}^{0,1}$ (Hodge decomposition of $V_{\mathbb{C}, \sigma}$), 322
 $V_{\mathbb{C}, \sigma}^{1,0}$ (Hodge decomposition of $V_{\mathbb{C}, \sigma}$), 322
 $V_{\mathbb{C}} = V \otimes_{\mathbb{Q}} \mathbb{C}$, 310
 $V_{\mathbb{R}} = V \otimes_{\mathbb{Q}} \mathbb{R}$, 310
 V_{sing} (singular set), 61
 $\mathcal{W}(A)$ (a sum of $\mathcal{W}(A)$'s), 323
 $\bigwedge^* V$ (exterior algebra of V), 304
 $\bigwedge^+ V$ (even part of exterior algebra of V),
304
 $\bigwedge^- V$ (odd part of exterior algebra of V),
304
 $\bigwedge^2 V$ (exterior square of V), 304
 $\bigwedge_K^{2n} V$ ($2n$ exterior power of V as K -vector
space), 321
 $W = H_1(A, \mathbb{Q})$, 311
 W_ℓ (weight filtration), 241
 $\mathcal{W}(A)$ (Weil cycles on A), 321
 $\mathcal{W}_K(A)$ (Weil classes with respect to K),
322
 $X_1(N)(\mathbb{C})$ (modular curve), 330
 X_m (Fermat curve of degree m), 320
 Z^* , 182
 Z_* , 182
 \mathbb{Z} (integers), 2
 ${}^t Z$, 182
 $\zeta_m = e^{2\pi i/m}$ (primitive m^{th} root of unity),
320