

Index

- abelian subgroup, bounds order of size of
 - group, 35
- abelian variety
 - complex multiplication, 88, 110
 - moduli space of principally polarized, 88, 110
 - Néron–Ogg–Shafarevich criterion, 47
 - torsion point, 88
 - uniform boundedness, 10
- absolute height, 69
- absolute value, 69
 - function field, 45
- action, closed, 14
- affine automorphism, 40
 - locus of indeterminacy, 40
 - regular, 40, 82, 83
 - regular is algebraically stable, 40
- affine cone, 16
- affine map, 17
- affine morphism, 40
- affine space, quotient by symmetric group, 11
- algebraic group, 12
 - geometrically reductive, 14
 - linear, 14
 - linearly reductive, 14
 - 1-parameter subgroup, 17
 - radical of, 14
 - reductive, 14
 - semistable point, 16
 - stable point, 16
 - unstable point, 16
- algebraic number, 88
- algebraic stability, 40
- algebraic variety, equidistributed set of points, 99
- alternating group, 36
- ample cone, 87
- André–Oort conjecture, 110, 111
- Arakelov theory, 73
- Arakelov–Zhang pairing, 73
- automorphism
 - affine, 40
 - birational map between K3 surfaces is, 52
 - of infinite order, 50
 - regular affine, 40, 82, 83
 - regular affine is algebraically stable, 40
 - trivial for most maps, 36
 - automorphism group, 34, 65, 114
 - abelian subgroup of, 35
 - bound for size of, 35, 36
 - cyclic, 36
 - is finite, 34
 - locus in M_2 with nontrivial, 40, 65
 - of degree two map, 65
 - of projective space, 8
 - trivial if no twists, 114
- Baker, M., 46, 73, 80, 111
- Baragar, A., 88
- Becker, P.-G., 88
- Benedetto, R., 46, 73
- Bergweiler, W., 88
- Berkovich space, 77, 109
 - invariant measure on, 108
- Bertrand, D., 88
- Bhatnagar, A., 75, 121
- BiCrit_d, 43
 - is isomorphic to \mathbb{A}^2 , 43
- birational map, between K3 surfaces is
 - automorphism, 52
- birationally isotrivial family, 73
- Birch–Swinnerton-Dyer conjecture, 65
- Bombieri, E., 80
- Böttcher theorem, 88
- bounded height, 69, 84–86
- Bousch, T., 60
- Brauer group, 118
- Brolin–Lyubich measure, 108
- Buff, X., 60, 98, 99
- Call, G., 79
- canonical bundle, 52
- canonical height, 69, 70
 - computing numerically, 77
 - critical, 100
 - for regular affine automorphism, 83
 - is algebraic number, 89

- is transcendental?, 88, 89
- Lehmer conjecture, 101
- local, *see* local canonical height
- local decomposition, 76
- on K3 surface, 84, 86
- over function field, 73, 78
- p -adic, 88
- pairing, 72
- periodic point has zero, 86
- preperiodic point has zero, 72, 75
- properties of, 70
- varying in a family, 77, 78
- zero over function field, 75
- categorical quotient, 13
 - by reductive group exists, 14, 17
 - is quasi-projective, 17
 - properties, 13, 24
- Cauchy residue theorem, 30
- Cauchy sequence, 71
- Chambert-Loir, A., 73
- Chatzidakis, Z., 73
- Chebyshev polynomial, 88, 91
- chordal derivative, 108
- chordal metric, 108
 - p -adic, 109
- closed action, 14
- closed orbit, 14
- closure of orbit, 16
- CM, 88, 110
- coarse moduli space, 5, 60
- cocycle, 115
 - associated to field of moduli, 117
 - associated to twist, 115, 116
 - cohomologous, 115
- cohomologous cocycle, 115
- cohomology group, 115
 - of μ_n , 115
- cohomology set, 115
- complex multiplication, 88, 110
- cone, affine, 16
- conjugate maps, 4, 20
- conjugation
 - commutes with iteration, 4, 8
 - multiplier is invariant, 25
 - transforms orbit, 4
- connectivity, categorical quotient preserves, 13
- conservative map, 109
- conservative polynomial
 - number of, 110
- constant moduli, 45
- constructible descent, 74
- critical canonical height, 100
 - commensurable with moduli height, 101, 104
 - Lehmer conjecture, 101
- critical point, 91
 - all fixed, 109
 - is algebraic number, 88
 - maps with exactly two, 43
 - moduli space with marked, 92, 111
 - number of, 91
 - relation to Lyapunov exponent, 108
 - sum of canonical heights, 100, 101
- critical point portrait, 92
 - conditions are transversal, 93
 - finitely many maps with given, 92, 109
 - partial, 99
- cyclic group, 36
- cyclotomic polynomial, 26, 57, 63
- Dedekind domain, 49
- degree of a rational map, 40
- DeMarco, L., 80, 111, 112, 121
- Denis, L., 84
- derivative, 91
 - chordal, 108
- dihedral group, 36
- discrete dynamical system, 3
- discrete valuation ring, 47
- divisor
 - ample, 85, 86
 - height associated to, 85
- dominant rational map, 7, 81
 - height bound, 81
 - Zariski open subset of Hom_d^N , 82
- Douady, A., 60, 88
- DVR, *see* discrete valuation ring
- dynamical André–Oort conjecture, 110, 111
- dynamical canonical height, *see* canonical height
- dynamical modular curve, 59, 60, 65
 - is fine moduli space for $n \geq 2$, 60
 - is moduli space, 59
 - nonsingular, 61
 - not fine moduli space, 67
 - of genus zero, 59
 - rational points on, 65
 - reducible, 66
- dynamotic polynomial, 26, 57
 - factored using cyclotomic polynomials, 63
 - for $z^2 + c$, 59
 - for $z^2 - \frac{3}{4}$, 58
 - higher dimensional analogue, 58
 - is a polynomial, 58
 - of a polynomial, 57
- dynamotic zero cycle, 58
 - is effective, 58
- effective zero cycle, 58
- elementary symmetric polynomial, 11, 104
- elliptic curve, 5
 - good reduction, 49
 - isomorphism class of, 113
 - moduli space, 5
 - Mordell–Weil group, 113

- uniform boundedness, 9
- elliptic modular curve, 65
- Epstein, A., 96–99, 121
- equidistribution, Zariski, 99
- equilibrium measure, 108
- equivalent maps, 4, 20
- everywhere good reduction, 45, 49
 - potential, 45
- exact period, 4
 - relation to formal period, 58
- Faber, X., 101
- Fakhruddin, N., 10
- Faltings, G., 49
- Fatou set, 89
- field of definition, 113, 116
 - contains field of moduli, 116
 - field of moduli is for even degree maps, 118
 - field of moduli is for polynomials, 118
 - when is field of moduli a, 117
- field of genus one, 54
- field of moduli, 113, 116
 - cocycle associated to, 117
 - contained in field of definition, 116
 - is field of definition for even degree maps, 118
 - is field of definition for polynomials, 118
 - when is it a field of definition, 117
- filled Julia set, 76
- fine moduli space, 6, 34, 60
 - modular curve not, 67
- finite group, acting on a variety, 11
- fixed point, 4, 36
 - critical point are all, 109
 - totally ramified, 42
- flat morphism, 102
- flexible Lattès map, 53
- Flynn, E. V., 9, 65
- FOD, *see* field of definition
- FOM, *see* field of moduli
- formal period, 4, 8, 58, 66, 93
 - relation to exact period, 58
- forward orbit, 3
- function field, 45
 - absolute values on, 45
 - canonical height over, 73, 78
 - canonical height zero, 75
 - points of bounded height, 70, 85
- function, rational, 6
- Galois group, acts on rational map, 114
- general linear group
 - projective, 8
 - subgroup of, 14
- genus
 - dynamical modular curve of genus zero, 59
 - field of genus one, 54
 - Hurwitz formula, 43, 91
 - of $X_1(n)$, 61
- geometric invariant theory, 12
 - fundamental theorem of, 17
- geometric quotient, 13
 - by reductive group exists, 14, 17
 - properties, 24
- geometrically reductive algebraic group, 14
- Ghioca, D., 53, 56, 80, 101, 112
- G -invariant function, 14, 16
- GIT, *see* geometric invariant theory
- Gleason, A., 95
- G -linearization, 15
- good reduction, 45, 47, 76
 - everywhere, 45, 49
 - everywhere potential, 45
 - iff $\varepsilon_v(\phi) = 0$, 48
 - of elliptic curve, 49
 - potential, 45, 47, 49
- Green function, 76, 101, 105, 108
- group
 - algebraic, 12
 - alternating, 36
 - cyclic, 36
 - dihedral, 36
 - finite, acting on a variety, 11
 - linear algebraic, 14
 - order bounded in terms of abelian subgroups, 35
 - symmetric, 36
 - wreath product, 61
- group cohomology, 115
- group of self-similarities, 34
- Habegger, P., 80
- harmonic function, 76
- Hausdorff topology, 41
- Hecke correspondence, 111
- height
 - additivity, 85
 - associated to a divisor, 85
 - bound for dominant rational map, 81
 - canonical, *see* canonical height
 - expansion coefficient, 82
 - finitely many points of bounded, 69, 84–86
 - for $k(T)$, 70
 - functoriality, 85
 - local, 76, 101, 105, 108
 - of a polynomial, 110
 - of a rational map, 70, 103
 - preperiodic point has bounded, 71
 - pullback by flat morphism, 102
 - relation for regular affine automorphism, 83
 - transformation by morphism, 70
 - varying in a family, 77, 78
 - vector-valued, 88

- Weil, 69
- Weil height machine, 85
- height expansion coefficient, 82
 - of regular affine automorphism, 82
 - uniformly positive, 82
- height machine, 85
- Hénon map, 40, 75, 80, 83, 84
- Hilbert polynomial, 99
- Hilbert scheme, 75
- Hilbert “theorem 90”, 114, 115, 118
- Hilbert theorem on finitely generated algebras, 11, 12
- Hölder continuous, 77
- Hom_d , 3, 6
 - dimension of, 21
 - is subvariety of \mathbb{P}^{2d+1} , 7
 - semistable locus, 21
 - stable locus, 21
- Hom_d^n , 7
 - action of SL_{n+1} , 20
 - complement is irreducible hypersurface, 7
 - dimension of, 24
 - dominant maps Zariski open, 82
 - good reduction of map in, 45, 47
 - is subvariety of \mathbb{P}^N , 7
 - isotrivial family in, 45
 - trivial family in, 45
- homogeneous space, 118
- Hrushovski, E., 73
- Hsia, L.-C., 80, 112
- Hubbard, J., 60, 88
- Hurwitz genus formula, 43, 91
- Hutz, B., 58
- hyperbolic component, 61
- ideal sheaf, 99
- image of rational map, 81
- imprimitive dynamical system, 74
- indeterminacy locus, 40, 78, 81
- inertia group, 47
- Ingram, P., 75, 79, 80, 84, 104, 111
- invariant function, 14, 16
- invariant measure, 107, 108
 - p -adic, 108
- invertible sheaf, linearization of, 15
- involution, 50
 - on K3 surface, 51, 84
- irreducibility, quotient preserves, 13
- isotrivial family, 45, 73
- itinerary map, 61
- Jacobian variety, 65
- j -invariant, 5
- J -stability, 41, 42
- Julia set, 61, 76, 101
 - periodic points dense in, 107
- K3 surface, 50, 52, 84
 - ample cone, 87
 - birational map is automorphism, 52
 - canonical height, 86
 - contained in $(\mathbb{P}^1)^3$, 53
 - contained in $(\mathbb{P}^2)^2$, 50
 - finitely many periodic points over
 - number field, 87
 - involutions on, 51, 84
 - moduli space, 52
 - Picard group, 84
 - uniform boundedness conjecture, 87
- Kawaguchi, S., 72, 83
- K -equivalence, 113
- K -twist, *see* twist
- Kummer sequence, 115, 118
- Lang, S., 105
- Lattès map, 9, 27, 53, 89, 91–93, 101
 - flexible, 53
 - Milnor multiplier function, 27
 - multipliers of, 27
 - realization of, 53, 54
 - reduced realization, 54
 - rigid, 53
- Lau, E., 60
- Laurent series, 62
- Lee, C.-G., 82, 83, 121
- Lefschetz principle, 97
- Lehmer conjecture, 101
- Lei, T., 60
- level structure, 6, 8, 66
- Levy, A., 23, 28, 29, 35, 36, 67, 121
- limited subset, 74
- line bundle, linearization of, 15
- linear algebraic group, 14
 - geometrically reductive, 14
 - linearly reductive, 14
 - reductive, 14
- linear equivalence, 85
- linearization, 15
- linearly reductive algebraic group, 14
- local canonical height, 76, 101, 105, 108
 - computing numerically, 77
 - decomposes canonical height, 76
 - for maps on \mathbb{P}^N , 76
 - is Hölder continuous, 77
 - on Berkovich space, 77
 - properties of, 76
- locus of indeterminacy, 40, 78
- logarithmic height, 69
- Lyapunov exponent, 101, 107, 108
 - conjugation invariant, 108
 - p -adic, 109
 - relation with critical points, 108
 - relation with periodic points, 109
- Lyapunov, A., 108
- Lyubich measure, 108
- Macaulay resultant, 7, 47
 - homogeneity of, 48

- Mandelbrot set, 61
 - is connected, 88
- Mañé, R., 98
- Manes, M., 61, 66, 67, 121
- map
 - periodic point, 4
 - preperiodic point, 4
 - semiconjugate, 5
- Marcello, S., 84
- Masser, D., 80
- Mazur, B., 9
- McMullen's theorem, 27, 53
 - in characteristic p , 28, 29
 - in higher dimension, 29
- McMullen, C., 27, 42
- measure of maximal entropy, 108
- measure, invariant, 108
- Merel, L., 9
- metric
 - chordal, 109
- metric, chordal, 108
- Miller, G. A., 35
- Milnor multiplier function, 26
 - determines map up to conjugacy, 27, 53
 - on moduli space M_d^n , 28
- Milnor, J., 30, 33, 43, 53
- Mimar, A., 73
- minimal model, 47
- minimal resultant, 47
 - exponent of, 48
 - exponent zero iff good reduction, 48
- Möbius function, 26, 57
- model theory, 111
- modular curve
 - dynamical, 59, 60
 - elliptic, 65
 - level structure, 6, 8, 66
 - reducible, 66
 - $X_0(n)$, 60, 61
 - $X_1(n)$, 59, 61
 - $Y_0(n)$, 60
 - $Y_1(n)$, 59, 61
- moduli problem, 5
- moduli space, 5
 - coarse, 5, 60
 - construction of, 20
 - dynamical modular curve is, 59
 - elliptic curve, 5
 - fine, 6, 34, 60
 - for maps of \mathbb{P}^n , 8
 - of K3 surfaces, 52
- moduli space A_g , 88, 110
- moduli space M_d
 - critical canonical height is function on, 100
 - dimension of, 21
 - exists as geometric quotient, 21
 - finite map to affine space via multipliers, 27
 - height of points on, 101, 104
 - is rational, 36
 - locus of maps with nontrivial Aut , 40
 - locus of maps with nontrivial automorphism group, 65
 - locus of polynomial maps in M_2 , 39
 - locus of polynomial maps in M_d , 42, 96
 - $M_2 \cong \mathbb{A}^2$, 30
 - \overline{M}_2 , 33
 - Milnor multiplier function on, 26
 - PCF maps are Zariski dense, 98
 - PCF maps are Zariski equidistributed?, 99
 - PCF maps have bounded height, 101
 - Schwarzian derivative as function on, 29
 - semistable locus, 21
 - stable locus, 21
 - structure sheaf, 21
- moduli space M_d , 8
- moduli space M_d^{crit} , 92, 111
- moduli space M_d^n
 - dimension of, 24
 - exists as geometric quotient, 23
 - is not fine, 34
 - is rational?, 36
 - Milnor multiplier function on, 28
 - scheme over \mathbb{Z} , 47
- moduli space M_d^n , 8
- Montel's theorem, 98
- Mordell–Weil group, 113
- morphism
 - conjugate, 4, 20
 - equivalent, 4, 20
 - flat, 102
- Morton, P., 9, 60, 65
- $M_{\mathbb{Q}}$ -bounded function, 105
- $M_{\mathbb{Q}}$ -constant, 105
- $\mu^{\mathcal{L}}$, 18
- multiplicative group, 15, 17
- multiplier, 24
 - as map on tangent space, 25, 28, 91
 - equals one, 25
 - invariant under conjugation, 25
 - Milnor function, 26
 - of Lattès map, 27
 - symmetric function of, 26
- multiplier spectrum, 25
 - determine map up to conjugacy, 27, 53
 - $1 \notin \Lambda_{\phi}^n \Rightarrow$ periodic points distinct, 25
- Mumford, D., 10, 12
- Mumford's numerical criterion, 18, 22
- Néron–Ogg–Shafarevich criterion, 47
- Noether, E., 39
- normal forms lemma, 30
 - as multipliers go to infinity, 34

- Northcott, D. G., 71
 Nullstellensatz, 70, 106
 numerical criterion for (semi)stability, 18,
 22
 diagonalized form, 19
 \mathcal{O} -minimal geometry, 111
 1-cocycle, 115
 associated to field of moduli, 117
 associated to twist, 115, 116
 1-parameter subgroup, 17
 specialization, 17
 orbit, 3, 12
 closed, 14
 closure of, 16
 forward, 3
 scheme theoretic, 12
 transformed by conjugation, 4
 under semigroup generated by two maps,
 80
 Zariski closure, 13
 Pakovich, F., 110
 parameter space, elliptic curve, 5
 PCF map, *see* postcritically finite map
 period
 exact, 4
 formal, 4, 8
 periodic point, 4
 condition for distinct, 25
 dense in Julia set, 107
 dense in \mathbb{P}^n , 35
 exact period, 4
 exact period versus formal period, 58
 formal period, 4, 58, 66, 93
 has bounded height, 71
 has canonical height zero, 72, 86
 is algebraic number, 88
 multiplier, 24
 number of nonrepelling, 107
 on K3 surface, 86
 relation to Lyapunov exponent, 109
 uniform boundedness conjecture, 9, 84,
 87
 Petsche, C., 23, 34, 45, 72
 PGL_{n+1} , 8
 subgroups of PGL_2 , 36
 Picard group, 84
 Pila, J., 111
 Pink, R., 80
 polynomial
 bihomogeneous, 50
 Chebyshev, 88
 dynatomic, 57
 height of, 110
 normalized, 110
 polynomial map
 FOM = FOD, 118
 has totally ramified fixed point, 42
 locus in \mathcal{M}_2 , 39
 locus in \mathcal{M}_d , 42, 96
 with marked critical points, 96
 Poonen, B., 9, 29, 65
 portrait, 92
 partial, 99
 postcritical stability, 41, 42
 postcritically finite map, 91
 analogous to CM abelian variety, 110
 critical point portrait, 92, 99
 has bounded height, 101
 is algebraic point in \mathcal{M}_d , 88, 92
 Lehmer conjecture, 101
 p -adically integral in \mathcal{M}_d , 96
 Zariski dense in \mathcal{M}_d , 98
 Zariski equidistributed in \mathcal{M}_d ?, 99
 potential good reduction, 45, 47, 49
 power map, 26, 43, 88, 89, 91
 preperiodic point, 4
 dense in \mathbb{P}^n , 35
 formal period and tail length, 93
 has bounded height, 71
 has canonical height zero, 72, 75
 is algebraic number, 88
 specializations have bounded height, 78
 uniform boundedness conjecture, 9
 primitive dynamical system, 74
 projective line, moduli space of maps, 8
 projective linear group, 8
 subgroups of, 36
 projective space
 automorphism group, 8
 chordal metric, 108, 109
 covering by affine space, 16
 moduli space of maps, 8
 qc-stability, 41, 42
 quadratic polynomial
 Julia set, 61
 uniform boundedness conjecture, 9
 quotient
 categorical, 13
 geometric, 13
 radical, 14
 ramification index, 43, 91
 Rat_d^n , 7
 is subvariety of \mathbb{P}^N , 7
 rational function, 6
 rational map, 7
 action of Galois group on, 114
 automorphism group, 34, 65, 114
 canonical height is transcendental?, 89
 chordal derivative, 108
 conjugate of, 4, 8
 conservative, 109
 constant moduli, 45
 critical canonical height, 100

- critical point, 91
- degree of, 40
- derivative, 91
- dominant, 7, 81
- Fatou set, 89
- field of definition, 116
- field of moduli, 116
- fixed point, 36
- good reduction, 45, 47, 76
- good reduction iff $\varepsilon_v(\phi) = 0$, 48
- height expansion coefficient, 82
- height of, 70, 103
- induced map on tangent space, 28, 91
- invariant measure, 107, 108
- isotrivial family of, 45
- iteration of nonmorphism, 81
- Julia set, 61, 76, 101, 107
- K -equivalence, 113
- Lyapunov exponent, 101, 107, 108
- minimal model, 47
- minimal resultant, 47–49
- multiplier of periodic point, 24
- multiplier spectrum, 25
- nonisotrivial has nondegenerate canonical height, 73
- normal forms lemma for degree two, 30
- postcritically finite, 91
- ramification index of, 43, 91
- semigroup generated by two, 80
- trivial family of, 45
- twist, 49, 113
- with exactly two critical points, 43
- with nontrivial Aut group, 40
- rationally primitive dynamical system, 74
- reduced Lattès realization, 54
- reduced, categorical quotient preserves, 13
- reductive algebraic group, 14
 - 1-parameter subgroup, 17
 - semistable point, 16
 - stable point, 16
 - unstable point, 16
- regular affine automorphism, 40, 83
 - canonical height, 83
 - height expansion coefficient, 82
 - height relation, 83
 - Hénon map, 40, 83
 - is algebraically stable, 40
 - uniform boundedness conjecture, 84
- regular surface, 52
- residue theorem, 30
- resultant, 30, 63, 66, 109
 - Macaulay, 7, 47
 - minimal, 48, 49
 - Sylvester matrix, 95, 97
- Riemann–Roch theorem, 118
- rigid Lattès map, 53
- rigidity theorem, 92, 93, 109
 - algebraic proof, 95
 - for polynomials, 96
- ring of invariants, 11
- Rivera-Letelier, J., 107
- Sad, P., 98
- Salem number, 89
- Schaefer, E., 9, 65
- Schleicher, D., 60
- Schwarzian derivative, 29
- semiconjugate maps, 5
- semistable point, 16
 - categorical quotient of, 17
 - numerical criterion, 18
- Shafarevich, I., 49
- Silverman, J. H., 9, 30, 33, 72, 77, 79, 83, 96, 97, 107, 118
- special linear group
 - action on Hom_d^n , 20
- specialization, 17, 77, 78
 - preperiodic specializations have bounded height, 78
- Speyer, D., 109
- stability
 - J , 41, 42
 - postcritical, 41, 42
 - qc, 41, 42
 - topological, 41, 42
- stabilizer, 13
- stabilizer group, 34, 114
- stable point, 16
 - geometric quotient of, 17
 - numerical criterion, 18, 22
- Stoll, M., 9, 65
- strange attractor, 40
- structure sheaf, 14, 21
- Sullivan, D., 42, 98
- support, 98
- surface
 - $K3$, 50, 52
 - regular, 52
- Sylvester matrix, 95, 97
- symbolic dynamics, 61
- symmetric group, 11, 36
- symmetric polynomial, 11, 104
- Szpiro, L., 23, 34, 45, 72, 75
- tangent space, 25, 28, 91
- Tate, J., 70, 77, 79, 86
- Taylor series, 25, 58
- telescoping sum, 71, 86
- Tepper, M., 23, 34, 45, 121
- Thuillier, A., 73
- Thurston rigidity theorem, 92, 93, 109
 - algebraic proof, 95
 - for polynomials, 96
- Thurston transversality theorem, 93, 99
 - algebraic proof, 95
 - for polynomials, 96
 - in characteristic p , 97

- Thurston, W., 92, 93
 Tischler, D., 110
 topological stability, 41, 42
 topology, Hausdorff, 41
 transcendence theory, 111
 transcendental number, 88, 89
 transversality theorem, 93, 99
 - algebraic proof, 95
 - for polynomials, 96
 - in characteristic p , 97
 triangle inequality, 70, 106
 trivial family, 45
 Tucker, T., 72, 80, 101, 112
 twist, 49, 113
 - cocycle associated to, 115, 116
 - cohomological description of, 116
 - none if automorphism group is trivial, 114
 - of \mathbb{P}^1 , 118
- uniform boundedness
 - conjecture, 9, 84, 87
 - for K3 surfaces, 87
 - for preperiodic points, 9
 - for quadratic polynomials, 9
 - for regular affine automorphisms, 84
 - torsion on abelian variety, 10
 - torsion on elliptic curve, 9
- universal family, 6
 universally submersive map, 17
 unlikely intersection conjecture, 80
 unstable point, 16
 - numerical criterion, 18
- valuative criterion for properness, 33
 variety
 - action of algebraic group, 12
 - involution, 50
 - K3 surface, 50
 - quotient by finite group, 11
 - set of bounded height, 86
- vector space, stability of points, 16
 vector-valued height, 88
- Weil height, 69
 Weil height machine, 85
 wreath product, 61
- $X_0(n)$, 60
 - genus of, 64
 - is irreducible, 61
- $X_1(n)$, 59
 - genus of, 61, 64
 - is irreducible, 61
 - rational points on, 65
- $Y_0(n)$, 60
 $Y_1(n)$, 59
 - is nonsingular, 61
- Zannier, U., 80
 Zariski equidistributed set of points, 99
 Zhang, S., 73
 Zieve, M., 53, 56, 58, 117
 Zilber, B., 80