
Contents

Part I Introduction to the Study of the Elliptic Modular Functions

1	On the invariants of the binary biquadratic form	3
1.1	The form $f(z_1, z_2)$ and its irrational invariants	3
1.2	The irrational invariants A, B, C of the form f	4
1.3	Behavior of the A, B, C upon varying the sequence of factors of f	5
1.4	Equivalence of two forms with the same sequence of factors. First canonical form of f	6
1.5	The equivalence of a form f with itself	8
1.6	The equivalence of two forms with arbitrary factor sequence	9
1.7	The rational invariants of the form f	9
1.8	The rational invariants in explicit form	10
1.9	The invariants g_2, g_3 and the absolute invariant J	11
1.10	The second canonical form of f	12
1.11	Geometrical observations on the second canonical form	13
1.12	Third conical form of f	14
1.13	More on the third canonical form. Connection to the theory of the regular solids	15
1.14	Normal forms of the elliptic integral of the first kind	17
1.15	Naming the normal forms. History	18
2	On the periods of the elliptic integral of the first kind	21
2.1	Pairs of primitive periods of the integral of the first kind	21
2.2	The periods as invariants. Dependency on the rational invariants. Normalization of the periods	23
2.3	Setting up the differential equation for the normalized periods	25
2.4	Fundamental theorems concerning the dependency of the normalized periods on J	27
2.5	Choice of a special primitive period-pair	29
2.6	Dissection of the J -plane. Significance of the determinations of the previous paragraph	30
2.7	Approach to the neighborhood of a singular point	32

2.8	Preliminary determination of the numbers k_1, k_2	34
2.9	Carrying through the investigation for the singular point $J = 0$	36
2.10	Carrying the investigation through for the singular point $J = 1$	38
2.11	Determinations for the neighborhood of $J = \infty$ and associated calculation of Ω_2	40
2.12	Calculation of the limiting value of Ω_1 for $J = \infty$	41
2.13	Disposal of the singular point $J = \infty$. Historical remarks	45
2.14	Branching of the periods ω_1, ω_2 over the J -plane	46
2.15	The periodquotient ω as a function of J	48
2.16	Differential equation of the third order for $\omega(J)$. The s -functions	49
3	Concerning certain conformal mappings and the triangle functions arising from them	53
3.1	Replacement of the Riemann surface occurring by simpler figures	53
3.2	Figure for the representation of the connection between λ and J	56
3.3	Carrying the λ -plane onto the surface of the sphere	58
3.4	Relation to the second chapter	59
3.5	Figures for illustrating the connection between μ and J	60
3.6	The mapping of a circular arc triangle onto the halfplane of J	62
3.7	The relation of λ to μ illustrated through figures	65
3.8	The circle-relation. Theorems on circular arc triangles	68
3.9	The symmetry with respect to a circle	71
3.10	The law of symmetry. Direct and indirect circle-relatedness	74
3.11	Significance of the law of symmetry for the function $\mu(J)$	75
3.12	General investigation of the function-theoretic significance of the law of symmetry	76
3.13	Definition and fundamental properties of the triangle- or s -functions	77
3.14	Series developments for a branch of the s -function	78
3.15	Differential equation of the third order for the s -function	79
3.16	Assembly of the triangle functions already appearing	82
3.17	Division of the triangle functions into kinds	84
3.18	The s -functions of the first kind	85
3.19	The s -functions of the second kind	89
3.20	The s -functions of the third kind	89
3.21	The triangle figures associated to $\omega(\lambda)$ and $\omega(J)$	92
4	Development of the definitions and fundamental problems of a theory of the elliptic modular functions	97
4.1	The Legendre relation	98
4.2	The rational invariants g_2, g_3, Δ as functions of the periods ω_1, ω_2	99
4.3	Functional determinants of the forms g_2, g_3, Δ	100
4.4	The periods of integrals of the second kind as functions of ω_1, ω_2	102
4.5	Calculation of the Hessian determinant $H(\log \Delta)$	104
4.6	Mappings effected by $\omega(J)$ and $\zeta(J)$. Icosahedral and modular equation	105

4.7	Form-theoretic comparison of the icosahedral and modular equations	106
4.8	Further comparison of the icosahedral and modular forms	108
4.9	Analogy in the function-theoretic treatment of the respective form problems	110
4.10	Algebraic equations with a variable parameter	111
4.11	Transfer of algebraic concepts to transcendental equations	112
4.12	Group-theoretic comparison of the icosahedral and modular equations	114
4.13	Formulation of the general fundamental task	116
4.14	The group-theoretic fundamental problem	117
4.15	The function-theoretic fundamental problem	118
4.16	The elliptic modular forms	120
5	Analytic representations for doubly periodic functions and modular forms	123
5.1	Deviations of Terminology	123
5.2	The functions $\wp(u)$ and $\wp'(u)$. Doubly periodic functions	124
5.3	Analytic representations for the functions $\wp(u)$, $\wp'(u)$	126
5.4	Doubly infinite series for g_2 and g_3	128
5.5	Simply infinite series for g_2 , g_3 and the periods η_1 , η_2	129
5.6	Product representation of the discriminant Δ . The modular equation in explicit form	130
5.7	The function $\sigma(u \omega_1, \omega_2)$	131
5.8	Product representation of the σ -function	132
5.9	Representation of doubly periodic functions by $\sigma(u)$	133
5.10	The functions $\sigma_{\lambda, \mu}(u \omega_1, \omega_2)$	134
5.11	Transition to the ϑ -functions	135

Part II Treatment of the Group-Theoretic Fundamental Problem

1	Of the linear substitutions of one variable and their geometric interpretation	141
1.1	Division into kinds of the linear substitutions of one variable	141
1.2	Geometrical interpretation of the substitutions with separately situated fixed points for special positions of the latter	143
1.3	Projection of the figures obtained onto the sphere	145
1.4	Orbit curves and level lines in the case of a general position of the fixed points	147
1.5	Disposal of the parabolic substitution	148
1.6	Concerning the substitutions arising from the s -functions of the first and second kind	151
1.7	The substitutions of the s -function $s(\frac{1}{2}, \frac{1}{3}, \frac{1}{7}; J)$	152
1.8	The kinds of modular substitutions taken from the modular division . . .	154
1.9	A preliminary arithmetical consideration of the modular substitutions	156

1.10	The concept of equivalence and of the fundamental domain in for a group of linear substitutions	157
1.11	Form of the fundamental domain of a cyclic group in the hyperbolic and parabolic cases	159
1.12	Continuation: Case of an elliptic substitution V . Arbitrariness of the shape of the fundamental domain of a cyclic group	162
1.13	Special explanations for the elliptic modular substitutions	164
1.14	Continuation: Determinations for the parabolic and hyperbolic substitutions	166
1.15	The substitutions of the variable z , which signify indirect circle-relations	168
1.16	Extension of a cyclic group of non-loxodromic substitutions of the first kind by associated reflections	171
1.17	Fundamental domains for the extended groups just considered	173
2	The modular group and its corresponding division of the ω-halfplane	179
2.1	Preliminary results on the fundamental domain of the modular group	179
2.2	Closer consideration of the fundamental domain. Negative part of the proof	181
2.3	Continuation: positive part of the proof	182
2.4	Simply and multiply equivalent points	185
2.5	The substitutions S and T as generators of the modular group	187
2.6	Covering of the ω -halfplane with equivalent circular arc triangles with angles $\pi/3, \pi/3, 0$	188
2.7	Extension of the modular group by reflections	191
2.8	The fundamental domain of the extended modular group	193
2.9	Comparison of the fundamental domains of the original and extended modular groups	196
2.10	The generating operations of the extended group	197
2.11	Transformations of the modular division into itself. Domains, which stream out from a rational point	199
2.12	Projection of the modular division into a rectilinear figure of triangles	202
3	The integral binary quadratic forms and the conjugation of modular substitutions	207
3.1	Naming the quadratic forms	207
3.2	The equivalence of quadratic forms	208
3.3	Representation of forms of negative determinant and their reduction	209
3.4	The number of the substitutions, which effect the equivalence of two forms with $D < 0$	211
3.5	External characterization of reduced forms. Finiteness of the class number	211
3.6	Representation of forms of positive determinant	214

3.7	First approach to the transformation of a form of positive determinant into itself	215
3.8	Report on the Pell equation	216
3.9	Production of all substitutions, which transform a form of positive determinant into itself.	218
3.10	Position in the ω -halfplane of a semicircle representing a form of positive determinant	219
3.11	The reduced forms and their periods. Disposal of the problem of equivalence	220
3.12	External characterization of reduced forms. Finiteness of the class number	221
3.13	Existence proof for the smallest positive solution T, U of the Pell equation	222
3.14	Transformation of the modular substitutions.	223
3.15	Conjugacy in the case of elliptic and parabolic substitutions.	224
3.16	Conjugacy of hyperbolic substitutions	226
3.17	Conjugacy of the cyclic subgroups contained in the modular group	228
4	Discussion of a special subgroup contained in the modular group	231
4.1	Definition of the subgroups Γ' and $\bar{\Gamma}'$	231
4.2	The fundamental domain for $\bar{\Gamma}'$	232
4.3	The generators of $\bar{\Gamma}'$ and Γ'	234
4.4	The simplest fundamental domain for Γ'	236
4.5	Approach to relating the subgroup Γ' to the total group Γ	238
4.6	System of representatives and index for the subgroup Γ' . Notation Γ_6 for Γ'	241
4.7	The Γ_6 as distinguished subgroup	243
4.8	The finite group G_6 which corresponds to Γ_6 . Γ_2 and the three conjugates Γ_3	244
4.9	The fundamental domains F_3 of the conjugate Γ_3	246
4.10	Renewed consideration of the fundamental domain F_6 of subgroup Γ_6	250
4.11	Folding of the fundamental domain of F_6 into a dihedrally divided sphere. Relation of the dihedral division to the modular division.	251
4.12	Explaining the group G_6 by means of the dihedrally divided sphere. Regularity of the fundamental domain F_6	254
4.13	Folding of the fundamental domains F_3 into simply covered planes. Irregularity of the F_3	255
4.14	Symmetry of the domains F_3 . The regular-symmetric domain F_6	258
4.15	Preliminary remarks on the function-theoretic significance of the subgroup Γ_6	260
5	General approach for the treatment of the subgroups of the modular group	263
5.1	Index and system of representatives for a given subgroup	263

5.2	Production of a fundamental domain F_μ belonging to a given subgroup Γ_μ	265
5.3	Covering the ω -halfplane with polygons, which correspond to the subgroup Γ_μ . Generation of Γ_μ	267
5.4	Transformation of subgroups. Conjugate and distinguished subgroups	268
5.5	The fundamental polygons of conjugate and distinguished subgroups	271
5.6	The finite groups G_μ and $G_{2\mu}$, which correspond to a distinguished subgroup Γ_μ	272
5.7	General viewpoint for the decomposition of the groups G_μ into their subgroups	273
5.8	Significance of the previous paragraph for our group-theoretic fundamental problem. Disposal of the latter according to plan	276
5.9	Bending together the fundamental domain F_μ to a closed surface. Genus p of a subgroup Γ_μ . Relation to the ω -halfplane	278
5.10	Special investigation for the distinguished subgroups Γ_μ . Regularity and symmetry of the associated surfaces F_μ	281
5.11	Partial regularity or symmetry of the surfaces F_μ for relatively distinguished subgroups Γ_μ	284
5.12	Rules for the calculation of the genus p of a subgroup Γ_μ . Diophantine equation for distinguished subgroups	285
6	Definition of all subgroups of the modular group by means of the surfaces F_μ	289
6.1	Methods of defining subgroups by means of fundamental polygons or surfaces F_μ : the branching theorem	289
6.2	Production of a mapping between the divided surface F_μ and the ω -halfplane	291
6.3	Spreading out the surface F_μ in the ω -halfplane. Proof of the branching theorem. Immediate applications	293
6.4	The spherical nets of the regular solids and the distinguished subgroups of the modular group of genus $p = 0$	295
6.5	The subgroups $\Gamma_{\{n\}}$ corresponding to the functions $s(\frac{1}{2}, \frac{1}{3}, \frac{1}{n}; J)$	298
6.6	Significance of $\Gamma_{\{n\}}$ for the solution of the group-theoretic fundamental problem. Division of the subgroups into classes	301
6.7	Discussion of a special distinguished subgroup of the sixth class of index 72	304
6.8	Definition of a special distinguished subgroup of the seventh class of index 168	308
6.9	The finite group G_{168} . The subgroups G_7 and G_{21} of G_{168}	312
6.10	The 28 symmetry lines of F_{168} and the subgroups G_3 and G_6 of G_{168}	314
6.11	The 21 shortest lines of F_{168} and the subgroups G_8, G_4, G_2 in G_{168}	317
6.12	The four-groups G_4 and octahedral groups G_{24} in G_{168}	319

7	The congruence groups of the n^{th} level contained in the modular group ...	323
7.1	The principal congruence group of the n^{th} level	323
7.2	The modular substitutions considered modulo n . The group $G_{\mu(n)}$ belonging to $\Gamma_{\mu(n)}$	325
7.3	The homogenous modular substitutions and their groups. The homogenous principal congruence groups of n^{th} level	327
7.4	Calculation of the index $\mu(n)$ of the principal congruence group of n^{th} level	329
7.5	Comparison of $\Gamma_{\{n\}}$ and the principal congruence groups $\Gamma_{\mu(n)}$. Principal congruence groups of the previous chapter	331
7.6	Generalities on congruence groups of n^{th} level	333
7.7	An important principle of group theory	335
7.8	Illustration of the developments of the previous paragraph by the G_{72} belonging to the sixth level	337
7.9	Reduction of the problem of the decomposition of the groups $G_{\mu(n)}$, resp. $G_{2\mu(n)}$. History	340
7.10	The branching schema of distinguished subgroups	342
7.11	The congruence character of subgroups of the n^{th} class. Range of the congruence groups	345
8	The cyclic subgroups in the groups $G_{\frac{q(q^2-1)}{2}}$, $G_{q(q^2-1)}$ and $\overline{G}_{q(q^2-1)}$ belonging to the prime level q	347
8.1	The Galois imaginary numbers	348
8.2	Imaginary form of the group $G_{\frac{q(q^2-1)}{2}}$	351
8.3	The cyclic subgroups G_q of order q	353
8.4	The cyclic subgroups $G_{\frac{q-1}{2}}$ of order $\frac{q-1}{2}$	354
8.5	The cyclic subgroups $G_{\frac{q+1}{2}}$ of order $\frac{q+1}{2}$	357
8.6	The totality of cyclic subgroups. Preliminary reference to the surface $F_{\frac{q(q^2-1)}{2}}$	359
8.7	The cyclic subgroups of the homogeneous $G_{q(q^2-1)}$	361
8.8	Cyclic subgroups of $\overline{G}_{q(q^2-1)}$ for the case $q = 4h + 1$	362
8.9	Cyclic subgroups of $\overline{G}_{q(q^2-1)}$ for the case $q = 4h - 1$	365
8.10	The symmetric transformations of the surface $F_{\frac{q(q^2-1)}{2}}$ into itself	366
9	Enumeration of all non-cyclic subgroups of the group $G_{\frac{q(q^2-1)}{2}}$ belonging to prime level q	371
9.1	The generating substitutions of a group $G_{\{n\}}$ belonging to an arbitrary number n	371
9.2	Dyck's theorem on the generators of the groups holohedrally isomorphic with $G_{\{n\}}$	374
9.3	Non-cyclic subgroups of $G_{\frac{q(q^2-1)}{2}}$ and $G_{q(q^2-1)}$, in which a cyclic G_q takes part	376
9.4	The semimetacyclic subgroups for arbitrary level number n	377

9.5	Decomposition of the surface $F_{\frac{q(q^2-1)}{2}}$ into $\frac{q-1}{2}$ polygon wreaths	379
9.6	The subgroups of dihedral type contained in $G_{\frac{q(q^2-1)}{2}}$	381
9.7	Putting the polygon wreaths together into the surface $F_{\frac{q(q^2-1)}{2}}$	383
9.8	The four-groups contained in $G_{\frac{q(q^2-1)}{2}}$	384
9.9	The subgroups of $G_{\frac{q(q^2-1)}{2}}$ of tetrahedral and octahedral type	387
9.10	Setting up and enumeration of the subgroups of icosahedral type contained in $G_{\frac{q(q^2-1)}{2}}$	390
9.11	General equations of condition for the order of a subgroup of $G_{\frac{q(q^2-1)}{2}}$	393
9.12	Proof of the completeness of the given decomposition of $G_{\frac{q(q^2-1)}{2}}$	394
9.13	Simplicity of $G_{\frac{q(q^2-1)}{2}}$. The Galois theorem. Concluding remarks	396

Part III The Function-Theoretic Fundamental Problem

1	Foundation of Riemann's theory of algebraic functions and their integrals	401
1.1	The many-sheeted Riemann surface F_n over a plane	401
1.2	The algebraic functions belonging to the surfaces F_n	404
1.3	The integrals belonging to the surface F_n under consideration	407
1.4	The potentials belonging to the surface F_n under consideration	410
1.5	Formulation of the existence theorem for an arbitrarily given Riemann surface F_n . Plan of the proof	412
1.6	Solution of the boundary value problem for circular domains	415
1.7	Description of the combination method in a special case.	417
1.8	Production of the potentials of the third and first kinds	420
1.9	Two lemmas concerning potentials and integrals of the first kind	424
1.10	The $2p$ potentials and the p integrals of the first kind of F_n	425
1.11	The p normal integrals of the first kind of F_n	427
1.12	The integrals, in particular the normal ones, of the second kind of F_n	429
2	Continuation of Riemann's theory of algebraic functions	433
2.1	The algebraic functions on a Riemann surface F_n of genus $p = 0$	433
2.2	The algebraic functions on a Riemann surface F_n of genus $p = 1$	435
2.3	The algebraic functions on a Riemann surface F_n of an arbitrary genus	438
2.4	The functions φ of an F_n of higher genus.	440
2.5	The Riemann-Roch theorem	442
2.6	Extension of the Riemann-Roch theorem to $p = 0$ and $p = 1$. A special application for $p > 1$	445
2.7	The Brill-Nöther reciprocity theorem. The special functions	446

2.8	Introduction of the language of analytic geometry	450
2.9	The curve in the space R_ν of ν dimensions	451
2.10	The equivalent point systems. Homogeneous coordinates. The projective conception	453
2.11	The normal curves C_m	456
2.12	The rational and the elliptic normal curves in particular	457
2.13	The cases $p > 1$: the normal curve of the φ	459
2.14	The cases $p > 1$: the hyperelliptic case	461
2.15	Concluding remarks	461
3	General solution of the function-theoretic fundamental problem	463
3.1	Transformation of the polygons, resp., the closed surfaces F_μ , into Riemann surfaces	464
3.2	The functions $\omega(J)$ and $s(J)$ on the Riemann surface F_μ	466
3.3	The functions of $F_\mu^{(J)}$ considered in their dependency on ω	469
3.4	Character of the $z(\omega)$, $j(\omega)$ as the modular functions sought for the Γ_μ	471
3.5	The full modular system of the subgroups Γ_μ and the associated algebraic resolvents of the modular equation	474
3.6	General investigations concerning the symmetric subgroups	477
3.7	Principal moduli and systems of moduli for symmetric subgroups	479
3.8	Generalities concerning the moduli of conjugate and distinguished subgroups	481
3.9	Special considerations for the principal moduli and systems of moduli of distinguished subgroups	484
3.10	The Galois problems and their resolvents. Plan of the further developments	488
4	The modular functions belonging to the distinguished subgroups of genus $p = 0$	491
4.1	Fixing the Galois principal moduli and collection of associated formulas	492
4.2	Introduction of the modular forms belonging to the Galois principal moduli	494
4.3	Final determination of the modular forms λ_1, λ_2 , etc.	496
4.4	Relations between the modular forms λ_1, λ_2 , etc. and g_2, g_3 . The form problem	498
4.5	The singlevalued modular forms $\sqrt[3]{\Delta}$, $\sqrt[4]{\Delta}$ and $\sqrt[12]{\Delta}$	500
4.6	Determination of the homogeneous subgroups belonging to the modular forms λ_1, λ_2 , etc.	505
4.7	The six conjugate Γ_6 of the fifth level and the associated F_6	509
4.8	Setting up the resolvent of the sixth degree	512
4.9	Details concerning the resolvent of the sixth degree. The question of its affect	516
4.10	The system of the moduli of the A . Affect of the resolvent of the twelfth degree	517

4.11	The five conjugate Γ_5 of the fifth level and the associated surface F_5	520
4.12	Setting up the resolvent of the fifth degree	522
5	Modular functions, which let themselves be produced from the Galois principal moduli	525
5.1	The distinguished Γ_{48} and Γ_{120} leading to hyperelliptic models	525
5.2	The singlevalued modular functions $\sqrt[n]{\lambda}$, $\sqrt[n]{1-\lambda}$, etc.	529
5.3	Enumeration of all congruence moduli contained among the quantities $\sqrt[n]{\lambda}$, etc.	531
5.4	Special investigation of the congruence moduli $\sqrt[8]{\lambda}$, $\sqrt[8]{1-\lambda}$	534
5.5	Behavior of φ, ψ, χ with regard to arbitrary modular substitutions	537
5.6	Putting together additional congruence moduli	540
5.7	The Galois systems to be built from the moduli considered	544
5.8	Setting up a few congruence groups of the sixth level	546
5.9	The congruence moduli $y(\omega)$ and $x(\omega)$ of the sixth level	549
5.10	The 72 transformations of the C_3 into itself. Geometrical theorems	552
5.11	The moduli $\sqrt[3]{\lambda(\lambda-1)}$, $\sqrt{\xi^3-1}$. The distinguished Γ_6	554
6	The systems of moduli z_α and A_γ of the seventh level	557
6.1	Introduction of the modular forms z_α and the curve C_4	557
6.2	Geometrical significance of the points a, b, c on the C_4	559
6.3	The eight inflection triangles and the eight G_{21} . Choice of special z_α	561
6.4	Setting up the equation of the C_4 . The real trace	563
6.5	Setting up the 168 ternary substitutions. Additional remarks	566
6.6	The collineations of periods 2 and 3 contained in the G_{168}	568
6.7	The collineation groups G_6, G_4 and G_{24} in the G_{168}	571
6.8	The three kinds of conic sections through eight points b	574
6.9	The tangent- C_3 of the C_4 and its distinguished system	576
6.10	Introduction of the system of moduli of the A_γ	578
6.11	Relations between $\sqrt{\delta_\nu}$ and A_γ . The system of substitutions of the A_γ	581
6.12	The space curve of sixth order of the A_γ	584
6.13	The C_6 of the A_γ as the conic vertices of a bundle of surfaces of the second order	585
7	The Galois problem of 168th degree and its resolvents of the 8th and 7th degrees. — Concluding remarks	589
7.1	The three covariants of the ternary biquadratic form $f(z_\alpha)$	589
7.2	The ϕ, ψ, X as modular forms of the first level. The problem of the 168 th degree	591
7.3	The problem of the A_γ . Mention of the extended problems	594
7.4	Setting up the function-theoretic resolvents of the eighth degree	596
7.5	Expressions of the moduli τ in the z_α . The form-theoretic resolvents of the eighth degree	600
7.6	The two form-theoretic resolvents of seventh degree	603
7.7	Representation of the moduli τ belonging to the Γ_7 in terms of the z_α	607

7.8	The setting up and investigation of the form-theoretic resolvent of the seventh degree	609
7.9	Comparison of the levels $q = 5$ and $q = 7$. Plan of the further development	611
7.10	The significance of the modular functions for the theory of the general linearly-automorphic functions	613

Commentaries

1	Commentary by Richard Borcherds on Elliptic Modular Functions	619
2	Commentary by Jeremy Gray	625
3	Commentary by William Harvey on Automorphic Functions	629
4	Commentary by Barry Mazur	631
5	Commentary by Series-Mumford-Wright	633
6	Commentary by Domingo Toledo	635
7	Commentaries by Other Mathematicians	637