
Index

- L^2 , 394
- σ -field, 1
- σ -field, xv, 1–3, 8, 43, 192, 204, 205, 207, 266

- absorption, 228
- accessible, 201, 213
- algebra, 1
- aperiodic, 203, 218, 223, 226
- arbitrage, 318–320, 327–330
- ascii, 23

- Bachelier, Louis, 335
- bad luck, 249
- balayage, 379
- Bayes rule, 18
- Bernstein, S., 136
- Bernstein polynomials, 137
- bi-stochastic, 228
- binary tree, 330
- binomial coefficient, 25
- binomial theorem, 66
- Black-Scholes, 374, 377
- bond, 317–319
- Borel field, 1
- Borel measurable, 44
- Borel sets, 3, 207, 395
- Borel, Émile, 138
- Borel-Cantelli, 135, 356
- bounded convergence theorem, 126
- branching process, 312
- Brown, Robert, 335
- Brownian
 - bridge, 365
 - Markov property, 340
 - self-similarity, 339
 - time-reversal, 339
 - transformations, 338
 - zero set, 348
- Brownian density, 337
- Brownian motion, xv, 346, 349, 353, 354, 356, 374–377, 380, 381, 383, 384, 388, 392–394, 396, 402, 404, 405, 408, 409
 - absorbing, 363
 - construction, 388
 - in $[0,1]$, 364
 - killed, 363
 - logarithmic, 374
 - nowhere-differentiability, 354
 - quadratic variation, 355
 - reflecting, 363
 - standard, 336
 - unbounded variation, 355
- Buffon's needle problem, 51

- Cantelli strong law, 134
- Cantor set, 349
- capture-recapture, 57
- card shuffling, 227
- central limit theorem, 383
- characteristic function, 337
- combination, 22, 25
- communicate, 201, 202, 215
- conditional expectation
 - existence, 305

- continuity
 - almost sure, 342
 - Brownian, 341
- continuous
 - version, 343
- continuous parameter, 191
- convergence
 - almost everywhere, 117
 - in distribution, 118, 409
 - for processes, 408
 - in probability, 117
 - in the mean, 117
 - pointwise, 117
 - vague, 168
 - weak, 168, 169, 191
- convex function, 86
- convolution, 107
- correlation, 99, 100, 107, 112
- countable additivity, 4, 7, 395
- counting principle, 22
- covariance, 99, 100, 108, 112, 407
 - function, 391
 - matrix, 108, 391
- covariance function, 337, 366
- covariance matrix, 158
- craps, 39
- cylinder sets, 192
- density, 50, 83
 - bivariate normal, 112
 - Cauchy, 92, 93
 - conditional, 104–106
 - joint, 97, 99, 105, 111
 - marginal, 98, 99
 - multivariate Gaussian, 110
 - normal, 90
 - transformation, 94, 101
 - uniform, 89
- derivative, 317, 322, 323, 327, 329, 330, 332, 376, 377
 - Brownian motion, 354
 - Radon-Nikodym, 376
- difference equation, 32, 33
- discontinuity
 - jump, 41, 342, 343
 - oscillatory, 342
- discrete parameter, 191
- distribution, 43, 195, 200, 337, 391
 - absolutely continuous, 50, 97
 - Bernoulli, 65, 70
 - binomial, 65
 - Cauchy, 92
 - conditional, 103
 - continuous, 49
 - discrete, 49
 - exponential, 90
 - finite dimensional, 192
 - Gamma, 93
 - Gaussian, 90
 - tails, 342
 - geometric, 68
 - hypergeometric, 69, 70, 72
 - initial, 194, 195, 223, 226
 - joint, 96
 - negative binomial, 69
 - normal, 90
 - Poisson, 66, 67
 - standard normal, 90
 - stationary, 223, 225, 226, 228
 - uniform, 51, 89, 140
- distribution function, 40–42, 44, 45, 50
 - conditional, 103, 104
 - joint, 96–98
 - marginal, 98
- dollar
 - discounted, 321, 376
 - today's, 321
- dominated convergence theorem, 125
- Donsker, M., 386
- Doob decomposition, 281, 301
- Doob, J. L., 37, 85, 277, 290, 292
- Dow-Jones, 192
- drunkard's walk, 196
- dyadic approximation, 75, 346
- Einstein, Albert, 335, 408
- embedded chain, 257
- embedding, 377, 382
 - random walk, 382
- equally likely, 10
- equation
 - backward differential, 255
 - Chapman-Kolmogorov, 195, 254
 - difference, 33
 - forward differential, 256
 - Kolmogorov, 254
 - Langevin, 405, 406
 - renewal, 219
 - stochastic differential, 405
 - stochastic integral, 405
- equilibrium, 196, 198, 218, 223, 225
- equivalence class, 202, 213, 394
- equivalence relation, 201
- ergodic, 218

- events, 8
- exchangeability, 70
- exchangeable, 70, 71
- expectation, 54, 81
 - as integral, 81
 - conditional, xv, 103, 105, 265, 266, 268, 270, 298, 305, 306, 375
 - discrete, 55, 76
 - general, 75
 - linearity, 57
 - matrix, 108
 - non-existence, Cauchy, 93
 - properties, 56
 - vector, 108
- explosion, 261
- extinction, 237–239

- fair game, 275, 283
- false positives, 17
- Fatou's Lemma, 124, 297, 302
- Feller, W., 410
- Fermat, P., xiii
- field, 1, 2, 192, 396
- filtration, 277, 278, 291, 345
 - right continuous, 350
- finitely additive, 395, 397
- first exits, 353
- first hitting time, 206, 211
- flush, 25
- Fourier inversion, 152
- full house, 26
- function
 - Borel, 44, 49, 400
 - characteristic, xiv, 79, 151–153, 155, 337
 - Bernoulli, 155
 - binomial, 155
 - Cauchy, 156
 - exponential, 156
 - Gaussian, 156
 - joint, 155
 - joint Gaussian, 158
 - Poisson, 156
 - compact support, 360
 - concave, 86, 379, 381
 - convex, 86, 278
 - covariance, 337, 390, 391
 - distribution, 40, 42, 152
 - normal, 376
 - elementary, 398
 - excessive, 314
 - gamma, 93
 - generating, 79
 - indicator, 43
 - moment generating, 91, 151
 - non-differentiable, 335
 - probability generating, 235, 236, 238
 - probability mass, 50
 - joint, 97
 - Rademacher, 141
 - right continuous, 343
 - Schauder, 388
 - simple, 399, 401
 - subharmonic, 277
 - superharmonic, 277
 - tent, 379
- future, 317

- Galton, Francis, 234
- gambler's ruin, 30, 32, 191, 196, 286, 293
 - duration, 286
- gambling systems, 210
- Gaussian
 - bivariate, 107
 - bound, 342
 - existence, 110
 - joint, 109
 - linear combinations, 109
 - multivariate, 108, 109, 157
 - multivariate density, 110
- generating function, 79
- geometry, 112

- hand, 25
 - bridge, 25
 - poker, 25
- Hilbert space, 113, 401
- hitting time, 344, 350
- horse-racing, 328

- increments
 - independent, 389
- independence, xiv, 18, 113
 - conditional, 199, 200, 347, 366
 - events, 19
 - of random variables, 48
 - pairwise, 20
- independent increments, 243, 337, 341
- inequality
 - Chebyshev, 85, 134, 135, 287
 - Jensen, 88, 89, 271, 278
 - Lyapounov, 89
 - martingale maximal, 287

- martingale minimal, 288
- Schwarz, 85, 100
- upcrossing, 290, 291
- infinitesimal generator, 255, 359
 - Brownian, 360, 392, 408
 - domain, 360
 - Ornstein-Uhlenbeck, 392, 407
 - Poisson, 256
- inflation, 321
- inner product, 395, 401
- integrability
 - uniform, 295, 299, 301, 307
- integrable, 55, 56, 76
- integral
 - expectation, 81
 - Ito, 398, 402
 - Lebesgue, xiv, 82, 402
 - Lebesgue-Stieltjes, 82
 - Riemann, 82, 106
 - stochastic, xvi, 398, 401, 402, 408
 - Wiener, xvi, 398, 401, 402
- integration
 - Monte Carlo, 141
- integration by parts, 402
- invariance principle, 386
- irreducible, 202, 215, 218, 221, 223, 226, 228

- Jacobian, 101, 102, 107, 110
- joint density, 97
- joint distribution
 - Brownian, 337
- joint distribution function, 98
- jump chain, 260
- jump time, 259
- jump times, 246

- Khintchine, A., 356, 384
- Kolmogorov differential equations, 254
- Kolmogorov strong law, 307
- Kolmogorov, A. N., xiii

- Lévy, Paul, 152, 388
- Laplace transform, 84
- law of large numbers, 133, 161
 - Cantelli, 134, 136, 139
 - Kolmogorov, 135, 383
 - strong, 134
 - weak, 134
- law of the iterated logarithm, 356, 358, 384
- law of the unconscious statistician, 56, 82
- Lazzerini, M., 52
- Lebesgue measure, 350, 354, 396
- Lebesgue sets, 3
- Lebesgue, Henri, 398
- lemma
 - Kronecker, 135
- likelihood ratio, 310
- limit
 - Césaro, 221
- linear function of Gaussian, 91

- market, 317, 318, 322, 329, 374
 - stock, 279
- market price, 330, 332
- Markov chain, xv, 192–194, 196, 200, 207–209, 211, 218, 223, 225, 226, 228
 - finite state, 226
- Markov chains, 359
 - periodic, 226
- Markov property, 346
 - Brownian, 340
 - Poisson process, 245
 - strong, 246, 251, 260, 344, 346, 349–351, 381, 385
- Markov time, 205
- Markov, A.A., 205
- martingale, xv, 211, 276–278, 281, 284, 285, 287, 294, 298, 304, 311, 313, 315, 316, 328, 336, 351, 353, 362, 375, 378
 - backward, 294, 295, 300, 308
 - Brownian, 361
- martingale measure, 328, 330, 332, 376
- matrix
 - covariance, 108, 110, 337, 391
 - transition probability, 193, 194, 200, 228
 - n -step, 195
- maximal inequality, 351
- mean, 60, 61, 63, 64, 112
 - geometric, 69
 - hypergeometric, 72
 - Poisson, 67
 - uniform, 89
- measure
 - L^2 -valued, 395
 - change of, 374
 - equivalent, 374
 - martingale, 328, 330, 332

- probability, 4
- synthetic, 328
- measure theory, xiii
- median, 63, 64
 - Bernoulli, 65
 - exponential, 90
 - geometric, 69
 - uniform, 89
- memoryless, 90
- method of images, 363
- mode, 63
 - Bernoulli, 65
 - geometric, 69
- moment, 61
 - absolute, 61
 - central, 61
- moment generating function, 62
 - Bernoulli, 65
 - binomial, 66
 - Gaussian, 91
 - generates moments, 62
 - geometric, 68
 - Poisson, 66
- moments, 85
- monotone class, 1, 2
- monotone class theorem, 4
- monotone convergence theorem, 123
- Monte Carlo method, 52
- mutation, 198
- normal
 - bivariate, 107
 - multivariate, 108
- normal numbers, 137, 138, 140
- nowhere-differentiability
 - of Brownian motion, 354
- null recurrent, 220, 223, 225, 226
- odds, 315, 316
- option, 317, 330, 376, 377
 - European, 376, 377
- optional stopping, 282
- optional time, 205
- orthogonal, 100, 113
- partition, 55
- Pascal's triangle, 26, 27
- Pascal, Blaise, xiii
- past before T, 207
- perfect set, 349
- period, 203, 215, 221
- periodic, 221
- permutation, 22, 23
- Poisson process, 243
 - distribution, 245
- portfolio, 323
 - self-financing, 323, 329
- positive definite, 108, 109
- positive recurrent, 220, 223, 225, 226, 394
- potential, 378, 381, 382
 - of a measure, 378
- potential field, 378
- potential theory, xvi, 277, 378
- power series, 59
- principle
 - duck, 106
- probability
 - absorption, 228
 - conditional, xiv, 15, 103, 106
 - density, 50
 - equivalent, 327
 - measure, 4, 52
 - space, 8, 11, 39
 - synthetic, 315
- probability generating function, 59
- probability integral transformation, 46
- probability space, 6
- process
 - birth and death, xv, 251, 360
 - branching, 197, 234, 235, 312
 - continuous parameter, 191
 - diffusion, 336
 - Gaussian, 336, 337, 390, 395
 - Markov, 192, 336, 341, 363, 391
 - Ornstein-Uhlenbeck, 390, 391, 394, 405, 407
 - Poisson, xv, 243, 342
 - stable, 336
 - stationary, 390, 407
 - stochastic, xiv, 191
 - velocity, 405, 408
 - Wiener, 335
- projection, 272
- property
 - Markov, 192, 194, 200, 208, 229
 - memoryless, 90
 - strong Markov, 210, 214, 391
 - discrete case, 209
- Pyncheon, T., 67
- quadratic form, 111
- quadratic variation, 355
- queuing, 197

- race track, 316
- radius of convergence, 59
- random variable, 39, 42, 75
 - Bernoulli, 140
 - Cauchy, 160
 - discrete, 54
 - existence, 45
 - extended real values, 81
 - Gaussian, 91, 391
 - independent, 78
 - uniform, 136, 140
- random walk, xv, 196, 203, 215, 286, 377
 - embedded, 378
 - null recurrent, 286
 - reflecting, 196
 - three dimensions, 216
 - transient in three dimensions, 217
 - two dimensions, 215
- recurrence, 211, 215, 352
- recurrence class, 213, 226
- recurrent, 212, 213, 218, 393
- reflection principle, 351
- restarting, 194
- reversible, 391
- Riemann integral, 80
- roulette, 204, 282
- sample path, 341
 - irregularity, 354
- sample space, 8
- sampling
 - with replacement, 24
 - without replacement, 24
- semimartingale, 277
- sequential analysis, 280, 310
- short-sell, 279, 318
- Skorokhod embedding, 377, 378, 380, 382–384, 386
- Skorokhod, A.V., 377
- Snell, Laurie, 290
- standard deviation, 60
- state
 - recurrent, 212
 - transient, 212
- state space, 193
- Stirling's formula, 214–216
- stochastic differential equation, 405, 408
- stock, 317, 322, 331, 374
- stopping time, 204–208, 210, 211, 283, 284, 302, 344, 350
- strike price, 377
- strong Markov property, 209, 391
- submartingale, 276, 277, 284, 287, 288, 293, 294, 298
 - backward, 300
- success runs, 199
- supermartingale, 276, 284
- supporting line, 88
- symmetric difference, 6
- synthetic probabilities, 315, 316
- tail field, 347
- Taylor's formula, 360, 392
 - remainder, 360
- tent function, 379
 - Schauder, 388
- theorem
 - bounded convergence, 126
 - Cameron-Martin, 374–376
 - central limit, 90, 135, 356, 383
 - Dini's, 356
 - dominated convergence, 125, 127, 220, 296
 - ergodic, 225
 - Fourier inversion, 159
 - Fubini, 106
 - Glivenko-Cantelli, 136
 - Helly-Bray, 169
 - Lévy inversion, 159
 - martingale convergence, 292, 294
 - monotone class, 4, 49
 - monotone convergence, 123, 155, 353
 - normal number, 138, 140
 - Poisson limit, 68
 - Radon-Nikodym, 268
 - Riesz-Fischer, 394
 - Skorokhod, 380
 - system, 282, 301
 - Weierstrass, 136
- tight, 169
- tightness, 169
- tote board, 315, 328
- trading rules, 318
- transformation
 - scaling, 338
- transient, 211–213, 223, 225, 228
- transition probability, 193, 341, 359
 - n -step, 194
 - Poisson process, 245
 - stationary, 193
- trinomial tree, 332
- uniform integrability, 295–297

-
- upcrossing inequality, 291
 - upcrossings, 291

 - vague convergence, 168
 - de la Vallée Poussin, 351
 - value, 322
 - variance, 60, 407
 - geometric, 69
 - hypergeometric, 72
 - Poisson, 67
 - viscosity, 405
 - volatility, 374, 377

 - Watson, Henry William, 234
 - weak convergence, 168
 - Weierstrass, 335
 - white noise, 394, 395, 405, 408
 - Wiener, Norbert, 335
 - Wright, Sewall, 198

 - zero set, 348
 - zero-one law, 307
 - Blumenthal, 347
 - Borel, 347