

---

# Index

- Abel's identity, 83
- action integral, 238
- action variable, 244
- adjoint matrix, 103
- analytic, 111
- angle variable, 245
- angular momentum, 242, 248
- arc, 220
- Arzelà–Ascoli theorem, 55
- asymptotic phase, 323
- asymptotic stability, 71, 198, 286, 317
- attracting set, 231
- attractor, 233, 309
  - strange, 309
- autonomous differential equation, 7
  
- backward asymptotic, 285
- Banach algebra, 66
- Banach space, 34
- basin of attraction, 231
- basis
  - orthonormal, 149
- Bendixson criterion, 227
- Bernoulli equation, 15
- Bessel
  - equation, 122
  - function, 123
  - inequality, 148
- bifurcation, 21
  - diagram, 295
  - pitchfork, 200
  - Poincaré–Andronov–Hopf, 220
  - point, 294
  - saddle-node, 200
  - theory, 200
  - transcritical, 200
- boundary condition, 144, 156
  - antiperiodic, 177
  - Dirichlet, 156
  - Neumann, 156
  - periodic, 177
  - Robin, 156
- boundary value problem, 144
  
- canonical transform, 243
- Cantor set, 301
- Carathéodory, 42
- catenary, 19
- Cauchy sequence, 33
- Cauchy–Hadamard theorem, 112
- Cauchy–Schwarz inequality, 147
- center, 69
- characteristic
  - exponents, 93, 118, 138
  - multipliers, 93
- characteristic polynomial, 103
- commutator, 61
- competitive system, 213
- complete, 34
- completely integrable, 245
- confluent hypergeometric equation, 128
- conjugacy
  - topological, 268
- constant of motion, 202, 240
- contraction, 35
- contraction principle, 35

- cooperative system, 213
- cover, 309
- cyclic vector, 106
- d'Alembert reduction, 84, 88
- d'Alembert's formula, 145
- damping
  - critical, 78
  - over, 78
  - under, 78
- damping factor, 79
- diameter, 309
- difference equation, 126, 283
- differential equation
  - autonomous, 7
  - exact, 18
  - homogeneous, 7, 15
  - hyperbolic, 256
  - integrating factor, 18
  - linear, 7
  - order, 6
  - ordinary, 6
  - partial, 7
  - separable, 11
  - solution, 6
  - system, 7
- diophantine condition, 251
- directional field, 16
- Dirichlet boundary condition, 156
- domain of attraction, 231
- dominating function, 272
- Duffing equation, 233, 263, 339
- Duhamel's formula, 72
- Dulac criterion, 227
- dynamical system, 187
  - chaotic, 298
  - continuous, 188
  - discrete, 187
  - invertible, 187
- eigenfunction, *see* eigenvector
- eigenspace, 103, 149
  - generalized, 105
- eigenvalue, 103, 149
  - simple, 149
- eigenvector, 103, 149
- eigenvectors
  - generalized, 105
- Einstein equation, 242
- entire function, 153
- equicontinuous, 55
- equilibrium point, *see* fixed point
- equivalence
  - topological, 298
- error function, 89
- Euler equation, 18, 116
- Euler system, 131
- Euler's formula, 67
- Euler's reflection formula, 127
- Euler-Lagrange equations, 239
- Euler-Mascheroni constant, 124
- exponential stability, 199
- Fermi-Pasta-Ulam experiment, 247
- Fibonacci numbers, 288
- first integral, 240
- first variational equation, 46
  - periodic, 318
- fixed point, 35, 192, 284
  - asymptotically stable, 198, 286
  - exponentially stable, 199
  - hyperbolic, 257
  - stable, 198
  - unstable, 198
- fixed-point theorem
  - contraction principle, 35
  - Weissinger, 39
- Floquet
  - discriminant, 176
  - exponents, 93
  - multipliers, 93, 176
  - solutions, 176
- flow, 189
- forcing, 79
- forward asymptotic, 284
- Fourier cosine series, 165
- Fourier sine series, 143, 164, 165
- Frobenius method, 138
- from domain, 161
- Fuchs system, 138
- fundamental matrix solution, 83
- Gamma function, 126
- Gauss error function, 89
- geodesics, 241
- global solution, 51
- gradient systems, 203
- Green function, 158
- Grobman-Hartman theorem, 266
- Gronwall inequality, 42
- group, 187
- Hamilton mechanics, 206, 239
- Hamilton principle, 238

- Hammerstein integral equation, 275
- Hankel function, 125
- harmonic numbers, 124
- harmonic oscillator, 246
- Hartman–Grobman theorem, 266
  - maps, 288
- Hausdorff dimension, 311
- Hausdorff measure, 310
- heat equation, 145
- Heun’s method, 57
- Hilbert space, 146
- Hilbert’s 16th problem, 226
- Hilbert–Schmidt operator, 164
- Hill equation, 93
- homoclinic orbit, 315
- homoclinic point, 315, 335
  - transverse, 335
- homoclinic tangle, 336
- Hopf bifurcation, 220, 324
- Hurwitz matrix, 71
- hyperbolic, 256, 257
- hypergeometric equation, 128
  
- indicial equation, 118
- inequality
  - Cauchy–Schwarz, 147
  - Gronwall, 42
- initial value problem, 36
- inner product, 146
  - space, 146
- integral curve, 189
  - maximal, 189
- integral equation, 36
  - Hammerstein, 275
  - Volterra, 273
- integrating factor, 18
- invariant
  - set, 193, 284
  - subspace, 103
- isoclines, 24
- itinerary map, 302, 313, 314
  
- Jacobi identity, 242
- Jacobian matrix, 39
- Jordan block, 106
- Jordan canonical form, 61, 107
  - real, 65
- Jordan curve, 220
  
- Kepler’s laws for planetary motion, 249
- Kirchhoff’s laws, 76
- Korteweg–de Vries equation, 207
  
- Krasovskii–LaSalle principle, 202
- Kronecker torus, 251
- Kummer function, 128
  
- Lagrange function, 238
- Lagrange identity, 157
- Laplace transform, 73
- LaSalle principle, 202
- Laurent series, 116
- Lax equation, 247
- Lax pair, 247
- Legendre equation, 128
- Legendre transform, 239
- Leibniz’ rule, 242
- Liénard equation, 216
- Liapunov function, 201, 286
  - strict, 201, 286
- Liapunov–Schmidt reduction, 330
- Lie derivative, 202
- Lie group, 191
- Lie series, 192
- lifetime, 192
- limit cycle, 226
- Liouville’s formula, 83, 237
- Lipschitz continuous, 27, 37
- logistic map, 282
- Lorenz equation, 234
- Lotka–Volterra equation, 209
- lower solution, 24
  
- manifold
  - (un)stable, fixed point, 258, 289
  - (un)stable, linear, 255
  - (un)stable, periodic point, 323
  - center, linear, 255
  - stable, 289
  - unstable, 289
- mass spectrometry, 96
- mathematical pendulum, 204
- Mathieu equation, 95
- matrix
  - adjoint, 103
  - exponential, 60
  - Hurwitz, 71
  - logarithm, 108
  - norm, 60
  - orthogonal, 104
  - symmetric, 104
  - symplectic, 240
  - unitary, 104
- maximal solution, 51
- measure

- Hausdorff, 310
  - outer, 310
- Melnikov integral
  - homoclinic, 339
  - periodic, 326
- minimal polynomial, 105
- monodromy matrix, 91, 176
- movable singularity, 131
  
- N*-body problem, 250
- Neumann boundary condition, 156
- Neumann series, 270
- Newton's second law of motion, 3
- nilpotent, 106
- nonresonant, 251
- nonwandering, 196, 286
- norm, 33
  - matrix, 60
  - operator, 270
- normalized, 146
  
- Ohm's law, 77
- omega limit set, 193, 229
- one-parameter Lie group, 191
- operator
  - bounded, 150
  - compact, 150
  - domain, 149
  - linear, 149
  - symmetric, 149
- orbit, 192, 284
  - asymptotically stable, 317
  - closed, 192
  - heteroclinic, 262, 291
  - homoclinic, 262, 291
  - periodic, 192, 284
  - stable, 317
- order
  - eigenvector, 105
- orthogonal, 146
- orthogonal matrix, 104
- orthonormal basis, 104
- oscillating, 173
- Osgood uniqueness criterion, 58
  
- Painlevé transcendents, 131
- parallel, 146
- parallelogram law, 152
- Peano theorem, 56
- pendulum, 204
- perfect, 301
- period annulus, 326
  - isochronous, 331
  - regular, 331
- period doubling, 295
- periodic orbit, 192, 284
  - stable, 286
- periodic point, 192, 284
  - attracting, 285
  - hyperbolic, 286
  - period, 192
  - repelling, 285
- periodic solution
  - stability, 317
- perpendicular, 146
- phase space, 203
- Picard iteration, 38
- Picard–Lindelöf theorem, 38
- pitchfork bifurcation, 200
- Pochhammer symbol, 123
- Poincaré map, 29, 198, 319
- Poincaré–Andronov–Hopf bifurcation, 220
- point
  - fixed, 192
  - nonwandering, 196, 286
  - recurrent, 286
- Poisson bracket, 240
- power series, 112
- principal matrix solution, 82
- projection, 109, 110
- Prüfer variables, 166
  - modified, 172
- Pythagorean theorem, 147
  
- quadratic form, 161
- quadrupole mass spectrometry, 96
- quasi-periodic, 251
  
- radius of convergence, 112
- Rayleigh–Ritz principle, 162
- recurrent, 286
- reduction of order, 84, 88
- regular perturbation, 48
- regular point, 192
- relativistic mechanics, 242
- repeller, 309
  - strange, 309
- resolvent, 158
- resonance catastrophe, 79
- resonance frequency, 79
- resonant, 251
- Riccati equation, 15, 90, 154
- Riemann equation, 129

- Riemann symbol, 129
- RLC circuit, 77
- Robin boundary condition, 156
- Rofe-Beketov formula, 154
- Routh–Hurwitz criterion, 71
- Runge–Kutta algorithm, 57
  
- saddle, 68
- saddle-node bifurcation, 200
- Sarkovskii ordering, 297
- scalar product, 104, 146
- Schrödinger equation, 86
- semigroup, 187
- sensitive dependence, 297
- separation of variables, 142
- sesquilinear form, 146
- set
  - attracting, 231, 309
  - hyperbolic attracting, 309
  - hyperbolic repelling, 309
  - invariant, 193, 284
  - repelling, 309
- shift map, 302, 305
- singular point, *see* fixed point
- singularity
  - movable, 131
  - regular, 133
  - simple, 133
  - weak, 133
- sink, 68
- Smale horseshoe, 333
- small divisor, 251
- snapback repeller, 315
- soliton, 207
- solution
  - lower, 24
  - matrix, 83, 287
  - sub, 24
  - super, 24
  - upper, 24
- source, 68
- spectral radius, 110
- spectral theorem, 151
- spectrum, 103
- stability, 71, 198, 286, 317
- stable set, 231, 257, 285
- stationary point, *see* fixed point
- strange attractor, 237
- Sturm–Liouville problem, 144
- sub solution, 24
- submanifold, 197
- subshift of finite type, 306
  
- subspace
  - center, 109
  - invariant, 103
  - reducing, 103
  - stable, 109
  - unstable, 109
- superposition principle, 81
- symbol space, 304
- symmetric matrix, 104
- symplectic
  - gradient, 240
  - group, 243
  - map, 243
  - matrix, 240
  - two form, 243
  
- tent map, 299
- theorem
  - Arzelà–Ascoli, 55, 159
  - Cauchy–Hadamard, 112
  - Cayley–Hamilton, 107
  - dominated convergence, 272
  - Floquet, 92
  - Fuchs, 119, 121
  - Hartman–Grobman, 266, 288
  - Jordan curve, 220
  - KAM, 251
  - Kneser, 174
  - Krasovskii–LaSalle, 202
  - Liapunov, 202
  - Melnikov, 339
  - Noether, 240
  - Osgood, 58
  - Peano, 56
  - Picard–Lindelöf, 38
    - improved, 40
  - Poincaré’s recurrence, 241
  - Poincaré–Bendixson, 222, 223
  - Pythagorean, 147
  - Routh–Hurwitz, 71
  - Smale–Birkhoff homoclinic, 336
  - stable manifold, 261, 290, 322
  - Sturm’s comparison, 170
  - uniform contraction principle, 270
  - Weissinger, 39
- time-one map, 237
- totally disconnected, 301, 304
- trajectory, 189
- transcritical bifurcation, 200
- transformation
  - fiber preserving, 14
- transition matrix, 306

- transitive, 306
- transitive, 233, 298
- trapping region, 232
- traveling wave ansatz, 207
- triangle inequality, 33
  - inverse, 33
- two-body problem, 247
  
- uniform contraction principle, 270
- unit vector, 146
- unitary matrix, 104
- unstable, 198
- unstable set, 231, 257, 285
- upper solution, 24
  
- van der Pol equation, 219
- variable
  - dependent, 6
  - independent, 6
- variation of constants (parameters), 84
- vector field, 188
  - complete, 193
- vector space, 33
  - inner product space, 146
  - normed, 33
- Volterra integral equation, 273
- Volterra–Lotka equation, 209
  
- wave equation, 141
- Weierstraß elliptic function, 207
- well-posed, 42
- Weyl asymptotics, 173
- Weyl–Titchmarsh  $m$ -functions, 176
- Wronski determinant, 83, 88
- Wronskian, 88
  - modified, 154
  
- zeta function, 308
- Zorn’s lemma, 51