

---

# Subject Index

- a.e. (almost everywhere), 116
- absolute value (of a scalar), 322
- absolutely summable, 87
- addition
  - of functions, 326
  - of operators, 21
  - of vectors, 322
- additive
  - countably, 111
  - finitely, 110
- adjoint
  - kernel function, 219
  - of a Hilbert–Schmidt integral operator, 219
  - of a matrix, 219
  - of an abstract Hilbert–Schmidt operator, 224
  - of the left and right shift, 219
  - operator, 218
- affine hyperplane, 145
- affine subspace, 142
- almost everywhere, 116
- annihilator, 285
- antisymmetric, 314
- approximate eigenvalue, 232
- Axiom of Choice, 313
- axioms
  - for a partial ordering, 314
  - for a vector space, 323
  - for an equivalence relation, 312
  - for the real numbers, 318
- Baire’s theorem, 262, 275
- ball
  - closed,  $B[x, r]$ , 56
  - open,  $B(x, r)$ , 38
- Banach contraction principle, 94
- Banach space adjoint, 285
- basis
  - algebraic, 324
  - Hamel, 140
  - orthonormal, countable, 139
  - orthonormal, general, 353
- Bernstein polynomial, 340
- Bessel’s inequality, 8, 138, 157, 353
  - for double series, 143
- best approximation, 129
- bijective (mapping), 331
- Bolzano–Weierstrass
  - property, 319
  - theorem, 320
- bound
  - lower, 315
  - upper, 315
- bounded
  - essentially (function), 122
  - function, 20
  - linear mapping, 21
  - operator, 21
  - quadratic variation, 53
  - subset of a metric space, 52
  - subset of a normed space, 23
  - variation, 34, 52, 295
- bounded inverse theorem, 268
- canonical surjection, 327

- Cantor function, 299  
 Carlson–Beurling inequality, 348  
 Cartesian product (of sets), 330  
 Cauchy–Schwarz inequality, 15  
 change of variables, 114  
 closed
  - ball, 56
  - graph, 270
  - subset, 55
 closed graph theorem, 270  
 closure (of a subset in a metric space), 48  
 codomain, 330  
 coercive (sesquilinear form), 220  
 coercivity constant, 220  
 column stochastic matrix, 99  
 compact
  - metric space, 64, 72
  - operator, 214
  - relatively, 75
  - sequentially, 64
  - subset of a metric space, 64
 compatible operation (with an equivalence relation), 312  
 complement (set-theoretic), 330  
 complete metric (space), 80  
 completeness, 80
  - of  $\mathcal{B}(\Omega)$ , 84
  - of  $\mathcal{B}(\Omega; E)$ , 91
  - of  $BV([a, b]; E)$ , 91
  - of  $C_b(\Omega)$ , 86
  - of  $c$ , 89
  - of  $C[a, b]$ , 85
  - of  $C^\alpha([a, b]; E)$ , 91
  - of  $c_0$ , 88
  - of  $\ell^1$ , 89
  - of  $\ell^2$ , 82
  - of  $\ell^\infty$ , 85
  - of  $\ell^p$ , 91
  - of  $L^1$ , 120
  - of  $L^2$ , 122
  - of  $L^\infty$ , 123
  - of  $L^p$ , 123
  - of  $UC_b(\Omega)$ , 89
  - of a discrete metric space, 88
  - of a quotient space, 92
  - of each fin.-dim. space, 84
 completeness axiom, 319  
 completion (of a metric space), 81, 333  
 complex conjugate  $\bar{z}$ , 322  
 complex numbers  $\mathbb{C}$ , 321  
 conditional expectation, 135  
 cone, 112  
 conjugate exponent, 29  
 conjugate transposed matrix, 219  
 continuity
  - at a point, 58
  - of a mapping, 58
  - of the norm, 61
  - of vector space operations, 61
 continuous
  - Hölder cont. of order  $\alpha$ , 35
  - linear mapping, 63
  - Lipschitz, 35
  - uniformly, 65
 convergence
  - almost everywhere, 116
  - in mean, 46
  - in operator norm, 199
  - in square mean, 46
  - of a sequence, 39, 40
  - of a series, 87
  - pointwise, 44
  - strong, of operators, 201
  - uniform, 44
  - weak, 75
 convex, 131  
 convolution, 176  
 convolution operator, 166  
 convolution product, 165  
 coordinate vector, 325  
 coordinatization
  - countable (orthonormal) basis, 140
  - finite basis, 9
 countable (set), 316  
 countably additive, 111  
 counting measure, 240  
 cover, 110  
 cutoff function, 152, 153, 155  
  
 dangling node, 99  
 De Morgan’s laws, 331  
 Dedekind axiom, 319  
 definite, 18, 38  
 dense (subset or subspace), 48  
 density
  - of  $C[a, b]$  in  $L^p(a, b)$ , 125
  - of  $C^1[a, b]$  in  $H^1(a, b)$ , 183
  - of  $C_0^1[a, b]$  in  $H_0^1(a, b)$ , 189
  - of  $C_0^1[a, b]$  in  $L^p(a, b)$ , 154
 diagonal argument, 213, 302  
 diagonal matrix (infinite), 27

- diameter (of a subset of a metric space), 52
- dimension (of a vector space), 324
- Dini's theorem, 77
- Dirac functional, 25
- direct sum, 135
  - algebraic, 326
  - decomposition, 326
- Dirichlet
  - D.–Dini criterion, 159
  - kernel, 267
  - Laplacian, 196
  - principle, 187, 190, 191
  - problem, 190, 191
- discrete metric, 38
- distance
  - of a point to a set, 47, 129
  - of vectors in a normed space, 37
- dividing by an equivalence relation, 312
- domain
  - of a mapping, 330
  - of the Dirichlet Laplacian, 247
  - of the Schrödinger operator, 249
- dominated convergence theorem, 118
- double sequence, 52
  - Cauchy, 89
  - convergent, 52
- double series, 91, 156
- dual
  - basis, 328
  - mapping, 328
  - space (algebraic), 327
  - space (topological), 277
- duality, 290
  - canonical, 286
- eigenspace, 231
- eigenvalue, 231
  - approximate, 232
- eigenvector, 231
- element of a set, 329
- energy norm, 185
- equality (of sets), 329
- equality a.e.,  $\sim_\lambda$ , 116
- equivalence
  - class, 312
  - of metrics, 76
  - of norms, 68
  - relation, 312
- Euler's constant, 10
- evaluation functional, 25, 326
- evolution equation (for the Schrödinger op.), 252
- factor space, 327
- family (indexed), 331
- Fejér kernel, 167
- finite rank, 211
- finite-dimensional (vector) space, 324
- finitely additive, 110
- fixed point equation, 94
- form
  - hermitian, 328
  - quadratic, 328
  - sesquilinear, 328
  - symmetric, 328
- Fourier coefficient
  - abstract, 7
  - classical, 10, 157, 161
- Fourier inversion formula, 174, 347
- Fourier series
  - abstract, 7, 138
  - classical, 11
- Fourier transform, 128, 162
  - on  $L^2$ , 170
- Fredholm alternative, 238
- Fubini's theorem, 194
- function
  - absolutely continuous, 299, 304
  - adjoint kernel, 219
  - characteristic, 109
  - constant  $\mathbf{1}$ , 180
  - cutoff, 152, 153, 155
  - essentially bounded, 122
  - even, 142
  - Hilbert–Schmidt kernel, 197
  - Hölder continuous, 35
  - integrable, 113
  - kernel, 194
  - Lebesgue measurable, 112, 194
  - Lipschitz continuous, 35
  - locally integrable, 174
  - of bounded variation, 34, 295
  - of compact support, 152
  - periodic, 157
  - potential, 249
  - regulated, 91, 175, 295
  - smooth, of compact support, 155
  - special regulated, 296
  - square integrable, 121
  - step, 35, 295
  - test, 177, 187
  - uniformly continuous, 89

- weakly differentiable, 178
- functional
  - (bounded) linear, 21
  - linear, 325
  - point evaluation, 25
  - sublinear, 279
- fundamental principle of analysis, 90
- fundamental theorem of calculus for  $H^1$ , 182
- Gaussian elimination, 93
- generalized eigenspace, 231
- generator of a subspace, 323
- Gram–Schmidt procedure, 9
- graph (of a mapping), 330
- greatest (element in an ordered set), 315
- greatest lower bound, 315
- Green’s function, 225
  - for the Poisson problem, 184
  - for the Sturm–Liouville problem, 250
- Hahn–Banach theorem, 280, 282, 284
- Hausdorff’s maximality theorem, 316
- heat equation, 252
- hermitian form, 328
- Hölder continuous, 35
- Hölder’s inequality, 30, 123, 124
- homogeneous, 18
- imaginary part, 321
- imaginary part  $\operatorname{Im} z$ , 321
- imaginary unit  $i$ , 321
- implicit function theorem, 103
- importance vector, 98
- index set, 331
- indexed family, 331
- induced metric, 39
- infimum, 315
- infinite-dimensional (vector space), 324
- initial value problem, 95
- injective (mapping), 330
- inner product, 3
  - standard, on  $C[a, b]$ , 3
  - standard, on  $\mathbb{K}^d$ , 3
- inner product space, 3
- integrable function, 113
- integral
  - equation, 204
  - kernel, 194
  - Lebesgue, 108
  - operator, 194
  - Riemann, 107
  - Riemann–Stieltjes, 175
  - integration by parts (for  $H^1$ -functions), 189
  - integration operator, 119, 179
  - invariant (subspace), 235
  - inverse (of a mapping), 331
  - inverse mapping theorem, 102
  - invertible operator, 196
  - isometric
    - isomorphism, 24, 333
    - mapping, *see also* isometry
  - isometry, 24, 333
    - linear, in finite dimensions, 9
  - isomorphic
    - as vector spaces, 325
  - isomorphism
    - algebraic, 325
    - isometric, 24
    - topological, 89
  - iterative procedure, 94
- kernel
  - Hilbert–Schmidt integral, 197
  - integral, 194
  - of a linear mapping,  $\ker(T)$ , 64, 325
- Lagrange multiplier, 104
- Laplace transform, 127, 198
- Laplacian (with Dirichlet b.c.), 196
- Lax–Milgram theorem, 146, 220
- least (element in an ordered set), 315
- least upper bound, 315
- Lebesgue
  - integral, 108
  - measurable set, 111
  - measure, 111
  - outer measure, 110
  - singular function, *see also* Cantor function
- Legendre polynomials, 12
- length
  - of a vector, 4
  - of an interval, 108
- limit
  - of a double sequence, 52
  - of a sequence, 40
- linear
  - mapping, bounded, 21
  - combination, 323
  - functional, 325
  - independence, 323
  - mapping, 21, 325

- space, 323
- span, 323
- subspace, 323
- Lipschitz
  - condition, 96
  - continuous, 35
- local uniqueness (of solutions), 98
- lower bound, 315
- mapping
  - bijjective, 331
  - continuous, 58
  - continuous at a point, 58
  - continuous linear, 63
  - general, 330
  - injective, 330
  - inverse, 331
  - linear, 325
  - surjective, 330
  - uniformly continuous, 65
- maximal (element in an ordered set), 315
- mean value theorem, 101
- measurable
  - function, 112, 194
  - product, 194
  - set (Lebesgue), 111
- measure, 111, 240
  - counting, 240
  - Lebesgue, 111
  - Lebesgue, outer, 110
  - Lebesgue, two-dimensional, 194
  - spectral, 241
- mesh, 72
- metric, 38
  - associated with a norm, 37
  - discrete, 38
  - induced, 39
- metric space
  - (sequentially) compact, 64
  - compact, 72
  - precompact, 72
  - product, 75
  - separable, 71
- midpoint-convex, 264
- minimal (element in an ordered set), 315
- minimal norm, 129, 142
- minimization problem (quadratic), 145
- Minkowski's inequality, 29
- minmax principle, 244
- modulus, 322
- moment
  - operator, 301
  - problem, 301
  - sequence, 174
- monotone convergence theorem, 113
- multiplication
  - abstract, 209
  - of two operators, 22
  - scalar, of functions, 326
  - scalar, of operators, 21
  - vectors with scalars, 323
- multiplication operator
  - on  $C[a, b]$ , 31
  - on  $\ell^p$ , 27
  - on  $L^p$ , 128
- multiplier sequence, 27
- negative part (of a function), 114
- Neumann series, 203
- Newton's method, 93
- norm, 18
  - induced by an inner product, 5
  - attained, 27
  - of an operator, 22
  - stronger/weaker, 66
  - uniform, 44
- norm (concrete)
  - 1-norm  $\|\cdot\|_1$  on  $\mathbb{K}^d$ , 19
  - 1-norm  $\|\cdot\|_1$ , on  $C[a, b]$ , 19
  - 1-norm  $\|\cdot\|_1$ , on  $L^1(X)$ , 118
  - 1-norm  $\|\cdot\|_1$ , on  $\ell^1$ , 20
  - 1-norm  $\|\cdot\|_1$ , on  $\mathcal{L}^1(X)$ , 113
  - 2-norm  $\|\cdot\|_2$ , on  $C[a, b]$ , 5
  - 2-norm  $\|\cdot\|_2$ , on  $\mathbb{K}^d$ , 5
  - 2-norm  $\|\cdot\|_2$ , on  $\ell^2$ , 17
  - 2-norm  $\|\cdot\|_2$ , on  $\mathcal{L}^2(X)$  and  $L^2(X)$ , 121
  - $\|\cdot\|_{(\alpha)}$  on  $C^\alpha([a, b]; E)$ , 35
  - $p$ -norm  $\|\cdot\|_p$ , on  $\ell^p$ , 28
  - $p$ -norm  $\|\cdot\|_p$ , on  $\mathcal{L}^p(X)$  and  $L^p(X)$ , 123
  - Euclidean on  $\mathbb{K}^d$ , 5
  - Hilbert–Schmidt  $\|\cdot\|_{\text{HS}}$ , 201
  - maximum norm  $\|\cdot\|_\infty$ , on  $\mathbb{K}^d$ , 19
  - on  $H^1$ , 182
  - supremum norm  $\|\cdot\|_\infty$ , on  $C[a, b]$ , 19
  - supremum norm, on  $\mathcal{B}(\Omega)$ , 20
  - variation norm  $\|\cdot\|_v$  on  $\text{BV}([a, b]; E)$ , 34
- normal operator, 240
- normed space, 18

- nuclear operator, 245
- null
  - sequence, 33, 48
  - set, 115
- null space, *see also* kernel, 325
- numerical radius, 234
- open
  - ball, 38
  - cover, 72
  - subset, 55
- open mapping theorem, 267
- operator, *see also* linear mapping, 21
  - abstract Hilbert–Schmidt, 223
  - adjoint (Hilbert space), 218
  - Banach space adjoint, 285
  - bounded, 21
  - compact, 214
  - convolution, 166
  - Dirichlet Laplacian, 247
  - dual, 285
  - exponential, 210
  - finite-dimensional, 211
  - finitely approximable, 211
  - Fourier transform, 128
  - Hermitian, 234
  - Hilbert–Hankel, 208
  - Hilbert–Schmidt (integral), 198
  - identity I, 24
  - integral, 194
  - invertible, 89, 196, 272
  - Laplace, 187
  - Laplace transform, 198
  - Laplacian, mixed b.c., 255
  - left and right shift, 26
  - moment, 301
  - monotonic, 340
  - multiplication on  $C[a, b]$ , 31
  - multiplication on  $\ell^p$ , 27
  - multiplication on  $L^p$ , 128
  - norm, 22
  - normal, 240, 245
  - nuclear, 245
  - of finite rank, 211
  - of integration  $J$ , 179, 200
  - of trace class, 245
  - positive self-adjoint, 242
  - Schödinger, one-dimensional, 249
  - self-adjoint, 234
  - semigroup, 254
  - strict contraction, 203
  - Sturm-Liouville, 249
  - Volterra, on  $C[a, b]$ , 204
  - Volterra, *the*, 254
  - zero 0, 24
- order completeness, 319
- ordered
  - pair, 330
  - set, 314
- ordering
  - partial, 314
  - reverse, 315
  - total, 314
- orthogonal, 6
  - decomposition, 135
  - projection, 8, 133, 141
- orthonormal basis
  - countable, 139
  - general, 353
- orthonormal system, 7
  - maximal, countable, 139
  - maximal, general, 353
- outer measure, 110
- pair (ordered), 330
- pairing, 290
  - canonical, 290
- parallelogram law, 5
- Parseval’s identity, 138, 160
  - for double series, 143
- partial ordering, 314
- partially ordered set, 314
- perpendicular, 6
- Plancherel’s identity, 170, 346
- Poincaré inequality, 185, 190
- point evaluation, 25, 326
- pointwise convergence, 44
- Poisson problem, 177, 184, 187, 196
- polarization identity, 5, 11
- positive cone, 141
- positive part (of a function), 114
- positively homogeneous, 279
- potential function, 249
- precompact (metric space), 72
- principle of nested balls, 262
- probability vector, 99
- product
  - (Cartesian) of sets, 330
  - of metric spaces, 75
  - of normed spaces, 75
  - of two operators, 22
- product measurable, 194
- product rule (for  $H^1$ -functions), 189
- projection

- associated with a direct sum, 326
  - orthogonal, 8, 133, 141
- Pythagoras' lemma, 7
- quadratic form, 328
- quadratic minimization, 137, 145
- quadratic variation (of a sequence), 53
- quotient space, 327
- range (of a linear mapping), 64, 325
- real part, 321
- rectangle, 194
- reflexive, 312, 314
- regulated function, 91, 295
- relation
  - equivalence, 312
  - functional, 330
  - set-theoretic, 330
- relatively compact, 75
- representative (for an equivalence class), 313
- resolvent (of an operator), 243
- resolvent identity, 243
- resolvent set, 243
- Riemann sum, 108
- Riemann–Lebesgue lemma, 162, 163
- Riemann–Stieltjes integral, 175
- Riesz representation theorem, 297
- Riesz' lemma, 70
- Riesz–Fréchet theorem, 136, 217, 220, 250, 292
- Riesz–Fréchet theorem, 145
- sandwich theorem, 60
- scalar product, 3
- self-adjoint operator, 234
- semi-inner product, 145
- semigroup, strongly continuous, 254
- separable
  - Hilbert space, 141
  - metric space, 71
  - normed space, 71, 280
- separating the points, 278
- separation lemma, 284
- sequence, 311
  - absolutely summable, 87
  - Cauchy, 79
  - convergent, 40
  - double, 52
  - finite, 48
  - multiplier, 27
  - null, 33, 48
  - of bounded variation, 52
  - of finite quadratic variation, 53
  - two-sided, 143
  - uniformly convergent, 44
  - weakly convergent, 288
- sequentially compact, 64
- series
  - (simply) convergent, 87
  - absolutely convergent, 87
  - double, 91
  - Neumann, 203
  - orthogonal, 137
  - unconditionally convergent, 352
- sesquilinear form, 3, 328
- set
  - (Lebesgue) null, 115
  - Cantor's "middle thirds", 116
  - Cartesian product, 330
  - complement, 330
  - convex, 131
  - difference, 330
  - empty, 329
  - equality of sets, 329
  - functional relation, 330
  - image (under a mapping), 330
  - index set, 331
  - intersection, 330, 331
  - inverse image (under a mapping), 330
  - midpoint-convex, 264
  - power set, 330
  - relation, 330
  - singleton, 329
  - subset, 329
  - symmetric, 264
  - union, 330, 331
- shift (left and right), 26
- $\sigma$ -algebra, 111
- singleton set, 329
- singular value decomposition, 245
- singular values, 245
- Sobolev space
  - first order, 178
  - higher order, 184
- space
  - (topological) dual, 277
  - abstract vector space, 322
  - algebraic dual, 327
  - Banach, 84
  - complete metric, 80
  - double dual, 286
  - finite-dimensional, 324

- Hilbert, 81  
 infinite-dimensional, 324  
 inner product, 3  
 linear, 323  
 metric, 38  
 normed, 18  
 pre-Hilbert, 3  
 quotient, 91  
 reflexive, 287  
 separable, 141, 282  
 Sobolev (first order), 178  
 Sobolev (higher order), 184  
 space (concrete)  
    $\mathcal{L}(E; F)$ ,  $\mathcal{L}(E)$ , 21  
    $\mathcal{C}(E; F)$ , 214  
    $\mathcal{C}_0(E; F)$ , 211  
    $BV([a, b]; E)$ , 35, 91  
    $BV_0[a, b]$ , 295  
    $BV_0^1[a, b]$ , 298  
    $\mathcal{B}(\Omega)$ , 20, 84  
    $\mathcal{C}_b(\Omega)$ , 86  
    $\mathcal{C}_c(\mathbb{R})$ , 153  
    $\mathcal{C}_c^\infty(\mathbb{R})$ , 155  
    $\mathcal{C}_c^\infty(a, b)$ , 155  
    $\mathcal{C}([a, b]; E)$ , 104  
    $\mathcal{C}[a, b]$ , 1, 85  
    $\mathcal{C}_0^1(\Omega)$ , 187  
    $\mathcal{C}_0^1[a, b]$ , 62, 177  
    $\mathcal{C}^\alpha([a, b]; E)$ , 35, 91  
    $\mathcal{C}^\infty[a, b]$ , 50  
    $\mathcal{C}^k[a, b]$ , 50  
    $\mathcal{C}_0[a, b]$ , 51  
    $\mathcal{C}_{\text{per}}[0, 1]$ , 157  
    $\mathcal{F}[a, b]$ , 1  
    $\mathcal{L}^1(X)$ , 113  
    $L^1(X)$ , 118  
    $L^\infty(X)$ , 122  
    $\mathcal{L}^2(X)$ ,  $L^2(X)$ , 121  
    $\mathcal{L}^p(X)$ ,  $L^p(X)$ , 123  
    $L^1(X \times Y)$ , 194  
    $L^2(X \times Y)$ , 194  
    $L_c^p(\mathbb{R})$ , 152  
    $H^1(a, b)$ , 178  
    $H_0^1(a, b)$ , 185  
    $H^n(a, b)$ , 183  
    $\mathcal{M}(X)$ , 112  
    $\mathcal{M}_+(X)$ , 113  
    $PL[a, b]$ , 149  
    $P[a, b]$ , 50  
    $R[a, b]$ , 107  
    $\text{Reg}[a, b]$ , 295  
    $\text{Reg}([a, b]; E)$ , 91  
    $\text{Reg}_s[a, b]$ , 296  
    $\text{St}([a, b]; E)$ , 35, 91  
    $UC_b(\Omega)$ , 89  
    $\mathbb{K}^d$ , 1  
    $c_{00}$ , 48, 88, 89  
    $\ell^1$ , 20  
    $\ell^2$ , 17  
    $\ell^2(\mathbb{Z})$ , 143  
    $\ell^\infty$ , 20, 85  
    $\ell^p$ , 28  
   s, 92  
 span, *see also* linear span  
 special regulated function, 296  
 spectral decomposition, 237  
 spectral measure, 241  
 spectral theorem  
   for compact self-adjoint operators,  
     236  
   for compact normal operators, 245  
   for normal operators, 241  
 spectrum  
   of a matrix, 232  
   of an operator, 232, 243  
 standard unit vectors, 25  
 Steinitz' theorem, 324  
 step function, 35, 295  
 strong convergence lemma, 164  
 stronger/weaker norm, 66  
 strongly convergent, 201  
 Sturm–Liouville problem, 221, 225, 228,  
   249  
 subadditive, 279  
 subcover (of an open cover), 72  
 sublinear functional, 279  
 subsequence (of a sequence), 312  
 subspace  
   of a metric space, 39  
   of a vector space, 323  
 summable  
    $p$ -, 28  
   absolutely, 20  
   square, 17, 143  
   unconditionally, 352  
 support (of a function), 152  
 supremum, 315  
 supremum norm, 20  
 surjective (mapping), 330  
 symmetric, 38, 312  
   form, 328  
   set, 264



- system of representatives, 313  
 target set or space, 330  
 theorem  
   Weierstrass, trigonometric version, 160  
   Baire, 262, 275  
   Banach–Steinhaus, 265  
   Bessel’s inequality, 8, 138  
   Bolzano–Weierstrass, 65, 69, 320  
   bounded inverse, 268  
   Carlson–Beurling inequality, 348  
   Cauchy–Schwarz inequality, 15  
   closed graph, 270  
   completion (of a metric space), 334  
   completion (of a normed space), 286, 337  
   contraction principle, 94  
   Dini, 77  
   Dirichlet–Dini criterion, 159  
   dominated convergence, 118  
   du Bois–Reymond, 159, 266  
   Fejér, 167  
   Fourier inversion formula, 174, 347  
   Fredholm alternative, 238  
   Fubini, 194  
   fundamental theorem of calculus for  $H^1$ , 182  
   Gram–Schmidt, 9  
   Hahn–Banach separation, 145, 284  
   Hahn–Banach, general case, 282  
   Hahn–Banach, separable case, 280  
   Hausdorff maximality, 316  
   Hellinger–Toeplitz, 275  
   Hölder’s inequality  
     ( $p = 1, q = \infty$ ), 123  
     ( $p = q = 2$ ), 122  
     discrete, 30  
     general, 124  
   implicit function, 103  
   inverse mapping, 102  
   Lax–Milgram, 146, 220  
   mean value, 101  
   Minkowski’s inequality, 29  
   minmax principle, 244  
   monotone convergence, 113  
   Neumann series, 203  
   open mapping, 267  
   Parseval’s identity, 137, 138, 160  
     for double series, 143  
   Plancherel’s identity, 170, 346  
   Poincaré inequality, 185, 190, 256  
   principle of nested balls, 262  
   Pythagoras’, 7  
   Riemann–Lebesgue lemma, 162, 163  
   Riesz representation, 297  
   Riesz’ lemma, 70  
   Riesz–Fréchet, 136, 217, 220, 250, 292  
   Riesz–Kakutani, 298  
   Riesz–Fréchet, 145  
   separation lemma, 284  
   spectral theorem (for cp. normal), 245  
   spectral theorem (for cp. self-adj.), 236  
   spectral theorem (general), 241  
   Steinitz, 324  
   strong convergence lemma, 164  
   Tietze, 273  
   uniform boundedness principle, 264  
   uniqueness for Fourier series, 161  
   Weierstrass, 50, 149, 339  
   Weierstrass’ M-test, 87  
   Young’s inequality, 175  
   Zorn’s lemma, 315  
 totally ordered set, 314  
 trace class operator, 245  
 transitive, 312, 314  
 transposed matrix, 216  
 triangle inequality  
   for metrics, 38  
   for norms, 16, 18  
   second t.i., for metrics, 60  
   second t.i., for norms, 61  
 trigonometric polynomial, 156  
 trigonometric system, 10, 156  
 truncation, 152  
  
 unconditional convergence (of a series), 352  
 uncountable (set), 316  
 uniform boundedness principle, 264  
 uniformly bounded (set of operators), 264  
 uniformly continuous, 65  
 unit ball (of a normed space), 23  
 unit vectors, standard, 25  
 unitarily equivalent, 240  
 upper bound, 315  
  
 variational method, 185  
 variational problem, 137, 145  
 vector space, 322  
 Volterra integral equation, 205

Volterra operator

*the*, 254

abstract, 204

weak

convergence, 75, 288

derivative, 178

gradient, 187

limit, 288

weaker/stronger norm, 66

Weierstrass theorem, 50, 149

Weierstrass' M-test, 87

well-defined operation, 313

well-posedness (of an equation), 196

Wronskian, 251

Young's inequality, 175

Zorn's lemma, 315