

---

# Index

- abc*-conjecture, 209, 210
- Abel, Niels
- convergence criterion, 4
  - rule, 4
  - summation, 3, 4
  - theorem, 317, 349
  - transformation, 3
- Abelian theorem, 318, 319, 321
- abscissa
- of absolute convergence, 191
  - of convergence, 191, 194–196, 198, 199, 201, 206, 211–216
- absolutely continuous
- distribution function, 426, 435
- addition of sequences, 420
- additive function, 29, 451, 452, 472, 549
- algebraic number, 146, 147, 159, 160, 162
- algorithm
- Euclidean, 152
- Alladi, Krishnaswami, 100, 351, 527, 545
- Alladi & Erdős, 62, 121, 467
- almost squares, 106
- Aparicio Bernardo, Emiliano, 22
- arcsine law, 305, 306
- arithmetic function, 29
- completely additive, 29
  - completely multiplicative, 29
- Arratia, Richard, *see below*
- Arratia & Stark, 581
- Artin, Emil, 171
- asymptotic independence, 447
- atomic
- distribution function, 426, 435
- Axer, Aleksander, 61
- Ayoub, Raymond, 401
- Babu, G. Jogesh, 435, 501
- Bachet, Claude-Gaspard, 23, 150
- Balazard, Michel, 311, 312, 467
- Balazard & Smati, 290
- Balazard & Tenenbaum, 290
- Balazard, Delange & Nicolas, 311
- Barban & Vinogradov, 581
- Bateman, Paul T., 275, 282, 290
- Behrend, Felix, 443
- Bernoulli, Jacques
- functions, 6, 8, 131, 235, 243
  - numbers, 6, 234, 380
  - random variables, 447
- Bernstein, Felix, *see* Cantor
- Berry–Esseen
- inequality, 335, 337, 340, 341, 351, 431, 499, 500
  - theorem, 356
- Bertrand, Joseph
- postulate, 13, 24
- Besicovitch, Abram S., 469
- Beta function, 172
- Beurling, Arne, 94, 102
- Bézout, Étienne, 23
- Bienaymé, Jules, *see below*
- Bienaymé–Chebyshev, 446
- Bingham, Nick H., *see below*
- Bingham, Goldie & Teugels, 322
- Blanchard, André, 274
- Bohr, Harald, 205, 207, 210, 335
- Bohr–Møllerup, 171
- Bombieri, Enrico, 73, 102, 402
- Bombieri & Davenport, 103, 107
- Bombieri & Iwaniec, 57, 123, 251

- Bombieri–Vinogradov, 102, 103, 107, 402, 403
- Borel, Émile, *see below*
- Borel–Carathéodory, 241, 246, 249, 267
- Bovey, John D., 465
- Brek, Srečko, *see below*
- Brek, Mendès France, Robson & Rubey, 160
- de Bruijn, Nicolaas Govert, 513, 522, 525, 527, 530, 533, 545, 546, 584, 585
- de Bruijn, van Ebbenhorst Tengbergen & Kruyswijk, 442
- Brun, Viggo, 68, 70, 71, 82, 84, 100, 105, 557
- Brun–Titchmarsh, 83
- Buchshtab, Aleksandr Adolfovich  
function, 101, 561, 566, 583  
identity, 518–523, 560, 588
- Burgess, David A., 402
- Cahen, Eugène, 206
- Cantor, Georg, 147, 159, 160
- Cantor–Bernstein, 159
- Cantor–Mendès France, 160
- Carathéodory, Constantin, *see Borel*
- Carlson, Fritz, 227
- Cartan, Henri, 59, 191
- Cashwell, Edmond D., *see below*
- Cashwell & Everett, 32
- Cesàro, Ernesto, 204, 318, 353
- chains of divisors, 442
- character  
Dirichlet, 363  
primitive, 102, 364  
principal, 364  
real, 363, 377, 386, 391
- characters  
of  $(\mathbb{Z}/q\mathbb{Z})^*$ , 362  
of an Abelian group, 360  
orthogonality, 364
- Chebyshev, Pafnuti, vii, 13, 17, 20, 22, 24, *see also* Bienaymé  
polynomials, 329, 331  
summatory functions, 36, 49, 120
- check-point, 459
- Chen, Jing Run, 402
- Chowla, Sarvadaman, 403
- circle  
method, 579  
problem, 123, 131, 140  
squaring the —, 159
- class  $\mathcal{L}^\alpha(\mathbb{N}^*)$ , 501
- class number formula, 402
- Cohen, Eckford, 64
- comparison of a sum and an integral, 4, 201
- completely additive function, 29
- completely multiplicative function, 29
- concentration, 351, 435, 436  
function, 351, 435, 436  
of divisors, 294, 442, 472  
on divisors, 442
- conductor, 365
- conjecture  
Elliott–Halberstam, 403  
Goldbach, 106
- Conrey, J. Brian, 274
- constant  
Markov, 161
- continued fraction, 151
- continuity point, 425
- continuity theorem, 430, 432, 433, 435, 476, 506
- convergence  
to the Gaussian law, 429, 508  
weak, 430, 446, 498, 503
- convergent, 148, 150, 153, 155–157, 160–165, 215  
secondary, 163
- convolution  
Dirichlet, 32  
distribution functions, 433  
inverse, 33–35
- core  
of an integer, 64, 68, 198, 208, 209, 214
- van der Corput, Johannes Gualtherus, 45, 57, 123, 125, 127–129, 131, 132, 137, 138, 256
- correlation, 138
- countable, 147, 160
- Cramér, Harald, 430, 433
- criterion  
Fejér, 141  
Weyl, 134, 135, 141, 347
- critical strip, 235, 237, 239, 242, 376, 385
- Daboussi, Hédi, 12, 58, 102, 424, 501, 506, 507, 543, 579
- Daboussi & Delange, 102, 507
- Davenport, Harold, 401, 402, *see also* Bombieri
- Davenport & Erdős, 420–423
- Davenport & Halberstam, 73

- De Koninck & Tenenbaum, 313, 465, 466  
 Dedekind, Richard, 159  
 Delange, Hubert, 102, 278, 290, 291, 311, 314, 334, 350, 405, 419, 476, 481, 484, 485, 501–505, *see also* Daboussi; Ikehara  
 Delange & Tenenbaum, 205  
 delay differential equation, 95, 101, 519, 523, 545, 561, 563, 566, 584  
 density, 414  
   analytic, 418  
   asymptotic, 415  
   divisor, 420, 470  
   logarithmic, 416  
   lower asymptotic, 415  
   lower logarithmic, 416  
   lower natural, 415  
   multiplicative, 421, 422  
   natural, 415  
   of a probability law, 306, 351  
   Schnirelmann, 420  
   sequential, 421, 422  
   upper asymptotic, 415  
   upper logarithmic, 416  
   upper natural, 415  
 Deshouillers, Dress & Tenenbaum, 313  
 diagonal argument  
   Cantor, 147, 160  
   Cantor–Mendès France, 160  
 Diamond, Harold, 57, 272, 296, 350  
 Diamond & Halberstam, 100  
 Dickman, Karl  
   function, 95, 101, 519, 523, 524, 530, 546, 567, 587  
   generalized — function, 95  
 direct factors, 423  
 Dirichlet, Peter G. Lejeune–, 359, 360, 370  
    $L$ -series, 102, 369  
   approximation theorem, 145, 146, 148, 158, 200, 409  
   character, 102, 363  
   class number formula, 402  
   convolution, 32, 86, 87  
   divisor problem, 44, 45, 123, 131  
   formal — series, 31, 85  
   formula for  $\Gamma'/\Gamma$ , 182  
   hyperbola method, 44, 45, 62  
   theorem on arithmetic progressions, 83, 105, 360, 370  
 discontinuity point, 425  
 discrepancy, 134, 135, 141, 143  
 discrete  
   distribution function, 426  
 distance  
   Lévy, 586  
 distribution  
   of additive functions, 475  
   of multiplicative functions, 505  
 distribution function, 340, 425  
   absolutely continuous, 426, 435  
   atomic, 426, 429, 435  
   discrete, 426  
   improper, 426  
   of an arithmetic function, 419, 440, 471, 473, 475, 476, 550  
   pure type, 435, 441, 476  
   purely singular, 426, 435  
 distribution law  
   of an additive function, 505  
   of an arithmetic function, 477, 479, 480, 498, 501, 506  
 divisor function, 30, 40, 43–45, 64, 112–114, 118, 120, 206, 292, 293, 297, 305, 306, 454, 455, 465, 471  
 divisors  
   chains of —, 442  
   concentration of, 294, 442, 472  
   concentration on, 442  
   in arithmetic progressions, 407  
   of friable integers, 579  
 Dress, François, 208, *see also* Deshouillers  
 Dress, Iwaniec & Tenenbaum, 403  
 Drmota, Michael, 347  
 Dupain, Hall & Tenenbaum, 420  
 duplication formula, 174, 234, 384  
 dyadic, 160  
 Dyson, Freeman J., 147  
 van Ebbenhorst Tengbergen, Ca., *see de* Bruijn  
 Edwards, Harold M., 232  
 effective mean value estimates, 502  
 elementary, 445  
 Elliott, Peter D.T.A., 84, 102, 351, 433, 435, 453, 461–463, 501–503, 506, 581, 586  
 Elliott & Ryavec, 503  
 Elliott–Halberstam, 403  
 Ellison & Mendès France, 57, 272, 274, 401, 402  
 empirical variance, 446, 448, 451

- Ennola, Veikko, 517, 518, 543  
 equation  
   delay differential, 95, 101, 523, 545,  
     561, 563, 566, 584  
   Pell, 165  
   Volterra, 545  
 equidistributed modulo 1  
   sequence, 134, 138  
 equipotent sets, 159  
 equivalent numbers, 156  
 Eratosthenes  
   sieve, 67–69, 105  
 Erdős–Turán inequality, 135, 136, 139,  
   142, 143  
 Erdős, Paul, 12, 22, 41, 58, 107, 121, 290,  
   427, 440, 441, 460, 464–466, 476, 501,  
   586, *see also* Alladi; Davenport  
 Erdős & Hall, 471  
 Erdős, Hall & Tenenbaum, 421  
 Erdős & Ingham, 353  
 Erdős & Kac, 315, 316, 498, 499, 504  
 Erdős & Nicolas, 118, 119  
 Erdős, Saffari & Vaughan, 424  
 Erdős & Sárközy, 118  
 Erdős, Sárközy & Szemerédi, 443  
 Erdős & Shapiro, 57  
 Erdős & Tenenbaum, 118, 465  
 Erdős & Turán, 135  
   inequality, 135, 136, 139, 142, 143  
 Erdős & Wintner, 472, 475, 501, 506  
 Esseen, Carl–Gustav, 437, *see also* Berry  
 Estermann, Theodor, 397  
 Euclid, 360  
   first theorem, 11, 23  
   second theorem, 11, 12  
 Euclidean algorithm, 152  
 Euler, Leonhard, 27, 159, 169, 178  
   constant, 7, 10  
   formula for  $\sin \pi z$ , 178  
   formula for  $\zeta(s)$ , 19, 59  
   totient function, 30, 31, 37, 38, 40,  
     46, 47, 57, 63, 115, 119, 275, 282,  
     292, 440, 441, 472  
 Euler–Maclaurin formula, 5, 7–10, 57,  
   140, 141, 175, 228, 232, 256, 517  
 Everett, Cornelius J., *see* Cashwell  
 Evertse, Jan–Hendrik, *see below*  
 Evertse, Moree, Stewart & Tijdeman,  
   546  
 expectation, 446  
 explicit formula  
   for  $\psi(x)$ , 268, 271, 274, 276  
   for  $\psi(x; \chi)$ , 391  
 exponent pairs, 138  
 factorial ring, 32  
 Farey, John  
   series, 47, 63  
 Fejér, Lipót  
   criterion, 141  
   kernel, 142, 333, 433, 437  
 Feller, William, 335, 341, 356, 430, 433,  
   475  
 Fermat, Pierre de, 96, *see also* Girard  
 Fibonacci, Leonardo  
   sequence, 153  
 Ford, Kevin, 469  
 Ford & Halberstam, 100  
 Ford, Green, Konyagin, Maynard, &  
   Tao, 551  
 formula  
   class number, 402  
   cotangent, 392  
   duplication, 174, 384  
   Euler’s for  $\Gamma(s)$ , 169, 181  
   Euler’s for  $\sin \pi z$ , 78, 183  
   Euler’s for  $\zeta(s)$ , 19, 59, 189, 231  
   Euler–Maclaurin, 5, 7–10, 57, 140,  
     141, 175, 228, 232, 256, 517  
   Hankel, 179  
   Jensen, 240, 243  
   Legendre–Gauss, 182  
   mean value, 225  
   Mertens, 19, 67, 115, 458, 525, 553,  
     563, 565  
   Parseval, 433  
   Perron, 217, 219, 221–223, 227  
   Plancherel, 437, 488, 492  
   Poisson summation, 76, 108, 124,  
     126, 137, 138, 256  
   Ramanujan, 251  
   reflection, 288, 383, 384  
 Fouvry, Étienne, *see below*  
 Fouvry & Grupp, 103  
 Fouvry & Tenenbaum, 546, 547  
 Fresnel, Augustin, 183  
 Freud, Géza, 327, 349, *see also* Kara-  
   mata  
 Freud & Ganelius, 349  
 friable integers, 312, 511  
 Friedlander, John, *see below*  
 Friedlander & Granville, 548, 584

- Friedlander, Granville, Hildebrand & Maier, 584
- Fubini, Guido, 172
- function
- Alladi–Erdős, 62, 121, 467
  - Bernoulli, 6
  - Buchstab, 101, 561, 566, 583
  - characteristic, 340, 429, 475, 477
  - Dickman, 95, 101, 519, 523, 524, 530, 546, 567, 587
  - Gamma, 169
  - generalized Dickman, 95
  - Hooley’s Delta, 294, 442, 472
  - Jacobi theta, 256
  - Jacobsthal, 540, 551
  - radial, 184
  - slowly varying, 349, 485
  - trapezoidal, 337
- functional equation
- approximate, 251
  - asymmetric — for  $\zeta(s)$ , 234
  - asymmetric — for  $L(s, \chi)$ , 384
  - for  $\Gamma(s)$ , 170
  - for  $\Phi(x, y)$ , 560
  - for  $\Psi(x, y)$ , 518
  - for  $\vartheta(x)$ , 256
  - symmetric — for  $\zeta(s)$ , 234
  - symmetric — for  $L(s, \chi)$ , 382
- functions
- Bernoulli, 8
  - Chebyshev, 36, 49
  - Dirichlet  $L$ -, 102, 369, 376, 386
- fundamental discriminant, 401
- fundamental lemma
- of Kubilius’ model, 581
  - of the combinatorial sieve, 71, 105
- Galambos, Janos, 464, 501, 506
- Galambos & Szűsz, 506
- Gallagher, Patrick X., 102, 103, 488, 492
- Ganelius, Tord, 334, 335, 337, 341, *see also* Freud
- Gantmacher, Felix R., 89
- gaps between primes, 107, 539, 541
- Gauss, Carl Friedrich, 27, 181
- formula for  $\Gamma'/\Gamma$ , 182
  - law, 499, 508
  - sums, 365, 366, 401
- Gaussian sum, 365, 366, 401
- Gelfond, Aleksandr Osipovich, 22
- Gelfond & Linnik, 57, 147
- generalized Riemann hypothesis, 386, 401–403
- Girard, Albert, 96
- Girard–Fermat, 97, 155
- Goldbach, Christian, 106, 169
- golden ratio, 153, 161, 162
- Goldfeld, Dorian, 403
- Goldie, Charles M., *see* Bingham
- Goldston, Pintz & Yıldırım, 85, 104, 107
- good approximation, 162, 163
- Gorshkov, D.S., 22
- Graham, Sidney W., 58, 402
- Graham & Kolesnik, 123, 138
- Graham & Vaaler, 102
- Granville, Andrew, 548, *see also* Friedlander
- Granville & Soundararajan, 502
- Greaves, George, 85
- Green, Ben, *see* Ford
- Grosswald, Emil, 208
- Grupp, Frieder, *see* Fouvry
- Hadamard, Jacques, 12, 238, 242, 245
- product formula, 245, 385
  - three circles lemma, 265, 266
- Halász, Gábor, 485–487, 494, 502, 508
- Halberstam, Heini, *see* Davenport; Diamond; Elliott; Ford
- Halberstam & Richert, 70, 85, 103, 105, 107, 463
- Halberstam & Roth, 420, 421, 443
- Hall, Richard R., 408, 420, 463, 470, 471, *see also* Dupain; Erdős
- Hall & Tenenbaum, 100, 294, 420, 433, 460, 463–465, 469, 472, 496, 502, 508
- Hankel, Hermann
- contour, 179, 180, 233, 234, 260, 282, 283, 291, 294, 383, 384
  - formula, 179
- Hanrot, Tenenbaum & Wu, 104, 549
- Hanson, Denis, 22
- Hardy, Godfrey H., 45, 138, 265, 272, 349, 353
- Hardy & Littlewood
- approximate functional equation, 251
  - approximation of  $\zeta(s)$ , 251
  - conjecture, 71
  - Tauberian theorem, 322, 325, 326, 357
- Hardy–Littlewood–Karamata, 326, 327, 334, 371, 372, 505

- Hardy & Ramanujan, 445, 446, 454  
inequality, 467
- Hardy & Riesz, 204, 210, 227
- Hardy & Wright, 311
- Heath-Brown, D. Roger, 232, 251, 402
- Hengartner, Walter, *see below*
- Hengartner & Theodorescu, 435, 437
- Hensley, Douglas, 95, 312, 546, 548
- Heppner, Ernst, 64
- Hermite, Charles, 155, 159
- Hildebrand, Adolf J., 102, 402, 451, 462, 463, 530, 539, 546–548, 583, 584, 586, *see also* Friedlander
- Hildebrand & Maier, 584
- Hildebrand & Tenenbaum, 104, 312, 538, 543, 545, 547, 548, 583–585
- Hooley, Christopher, 100  
 $\Delta$ -function, 294, 442, 472
- Hörmander, Lars, 349
- Hurwitz, Adolf, 160, 161, 256
- Huxley, Martin N., 45, 57, 84, 123, 124, 138–140, 251
- Huxley & Kolesnik, 123
- Huxley & Watt, 123
- hyperbola method, 44, 45, 50, 54, 57, 62, 131, 347
- hypothesis  
generalized Riemann, 386, 401–403  
Riemann, 58, 265, 267, 275, 276, 547
- identity  
Buchstab, 518–523, 560, 588  
Ramanujan, 239, 276  
Selberg, 65
- Ikehara, Shikao, 334, 355, 375, *see also* Wiener
- Ikehara–Ingham–Delange, 335, 337
- inclusion–exclusion principle, 38, 39, 42, 67, 469
- independent random variables  
sum of —, 436, 461, 475
- ineffective constant, 147, 376, 397, 399, 400
- inequality, 449  
Berry–Esseen, 335, 337, 340, 341, 351, 431, 499, 500  
Bienaymé–Chebyshev, 446  
van der Corput, 127–129, 137  
friable Turán–Kubilius, 550  
Hardy–Ramanujan, 467  
Jensen, 438  
Kolmogorov–Rogozin, 436  
Minkowski, 339  
Pólya–Vinogradov, 367, 368, 376, 400  
Turán–Kubilius, 446, 448, 449, 451–453, 455, 461–463, 467, 472, 473, 481, 483, 500, 501  
Weyl–van der Corput, 129, 130, 138
- Ingham, Albert Edward, 208, 239, 274, 334, 346, 349, 357, *see also* Erdős; Ikehara
- integers  
 $k$ -free, 40  
friable, 511  
squarefree, 40, 52  
squarefull, 63
- inversion formula  
Fourier, 177, 430  
generalized Möbius, 87  
Laplace, 218, 524, 525, 532, 533, 536, 545, 566, 572  
Möbius, 34, 35, 39, 53, 67  
Mellin, 177
- iterated logarithm, 464
- Ivić & Tenenbaum, 555
- Ivić, Aleksandar, 138, 232, 251, 252, 272, 274
- Iwaniec, Henryk, 71, 100, 101, 551, *see also* Bombieri; Dress; Rosser
- Iwaniec & Mozzochi, 45, 57, 123
- Jacobi, C. Gustav  
symbol, 363  
theta function, 256
- Jacobsthal, Ernst, 540, 551
- Jensen, Johan  
formula, 240, 243  
inequality, 438
- Jessen & Wintner, 435
- Johnsen, John, 103
- Johnsen–Selberg, 91
- Jordan, Camille, 124
- Kaczorowski, Jerzy, *see below*
- Kaczorowski & Pintz, 208
- Kahane & Queffélec, 205
- Kalmár, László, 22
- Kamae, Teturo, *see below*
- Kamae & Mendès France, 138
- Karamata, Jovan, 322, 325–328, 347, 349, 419, 565, *see also* Hardy–Littlewood

- Karamata–Freud, 371  
 Karatsuba, Anatolij A., 139  
 Katznelson, Yitzhak, 76, 79  
 kernel  
     Fejér, 77, 142, 333, 433, 437  
     of an integer, 64, 68, 198, 208, 209  
 Kerner, Sébastien, 312  
*k*-free integers, 40  
 Kobayashi, Isamu, 84  
 Kolesnik, Grigori, 57, 123, *see also* Graham; Huxley  
 Kolmogorov, Andreï N., 436, 475, 501  
 Kolmogorov–Rogozin, 436  
 Konyagin, Sergei, *see* Ford  
 Korevaar, Jacob, 208, 322, 343, 349, 352  
 Korobov, Nikolai Mikhaïlovich, 252  
 Kronecker, Leopold  
     notation, 86, 397  
     symbol, 401  
 Kruyswijk, D., *see* de Bruijn  
 Kubilius, Jonas, 451, 463, 503, 504, 581,  
     *see also* Turán  
 Kubilius gauge, 580, 586  
 Kubilius model, 550, 579  
     fundamental lemma, 581  
 Kusmin, R.O., 137  
 Kusmin–Landau, 127, 128, 141  
  
 La Bretèche, Régis de, *see below*  
 La Bretèche & Tenenbaum, 451, 461,  
     465, 466, 546, 548, 550, 555  
 Lagrange, Joseph, 567  
     criterion, 155  
 Lambek, Joachim, *see* Moser  
 Lambert, Johann Heinrich  
     series, 347  
     summation method, 347  
 Landau, Edmund, 45, 49, 57, 137, 193,  
     204–206, 208, 210, 223, 227, 299, 325,  
     344, 346, 353, 386, 389, 390, 401, 406,  
     *see also* Kusmin; Phragmén; Schnee  
     symbol, xxiii  
 Landau & Walfisz, 257  
 Landau–Page, 386, 390, 394, 402  
 Laplace, Pierre Simon de, 137  
 Laplace–Stieltjes  
     integral, 321  
     transform of —, 189  
 La Vallée Poussin, Charles de, 12, 238,  
     359  
 law  
     arcsine, 305, 306  
     Gauss, 499, 508  
     improper, 426, 446  
     limit, 419, 427, 431, 432, 440, 441,  
         471, 473, 475–477, 479, 480, 498,  
         501, 505, 506, 550  
     local, 299, 454  
     normal, 499, 508  
     of the iterated logarithm, 464  
     pure, 435, 440, 441, 476  
     uniform, 425  
 Lebesgue, Henri, 170, 174, 178, 321, 325,  
     426, 431, 434  
     decomposition theorem, 426  
 Lee, Jungseob, 461  
 Legendre, Adrien-Marie, xx  
     duplication formula, 174, 234  
     symbol, 27, 96, 363  
 lemma  
     Gallagher, 488, 492  
     Landau, 325  
     Montgomery–Wirsing, 489  
     real part, 241, 246, 249, 267  
     Riemann–Lebesgue, 76, 263  
     three circles, 265  
 length  
     of a polynomial, 328  
 LeVeque, William Judson, 504  
 Levin, B.V., *see below*  
 Levin & Timofeev, 503  
 Levinson, Norman, 265, 274  
 Lévy, Paul, 435  
     continuity theorem, 430, 433, 476  
     distance, 586  
*L*-functions  
     Dirichlet, 102, 369, 376, 386  
 limit law, 427  
 limiting distribution  
     atomic, 441  
     of an arithmetic function, 427, 431,  
         432, 440, 441  
     purely singular, 441  
 Lindelöf, Ernst Leonard, *see also*  
     Phragmén  
     hypothesis, 235, 254, 255, 265  
 Lindemann, Ferdinand, 159  
 Linnik, Yurii Vladimirovich, 73, *see also*  
     Gelfond  
 Liouville, Joseph, 146, 147, 159, 178  
     function, 64  
 Littlewood, John Edensor, 252, *see also*  
     Hardy

- Loève, Michel, 430, 433  
*L*-series, 102, 369, 376, 386  
 Lukacs, Eugene, 430, 433, 439
- Maier, Helmut, 584, *see also* Friedlander;  
 Hildebrand  
 Maier & Pomerance, 551  
 Maier & Tenenbaum, 465  
 von Mangoldt, Hans, 49, 252, 268  
   function, 24, 25, 30, 36, 229  
 Mann, Henry B., 420  
 Markov, Andreï A.  
   constant, 161  
 Martin, Bruno, *see below*  
 Martin & Tenenbaum, 547  
 Masser, David W., 209  
 Mathan, Bernard de, 349  
 maximal order of  $\tau(n)$ , 119  
 Maynard, James, 85, 107, *see also* Ford  
 mean value, 44, 49, 54–56, 58, 65, 140,  
   347, 429, 432, 459, 472, 476, 477, 482,  
   484, 485, 495, 499, 502, 505, 506, 585  
 mean value formula, 225  
 Mellin, Robert Hjalmar, 177  
 Mendès France & Tenenbaum, 465  
 Mendès France, Michel, 138, 160, *see*  
   *also* Brlek; Cantor; Ellison; Kamae;  
   Tenenbaum  
 Mersenne, Marin, 26  
 Mertens, Franz, 238, 262, 371  
   first theorem, 16–18, 100, 414, 457  
   formula, 19, 67, 115, 458, 525, 553,  
   563, 565  
   second theorem, 19, 26
- method  
   circle, 579  
   hyperbola, 44, 45, 50, 54, 57, 62,  
   131, 347  
   of vanishing moments, 471  
   parametric, 100  
   Rankin, 100, 512, 530, 538, 576  
   saddle-point, 121, 312, 525, 530,  
   533, 537, 545, 548, 559, 564, 566,  
   567, 569, 572, 579, 581, 583
- Miech, Ronald J., 402  
 minimal polynomial, 146  
 Minkowski, Hermann, 339  
 Möbius, August  
   function, 30, 31, 34, 47, 49, 258, 354  
   inversion formula, 34, 35, 39, 53, 67,  
   558  
 Møllerup, Johannes, *see* Bohr
- monotone multiplicative function, 41  
 Montgomery, Hugh L., 57, 73, 82, 102,  
   138, 406, 486, 487, 489, 498, 502  
 Montgomery & Vaughan, 58, 73, 103,  
   401, 502, 507  
 Montgomery–Wirsing, 489  
 Moree, Pieter, *see* Evertse  
 Moser, Leo, *see below*  
 Moser & Lambek, 41  
 Motohashi, Yoichi, 103  
 Mozzochi, Charles J., *see* Iwaniec
- multiplicative function, 29, 33, 35, 40,  
   41, 52, 54, 55, 58, 59, 65, 71, 82, 85,  
   88, 90, 106, 112, 116, 119, 188, 214,  
   278, 300, 301, 309, 379, 432, 456, 463,  
   471, 476, 477, 481, 482, 485–487, 489,  
   494, 496, 498, 501, 502, 505–507, 512,  
   513  
   distribution of, 505  
   in Selberg’s sense, 85  
   monotone, 41  
   normal, 85  
   regular, 85  
   singular, 85
- Murty, Marouti Ram, 360  
 Murty & Thain, 360
- Naïmi, Mongi, 555  
 Nair, Mohan, 14, 22, 59  
 Nanopoulos, Photius, 420  
 natural boundary, 257  
 Newman, Donald J., 208, 352  
 Nicolas, Jean-Louis, 118, 311, 314, *see*  
   *also* Erdős  
 Nikodym, Otton, *see* Radon  
 normalized summatory function, 217  
 Norton, Karl K., 312, 467, 543  
 Novoselov, E.V., 501  
 number of divisors, 119  
 numbers  
   almost square, 106  
   composite, 26  
   equivalent, 156  
   friable, 511  
   highly composite, *see also* maximal  
   order of  $\tau(n)$   
   prime twins, 82  
   quadratic irrational, 158, 164  
   squarefree, 114, 143, 406, 555  
   squarefree friable, 555  
   squarefull, 63  
   Stirling, 42



- Oesterlé, Joseph, *see* Masser  
 Oppenheim, Alexander, 296  
 order, 121
  - average, 43
  - finite, 202, 203
  - maximal, 112–115, 117–121
  - maximal of  $\tau(n)$ , 119
  - minimal, 112, 114–117, 119
  - normal, 419, 445, 446, 509
  - normal of the  $j$ th divisor, 465
  - normal of the  $j$ th prime factor, 460
 orthogonality of characters, 364  
 oscillation theorem, 194, 196, 208, 212, 259, 260, 584  
 $p$ -adic valuation, 15  
 Page, A., 386, 390, *see also* Landau  
 Paley, Raymond E.A.C., 401  
 Paley–Wiener, 79  
 parametric method, 100  
 Parent, D.P., 159  
 Parseval, Marc A., 225
  - formula, 433, 441
 Pell, John, 165  
 Perron, Oskar, 217, 221
  - first effective formula, 219
  - formula, 217, 219, 221–223, 227
  - second effective formula, 220
 Phillips, Eric, 138  
 Phragmén, Edvard, 208  
 Phragmén–Landau, 193–195, 208, 397  
 Phragmén–Lindelöf, 202  
 Piatetski–Shapiro, Ilya I., 139  
 pigeonhole principle, 145, 200, 246, 392  
 Pintz, János, 274, 551, *see also* Goldston; Kaczorowski  
 Plancherel, Michel
  - formula, 437, 488, 492
  - theorem, 441
 point
  - of continuity, 425
  - of discontinuity, 425
  - of increase, 425
 Poisson, Denis
  - law, 299, 589
  - summation formula, 76, 108, 124, 126, 137, 138, 256
 Pólya, George, 367  
 Pólya–Vinogradov, 367, 368, 376, 400  
 polynomials
  - Chebyshev, 329, 331
  - length, 328
 Pomerance, Carl, 312, 543, *see also* Maier  
 pp, 445  
 Prachar, Karl, 406  
 presque partout, 445  
 primes, 11
  - gaps between —, 107, 539, 541
 primitive
  - root, 362, 363, 404
  - sequence, 443
 principle
  - duality, 74, 84
  - inclusion–exclusion, 38, 39, 42, 67, 469
  - pigeonhole, 145, 200, 246, 392
 product formula (Hadamard), 245  
 pure law, 435, 441, 476  
 purely discrete
  - distribution function, 426
 purely singular
  - distribution function, 426
 quadratic
  - form, 84, 89, 90, 93, 402
  - irrational, 156–159, 161, 164, 165
  - non-residue, 106
  - reciprocity, 27
  - residue, 26, 27, 96, 97, 106, 155
 quasi-prime, 105  
 Queffélec, Hervé, *see* Kahane  
 quotients
  - complete, 151
  - incomplete, 151
 radial function, 184  
 radical
  - of an integer, 64, 68, 198, 208, 209
 Radon, Johann, *see below*  
 Radon–Nikodym, 426  
 Ramanujan, Srinivasan, 118, 119, 239, 251, 276, *see also* Hardy
  - highly composite numbers, 118
  - sums, 40
 Ramaré, Olivier, 402  
 random variable, 306, 356, 425, 447, 461
  - Bernoulli, 447
  - geometric, 447
 Rankin, Robert Alexander, 513, 538, 551
  - method, 100, 199, 512, 538, 576
  - theorem, 539, 551
 real part lemma, 241, 246, 249, 267

- reflection formula, 177, 178, 183, 233, 234, 288, 383, 384  
 regular summation method, 347  
 Rényi, Alfréd, 73, 423, 481  
 Rényi & Turán, 499, 504  
 residue  
     invertible, 30, 37, 83, 96, 360  
     quadratic, 26, 27  
 Richert, Hans-Egon, *see* Halberstam  
 Rieger, Georg Johann, 64, 350  
 Riemann, Bernhard, 251, 252, 265, 268, 359  
     generalized hypothesis, 386, 401–403  
     hypothesis, 58, 264–267, 275, 276, 547  
     integrability, 134, 347, 441  
 Riemann–Lebesgue, 76, 263  
 Riesz, Marcel, 224, 344, *see also* Hardy  
 ring  
     factorial, 32  
     of arithmetic functions, 32, 39, 41  
     of formal Dirichlet series, 31  
 Rivat, Joël, *see below*  
 Rivat & Sargos, 139  
 Rivat & Tenenbaum, 136, 139  
 Rivat & Wu, 139  
 Robert, Olivier, *see below*  
 Robert & Tenenbaum, 208, 209  
 Robson, John Michael, *see* Brlek  
 Rogozin, Boris A., 436, *see also* Kolmogorov  
 Rosser, J. Barkley, *see below*  
 Rosser & Schoenfeld, 22  
 Rosser–Iwaniec, 84, 100  
 Roth, Klaus Friedrich, 73, 147, *see also* Halberstam  
 Rubey, Martin, *see* Brlek  
 Rudin, Walter, 426  
 Ruzsa, Imre, 461, 462  
 Ryavec, Charles, *see* Elliott  
  
 saddle-point method, 121, 312, 525, 530, 533, 537, 545, 548, 559, 564, 566, 567, 569, 572, 579, 581, 583  
 Saffari, Bahman, 424, 441, *see also* Erdős  
 Saias, Éric, 533, 547, 548  
 saltus, 434  
 Sampath, Ashwin, *see* Srinivasan  
 Sargos, Patrick, *see* Rivat  
  
 Sárközy, András, 401, 508, *see also* Erdős  
 Sathe, L.G., 299  
 Schnee, Walter, *see below*  
 Schnee–Landau, 223, 227, 276  
 Schnirelmann, Lev G., 420  
 Schoenberg, Isaac Jacob, 440  
 Schoenfeld, Lowell, 22, 402, *see also* Rosser  
 second mean value theorem, 5, 140, 256, 528, 568, 577  
 Selberg, Atle, 12, 65, 73, 77, 85, 252, 265, 272, 278, 299, 311, 312, *see also* Johnsen  
     identity, 12, 65  
     large sieve inequality, 73  
     multiplicative functions, 85, 86  
     prime power sieve, 85, 103  
     sieve, 84, 85, 103, 106, 107  
 Selberg–Delange, 309, 311, 316, 354, 409, 443, 499, 504  
 semi-empirical variance, 448  
 set of multiples, 421, 422, 469  
 Shapiro, Harold N., 24, 39, 65, *see also* Erdős  
 Siegel, Carl Ludwig, 147, 376, 397, 398  
 Siegel zero, 376, 386, 396  
 Siegel–Walfisz, 83, 376, 400, 402  
 sieve  
     arithmetic large —, 80  
     Brun’s pure —, 68  
     combinatorial —, 68, 108  
     dimension, 100  
     Eratosthenes’, 67–69, 105  
     fundamental lemma of combinatorial —, 71, 105  
     large —, 73, 76, 79, 82, 83, 101, 102, 106, 463  
     prime power —, 91  
     Selberg, 84, 85, 92, 94, 96, 103, 106, 107  
 Sitaramachandra, Rao R., *see* Suryanarayana  
 Sitaramaiah, Varanasi, *see below*  
 Sitaramaiah & Subbarao, 121  
 Skalba, Mariusz, 347, 353  
 slow variation, 349, 485  
 slowly varying, 349, 485  
 smallest term  
     summation to —, 10  
 Smati, Hakim, *see* Balazard

- Smida, Hikma, 104, 546  
 Smith, Arthur, 24  
 smooth integers, 511  
 Sokolovskii, A.V., 401  
 Soundararajan, Kannan, 104, *see also*  
   Granville  
 Sperner, Emmanuel, 443  
 Squalli, Hassane, 208  
 squarefree integers, 40, 63, 143, 144  
 squarefull, 63, 120  
 squaring the circle, 159  
 Srinivasan, Bhama R., *see below*  
 Srinivasan & Sampath, 272  
 Stark, Dudley, *see* Arratia  
 stationary phase, 137  
 Stef & Tenenbaum, 351, 352  
 Stein, Charles M., 451  
 step-function, 426  
 Stieltjes, Thomas Joannes, 204, 205, *see*  
   *also* Fourier; Laplace  
     integral, 4  
     measure, 5  
 Stirling, James  
   complex formula, 175, 235, 243,  
     244, 248, 254, 270, 273, 387, 392  
   formula, 8, 176, 303, 515  
   numbers, 42  
   real formula, 173, 247  
 strongly additive function, 29  
 strongly multiplicative function, 29  
 Subbarao, Matukumalli Venkata, *see*  
   Sitaramaiah  
 sum of divisors, 46  
 summability  
   Cesàro, 204  
 summation  
   Abel, 3  
   to smallest term, 10  
 summation method  
   Lambert, 347  
   regular, 347  
 sums  
   Gauss, 366, 401  
   Ramanujan, 40  
 sums of  
   fractional parts, 140  
   integer parts, 140  
   two squares, 96–98, 140, 155, 406,  
     409  
 Suryanarayana & Sitaramachandra, 63  
 Szűsz, Peter, 501, *see also* Galambos  
 symbol  
   Jacobi, 363  
   Kronecker, 401  
   Landau, xxiii  
   Legendre, xx, 27, 96, 155, 363  
   Vinogradov, xxiii  
 Tao, Terence, *see* Ford  
 Tauber, Alfred, 319–321  
 Tauberian  
   arithmetic — theorem, 345, 353  
   effective — theorem, 327, 337  
   Hardy–Littlewood — theorem, 325,  
     326, 357  
   Hardy–Littlewood–Karamata —  
     theorem, 326, 505  
   Ikehara–Ingham–Delange — theo-  
     rem, 335  
   Ikehara–Ingham–Delange effective  
     — theorem, 375  
   Karamata — theorem, 322, 326–  
     328, 347, 419, 565  
   limit — theorem, 334  
   theorem, 319, 321, 322  
   transcendental — theorem, 334  
   Wiener–Ikehara — theorem, 334  
 Tauberian condition, 319, 322, 341, 344,  
   346, 354  
 Tenenbaum, Gérald, 121, 210, 420, 469,  
   472, 502, 548, 555, 559, 581, 583–  
   586, *see also* Balazard; Delange; De  
   Koninck; Deshouillers; Dress; Dupain;  
   Erdős; Fouvry; Hall; Hanrot; Hilde-  
   brand; Ivić; La Bretèche; Maier; Mar-  
   tin; Mendès France; Rivat; Robert;  
   Stef  
 Tenenbaum & Mendès France, 12  
 Tenenbaum & Wu, 95, 103, 227, 549, 585  
 Teugels, Józef L., *see* Bingham  
 Thain, Nithum, *see* Murty  
 Theodorescu, Radu, *see* Hengartner  
 theorem  
   Abel, 317, 349  
   Axer, 61  
   Bachet, 23, 150  
   Berry–Esseen, 356  
   Bohr–Møllerup, 171, 181  
   Bombieri–Vinogradov, 102, 103,  
     107, 402, 403  
   Brun–Titchmarsh, 83  
   Cantor–Bernstein, 159

- Chinese remainder, 72, 80, 362, 364, 540, 541  
 continuity, 430, 432, 433, 435, 476, 506  
 Daboussi, 506  
 Davenport–Erdős, 422, 423  
 Delange, 476, 505  
 Erdős–Kac, 315, 316, 498, 499, 504  
 Erdős–Wintner, 472, 475, 501, 506  
 Fatou–Korevaar, 343  
 friable Erdős–Wintner, 550  
 fundamental — of arithmetic, 11, 23, 32  
 Girard–Fermat, 97, 155  
 Halász, 485–487  
 Hardy–Littlewood, 325, 326  
 Hardy–Littlewood–Karamata, 334, 350  
 Hardy–Ramanujan, 454  
 Jessen–Wintner, 435  
 Karamata, 322, 326–328, 347, 419, 565  
 Karamata–Freud, 327, 349, 354  
 Kusmin–Landau, 128  
 Landau–Page, 386, 390, 394, 402  
 Lebesgue decomposition, 426  
 Liouville, 146, 147, 159  
 Maier–Tenenbaum, 465  
 Paley–Wiener, 79  
 Phragmén–Landau, 193–195, 208, 397  
 Phragmén–Lindelöf, 202  
 Plancherel, 441  
 prime number, 261, 272  
 Rankin, 539  
 Schnee–Landau, 223, 227, 276  
 second mean value, 5, 140, 256, 528, 568, 577  
 Siegel, 397, 399, 403  
 Siegel–Walfisz, 83, 376, 400, 402  
 Stef–Tenenbaum, 351  
 Tauberian, 334  
 three series, 475  
 Voronoï, 131  
 Wirsing, 486  
 three series theorem, 475  
 Thue, Axel, 147  
 Tijdeman, Robert, *see* Evertse  
 Timofeev, Nikolai Mikhailovich, *see* Levin  
 Titchmarsh, Edward Charles, 123, 124, 130, 137, 202, 226, 227, 232, 247, 251, 252, 255, 272, 274, 279, *see also* Brun  
 Tong, Kwang-Chang, 57  
 totient function (Euler), 30, 31, 37, 38, 40, 46, 47, 57, 63, 119, 275, 282, 292, 440, 472  
 transcendental number, 147, 159, 160  
 transform  
     bilateral Laplace, 351  
     Fourier–Stieltjes, 340  
     inverse Laplace, 218, 524, 525, 532, 533, 536, 545, 566, 572  
     Laplace, 95, 524, 564, 566, 572, 589  
     Laplace–Stieltjes, 189, 321  
     Mellin–Stieltjes, 370  
 transformation  
     Abel, 3  
     Weyl–van der Corput, 137  
 triadic, 160  
 trigonometric integrals, 124  
 trivial zeros  
     of  $\zeta(s)$ , 239, 242  
     of  $L(s, \chi)$ , 384, 385  
 Turán–Kubilius, 446, 448, 449, 451–453, 455, 461–463, 467, 472, 473, 481, 483, 500, 501, 550  
 Turán, Paul, 454, 463, *see also* Erdős; Rényi  
 twin  
     generalized — primes, 107  
     primes, 71, 82, 84  
 Vaaler, Jeffrey, 78, 102, 341, *see also* Graham  
 Valiron, Georges, 202  
 valuation ( $p$ -adic), 15  
 vanishing moments, 471  
 variance  
     empirical, 428, 446, 448, 451  
     friable semi-empirical, 550  
     semi-empirical, 448  
 Vaughan, Robert C., 403, 579, *see also* Erdős; Montgomery  
 Vaughan & Wooley, 579  
 Vinogradov, Aleksei Ivanovich, 402, *see also* Bombieri  
 Vinogradov, Ivan M., 57, 139, 252, 367, *see also* Pólya  
     symbol, xxiii  
 Volterra, Vito, 545  
 Voronoï, Georges, 45, 57, 123, 131, 138

- Vose, Michael D., 121
- Walfisz, Arnold, 46, 47, 58, *see also* Landau; Siegel
- Wallis, John, 8, 480
- Warlimont, Richard, 406
- Watson, George Neville, *see* Whittaker
- Watt, Nigel, 123, *see also* Huxley
- weak convergence, 426
- Weierstrass, Karl, 135, 171, 177, 178, 183, 191, 323
- Weyl, Hermann, 129, 134, 135, 137, 347
- Weyl–van der Corput, 129, 130, 137, 138
- Whittaker, Edmund Taylor, *see below*
- Whittaker & Watson, 567
- Widder, David Vernon, 4, 272, 525, 572
- Wiener, Norbert G., 334, *see also* Paley
- Wiener–Ikehara, 264, 334
- Wintner, Aurel, *see* Jessen; Erdős
- Wirsing, Eduard, 356, 406, 485, 486, 489, *see also* Montgomery
- Wooley, Trevor D., *see* Vaughan
- Wu, Jie, 103, *see also* Hanrot; Rivat; Tenenbaum
- Yıldırım, Cem Y., *see* Goldston
- Zagier, Don Bernard, 208, 352
- zero-free region
- for  $\zeta(s)$ , 239, 247, 252, 253, 259, 262, 272, 531, 574
  - for  $L(s, \chi)$ , 376, 385
- zeros
- of  $\zeta(s)$ , 138, 239, 240, 242–246, 252, 255, 257, 259
- Zhang, Yitang, 85, 107