
Index

- Abel, N. H., 7, 219
- abelian group, 128
 - divisible, 496
 - free, 328
 - primary, 362
 - reduced, 502
 - torsion, 380
 - torsion-free, 380
- absolute Galois group, 480
- ACC, 282, 300
- Accessory Irrationalities, 199
- action of group, 152
 - transitive, 187
- additive functor, 465
- additive notation, 130
- Adelard of Bath, 4
- adjacency, 127
- adjoining a unit, 39
- adjoining to field, 79
- adjoint
 - functors, 666
 - linear transformation, 431, 437
 - matrix, 584
- Adjoint Isomorphism, 526, 527
- affine group, 139
- affine variety, 594
- algebra, 284, 543
 - enveloping, 548
 - finitely generated, 604
 - generated by n elements, 558
 - graded, 550
- algebra map, 543
- algebraic
 - closure, 341
 - element, 79
 - extension, 79
 - numbers, 340
- algebraically
 - closed, 341
 - dependent, 345
- algorithm
 - Buchberger, 646
 - Euclidean, 17
 - into disjoint cycles, 118
- almost all, 319
- alternating
 - bilinear form, 418
 - group, 141
 - multilinear, 563
 - space, 418
- alternating sum, 26
- Amitsur, S. A., 560
- annihilator
 - element, 379
 - module, 381
- antanaresis, 16
- anti-isomorphism, 293
- Apollonius, 4
- Archimedes, 4
- Arf invariant, 429
- Arf, C., 429
- artinian ring, 286
- ascending chain condition, 282
- associated polynomial function, 593
- associated prime ideal, 620
- associates, 52
- associativity, 29, 128
 - generalized, 131, 553
- augmentation, 338
- augmentation ideal, 338
- automorphism
 - field, 180

- group, 155
 - inner, outer, 155
- automorphism group, 155
- Axiom of Choice, 313
- b -adic digits, 23
- Baer Theorem, 537
- Baer, R., 494
- base b , 23
- base of topology, 675
- basepoint, 463
- basic subgroup, 521
- basis
 - dependence, 349
 - free abelian group, 328
 - free algebra, 556
 - free module, 329, 481
 - ideal, 283
 - standard, 253
 - vector space
 - finite-dimensional, 252
 - infinite-dimensional, 319
- Basis Theorem
 - finite abelian groups, 367, 499
 - Hilbert, 286
- Bass, H., 300, 498
- Beltrami, E., 594
- biadditive, 509
- bifunctor, 521
- bijection, 241
- bilinear form, 417
 - alternating, 418
 - nondegenerate, 420
 - skew, 418
 - symmetric, 417
 - negative definite, 426
 - positive definite, 426
- bilinear function, 417, 509
- bimodule, 470
- binary operation, 29
- Binomial Theorem
 - commutative ring, 32
 - exterior algebra, 569
- birational map, 627
- Bkouche, R., 488
- Boole, G., 129
- Boolean group, 129
- Boolean ring, 33, 41
- Buchberger's algorithm, 646
- Buchberger's Theorem, 643
- Buchberger, B., 629, 640
- C^∞ -function, 35
- cancellation law
 - domain, 34
 - group, 130
- Cardano, G., 5
- Carnap, R., 461
- Cartan, H., 538
- Cartan–Eilenberg Theorem, 538
- cartesian product, 235
- castle problem, 8
- Casus Irreducibilis, 189
- category, 443
 - composition, 443
 - morphism, 443
 - objects, 443
 - opposite, 465
 - pre-additive, 446
 - small, 525
- Cauchy sequence, 654
- Cauchy, A.-L., 7
- Cayley, A., 140
- Cayley–Hamilton Theorem, 392
- center
 - group, 155
 - matrix ring, 268, 281
 - ring, 277
- centerless, 155
- chain, 314
- change of rings, 475
- character, 203
- character group, 532
- characteristic of field, 60
- characteristic polynomial, 390
- Ch'in Chiu-shao, 8
- Chinese Remainder Theorem
 - \mathbb{Z} , 25
 - $k[x]$, 89
- circle operation, 280
- circle group, 129
- class group, 540
- Classification Theorem of Finite Simple Groups, 176
- Clifford algebra, 572
- Clifford, W. K., 572
- coefficients, 41
- cofactor, 584
- cofinal subset, 318
- cofinite, 41, 596
- Cohen, I. S., 317
- cokernel, 297
- colimit (see direct limit), 658
- colon ideal, 603
- Columbus, 4
- column space of matrix, 270
- commensurable, 13
- common divisor, 10
 - in \mathbb{Z} , 10
 - several polynomials, 103
 - two polynomials, 66
- commutative, 128
- commutative diagram, 305
- commutative ring, 32

- domain, 34
- euclidean ring, 98
- factorial, 104
- field, 37
- Jacobson, 610
- PID, 101
- polynomial ring, 42
 - several variables, 45
- reduced, 598
- UFD, 105
- compact, 674
- companion matrix, 385
- complement, 40, 325
- complete factorization, 120
- completion, 655
- complex
 - de Rham, 574
 - modulus, 129
- composite integer, 11
- composite of functions, 239
- composition factors, 195
- composition series, 195, 302
 - length, 195
- composition, category, 443
- compositum, 209
- congruence mod I , 55
- congruence class, 244
- congruent mod m , 19
- congruent matrices, 419
- conjugacy class, 157
- conjugate
 - group elements, 154
 - intermediate fields, 207
- conjugation
 - Grassmann algebra, 567
 - groups, 154
 - quaternions, 276
- constant function, 236
- constant functor, 462
- constant polynomial, 44
- constant term, 44
- content, 109
- continuous, 675
- contravariant functor, 464
- convolution, 274, 282
- coordinate field, 625
- coordinate list, 253
- coordinate ring, 597
- Copernicus, 4
- coproduct
 - family of objects, 452
 - two objects, 447
- Correspondence Theorem
 - groups, 165
 - modules, 298
 - rings, 279
- coset
 - ideal, 55
 - subgroup, 144
- covariant functor, 461
- Cramer's Rule, 586
- Cubic Formula, 5
- cubic polynomial, 44, 188
- cycle
 - permutation, 117
- cycle structure, 120
- cyclic
 - group, 141
 - module, 296
- cyclotomic polynomial, 93
- DCC, 286, 301
- De Morgan laws, 41
- De Morgan, A., 41
- de Rham complex, 574
- de Rham, G., 574
- Dean, R. A., 39
- Dedekind ring, 535
- Dedekind Theorem, 204
- Dedekind, R., 204
- degree
 - euclidean ring, 98
 - extension field, 78
 - graded map, 550
 - homogeneous element, 550
 - polynomial, 42
 - several variables, 631
 - several variables, 630
- degree-lexicographic order, 634
- derivation, 587
- derivative, 46
- Descartes, R., 3, 7
- determinant, 576
- diagonalizable, 394, 401
- diagram, 305
 - commutative, 305
- diagram chasing, 308
- Dickson, L. E., 122
- Dieudonné, J., 558
- differential form, 574
- dihedral group, 136
- dimension, 255, 322
- Diophantus, 4
- direct limit, 658
- direct product
 - commutative rings, 54
 - groups, 167
 - modules, 323, 451
 - rings, 275
- direct sum
 - matrices, 384
 - modules, 323, 324, 451
 - external, 324, 326
 - internal, 326

- vector spaces, 259, 268
- direct summand, 325
- direct system, 657
 - transformation, 662
- directed set, 659
- Dirichlet, J. P. G. L., 368
- discrete, 678
- discriminant, 223
 - bilinear form, 420
 - of cubic, 224
 - of quartic, 230
- disjoint permutations, 117
- disjoint union, 452
- distributivity, 29
- divides
 - commutative ring, 36
 - in \mathbb{Z} , 9
- divisible module, 496
- Division Algorithm
 - $k[x]$, 62
 - $k[x_1, \dots, x_n]$, 637
 - in \mathbb{Z} , 10
- division ring, 275
- divisor
 - in \mathbb{Z} , 9
- domain
 - commutative ring, 34
 - morphism, 443
 - of function, 236
 - PID, 101
 - UFD, 105
- dual basis, 269
- dual space, 260, 269
- duals in category, 450
- Dye, R. L., 429
- eigenvalue, 388
- eigenvector, 388
- Eilenberg, S., 441, 491, 538
- Eisenstein Criterion, 95
- Eisenstein integers, 32
- Eisenstein, G., 95
- elementary divisors
 - finite abelian group, 373
 - matrix, 397
- elementary matrix, 410
- elimination ideal, 648
- endomorphism
 - abelian group, 274
 - module, 294
 - ring, 274
- enlargement of coset, 62, 165, 298
- enveloping algebra, 548
- equal subsets, 236
- equality of functions, 118
- equivalence class, 244
- equivalence relation, 243
- equivalent
 - filtration, 302
 - matrices, 406
 - normal series, 197
 - series, groups, 197
- Eratosthenes, 4
- etymology
 - abelian, 219
 - adjoint functors, 666
 - affine, 594
 - affine space, 627
 - alternating group, 141
 - automorphism, 155
 - canonical form, 386
 - commutative diagram, 305
 - cubic, 44
 - cycle, 117
 - dihedral group, 136
 - domain, 34
 - exact sequence, 575
 - exterior algebra, 562
 - field, 37
 - flat, 529
 - functor, 461
 - homomorphism, 47
 - isomorphism, 47
 - kernel, 50
 - left exact, 469
 - polyhedron, 136
 - power, 130
 - profinite, 477
 - pure subgroup, 364
 - quadratic, 44
 - quasicyclic, 503
 - quaternions, 276
 - quotient group, 162
 - radical, 598
 - rational canonical form, 386
 - ring, 29
 - symplectic, 424
 - torsion subgroup, 359
 - variety, 594
 - vector, 248
- Euclid, 4
- Euclid's Lemma, 69, 98, 101
 - integers, 12
- Euclidean Algorithm I
 - integers, 17
- Euclidean Algorithm II
 - integers, 18
- Euclidean Algorithm, $k[x]$, 70
- euclidean ring, 98
- Eudoxus, 4
- Euler ϕ -function, 142
- Euler Theorem, 148
- Euler, L., 19
- evaluation homomorphism, 49

- even permutation, 124
- exact
 - functor, 469
 - left, 467
 - right, 517
 - sequence, 305
 - factored, 310
 - short, 306
 - splice, 310
- Exchange Lemma, 256
- exponent
 - group, 376
 - module, 381
- extension
 - modules, 306
- extension field, 78
 - algebraic, 79
 - degree, 78
 - finite, 78
 - Galois, 207, 475
 - inseparable, 182
 - normal, 190
 - pure, 187
 - purely transcendental, 345
 - radical, 187
 - separable, 182
 - simple, 214
- exterior algebra, 562
- exterior derivative, 574
- exterior power, 562
- factor groups, 192
- factor modules, 302
- factorial ring (see UFD), 104
- faithful module, 292
- Feit, W., 219
- Feit–Thompson Theorem, 219
- Fermat Little Theorem, 22
- Fermat prime, 96
- Fermat’s Theorem, 148
- Ferrari, Lodovico, 5
- Fibonacci, 4, 590
- field, 37
 - algebraic closure, 341
 - algebraically closed, 341
 - finite, 186
 - fraction, 38
 - Galois, 88
 - perfect, 401
 - prime, 59
 - rational functions, 44
- 15-puzzle, 124, 126
- filtration, 302
 - length, 302
 - refinement, 302
- filtrations
 - equivalent, 302
- finite
 - extension, 78
 - order (module), 379
 - topology, 479, 679
 - finite index topology, 675
 - finite-dimensional, 251
 - finitely generated
 - algebra, 604
 - ideal, 283
 - module, 296
 - finitely presented module, 488
- Finney, Jr., R. L., 488
- First Isomorphism Theorem
 - commutative rings, 58
 - groups, 163
 - modules, 297
 - vector spaces, 269
- Five Lemma, 309
- fixed field, 202
- fixes, 117, 180
- flat module, 529
- forgetful functor, 462
- formal power series
 - one variable, 41
- Formanek, E., 560
- four-group, 137
- fraction field, 38
- fractional ideal, 539
- Fraenkel, A. A. H., 442
- free
 - abelian group, 328
 - algebra, 556
 - commutative algebra, 558, 671
 - module, 329, 481
- freeness property, 330
- Frobenius
 - automorphism, 186
- Frobenius, G., 374
- function, 236
 - bijection, 241
 - constant, 236
 - identity, 236
 - inclusion, 237
 - injective, 238
 - polynomial, 44
 - rational, 45
 - restriction, 239
 - surjective, 238
- functor
 - additive, 465
 - constant, 462
 - contravariant, 464
 - contravariant Hom, 464
 - covariant, 461
 - covariant Hom, 461
 - exact, 469
 - forgetful, 462

- identity, 461
- left exact, 467, 468
- representable, 528
- right exact, 517
- two variables, 521
- fundamental group, 463
- Fundamental Theorem
 - Arithmetic, 198
 - finite abelian groups
 - elementary divisors, 374
 - invariant factors, 376
 - finitely generated abelian groups
 - elementary divisors, 374
 - invariant factors, 377
 - Galois Theory, 211, 479
 - modules
 - elementary divisors, 382
 - invariant factors, 382
 - symmetric functions, 208
 - symmetric polynomials, 208, 639
- G -domain, 606
- G -ideal, 608
- Galligo, A., 487
- Galois extension, 207, 475
- Galois field, 88
- Galois group, 181, 475
 - absolute, 480
- Galois Theorem, 86
- Galois, E., 8, 146
- Gauss Theorem
 - $R[x]$ UFD, 110
 - cyclotomic polynomial, 96
- Gauss's Lemma, 111
- Gauss, C. F., 215
- Gaussian elimination, 409
- Gaussian equivalent, 410
- Gaussian integers, 32
- gcd, 10
- Gelfond, A., 347
- Gelfond-Schneider Theorem, 347
- general linear group, 128
- general polynomial, 84
- Generalized Associativity, 131
- generalized associativity, 553
- generate
 - dependence, 349
- generator
 - cyclic group, 141
- generators and relations, 403
 - algebra, 556
- Gerard of Cremona, 4
- Goldman, O., 604
- Goodwillie, T. G., 590
- Gordan, P., 285
- graded algebra, 550
- graded map, 550
- Grassmann algebra, 566
- Grassmann, H. G., 566
- greatest common divisor
 - domain, 97
 - in \mathbb{Z} , 10
 - several polynomials, 103
 - two polynomials, 66
- Gröbner, W., 640
- Gröbner basis, 640
- Grothendieck, A., 441, 592
- group
 - abelian, 128
 - additive notation, 130
 - affine, 139
 - algebra, 274
 - alternating, 141
 - axioms, 128, 138
 - Boolean, 129
 - circle group, 129
 - conjugacy class, 157
 - cyclic, 141
 - dihedral, 136
 - four-group, 137
 - free abelian, 328
 - Galois, 181
 - general linear, 128
 - hamiltonian, 156
 - modular, 173
 - Prüfer, 503
 - quasicyclic, 503
 - quaternions, 156
 - quotient, 162
 - simple, 173
 - solvable, 192
 - special linear, 140
 - special unitary, 437
 - stochastic, 139
 - symmetric, 117, 128
 - topological, 461, 678
 - torsion, 359
 - torsion-free, 359
 - unitary, 437
- group algebra, 274
- group object, 460
- group of units, 37
- Gruenberg, K. A., 481
- Gutenberg, 4
- Hamel basis, 321
- Hamel, G. K. W., 321
- Hamilton, W. R., 156, 276, 392
- hamiltonian, 156
- Hasse, H., 429
- Hasse–Minkowski Theorem, 429
- Hausdorff, 676
- Hausdorff, F., 676
- height (rational function), 353

- Hermite, C., 122
- hermitian, 437
- Hilbert, D., 29, 232, 285
 - Basis Theorem, 286
 - Nullstellensatz, 600, 612
 - Theorem 90, 217
- Hipparchus, 4
- Hölder, O., 198
- Hom functor
 - contravariant, 464
 - covariant, 461
- homogeneous element, 550
- homogeneous ideal, 550
- homomorphism
 - R -homomorphism, 291
 - algebra, 543
 - commutative ring, 47
 - graded algebra, 550
 - group, 150
 - conjugation, 154
 - natural map, 162
 - ring, 279
- Houston, E., 218
- Hume, J., 3
- Hurewicz, W., 305
- hyperbolic plane, 424
- hypersurface, 596

- IBN, 483
- ideal, 50, 278
 - augmentation, 338
 - basis of, 283
 - colon, 603
 - commutative ring, 50
 - elimination, 648
 - finitely generated, 283
 - fractional, 539
 - generated by subset, 53
 - homogeneous, 550
 - invertible, 539
 - left, 278
 - maximal, 74
 - minimal left, 287
 - monomial, 645
 - nilpotent, 614
 - order, 379
 - primary, 617
 - prime, 75
 - principal, 51
 - proper, 50
 - radical, 598
 - right, 278
 - two-sided, 278
- ideal generated by X , 280
- identity
 - function, 236
 - functor, 461
 - group element, 128
 - morphism, 443
- image
 - function, 236
 - linear transformation, 260
 - module homomorphism, 296
- inclusion, 237
- increasing $p \leq n$ list, 565
- indecomposable, 333
- Independence of Characters, 203
- independent list, 252
 - maximal, 257
- indeterminate, 43
- index of subgroup, 147
- induced map, 461, 464
- induced topology, 676
- induction (transfinite), 345
- infinite order, 133, 379
- infinite-dimensional, 251
- initial object, 459
- injections
 - coproduct, 447, 452
 - direct sum of modules, 327
- injective, 238
 - limit (see direct limit), 658
 - module, 492
- inner automorphism, 155
- inner product, 417
 - matrix, 419
 - space, 417
- inseparable
 - extension, 182
 - polynomial, 182
- integers, 9
- integers mod m , 31
- integral closure, 604
- integral domain (see domain), 34
- intermediate field, 207
- Invariance of Dimension, 255, 256
- invariant (of group), 152
- invariant basis number, 483
- invariant factors
 - finite abelian group, 376
 - matrix, 386
- invariant subspace, 295
- inverse
 - commutative ring, 36
 - function, 241
 - Galois problem, 232
 - group element, 128
 - image, 61
 - limit, 653
 - right, 282
 - system, 651
- invertible ideal, 539
- invertible matrix, 585
- irreducible

- element, 67
- module (see simple module), 299
- variety, 614
- irredundant, 620
 - union, 616
- Isaacs, I. M., 343
- isometry, 135, 429
- isomorphic
 - commutative rings, 47
 - groups, 150
 - modules, 291
- isomorphism
 - R -isomorphism, 291
 - category, 445
 - groups, 150
 - modules, 291
 - rings, 47
 - vector spaces, 259
- Jacobson ring, 610
- Jacobson, N., 610
- Janusz, G. J., 222
- Jordan canonical form, 397
- Jordan, C., 198
- Jordan–Hölder Theorem
 - groups, 198
 - modules, 303
- k -algebra, 543
- k -linear combination, 250
- k -map, 343
- Kaplansky Theorem, 535
- Kaplansky, I., 52, 282, 560
- kernel
 - group homomorphism, 153
 - linear transformation, 260
 - module homomorphism, 296
 - ring homomorphism, 50, 279
- Kronecker delta, 30
- Kronecker product, 520
- Kronecker Theorem, 83
- Kronecker, L., 374
- Krull Theorem, 609
- Krull, W., 318, 479
- Kulikov, L. Yu., 521
- Kurosh, A. G., 448
- Lagrange Theorem, 146
- Lagrange, J.-L., 7, 146
- Lambek, J., 533
- Landau, E., 139
- Laplace expansion, 583
- Laplace, P.-S., 583
- Lasker, E., 620
- Latin square, 157
- lattice, 210
- Laurent polynomials, 281
- Laurent, P. A., 281
- law of inertia, 427
- Law of Substitution, 128, 237
- laws of exponents, 132
- Lazard, M., 666
- leading coefficient, 42
- least common multiple
 - commutative ring, 72
 - in \mathbb{Z} , 14
- Least Integer Axiom, 9
- left exact functor, 467
- left hereditary ring, 535
- left noetherian ring, 284
- length
 - composition series, 195
 - cycle, 117
 - filtration, 302
 - module, 303
 - normal series, 192
- Leonardo da Pisa (Fibonacci), 4
- Levitzki, J., 560
- lexicographic order, 631
- lifting, 483
- limit (see inverse limit), 653
- Lindemann, F., 347
- linear
 - fractional transformation, 353
 - functional, 473
 - polynomial, 44
 - transformation, 259
 - nonsingular, 259
- linear combination
 - in \mathbb{Z} , 10
 - module, 296
 - vector space, 250
- linearly dependent list, 252
- linearly independent infinite set, 319
- linearly independent list, 252
- list, 250
 - coordinate, 253
 - increasing $p \leq n$, 565
 - linearly dependent, 252
 - linearly independent, 252
- Lodovici Ferrari, 7
- Łoś, J., 454
- lowest terms
 - in \mathbb{Q} , 12
 - in $k[x]$, 69
- Lüroth, J., 355
- Lüroth's Theorem, 355
- Luther, M., 4
- m -adic topology, 676
- Mac Lane, S., 441, 461, 553
- mapping problem, universal, 449
- Maschke's Theorem, 337
- Maschke, H., 337

- matrix
 - elementary, 410
 - linear transformation, 263
 - nilpotent, 401
 - nonsingular, 128
 - scalar, 158, 268
 - strictly triangular, 269
- maximal element
 - poset, 314
- maximal ideal, 74
- maximal independent list, 257
- maximum condition, 283
- metric space, 673
- minimal
 - left ideal, 287
 - polynomial
 - matrix, 393
 - prime ideal, 318
- minimal polynomial
 - algebraic element, 80
- minimum condition, 287
- Minkowski, H., 429
- minor, 581
- Möbius, A. F., 86
- modular group, 173
- modular law, 300
- module, 288
 - bimodule, 470
 - cyclic, 296
 - divisible, 496
 - faithful, 292
 - finitely generated, 296
 - finitely presented, 488
 - flat, 529
 - free, 329, 481
 - injective, 492
 - left, 288
 - primary, 381
 - projective, 484
 - quotient, 297
 - right, 289
 - simple, 299
 - torsion, 380
 - torsion-free, 359, 380
- modulus, 129
- Molien, T., 338
- monic polynomial, 42
 - several variables, 631
- monkey, 27
- monoid, 133
 - $W^+(\Omega)$, 632
- monomial ideal, 645
- monomial order, 630
 - degree-lexicographic order, 634
 - lexicographic order, 631
- Moore Theorem, 88
- Moore, E. H., 88
- Moore, J., 491
- morphism, 443
 - identity, 443
- Motzkin, T. S., 101
- moves, 117
- multilinear function, 552
 - alternating, 563
- multiplication by r , 291
- multiplication table, 150
- multiplicity, 72
- Munshi, R., 613
- natural
 - isomorphism, 523
 - transformation, 523
- natural map, 57
 - groups, 162
 - modules, 297
 - rings, 279
 - vector spaces, 269
- natural numbers, 9, 141
- Navarro, G., 369
- Niccolò Fontana (Tartaglia), 4
- nilpotent
 - element, 598
 - matrix, 401
- nilpotent ideal, 614
- nilradical, 608
- Nobeling, G., 537
- Noether, E., 163, 284, 620
- noetherian, 284, 301
- nondegenerate, 420
 - quadratic form, 429
- nonderogatory, 394
- nonsingular
 - linear transformation, 259
 - matrix, 128
- nontrivial subgroup, 139
- norm, 216
 - euclidean ring, 98
- normal
 - extension, 190
 - series, 192
 - factor groups, 192
 - length, 192
 - refinement, 197
 - subgroup, 153
 - generated by X , 158
- Nullstellensatz, 600, 612
 - weak, 599, 612
- objects of category, 443
- odd permutation, 124, 126
- Ol'shanskii, A. Yu., 508
- one-to-one
 - (injective function), 238
- one-to-one correspondence

- (bijection), 241
- onto function
 - (surjective function), 238
- opposite category, 465
- opposite ring, 292
- order
 - group, 135
 - group element, 133
 - power series, 46
- order ideal, 300, 379
- order-reversing, 210
- ordered pair, 235
- orthogonal
 - basis, 425
 - complement, 421
 - direct sum, 424
 - group, 431
 - matrix, 158
- orthonormal basis, 425
- outer automorphism, 155
- p -adic topology, 675
- p -adic integers, 655
- p -adic numbers, 655
- p -primary abelian group, 362
- (p) -primary module, 381
- pairwise disjoint, 245
- Papp, Z., 498
- Pappus, 4
- parallelogram law, 248
- parity, 19, 124
- partially ordered set, 209
 - chain, 314
 - directed set, 659
 - discrete, 652
 - well-ordered, 316
- partition, 55, 245
- partition of n , 377
- perfect field, 401
- permutation, 116
 - adjacency, 127
 - complete factorization, 120
 - cycle, 117
 - disjoint, 117
 - even, 124
 - odd, 124, 126
 - parity, 124
 - signum, 125
 - transposition, 117
- ϕ -function, 142
- PI-algebra, 560
- PID, 101
- Pigeonhole Principle, 261
- Poincaré, H., 150
- pointed spaces, 463
- pointwise operations, 35
- polynomial, 42
 - n variables, 45
 - commuting variables, 559
 - cyclotomic, 93
 - function, 593
 - general, 84
 - irreducible, 67
 - monic, 42
 - noncommuting variables, 556
 - reduced, 224
 - separable, 182
 - skew, 275
 - zero, 42
- polynomial function, 44, 593
- polynomial identity, 560
- Pontrjagin duality, 501
- Pontrjagin, L. S., 333
- poset, 209, 314
- positive definite, 426
- power series, 41
- powers, 130
- Prüfer, H., 365
- pre-additive category, 446
- presheaf, 671
- primary component, 362, 381
- Primary Decomposition
 - commutative rings, 620
 - irredundant, 620
- primary decomposition, 362
- primary ideal, 617
 - belongs to prime ideal, 618
- prime element, 105
- prime factorization
 - in \mathbb{Z} , 11
 - polynomial, 72
- prime field, 59
- prime ideal, 75
 - associated, 620
 - belongs to primary ideal, 618
 - minimal, 318
- primitive
 - element, 66
 - theorem, 214
 - polynomial, 108
 - associated, 109
 - root of unity, 92
- primitive element, 85
- principal
 - ideal, 51
 - ideal domain, 101
- product
 - categorical
 - family of objects, 452
 - two objects, 450
 - direct
 - groups, 167
 - modules, 323, 451
 - rings, 275

- product topology, 678
- profinite completion, 656
- profinite group, 680
- projections
 - direct sum of modules, 327
 - product, 450, 452
- projective
 - limit (see inverse limit), 653
 - module, 484
- projective unimodular group, 402
- proper
 - class, 442
 - divisor, 106
 - ideal, 50
 - subgroup, 139
 - submodule, 295
 - subring, 32
 - subset, 237
 - subspace, 249
- Prüfer, H., 503
- Prüfer group, 503
- Prüfer topology, 676
- pullback, 455
- pure
 - extension, 187
 - subgroup, 364
 - submodule, 370
- purely transcendental, 345
- pushout, 456
- Pythagorean triple, 15, 623
 - primitive, 15
- Pythagorus, 4

- Qin Jiushao, 8
- quadratic form, 428
 - equivalence, 429
 - nondegenerate, 429
- quadratic polynomial, 44
- Quartic Formula, 7
- quartic polynomial, 44, 189
 - resolvent cubic, 7
- quasicyclic group, 503
- quasiordered set, 445
- quaternions, 156
 - division ring, 276
- Quillen, D., 487
- quintic polynomial, 44
- quotient
 - (Division Algorithm)
 - $k[x]$, 63
 - (Division Algorithm) in \mathbb{Z} , 10
 - group, 162
 - module, 297
 - space, 258
- quotient ring, 57, 278

- r -cycle, 117

- R -homomorphism, 291
- R -isomorphism, 291
- R -linear combination, 296
- R -map, 291
- R -module, 288
- Rabinowitz trick, 600
- radical extension, 187
- radical ideal, 598
- Rado, R., 369
- rank
 - free abelian group, 329
 - free module, 482
 - linear transformation, 269
 - matrix, 270
- rational canonical form, 386
- rational curve, 625
- rational functions, 44
- rational map, 626
- Razmyslov, Yu. P., 560
- Recorde, R., 3
- reduced
 - abelian group, 502
 - basis, 648
 - commutative ring, 598
 - mod $\{g_1, \dots, g_m\}$, 636
 - polynomial, 224
- reduction, 636
- refinement, 197, 302
- reflexive relation, 243
- regular map, 626
- Reisz Representation Theorem, 422
- Reisz, M., 422
- relation, 243
- relatively prime
 - $k[x]$, 69
 - in \mathbb{Z} , 12
 - integers, 12
 - UFD, 107
- remainder, 10
 - $k[x]$, 63
 - $k[x_1, \dots, x_n]$, 637
 - mod G , 637
- repeated roots, 74
- representable functor, 528
- representation of ring, 292
- representative of coset, 144
- resolvent cubic, 7, 229
- restriction, 239
- resultant, 225
- retract, 325
- retraction, 325
- right R -module, 289
- right exact functor, 518
- ring, 29, 273
 - artinian, 286
 - Boolean, 33, 41
 - commutative, 32

- Dedekind, 535
- division ring, 275
 - quaternions, 276
- endomorphism ring, 274
- group algebra, 274
- Jacobson, 610
- left hereditary, 535
- left noetherian, 284
- opposite, 292
- polynomial, 42
- self-injective, 499
- semisimple, 335
- skew polynomial, 42
- unique factorization domain, 541
- zero, 31
- root
 - multiplicity, 72
 - polynomial, 64
- root of unity, 92, 129
 - primitive, 92
- Rosset, S., 560
- Rotman, J. J., 488
- Ruffini, P., 7
- Russell paradox, 442
- Russell, B. A. W., 442
- Sarges, H., 286
- Sąsiada, E., 454
- scalar
 - matrix, 158, 268
 - multiplication, 247
 - module, 288
 - transformation, 268
- Schanuel's Lemma, 489
 - dual, 500
- Schanuel, S., 351
- Schering, E., 374
- Schneider, T., 347
- Schottenfels, I. M., 402
- Schreier Refinement Theorem
 - groups, 197
 - modules, 302
- Scipio del Ferro, 4
- Second Isomorphism Theorem
 - groups, 164
 - modules, 297
- secondary matrices, 417
- self-adjoint, 436
- self-injective, 499
- semigroup, 133
- semisimple module, 334
- semisimple ring, 335
- separable
 - element, 182
 - extension, 182
 - polynomial, 182
- series
 - composition, 302
 - factor modules, 302
- Serre, J.-P., 441, 487, 592
- sesquilinear, 436
- set, 442
- sgn, 125
- Shafarevich, I., 232
- short exact sequence, 306
 - split, 307
- shuffle, 571
- signature, 427
- signum, 125
- similar matrices, 154, 267
- Simmons, G. J., 86
- simple
 - extension, 214
 - group, 173
 - module, 299, 334
 - transcendental extension, 353
- Singer, R., 95
- single-valued, 237
- skew field, 275
- skew polynomial ring, 42
- skew polynomials, 275
- slender, 454
- small category, 525
- small class (= set), 442
- Small, L., 288, 535
- smallest
 - element in partially ordered set, 316
 - subspace, 250
- Smith normal form, 411
- Smith, H. J. S., 411
- solution
 - linear system, 249
 - universal mapping problem, 449
- solution space, 144, 249
- solvable
 - by radicals, 188
 - group, 192
- spans, 250
 - infinite-dimensional space, 319
- $\text{Spec}(R)$
 - topological space, 615
- special linear group, 140
- special unitary group, 437
- Specker, E., 537
- splice, 310
- split short exact sequence, 307
- splits
 - polynomial, 72, 84
- splitting field
 - polynomial, 84
- S -polynomial, 641
- squarefree integer, 15
- stalk, 671
- standard basis, 253

- standard polynomial, 560
- Stasheff, J., 553
- Steinitz Theorem, 214
- Steinitz, E., 214
- Stevin, S., 3
- Stickelberger, L., 374
- string, 373
- subbase of topology, 675
- subcategory, 446
- subfield, 38
 - generated by X , 59
 - prime field, 59
- subgroup, 139
 - basic, 521
 - center, 155
 - cyclic, 141
 - generated by X , 143
 - index, 147
 - nontrivial, 139
 - normal, 153
 - generated by X , 158
 - proper, 139
 - pure, 364
 - subnormal, 192
 - torsion, 359
- submatrix, 581
- submodule, 295
 - cyclic, 296
 - generated by X , 296
 - proper, 295
 - torsion, 379
- subnormal subgroup, 192
- subring, 32, 277
- subring generated by X , 280
- subspace, 249
 - invariant, 295
 - proper, 249
 - smallest, 250
 - spanned by X , 250
- superalgebra, 572
- support, 323
- surjective, 238
- Suslin, A. A., 487
- Sylvester, J. J., 426
- symmetric
 - algebra, 559
 - bilinear form, 417
 - function, 208
 - group, 117
 - space, 417
- symmetric difference, 33, 129
- symmetric functions
 - elementary, 84, 180
- symmetric group, 128, 242
- symmetric relation, 243
- symmetry, 135
- symplectic
 - basis, 424
 - group, 431
- tangent half-angle formula, 624
- target, 236, 443, 463
- Tarski monsters, 508
- Tarski, A., 508
- Tartaglia, 4
- tensor algebra, 556
- tensor product, 510
- terminal object, 459
- Thales of Miletus, 4
- Theatetus, 4
- Third Isomorphism Theorem
 - groups, 165
 - modules, 298
- Thompson, J. G., 219
- top element, 670
- topological group, 678
- topological group, 461
- topological space
 - metric space, 673
- topology, 675
 - p -adic, 675
 - base, 675
 - compact, 674
 - discrete, 678
 - finite index, 675
 - generated by \mathcal{S} , 675
 - Hausdorff, 676
 - induced, 676
 - Prüfer, 676
 - product, 678
 - subbase, 675
- torsion
 - group, 359
 - module, 380
 - subgroup, 359
 - submodule, 379
- torsion-free, 359, 380
- trace, 222
- Trace Theorem, 222
- transcendence basis, 349
- transcendence degree, 351
- transcendental element, 79
- transcendental extension, 353
- transfinite induction, 345
- transformation of direct system, 662
- transition matrix, 264
- transitive relation, 243
- transpose, 248
- transposition, 117
- twin primes, 16
- type (pure extension field), 187
- UFD, 105
- Ulm, H., 372

- unique factorization domain, 105
- unique factorization, $k[x]$, 71
- unit, 36
- unitary
 - group, 437
 - matrix, 437
 - transformation, 437
- universal mapping problem, 449
 - solution, 449
- upper bound, 210, 314

- Vandermonde matrix, 589
- Vandermonde, A.-T., 589
- variety, 594
 - affine, 594
 - irreducible, 614
- vector space, 247
- Viète, F., 3, 6

- Watts, C. E., 663
- wedge of p factors, 562
- Weierstrass, K., 347
- weight, 630
- well-defined, 237
- well-ordered, 316
- Widman, J., 3
- Wiles, A. J., 441, 593
- Williams, K. S., 102
- Wilson's Theorem, 149
- Wilson, J., 149

- Yoneda, N., 528

- Zariski
 - closure, 602
 - topology
 - on k^n , 596
 - on $\text{Spec}(R)$, 615
- Zariski, O., 596
- Zassenhaus Lemma, 195
 - modules, 302
- Zassenhaus, H., 195
- Zermelo, E. E. F., 442
- zero divisor, 34
- zero object, 459
- zero of polynomial, 593
- zero polynomial, 42
- zero ring, 31
- zero-divisor, 288
- ZFC, 442
- Zorn's Lemma, 314
- Zorn, M., 314