
Index

- algebra, 652
- atom, 654

- ball
 - open, 638
- base
 - for a topology, 636
 - local, 636
- basis
 - orthonormal, 240
- boundary
 - Lipschitz, 273
 - uniformly of class C^m , 424
 - uniformly of class $C^{m,\alpha}$, 424
 - uniformly Lipschitz, 423

- Cantor diagonal argument, 49
- Cantor part of a function, 104
- Cauchy–Binet formula, 251
- change of variables, 166
 - for multiple integrals, 270
- coarea formula, 478
- cofactor, 260
- compact embedding, 366
- connected component, 147
 - exterior, 152
 - interior, 152
- convergence
 - almost everywhere, 673
 - almost uniform, 673
 - in measure, 673
 - in the sense of distributions, 288
 - weak, 645
 - weak star, 646
- convolution, 302
 - of a distribution, 305, 308
- coordinates
 - background, 273
 - local, 273
- countability
 - first axiom, 636
 - second axiom, 636
- curve, 133
 - arclength, 143
 - closed, 134
 - closed simple, 134
 - continuous, 133
 - equivalent, 133
 - length, 136
 - locally rectifiable, 137
 - parameter change, 133
 - parametric representation, 133
 - range, 134
 - rectifiable, 136
 - simple arc, 134
 - simple point, 134
- cut-off function, 693

- delta Dirac, 289
- derivative, 9
 - ∇^k , 321
 - Dini, 14
 - directional $\frac{\partial}{\partial \nu}$, 239
 - distributional, 183, 188, 229, 291, 319
 - directional, 320
 - distributional partial , 459

- $\frac{dm}{dx}$, 224
- of a distribution, 290
 - directional, 291
- partial ∂_i , 239
- Radon–Nikodym, 665
- weak, 183, 188, 229, 291, 319
 - directional, 320
 - weak partial, 459
- differentiability, 9
- distance, 638
 - regularized, 414
- distribution, 288
 - infinite order, 289
 - order of, 289
- dual spaces
 - $\mathcal{D}'(\Omega)$, 288
 - $\mathcal{M}_b(X; \mathbb{R})$, Radon measures, 676
 - of $W^{1,p}(\Omega)$, 345
 - $W^{-1,p'}(\Omega)$, 348
 - $\mathcal{S}'(\mathbb{R}^N; \mathbb{C})$, 299
- duality pairing, 642
- embedding, 356, 643
 - compact, 645
- equi-integrability, 674
- essential infimum, 112
- essential supremum, 112, 668
- evolution triple, 233
- extension domain
 - for $BV(\Omega)$, 483
 - for $W^{m,p}(\Omega)$, 365
- extension operator, 365
- finite cone, 424
- Fourier transform, 309
 - inverse, 309
 - of a tempered distribution, 315
 - inverse, 315
- function
 - absolutely continuous, 67
 - Banach indicatrix, 59
 - Bochner integrable, 208
 - Borel, 655
 - Cantor, 22
 - characteristic, χ , 657
 - continuous, 637
 - counting, 59
 - cut-off, 693
 - decreasing, 3
 - decreasing rearrangement, 502
 - distribution, 111, 497
 - equi-integrable, 82
 - equivalent, 668
 - Gamma, 701
 - Hölder continuous, 10
 - increasing, 3
 - inverse of a monotone, 6
 - jump, 5, 6
 - Lebesgue integrable, 660
 - Lebesgue measurable, 683
 - linear
 - adjoint, 249
 - diagonal, 250
 - orthogonal, 249
 - positive definite, 250
 - rotation, 250
 - symmetric, 250
 - Lipschitz continuous, 9, 242
 - locally absolutely continuous, 68
 - locally integrable, 660
 - maximal, 694
 - measurable, 655, 657
 - measure-preserving, 130
 - monotone, 3
 - of bounded pointwise variation, 30
 - in the sense of Cesari, 471
 - of bounded variation, 459
 - radial
 - of a star-shaped domain, 441
 - rearrangement
 - decreasing, 114, 498
 - Schwarz symmetric, 499, 502
 - spherically symmetric, 499
 - saltus, 5
 - simple, 205, 657
 - singular, 103
 - Sobolev, 188, 230, 320
 - strictly decreasing, 3
 - strictly increasing, 3
 - strongly measurable, 205
 - subharmonic, 291
 - testing, 284
 - vanishing at infinity, 111, 356, 498
 - weakly measurable, 205
 - weakly star measurable, 206
 - Weierstrass, 9
- function space
 - $AC_p([a, b])$, 83
 - $AC(I)$, 68
 - $AC_{loc}(I)$, 68
 - $AC_{loc}(I; Y)$, 68
 - $AC(\Omega; Y)$, 68
 - $AC(I; Y)$, 68

- $B_q^{s,p}(\mathbb{R}^N)$, 539
 Besov $B^{s,p}(\partial\Omega, \mathcal{H}^{N-1})$, 613, 615, 625
 $\dot{B}_q^{s,p}(\mathbb{R}^N)$, 556
 BMO, 695
 $BVP(I)$, 30
 $BVP(I; X)$, 30
 $BVP(\Omega; X)$, 31
 $BVP_{\text{loc}}(I)$, 30
 $BVP_{\text{loc}}(I; X)$, 30
 $BV(\Omega)$, 183, 459
 $BV_{\text{loc}}(\Omega)$, 188
 $C^{m,\alpha}(\bar{\Omega})$, 343
 $C(X; Y)$, 637
 $C_0(X)$, 644
 c_0 , 221
 $C_c(X)$, 644
 $C^\infty(\Omega)$, 242
 $C_c^\infty(\Omega)$, 242
 $C^m(\Omega)$, 242
 $C_c^m(\Omega)$, 242
 $C_c(X)$, 637
 $\mathcal{D}(\Omega)$, 284
 $\mathcal{D}_K(\Omega)$, 281
 $H^m(\Omega)$, 190
 $H^m(\Omega; \mathbb{R}^M)$, 190, 230
 $H^m(\Omega)$, 322
 $L^\infty(X)$, 668
 $L^{p,q}$, Lorentz, 502
 $L^p(X)$, 668
 L_{loc}^p , 671
 L_w^p , weak L^p , 504
 $L^\Phi(E)$, 376
 $\mathcal{P}\mathcal{A}$, 333
 $\mathcal{S}(\mathbb{R}^N; \mathbb{C})$, 298
 $W^{m,p}(\Omega)$, 189, 320
 $W^{m,p}(\Omega; \mathbb{R}^M)$, 188, 320
 $W^{m,p}(\Omega; Y)$, 230
 $\dot{W}^{m,p}(\Omega)$, 323
 $W_{\text{loc}}^{m,p}(\Omega)$, 189, 320
 $W_{\text{loc}}^{m,p}(\Omega; \mathbb{R}^M)$, 189, 320
 $W_{\text{loc}}^{m,p}(\Omega; Y)$, 230
 $W_0^{m,p}(\Omega)$, 322
 Zygmund $\Lambda_1(\mathbb{R}^N)$, 541
- functional
 locally bounded, 677
 positive, 677
- gauge, 641
- Hausdorff dimension, 701
 Hölder's conjugate exponent, 669
- identity
 Parseval, 311
 Plancherel, 311
- immersion, 643
- inequality
 Brunn–Minkowski, 683
 Cauchy, 648
 Hardy, 698
 Hardy–Littlewood, 120, 501
 Hölder, 669
 isoperimetric, 486, 685
 Jensen, 661
 Minkowski, 671
 for integrals, 670
 Poincaré, 193
 for continuous domains, 434
 for convex sets, 436
 for rectangles, 434
 for star-shaped sets, 441
 in BV , 486
 in $W_0^{m,p}$, 430
 in $W^{m,p}$, 432
 weighted, 194
 Young, 303, 669
 Young, general form, 304
- infinite sum, 4
- inner product, 648
 Euclidean, 649
- integral
 Bochner, 208
 Lebesgue
 of a nonnegative function, 658
 of a real-valued function, 660
 of a simple function, 658
- integrals depending on a parameter, 662
- integration
 by parts, 78, 278
 Riemann, 73
- interval, 3
 partition, 29
- Jacobian, 251
 Jacobian matrix, 251
- Laplacian, 291
- Leibnitz formula, 288
- lemma
 Fatou, 210, 660
 Riemann–Lebesgue, 312
- length distance, 146
- length of a curve
 σ -finite, 137

- line integral, 151
- Lipschitz constant, 10
- Littlewood–Paley decomposition
 - dyadic block, $\hat{\Lambda}_k$, 316
 - homogeneous, 317
- locally finite, 637
- Lusin (N) property, 84, 383
- measure, 653
 - σ -finite, 654
 - absolute continuous, 665
 - absolutely continuous part, 668
 - Borel, 653
 - Borel regular, 676
 - complete, 654
 - counting, 659
 - finite, 654
 - finitely additive, 653
 - Hausdorff, 700
 - Lebesgue, 681
 - Lebesgue–Stieltjes, 163
 - lower variation, 667
 - metric outer, 655
 - nonatomic, 654
 - outer, 651
 - Hausdorff, 700
 - Lebesgue, 12, 681
 - Lebesgue–Stieltjes, 164
 - product, 663
 - purely atomic, 654
 - Radon, 157, 676
 - signed, 666
 - absolutely continuous, 667
 - bounded, 667
 - signed
 - finitely additive, 666
 - signed Radon, 676
 - singular part, 668
 - total variation, 460, 667
 - upper variation, 667
 - vector-valued, 667
 - Radon, 677
 - vector-valued Lebesgue–Stieltjes, 173
- measure space, 653
- measures
 - mutually singular, 665, 667
- metric, 638
- metric space
 - length space, 146
- Minkowski content
 - lower, 685
 - upper, 685
- Minkowski functional, 641
- mollification, 687
- mollifier, 687
 - standard, 688
- multi-index, 241
- multiplicity of a point, 134
- N -simplex, 332
- neighborhood, 636
- norm, 643
 - equivalent, 644
 - Euclidean, 643
- normal vector, 274
- operator
 - bounded, 642
 - compact, 644
 - linear, 641
- outer measure
 - product, 663
- p -equi-integrability, 674
- parallelogram law, 648
- parameter of a curve, 133
- partition of unity
 - smooth, 692
- perimeter of a set, 461
- point
 - accumulation, 635
 - Lebesgue, 679
 - of density one, 679
 - of density t , 679
 - p -Lebesgue, 679
- pointwise variation, 29
 - essential, 187
 - indefinite, 36
 - locally bounded, 30
 - negative, 31
 - p -variation, 39
 - positive, 31
- principal value integral, 292
- quasi-norm, 645
- Radon–Nikodym property, 224
- regularized distance, 417
- ring, 653
- σ -algebra, 652
 - Borel, 652
 - product, 656, 663
- σ -locally finite, 637
- section, 663

- segment property, 328
- seminorm, 641
- semiring, 653
- sequence
 - Cauchy, 638, 640
 - convergent, 636, 638
- sequentially weakly compact set, 647
- set
 - absorbing, 639
 - balanced, 282, 639
 - Cantor , 21
 - closed, 635
 - closure, 635
 - compact, 637
 - connected, 147
 - dense, 636
 - disconnected, 147
 - F_σ , 20
 - finite width, 430
 - G_δ , 20
 - \mathcal{H}^k -rectifiable, 98
 - inner regular, 676
 - interior, 635
 - Lebesgue measurable, 681
 - μ^* -measurable, 652
 - of finite perimeter, 461
 - open, 635
 - outer regular, 676
 - pathwise connected, 147
 - precompact, 637
 - purely \mathcal{H}^k -unrectifiable , 98
 - regular, 676
 - relatively closed, 636
 - relatively compact , 637
 - relatively open, 636
 - σ -compact, 637
 - spherically symmetric rearrangement, 499
 - star-shaped, 441
 - symmetric difference, 169
 - topologically bounded, 640
- shortest distance, 146
- Sobolev critical exponent, 356, 361, 561
- space
 - Banach, 643
 - bidual, 642
 - complete, 638, 640
 - dual, 642
 - Hausdorff, 636
 - Hilbert, 648
 - locally compact, 637
 - locally convex, 640
 - measurable , 652
 - metric, 638
 - metrizable, 639
 - normable, 644
 - normal, 637
 - normed, 643
 - quasi-Banach, 645
 - quasi-normed, 645
 - $(Y_0, Y_1)_{s,q,J}$ real interpolation, 527
 - $(Y_0, Y_1)_{s,q}$ real interpolation, 518
 - reflexive, 647
 - seminormable, 641
 - seminormed, 641
 - separable, 636
 - topological, 635
 - topological vector, 639
 - vector, 639
- spherical coordinates, 271
- support of a distribution, 295
- tangent line, 138
- tangent space, 274
- tangent vector, 138, 274
- Taylor's formula, 242
- theorem
 - area formula, C^1 case, 253
 - area formula, the differentiable case, 269
 - Ascoli–Arzelà, 147
 - Aubin–Lions–Simon, 235
 - Baire category, 638
 - Banach, 61
 - Banach fixed point, 638
 - Banach–Alaoglu, 646
 - Besicovitch's covering, 678
 - Besicovitch's derivation, 678
 - Brouwer fixed point, 258
 - Carathéodory, 654
 - chain rule, 95, 99
 - change of variables, 100, 341
 - change of variables, the C^1 case, 257
 - change of variables, the differentiable case, 270
 - De la Vallée Poussin, 180, 675
 - decomposition, 250
 - divergence, 274
 - Dunford–Pettis, 675
 - Eberlein–Šmulian, 647
 - Egoroff, 211, 674
 - Faa di Bruno, 342
 - Fubini, 23, 664

- fundamental theorem of calculus, 77, 82
- Gagliardo, 600, 608, 609
- Gagliardo–Nirenberg interpolation, 400, 403, 451, 455, 488, 489
- Hahn–Banach
 - analytic form, 642
 - first geometric form, 642
 - second geometric form, 643
- Helly’s selection, 49
- Hilbert, 135
- integration by parts, 278
- Jordan’s curve, 152
- Jordan’s decomposition, 667
- Josephy, 55
- Kakutani, 648
- Lebesgue differentiation, 11
- Lebesgue dominated convergence, 210
- Lebesgue’s decomposition, 666, 668
- Lebesgue’s dominated convergence, 661
- Lebesgue’s monotone convergence, 659
- Littlewood–Paley decomposition, 317
- Lusin, 676
- Meyers–Serrin, 326
- Morrey’s embedding
 - in $B_q^{\sigma,p}$, 562
 - in $W^{1,p}$, 381
 - in $W^{m,p}$, 384
- Muckenhoupt, 444
- Peano, 135
- Pettis, 206
- Plancherel, 311
- Rademacher, 243
- Radon–Nikodym, 665
- reiteration, 522
- Rellich–Kondrachov, 483
- Rellich–Kondrachov’s compactness, 366, 368, 378, 386
 - for continuous domains, 371
- Riesz representation
 - in C_0 , 677
 - in C_c , 677
 - in L^1 , 672
 - in L^∞ , 672
 - in L^p , 671
 - in $L^p(X; Y)$, 213
 - in $W^{m,\infty}(\Omega)$, 349
 - in $W_0^{m,\infty}(\Omega)$, 349
 - in $W^{m,p}(\Omega)$, 345
 - in $W_0^{m,p}(\Omega)$, 348
- Riesz–Thorin, 673
- Sard, 489, 491
- Schwartz, 241
- Serrin, 471
- Simon, 215
- Sobolev–Gagliardo–Nirenberg
 - in $B_q^{\sigma,p}$, 561, 587
 - in BV , 482
 - in $W^{1,p}$, 356, 510
 - in $\dot{W}^{m,p}$, 362
 - in $W^{m,p}$, 361
- Stepanoff, 245
- superposition, 388, 391, 393, 395
 - in AC_{loc} , 92, 191
- Tietze extension, 637
- Tonelli, 80, 137, 664
- Urysohn, 637
- Vitali’s convergence , 674
- Vitali’s covering, 489
- Vitali–Besicovitch’s covering , 678
- Weil, 45
- Whitney extension, 262
- Whitney extension, II, 268
- Whitney’s decomposition, 262
- topology, 635
 - weak, 645
 - weak star, 646
- total variation norm, 672
- trace of a function, 592
- unit sphere
 - S^{N-1} , 243
- vanishing at infinity, 356
- variation, 460
- vertex of a simplex, 332
- Whitney’s decomposition, 264