
Index

- absolutely indecomposable, 142
- acyclic quiver, 12
- admissible ideal, 36
- admissible sequence of sinks/sources, 64
- admissible triangulation, 288
- affine G -variety, 151
- affine algebraic group, 150
- algebra
 - basic, 41
 - graded, 158
 - opposite, 14
 - semi-simple, 40
- algebraic group
 - affine, 150
 - linear, 151
 - rational representation, 151
- almost split morphism, 86
- AR Quiver, 83
- arrow, 1
 - head, 1
 - tail, 1
- associahedron, 288
 - generalized, 296
- Auslander-Reiten Quiver, 83
- Auslander-Reiten translation functors, 103

- basic algebra, 41
- binary form, 170
- bounded derived category, 305

- canonical decomposition, 247
- canonical projective resolution, 26

- Cartan form, 50
- categorical quotient, 162
- category
 - coproduct in, 4
 - derived, 305
 - hereditary, 24
 - localization of, 309
 - product in, 4
 - triangulated, 304
- Cauchy formulas, 196
- character
 - multiplicative, 176
- cluster category, 316
- cluster tilted algebra, 318
- cohomological functor, 305
- cokernel, 5
- cokernel of a morphism, 4
- column-standard tableau, 194
- cone of a morphism, 307
- conjugate partition, 193
- content of a tableau, 194
- coproduct in a category, 4
- Coxeter functor, 66
- Coxeter number, 67
- Coxeter transformation, 67
- cylinder of a morphism, 307

- decomposable representation, 8
- decorated representation, 294
- defect, 121–123
- deformed preprojective algebra, 132
- derived category, 305
 - bounded, 305

- determinantal semi-invariants, 204
 dimension vector, 3
 signed, 294
 direct sum, 4
 distinguished triangle, 308
 dominant weight, 192
 dual representation, 155
 duality functor, 103
 Dynkin graphs, 52

 epimorphism, 3
 equivalence of extensions, 27
 equivariant, 153
 Euler characteristic, 32
 Euler form, 32
 Euler matrix, 33
 exceptional object, 244
 exceptional sequence, 260
 extended Dynkin graphs, 53
 extension, 27
 equivalence, 27

 finite representation type, 50
 framed representation, 6
 Frobenius automorphism, 143
 functor
 cohomological, 305
 Fundamental Theorem of Invariant
 Theory, 184

 Gabriel's Theorem, 68
 general rank, 236
 generalized associahedron, 296
 generalized eigenspace, 15
 generic ext, 209
 generic factor-dimension vector, 209
 generic hom, 209
 generic subdimension vector, 209
 GIT, Geometric Invariant Theory, 172
 graded algebra, 158
 Grassmann variety, 231
 G -stable, 153
 G -variety, 151

 Haar measure, 155
 head of an arrow, 1
 hereditary category, 24
 highest weight module, 192
 highest weight vector, 192
 Hilbert's Finiteness Theorem, 158
 Hilbert's nullcone, 163
 Hilbert-Mumford criterion, 170
 homogeneous, 158

 homogeneous tube, 124
 homomorphism
 of affine algebraic groups, 151
 homotopic category, 307
 homotopy, 306

 ideal of morphisms, 74
 indecomposable representation, 8
 indivisible dimension vector, 135
 injective envelope, 97
 injective representation, 20
 invariant ring, 154
 irreducible morphism, 77
 irreducible representation, 8
 of an algebraic group, 160
 isomorphism, 3
 of affine algebraic groups, 151
 isotropic root, 249

 Jacobian algebra, 320
 Jacobian ideal, 320
 Jacobson radical, 39
 Jordan block, 10
 Jordan normal form, 10

 kernel, 5
 kernel of a morphism, 4
 Kronecker quiver, 118
 Kronecker symbol, 33
 Krull-Remak-Schmidt Theorem, 16

 lattice permutation, 195
 Le Bruyn-Procesi Theorem, 189
 left orthogonal category, 260
 length of a Weyl group element, 136
 linear algebraic groups, 151
 linearly reductive, 155
 Littlewood-Richardson coefficients, 195
 Littlewood-Richardson rule, 195
 localization of a category, 309

 max spectrum, 162
 max spectrum of a ring, 162
 minimal almost split morphism, 86
 minimal morphism, 86
 minimal presentation, 100
 module
 injective, 20
 projective, 20
 semi-simple, 40
 moment map, 132
 monomorphism, 3
 Morita equivalent, 43

- morphism, 2
 - cokernel, 4
 - kernel, 4
- multiplicative character, 164, 176
- Nakayama Lemma, 39
- non-homogeneous tube, 124
- nullcone, 163
- one-parameter subgroup, 170
- opposite algebra, 14
- opposite quiver, 14
- orbit category, 315
- orbit functor, 315
- oriented cycle, 12
- orthogonal category
 - left, 260
 - right, 260
- orthogonal idempotents, 13
- partial exceptional sequence, 260
- partial tilting module, 256
- partition, 193
- path, 11
 - trivial, 11
- path algebra, 11
- polarization, 185
- polynomial representation, 191
- potential, 320
- prehomogeneous dimension vector, 257
- preinjective, 116
- preinjective representation, 123
- preprojective, 114
- preprojective algebra, 115
- preprojective representation, 123
- primitive isotropic root, 122
- Procesi's Theorem, 188
- product in a category, 4
- progenerator, 45
- projective cover, 98
- projective representation, 20
- projective variety over a cone, 167
- quasi-isomorphism, 306
- quiver, 1
 - acyclic, 12
 - arrow, 1
 - opposite, 14
 - vertex, 1
- quiver representation, 2
 - morphisms, 2
- quotient category, 74
- radical, 39
- rational representation
 - of an algebraic group, 151
- real roots, 138
- reductive, 155
 - linearly, 155
- regular action, 151
- regular representation, 123
- representation
 - decomposable, 8
 - decorated, 294
 - framed, 6
 - indecomposable, 8
 - injective, 20
 - irreducible, 8
 - polynomial, 191
 - projective, 20
 - simple, 8
 - trivial, 8
- representation of a quiver, 2
- representation space, 6
- retraction, 76
- Reynolds operator, 155
- right orthogonal category, 260
- ring of semi-invariants, 165
- Ringel form, 32
- Schofield semi-invariants, 204
- Schur functor, 194
- Schur representation of $GL(V)$, 193
- Schur representation of a quiver, 244
- Schur root, 244
- Schur's Lemma, 160
- section, 76
- semi-invariant, 164
- semi-simple algebra, 40
- semi-simple module, 40
- semi-stable, 167
- shift functor, 307
- σ -semi-stable, 177
- σ -stable, 177
- signed dimension vector, 294
- simple representation, 8
- simplicial complex, 288
- sink, 59
- socle, 99
- source, 59
- spectrum of a ring, 162
- stable, 169
- stalk complex, 310
- subquiver, 1
- subrepresentation, 3

- of an algebraic group, 160
- tableau, 194
 - column-standard, 194
 - content of, 194
- tail of an arrow, 1
- tensor algebra, 13
- tilting module, 254
- Tits form, 50
- top, 99
- translation functors, 103
- transpose, 100
- triangle-equivalence, 305
- triangulated category, 304
- triangulation
 - admissible, 288
- triangulation of a category, 304
- trivial path, 11
- trivial representation, 8
- unitary group, 156
- vertex, 1
- Wedderburn's Theorem, 47
- weight, 176
- weight space decomposition, 192
- Weyl group, 136
- Yoneda extension, 27
- Young diagram, 193