

---

# Index

- absolutely continuous, 413
- adjoint operator, 165
  - complex, 225
  - unbounded, 313
- affine hyperplane, 72
- Alaoglu–Bourbaki Theorem, 156
- almost everywhere, 4
- annihilator, 74
  - left, 120
- approximation property, 178
- Argyros–Haydon space, 188
- Arzelà–Ascoli Theorem, 13, 15, 16, 155
- Atiyah–Jänich Theorem, 188
- axiom of choice, 446
  - Bell–Fremlin Theorem, 162
- axiom of countable choice, 6
- axiom of dependent choice, 6, 48
  
- Babylonian method
  - for square roots, 236
- Baire Category Theorem, 42
- Banach algebra, 35, 234
  - ideal, 246
  - semisimple, 246
- Banach hyperplane problem, 188
- Banach limit, 104
- Banach space, 3
  - approximation property, 178
  - complex, 100, 198
  - complexified, 201
  - product, 25
  - quotient, 24
  - Radon–Nikodým property, 415
  - reflexive, 81, 134
  - separable, 85
  - strictly convex, 143
- Banach–Alaoglu Theorem
  - general case, 126, 155
  - separable case, 124
- Banach–Dieudonné Theorem, 130
- Banach–Mazur Theorem, 158
- Banach–Steinhaus Theorem, 52
- basis
  - orthonormal, 79
  - Schauder, 99, 106, 178
- Bell–Fremlin Theorem, 162
- bidual
  - operator, 165
  - space, 80
- bilinear form
  - continuous, 53
  - positive definite, 31
  - symmetric, 31
  - symplectic, 314, 345
- Birkhoff’s Ergodic Theorem, 145
- Birkhoff–von Neumann Theorem, 160
- Borel  $\sigma$ -algebra, 30
- Borel measurable operator, 48
- bounded
  - bilinear map, 53
  - linear operator, 17
    - invertible, 39
  - pointwise, 50
- Bourbaki–Witt Theorem, 446
  
- C\* algebra, 234

- Calkin algebra, 187
- Cantor function, 158
- category
  - in the sense of Baire, 40
- Cauchy integral formula, 207
- Cauchy problem, 349, 363
  - well-posed, 363
- Cauchy sequence, 2
- Cauchy–Schwarz inequality, 31
  - complex, 222
- Cayley transform, 327
- Cayley–Hamilton Theorem, 291
- chain, 445
- closeable linear operator, 62
- closed convex hull, 120
- Closed Graph Theorem, 59
- Closed Image Theorem, 169, 308
- closed linear operator, 59
- cokernel, 179
- comeagre, 40
- compact
  - subset of a topological space, 5
  - finite intersection property, 450
  - operator, 173–177
  - pointwise, 12
  - subset of a metric space, 5
- compact-open topology, 154
- complemented subspace, 78
- complete
  - metric space, 3
  - subset of a metric space, 5
- completely continuous operator, 174
- completion of a metric space, 45
- complexification
  - of a linear operator, 201
  - of a norm, 201
  - of a vector space, 201
  - of the dual space, 202
- continuous function
  - vanishing at infinity, 129, 155
  - weakly, 404
- contraction semigroup, 374
- convergence
  - in measure, 111
  - weak, 114
  - weak\*, 114
- convex hull, 120
- convex set
  - absorbing, 104
  - closure and interior, 73, 115
  - extremal point, 140
  - face, 140
  - separation, 70, 116, 123
- cyclic vector, 281
- deformation retract, 193
- dense
  - linear subspace, 76
  - subset, 11
- direct sum, 57
- Dirichlet problem, 320
- dissipative operator, 374
- doubly stochastic matrix, 160
- dual operator, 164, 306
  - complex, 198
- dual space, 26
  - complex, 198
  - of  $\ell^1$ , 29
  - of  $\ell^p$ , 28
  - of  $C(M)$ , 30
  - of  $c_0$ , 29
  - of  $L^p(\mu)$ , 26
  - of a Hilbert space, 32
  - of a quotient, 76
  - of a subspace, 76
- Dunford integral, 216, 305
- Eberlein–Šmulyan Theorem, 134
- eigenspace
  - generalized, 213
- eigenvalue, 208, 299
- eigenvector, 208, 299
- equi-continuous, 12, 16
- equivalent norms, 18
- ergodic
  - measure, 144
  - theorem, 148
    - Birkhoff, 145
    - von Neumann, 146
  - uniquely, 145
- exact sequence, 195
  - Euler characteristic, 195
- extremal point, 140
- Fejér’s Theorem, 79
- finite intersection property, 450
- first category, 40
- flow, 352
- formal adjoint
  - of a differential operator, 64
- Fourier series, 79, 103
- Fredholm
  - alternative, 187, 193

- index, 179
- operator, 179
- Stability Theorem, 185
- triple, 194
- functional calculus
  - bounded measurable, 267
  - continuous, 240, 257
  - holomorphic, 217, 305
  - normal, 257, 267
  - self-adjoint, 240, 326
  - unbounded, 326
- Gantmacher's Theorem, 190
- Gelfand representation, 249
- Gelfand spectrum, 246, 293
- Gelfand transform, 249, 293
- Gelfand triple, 316
- Gelfand–Mazur Theorem, 248, 290
- Gelfand–Robbin quotient, 315, 346
- graph norm, 59, 296, 361
- Hahn–Banach Theorem, 65
  - closure of a subspace, 74
  - for bounded linear functionals, 67
  - for convex sets, 70, 116, 123
  - for positive linear functionals, 68
- Hardy space, 239
- heat
  - equation, 352, 403
  - kernel, 352, 403
- Hellinger–Toeplitz Theorem, 61
- Helly's Theorem, 135, 158
- Hermitian inner product, 222
  - on  $\ell^2(\mathbb{N}, \mathbb{C})$ , 224
  - on  $L^2(\mu, \mathbb{C})$ , 224
  - on  $L^2(\mathbb{R}/\mathbb{Z}, \mathbb{C})$ , 79
- Hilbert cube, 143, 161
- Hilbert space, 31
  - complex, 223
  - complexification, 223
  - dual space, 26
  - orthonormal basis, 79
  - separable, 79
  - unit sphere contractible, 193
- Hille–Yosida–Phillips Theorem, 368–374
- Hölder inequality, 26
- holomorphic
  - function, 205
  - functional calculus, 216–221
- hyperplane, 72
  - affine, 72
- image, 18
- infinitesimal generator, 357
  - of a contraction semigroup, 375
  - of a group, 366
  - of a self-adjoint semigroup, 382
  - of a shift group, 385
  - of a unitary group, 384
  - of an analytic semigroup, 393
  - of the dual semigroup, 377
  - of the heat semigroup, 403
  - Schrödinger operator, 386
  - uniqueness of the semigroup, 365
  - well-posed Cauchy problem, 363
- inner product, 31
  - Hermitian, 79, 222
  - on  $L^2(\mu)$ , 34
- integral
  - Banach space valued, 203, 410
  - mean value inequality, 204
  - over a curve, 205
- invariant measure, 125
  - ergodic, 144
- inverse in a Banach algebra, 35
- inverse operator, 39
- Inverse Operator Theorem, 56
- Jacobson radical, 246
- James' space, 86–100
- James' Theorem, 134
- joint kernel, 120
- K-theory, 188
- kernel, 18, 179
- Kreĭn–Milman Theorem, 140
- Kronecker symbol, 28
- Kuiper's Theorem, 188
- Lagrangian subspace, 314, 345
- Laplace operator, 298, 320
- linear functional
  - bounded, 17
  - positive, 68
- linear operator
  - adjoint, 165, 225
  - bidual, 165
  - bounded, 17
  - closeable, 62
  - closed, 59
  - cokernel, 179
  - compact, 174, 233
  - completely continuous, 174
  - complexified, 201

- cyclic vector, 281
- dissipative, 374
- dual, 164
- exponential map, 221
- finite rank, 174
- Fredholm, 179
- image, 179
- inverse, 39
- kernel, 179
- logarithm, 221
- normal, 227, 321
- positive semidefinite, 245
- projection, 78, 147
- right inverse, 78
- self-adjoint, 165, 227, 313
- singular value, 233
- spectrum, 208
- square root, 221, 245
- symmetric, 61, 63
- unitary, 227
- weakly compact, 190
- linear subspace
  - closure, 76
  - complemented, 78
  - dense, 76
  - dual of, 76
  - invariant, 288
  - orthogonal complement, 225
  - weak\* closed, 130
  - weak\* dense, 122
  - weakly closed, 119
- Lipschitz continuous, 413
- long exact sequence, 195
- Lumer–Phillips Theorem, 375
- Markov–Kakutani
  - Fixed Point Theorem, 161
- maximal ideal, 246
- meagre, 40
- Mean Ergodic Theorem, 145
- measurable function
  - Banach space valued, 404
  - strongly, 404
  - weakly, 404
- measure
  - complex, 200
  - ergodic, 144
  - invariant, 125
  - probability, 125
  - projection valued, 262
  - pushforward, 165
  - signed, 4
  - spectral, 263
- metric space, 2
  - compact, 5
  - complete, 3
  - completion, 45
- Milman–Pettis Theorem, 156
- Minkowski functional, 104
- nonmeagre, 40
- norm, 3
  - equivalent, 18
  - operator, 17
- normal operator, 227
  - spectrum, 229
  - unbounded, 321
- normed vector space, 3
  - dual space, 26
    - weak\* topology, 114
  - product, 24
  - quotient, 23
  - strictly convex, 106
  - uniformly convex, 156
  - weak topology, 114
- nowhere dense, 40
- open
  - ball, 2
  - half-space, 72
  - map, 54
  - set in a metric space, 2
- Open Mapping Theorem, 54
  - for unbounded operators, 343
- operator norm, 17
- ordered vector space, 68
- orthogonal complement, 34
  - complex, 225
- orthonormal basis, 79
- partial order, 445
- Pettis’ Lemma, 48
- Pettis’ Theorem, 405
- Phillips’ Lemma, 101
- Pitt’s Theorem, 191
- pointwise
  - bounded, 50
  - compact, 12
  - precompact, 12
- polar set, 156
- positive cone, 68
- positive linear functional, 68
- pre-annihilator, 120
- precompact

- pointwise, 12
- subset of a metric space, 5
- subset of a topological space, 5
- probability measure, 125
- product space, 25
- product topology, 110, 113, 450
- projection, 78, 147
  
- quasi-seminorm, 65
- quotient space, 23
  - dual of, 76
  
- Radon measure, 155
- Radon–Nikodým property, 415
- reflexive Banach space, 80–84, 134
- residual, 40
- resolvent
  - identity, 210, 300
    - for semigroups, 368
  - operator, 210, 299
  - set, 208, 299
- Riemann–Lebesgue Lemma, 103
- Riesz Lemma, 22
- Ruston’s Theorem, 106
  
- Schatten’s tensor product, 105
- Schauder basis, 99, 106, 178
- Schrödinger equation, 386
- Schrödinger operator, 298
- Schur’s Theorem, 121, 153
- second category, 40
- self-adjoint operator, 165, 227
  - spectrum, 231
  - unbounded, 313
- semigroup
  - strongly continuous, 350
- seminorm, 65
- separable
  - Banach space, 85
  - Hilbert space, 79
  - topological space, 11
- signed measure, 4
  - total variation, 333
- simplex
  - infinite-dimensional, 143
- singular value, 233
- Šmulyan–James Theorem, 159
- Snake Lemma, 195
- Sobolev space, 423
- spectral
  - measure, 263, 332
  - projection, 215, 305
  - radius, 37, 39, 211
- Spectral Mapping Theorem
  - bounded linear operators, 217
  - normal operators, 267
  - self-adjoint operators, 240, 326
  - unbounded operators, 326
- Spectral Theorem, 281
- spectrum, 208
  - continuous, 208, 299
  - in a unital Banach algebra, 246
  - of a commutative algebra, 246
  - of a compact operator, 213
  - of a normal operator, 229, 324
  - of a self-adjoint operator, 231
  - of a unitary operator, 229
  - of an unbounded operator, 299
  - point, 208, 299
  - residual, 208, 299
- square root, 245, 344
  - Babylonian method, 236
- Stone’s Theorem, 384
- Stone–Weierstraß Theorem, 236, 289, 290
- strictly convex, 106, 143, 160
- strong convergence, 52
- strongly continuous semigroup, 350
  - analytic, 388–403
  - contraction, 374
  - dual semigroup, 377
  - extension to a group, 366
  - heat kernel, 352, 403
  - Hille–Yosida–Phillips, 368
  - infinitesimal generator, 357
  - on a Hilbert space, 351
  - regularity problem, 429
  - Schrödinger equation, 386
  - self-adjoint, 382
  - shift operators, 351, 385
  - unitary group, 384
  - well-posed Cauchy problem, 363
- symmetric linear operator, 61, 165
- symplectic
  - form, 314, 345
  - reduction, 345
  - vector space, 314, 345
  
- tensor product, 105
- topological vector space, 110
  - locally convex, 110
- topology, 2
  - compact-open, 154
  - of a metric space, 2

- of a normed vector space, 3
  - product, 110, 113, 450
  - strong, 110, 114
  - strong operator, 52
  - uniform operator, 17
  - weak, 114
  - weak\*, 114
- total variation
  - of a signed measure, 333
- totally bounded, 5
- triangle inequality, 2, 31
- trigonometric polynomial, 290
- Tychonoff's Theorem, 450
- unbounded operator, 295
  - densely defined, 295
  - normal, 321
  - self-adjoint, 313
  - spectral projection, 305
  - spectrum, 299, 324
  - with compact resolvent, 302
- Uniform Boundedness Theorem, 50
- unitary operator, 227
  - spectrum, 229
- vector space
  - complex normed, 198
  - complexification, 201
  - normed, 3
  - ordered, 68
  - topological, 110
- Volterra operator, 291
- von Neumann's Mean Ergodic Theorem, 146
- wave equation, 353, 387
- weak
  - compactness, 134–139
  - continuity, 404
  - convergence, 114
  - measurability, 404
  - topology, 114, 119–121
- weak\*
  - compactness, 126, 127
  - convergence, 114
  - sequential closedness, 127
  - sequential compactness, 124, 127
  - topology, 114, 122–123, 130–133
- weakly compact, 190
- winding number, 216
- Zorn's Lemma, 446