

---

# Subject Index

- $\alpha$ -string, 388
- abelianization, 583
  - of a group, 126, 505, 583
  - of a Lie algebra, 506
  - of an algebra, 504
- action, 13, 441
  - adjoint, 283, 286, 300, 393, 397, 400, 493, 496, 546
    - on bimodules, 286, 468
  - doubly transitive, 131
  - locally finite, 438, 443
  - multiplicative, 309, 366
  - of a Lie algebra, 251
  - rational (of an algebraic group), 514
- ad-nilpotent, 323, 334, 395
- ad-semisimple, 323
- Adams operations, 491
- additive group, 456
  - functor, 506
- adjunction, 583
- admissible transposition, 208, 215, 224
- Ado's Theorem, 250
- affine algebraic group, 503–540
  - connected, 520–525
  - irreducible, 520–525
- affine algebraic variety, 43
- affine group scheme, 504
- affine scheme, 504
- algebra, 3
  - affine, 9, 36, 40, 43, 95, 271, 497
  - commutative, 601
  - almost commutative, 277, 288
  - alternating, 11, 22
  - anticommutative, 12, 22
  - artinian, 19, 40, 476
  - associated graded, 269, 271, 276, 277, 288, 311
  - augmented, 564
  - central simple, 22, 76, 106
  - commutative, 4, 9, 40, 135
  - connected, 507
  - defined over a finite field, 77
  - defined over a subfield, 65, 147
  - filtered, 276, 277, 288, 311
  - finite-dimensional (or finite), 6
  - free, 6–9, 605
  - free commutative, 9
  - Frobenius, 96–109, 544, 564
  - graded, 7, 8, 21, 178, 495
  - graded-commutative, 12, 22
  - local, 38, 96
  - noetherian, 19, 40, 271
  - opposite, 14, 96
  - PI (polynomial identity), 50, 64, 277, 440, 441
  - prime, 63
  - primitive, 63
  - residually finite (or residually finite-dimensional), 440
  - self-injective, 564
  - semiprime, 63, 64
  - semiprimitive, 48, 63
  - semisimple, 51, 57, 63, 64
    - split, 59, 102
  - separable, 65, 76, 105, 147, 553
  - simple, 22, 169

- symmetric, 96–109, 122
- symmetric (of a vector space), 10, 138
- algebra of invariants, 174–178, 189, 282, 394, 397–399, 401, 404, 408, 497, 499
  - of an  $H$ -module algebra, 495
- algebra of polynomial functions, 175, 449, 602
- algebraic  $n$ -torus, 511
- algebraic number field, 222
- ambiguity, 607
  - resolvable, 607
  - resolvable relative to  $\leq$ , 611
- annihilator (of a subset of an algebra), 110
- anti-invariant, 368
- anticommutativity, 246
- antipode, 451, 452
  - bijjective, 477, 552
  - of a group algebra, 135
  - of an enveloping algebra, 276, 279
- antisymmetrization map, 180
- antisymmetrizer, 180, 368, 484
- Artin-Tate Lemma, 20, 41, 278, 499
- ascending central series, 254
- associative law, 4, 15, 576
  - for tensor products, 590, 592
- augmentation ideal, 447, 526
  - of a group algebra, 132
  - of an enveloping algebra, 275, 278
  - relative, 141, 277, 461, 479
- augmentation map, 132, 275
- automorphism
  - inner, 39
  - of graphs, 199
- automorphism group, 576
- averaging operator, 134
- Axiom of Choice, 19, 582
- base of a root system, 349
  - for the root system  $A_n$ , 350
  - for the root system  $B_n$ , 350
  - for the root system  $C_n$ , 350
  - for the root system  $D_n$ , 351
- bi-ideal, 447
- bi-opposite
  - bialgebra, 448
  - Hopf algebra, 451
- bialgebra, 447–448
- bicommutant, 36
- bifunctor, 20, 136, 467, 469, 581, 588, 590, 593–595
- bilinear form
  - alternating, 246, 568
  - associative, 316, 432
  - $G$ -invariant, 570
  - invariant, 197, 568
  - nondegenerate, 316, 320, 432, 568
  - skew-symmetric, 568
  - symmetric, 568
- bilinear map, 592
  - balanced, 588, 592
- bimodule, 15, 577, 589
  - regular, 15, 95, 97, 577, 590
- Borel subalgebra, 376
- braid relation, 215
- branching graph, 187, 192–197
- branching rule, 200, 224, 229, 234
- Brauer-Fowler Theorem, 164–166, 567
- Bruhat order, 536, 538, 540
- Burnside's  $p^a q^b$ -Theorem, 163, 164
- Burnside's Lemma, 134
- Burnside's Theorem, 60–63, 70, 77, 127, 129, 161, 310, 564
- Cartan homomorphism, 86, 88, 96
  - of a finite-dimensional algebra, 92
  - of a finite-dimensional Hopf algebra, 549, 558
  - of the Sweedler algebra, 96
  - of the Taft algebra, 484
- Cartan integers, 328, 333, 336, 339, 342
- Cartan matrix of a root system, 358, 362
  - type  $A_n$ , 336
  - type  $B_n$ , 339
  - types  $A_n - D_n$ , 358
- Cartan subalgebra, 326
- Cartan's Criterion, 263–265, 317
- Cartier-Gabriel-Kostant Theorem, 496
- Casimir element, 99, 101, 102, 123, 146, 160, 305, 306, 309, 558–561
  - of a representation, 321
  - universal, 321
- Casimir operator, 100, 101, 106, 110
- Casimir trace, 101, 102, 123, 558, 559
- Catalan number, 205
- category, 575
  - concrete, 578
  - locally small, 576
  - monoidal, 137
  - opposite, 579
  - small, 576
  - tensor, 137
- Cauchon diagram, 536, 537
- Cauchy-Frobenius Lemma, 134
- center, 248

- of a bimodule, 468
- of a Lie algebra, 248
- of an algebra, 3
- central closure, 525, 621
- centralizer, 36, 130, 189, 224, 225, 238, 248, 400, 408
- centralizing homomorphism, 50, 501
- chain condition
  - ascending (ACC), 19
  - for semiprime ideals, 49
  - descending (DCC), 19, 476, 606
  - for ideals, 620
- character, 66
  - central, 160, 291–292, 383–384, 400
  - complex, 148
  - formal, 173–174, 309, 391, 414
  - of an  $\mathfrak{sl}_2$ -representation, 307–308
  - of Verma modules, 415, 416
  - irreducible, 70, 121
  - map, 74–75, 92, 486–487, 557
  - of an induced representation, 123
  - of projectives, 92
  - regular, 66, 76, 100, 102, 103, 107, 130, 146, 552
- character table, 121, 227
  - of  $\mathcal{A}_4$ , 156
  - of  $\mathcal{A}_5$ , 158
  - of  $\mathcal{D}_4$ , 128
  - of  $\mathcal{S}_3$ , 129
  - of  $\mathcal{S}_4$ , 154
  - of  $\mathcal{S}_5$ , 155
- characteristic polynomial, 31, 174, 498
- Chevalley property, 483, 484, 497, 526
- Chevalley Restriction Theorem, 399
- Chevalley's Theorem, 483, 529
- Chinese Remainder Theorem, 63, 70, 126, 127
- class equation, 561, 562
- class function, 120, 165
- class sum, 133, 160, 163
- classification of finite simple groups, 165, 484, 497
- Clifford theory, 166–168
- Clifford's Theorem, 157, 162, 167, 168
- co-opposite
  - bialgebra, 448
  - coalgebra, 429, 442
- coaction, 441
- coalgebra, 428
  - co-opposite, 429, 442
  - cocommutative, 428
  - grouplike, 429, 435, 439, 442, 449, 495
  - simple, 444
- coassociativity, 135, 276, 428, 431, 432
- cobordism diagram, 431, 432
- coefficient coalgebra, 446
- coform, 433
- coideal, 428
  - left, 442
  - right, 442, 447
- coideal subalgebra
  - left, 471, 564
  - right, 447, 467, 475
- coinduction functor, 28, 95, 117
- coinvariants, 140
  - of a comodule, 466
- commutative diagram, 576
- comodule, 13, 441
  - irreducible, 444
  - regular, 442
  - trivial, 466
- comodule algebra, 492
- complement, 18, 51
- complete flag, 260
- composition (of a positive integer), 181, 230, 240
  - weak, 181
- composition factor, 35, 65, 91
- composition series, 32, 72, 91
- comultiplication, 135, 275, 279, 428
- conditional expectation, 40
- conjugacy classes (of a group), 120
  - of  $\mathcal{A}_n$ , 155
  - of  $\mathcal{S}_n$ , 153
  - $p$ -regular, 121, 487
- Conjugacy Theorem, 395, 396, 399, 403
- connected component (of a topological space), 523
- content
  - of a  $\lambda/\mu$ -tableau, 223
  - of a Young tableau, 206
- convolution, 434
  - algebra, 434, 439
- core (of a prime ideal), 296
- coroot, 349
- counit, 132, 275, 409, 428
- counit laws, 428, 432, 433
- Coxeter generators, 192, 538
- crossed product, 166–169
- cyclotomic polynomial, 126
- Dedekind's Lemma, 462
- degree

- of a representation, 24
- of a word, 608
- total, 8, 9
- deleted permutation representation, *see* representation, deleted permutation
- derivation, 20, 250, 281, 530
  - inner, 251
  - left  $\sigma$ -, 20
  - outer, 251, 253, 257, 318
- derived series, 254
- descending central series, 254, 278
- determinant, 238, 450
- diagonal action, 137
- diagonal map, 275
- diamond conditions, 607
- Diamond Lemma, 534, 605–613
- diamond Lie algebra, 252, 253, 255, 257
- dimension augmentation, 489
- dimension of a representation, 24
- direct product
  - of algebras, 56, 109
  - of groups, 123
  - of Lie algebras, 251, 274
  - of modules, 95
- direct sum of representations, 24
- distinguished grouplike element, 543
- division algebra, 30
- Dixmier-Moeglin equivalence, 295, 297, 299, 405, 615
- domain, 20, 270, 276
- double centralizer, 36, 60
- Double Centralizer Theorem, 235
- dual bases, 81, 595
  - for a Frobenius form, 98, 99
- Dual Bases Lemma, 81, 83
- dual numbers, 527
- dual root system, 349
- duality functor, 579
- Duflo isomorphism, 394
- Dynkin diagram, 358
  - types  $A_n - D_n$ , 358
- eigenspace, 54
  - generalized, 262
- Eilenberg swindle, 95
- element
  - grouplike, 429, 448, 450, 451, 457, 459, 475, 543, 550
  - modular (right or left), 543, 544, 549, 550, 566
  - nilpotent, 258
  - normal, 47, 276, 290, 298, 457, 620
  - primitive, 448, 450, 452
  - regular (of a Lie algebra), 396
  - unipotent, 258
- elementary automorphism (of a Lie algebra), 326, 395, 407
- elementary divisor, 37
- Engel's Theorem, 257–260, 292, 297
- enveloping algebra of a Lie algebra, 266–278, 436, 448, 612
  - coalgebra structure, 430
  - Hopf ideals of, 461
  - in positive characteristic, 277
  - of  $\mathfrak{sl}_2$ , 309–312, 605, 609
  - restricted, 314, 449
- equivalence
  - of categories, 14, 582, 583
  - of representations, 25, 39
- Erdős-Kaplansky Theorem, 469, 595
- exact sequence, 178, 593
- exponent of a group, 124
- extended center, 295, 617
- extension of scalars, 29, 39, 64, 65, 76
- exterior algebra, 11, 138
- $\Phi$ -convexity, 388
- $\Phi$ -extremal element, 388
- f.c. (finite conjugate) center, 140, 501
- Feit-Thompson Theorem, 164
- Ferrers diagram, 198
- field extension
  - finite, 66
  - separable, 65, 66, 76
- filtration
  - of a representation, 41
  - of a vector space, 269
  - of an algebra, 269, 270
- finite dual, 68, 436, 440, 441
  - of a bialgebra, 453–457
  - of a group algebra, 455
  - of a Hopf algebra, 453–457, 486, 509
  - of a polynomial algebra, 455
- Finiteness Theorem for coalgebras and comodules, 444, 476, 565
- fixed point, 130
- forgetful functor, 7, 578, 585
- formal linear combinations, 584
- forms of degree  $n$ , 183
- Frobenius endomorphism, 69
- Frobenius extension, 110, 117
  - of Hopf algebras, 566
- Frobenius form, 98, 544
- Frobenius laws, 434, 447

- Frobenius reciprocity, 28, 61, 119, 144, 200, 224, 231  
 Frobenius' Divisibility Theorem, 161–163, 559, 560, 562  
 Frobenius' formula, 169  
 Frobenius-Schur indicator, 165, 169, 567, 568, 571  
 functor, 578, 588, 590, 593  
   adjoint, 7, 10, 115, 267, 437, 440, 452, 583  
   contravariant, 578, 595  
   covariant, 578  
   essentially surjective, 582  
   exact, 81, 124, 589  
     left, 81, 593  
     right, 589  
   faithful, 578  
   full, 578  
 Fundamental Theorem  
   of  $S_n$ -invariants, 371, 404  
   on coalgebras, 443  
  
*G*-algebra, 138, 282, 492  
*g*-algebra, 282, 492  
*G*-core, 531  
*G*-ideal, 531  
*G*-prime ideal, 531  
*G*-set, 129, 140, 141, 149  
 Galois descent, 64  
 Gelfand-Zetlin (GZ) algebra, 188, 189, 195  
 Gelfand-Zetlin (GZ) basis, 194, 196, 197, 218  
   of  $V_{n-1}$ , 194, 197, 219, 221, 222  
 general linear group, 506  
 general linear Lie algebra, 247  
 generalized matrix algebra, 16  
 generating function, 170, 172  
 generators  
   of a module, 18  
   of an algebra, 6  
 Generic Flatness Lemma, 289, 601, 603  
 generic matrix, 457, 459  
 generic point, 45, 48, 291  
 Goodearl-Letzter stratification, 533  
 grading, 21  
 Graph Isomorphism Theorem, 187, 188, 198, 199, 205, 215–217  
 Grothendieck group  
   of finite-dimensional projectives, 85  
   of finite-dimensional representations, 72, 285, 308, 390, 485  
   of finitely generated projectives, 84  
 group  
   abelian, 84, 115, 124–126, 131, 160, 162, 168, 461  
   algebraic, *see* affine algebraic group  
   alternating, 127, 155–158, 164, 176  
   cyclic, 69, 115, 125, 505, 506  
   dihedral, 127, 129, 131, 349, 408, 491  
   Klein 4-group, 153  
   quaternion, 131, 491  
   simple, 148, 164–166, 169, 462, 484, 497  
   solvable, 163  
   symmetric, 12, 127–129, 131, 150–155, 177, 179–185, 187–242, 283, 308, 346, 388, 479, 536, 538  
   group algebra, 113, 114, 365, 451  
     Hopf subalgebras and Hopf ideals of, 461  
   group functor, 504  
   group ring, 116  
     integral, 485  
   group scheme, 503  
   grouplike element, *see* element, grouplike  
   groupoid, 577  
  
   *H*-core, 500, 501, 538–540  
   *H*-hull, 500  
   *H*-ideal, 500  
   *H*-prime, 500  
   *H*-simple, 501  
   Harish-Chandra homomorphism, 400  
   Harish-Chandra isomorphism, 401, 404, 408  
   Hattori's Lemma, 124  
   Hattori-Stallings rank, 87, 92, 94, 124  
   Hattori-Stallings trace, 83–84  
   head (of a representation), 89, 381  
   heart (of a prime ideal), 296  
   height (of a root), 356  
   Heisenberg Lie algebra, 250, 252, 254, 262, 265, 278, 293  
   Hermite reciprocity, 313  
   Hermitian inner product, 146  
   Hessian, 314  
   highest root, 389  
   highest weight, 379  
     representation, 379–385  
     vector, 380  
   Higman ideal, 123  
   Higman trace, 100, 101, 110  
   Hilbert Basis Theorem, 19, 20, 271  
   Hilbert series, 175, 178  
   Hilbert-Serre Theorem, 178  
   Hochschild (co)homology, 287  
   homogeneous

- component (of a representation), 53–56, 60, 168, 197
- element (in a graded algebra), 8
- homomorphism
  - of algebras, 4
  - of bialgebras, 447
  - of coalgebras, 428
  - of comodules, 441
  - of graded algebras, 8
  - of Hopf algebras, 451
  - of Lie algebras, 246
  - of modules, 13
  - of representations, 25
- hook, 201
  - length, 201
  - partition, 205
  - walk, 202
- Hook-Length Formula, 188, 201
- Hopf algebra, 134, 273, 451
  - almost cocommutative, 474, 485
  - bi-opposite, 451
  - bisemisimple, 554
  - cocommutative, 135, 276, 467, 484, 485, 490, 491, 494
  - involutory, 453, 460, 462, 475, 480, 549
  - self-dual, 548
  - trigonometric, 462
  - unimodular, 542, 543, 549, 562
- Hopf ideal, 451
- Hopf kernel, 479
- Hopf module, 471
  - relative, 471, 475, 563
- Hopf subalgebra, 451
- Hopkins-Levitzki Theorem, 477
- icosahedron, 176
- ideal
  - cofinite, 62, 436
  - completely prime, 310, 311, 405, 534
  - locally closed prime, 290, 296, 311
  - maximal, 44
  - nil, 88, 289
  - nilpotent, 48, 63, 289
  - of a Lie algebra, 248
  - prime, 44
  - primitive, 42, 287
    - right vs. left, 42, 294
  - rational, 294, 296
  - semiprime, 44, 49, 287, 288, 600
- idealizer, 620
- idempotent, 75, 81, 95, 105, 558
  - primitive central, 60, 103, 146, 196, 560
- identity component (of an affine algebraic group), 523
- identity element, 4, 577
- identity functor, 578
- induction functor, 27, 39, 117, 123, 124, 166
- inflation (of a representation), 27, 48, 58, 73
- inner product, 332
  - Hermitian, 149, 570
- integral
  - in a Hopf algebra, 542
  - of the representation ring, 490
- integral closure, 104
- integrality, 104, 160, 162, 163, 499, 560
- intertwine, 25
- invariant theory, 170, 175
  - multiplicative, 309, 366
  - noncommutative, 492
- invariants, 64, 398
  - multiplicative, 309, 366
    - of the weights lattice for  $A_n$ , 371
    - of the weights lattice for  $C_n$ , 371
  - of a group representation, 132
  - of a Hopf algebra representation, 466
  - of a Hopf representation, 466
  - of a Lie algebra representation, 258, 279
  - of a permutation representation, 132
  - of an  $\mathfrak{sl}_2$ -representation, 313
  - of outer tensor products, 140
  - polynomial, 175
- inversions (of a permutation), 209, 217, 355
- involution, 164, 393, 489
  - standard (of a group algebra), 135, 192
  - standard (of an enveloping algebra), 276
- irreducible components
  - of a root system, 358
  - of a topological space, 521
- irreducible constituent (of a representation), 55
- isomorphism, 576
  - functorial, 581
  - natural, 581
  - of categories, 582
  - of functors, 110, 581
  - of graphs, 199
  - of root systems, 342
- Isomorphism Theorem (for Lie algebras), 248
- isotropy group, 141, 159
- Itô's Theorem, 160, 166, 168
- Jacobi identity, 246, 247, 250, 283, 613

- Jacobson property, 287, 288, 290, 296, 300, 522, 601
- Jacobson radical, 48, 63, 69, 289, 483, 496
- Jacobson-Morozov Lemma, 314
- Jacobson-Zariski topology, 45–50, 290, 291, 293, 300, 406, 531
- Jordan canonical form, 26, 262–263
- Jordan decomposition, 263, 266
  - abstract, 324, 327
  - preservation of, 324
- Jordan-Chevalley decomposition, 263
- Jordan-Hölder Theorem, 33–35, 85, 91, 298
- Jucys-Murphy (JM) elements, 189
- $\mathbb{k}$ -field, 5, 22, 296
- kernel (of a representation), 24
- Killing form, 316, 321, 409
- Kolchin's Theorem, 258
- Koszul sign rule, 22
- Kronecker product, 597
- Krull-Schmidt Theorem, 38, 40, 85, 91, 564, 565
- $\lambda$ -ring, 490
- $\lambda$ -tableau, 200
- $\lambda/\mu$ -tableau, 222
- Lagrange's Theorem, 563
- lattice, 115
- Laurent polynomial algebra, 115, 366
- Le-diagram, 537
- Leibniz formula, 253, 395, 407
- Leibniz identity, 246, 250
- Leibniz product rule, 250, 281, 282
- length
  - of a permutation, 209, 217, 355
  - of a representation, 34, 53
    - of  $\mathfrak{sl}_2$ , 303
  - of a Weyl group element, 354
- Levi decomposition, 256, 266
- Levitzi's Theorem, 258
- Lie  $p$ -algebra, 448, 526
- Lie algebra, 246
  - 2-dimensional nonabelian, 265, 266, 278, 290, 293, 299
  - abelian, 246, 249, 251, 254–256, 267, 287, 325, 326
  - classical, 334
  - linear, 247, 249, 250, 257–265
  - nilpotent, 253–255, 257–259, 262, 265, 278, 292–294, 296, 297, 319, 377
  - of an affine algebraic group, 526–530
  - opposite, 274
  - reductive, 323, 325, 334, 529
  - semisimple, 256, 315
  - simple, 256, 257, 315, 316, 319, 321, 331, 336, 338, 339, 375
  - solvable, 253–257, 260, 262, 263, 265, 266, 278, 297, 317, 319, 377
- Lie bracket, 246
- Lie commutator, 59, 67, 246, 250
- Lie subalgebra, 247
- Lie's Theorem, 260–262, 264–266, 279, 297–299, 323, 379
- linear algebraic group, 517–519
- linear dual, 595
- linear form, 595
- linear recursion, 456
- locally finite part (of a representation), 443
- longest element (of a Weyl group), 356
- MacMahon Master Theorem, 172
- marked cycle shape, 190
- Markov chain, 202
- Maschke's Theorem, 116, 117, 123, 143, 147–150, 164, 179, 188, 238, 482, 483, 487, 552–554, 566
  - for Hopf algebras, 554, 556, 558, 559, 567
  - relative, 148, 530, 566
- matrix
  - monomial, 526
  - orthogonal, 220
  - permutation, 128
- maximal vector, 379
- maximum condition, *see* chain condition, ACC
- Michler's Theorem, 497
- minimal polynomial, 51
- minimum condition, *see* chain condition, DCC
- misordering index, 612
- modular element, *see* element, modular
- module, 13–16
  - artinian, 19, 41
  - cyclic, 18, 53
  - finite-length, 41
  - finitely generated, 17, 18
  - flat, 589, 601
  - free, 17, 19, 80, 473, 584, 589, 591
  - graded, 21, 178
  - graded free, 178
  - injective, 81, 94, 107, 110
  - locally finite, 443
  - noetherian, 19, 41
  - over a PID, 37, 38

- projective, 79, 80, 107, 110, 548, 589
- module algebra, 282, 492
- Molien's Theorem, 175–178, 408
- monoid, 116, 495, 577
- monoid algebra, 116, 448, 449, 495
- monoid ring, 116
  - total, 116
- monomial, 6, 605
  - standard, 11, 12, 172, 272, 430, 436, 460
- Morita context, 95
  - associated to a Hopf action, 549
- morphism
  - functorial, 580
  - natural, 580
  - of functors, 580
- multilinear map, 592
  - symmetric, 183
- multiplication, 4
- multiplicative group functor, 506
- multiplicity, 55, 145, 377
  - of a weight, 302, 307
  - of composition factor, 35, 91
- Multiplicity-Freeness Theorem, 187, 192, 193
- multiplier algebra, 620
- Murnaghan-Nakayama Rule, 188, 222, 227–231, 233, 234
  
- Nakayama automorphism, 98–100, 546
- Nakayama relations, 119
- Nakayama twist, 108
- natural equivalence, 581
- natural transformation, 579
- naturality condition, 580
- Newton identities, 171, 228, 419
- Nichols-Zoeller Theorem, 541, 550, 559, 562–565
- nilpotency class (of a Lie algebra), 254
- nilradical (of a finite-dimensional Lie algebra), 257
- Noether's Finiteness Theorem, 497
- Noether-Deuring Theorem, 29, 39
- normal element, *see* element, normal
- normalizer, 248
  - of a Lie subalgebra, 259
- Nullstellensatz, 43, 296, 300, 383, 510, 517, 521, 522, 599, 600
  - for enveloping algebras, 287–290, 292, 296, 310, 405
  - weak, 36, 41, 45, 287–289, 291, 296, 521, 600
  
- On-Line Encyclopedia of Integer Sequences, 197
- open problem, 271, 553, 559
- opposite
  - algebra, 14
  - bialgebra, 448
  - category, 579
  - group, 123, 135
  - Lie algebra, 274
- orbit sum, 133, 189, 366
- order
  - Bruhat, 538, 540
  - degree-lexicographic, 608
  - isomorphism, 536
  - lexicographic, 608
  - of a basis, 272, 430
  - partial, 75, 198, 363, 375, 408
  - semigroup, 606
- orthogonal idempotents, 88
- orthogonality relations, 92, 144, 145, 149, 158, 160, 165
  - column, 148
  - for Hopf algebras, 557, 558
  - generalized, 149
- orthonormal basis, 144
  
- $p$ -core, 148, 483
- $p$ -regular
  - conjugacy class, 121, 169
  - element, 121
  - group, 488
- pairing, 86, 449
- partition (of a positive integer), 153, 198
  - conjugate, 198
- PID, 222
- pipe dream, 537
- place permutations, 179
- plethysm, 135
- Poincaré series, 175
- Poincaré-Birkhoff-Witt Theorem, 269–275, 277, 278, 283, 286, 288, 293, 302, 311, 380, 400, 401, 430, 612
- polarization, 183–185, 394
- polynomial function, 602
  - invariant, 394
  - on  $GL_n$ , 457
  - on  $SL_n$ , 457
- poset, 19
- positive cone, 75
- power series, 116, 436
- power sum, 171
- primitive element, *see* element, primitive



- principal indecomposable representations,  
91, 94, 564
- principal open subset, 603
- probability, 202
- product of categories, 581
- projective, 79  
cover, 91  
representation, 79, 168
- pseudo-reflection, 404  
group, 404
- pulling back (a representation), 27, 48, 73
- pushing forward (a representation), 27
- $q$ -binomial coefficient, 463
- quantum  
 $2 \times 2$ -matrices, 609  
 $GL_n$ , 459  
 $SL_n$ , 459  
affine  $n$ -space, 458, 533, 610  
affine  $n$ -torus, 534  
binomial formula, 463  
determinant, 459  
group, 299  
plane, 23, 47, 50, 96, 300, 458, 460, 533  
torus, 23
- quasi-inverse, 582
- quasihomomorphism, 300
- quaternion algebra, 131, 571
- quotient representation, 24
- $R$ -points, 504
- Rabinowitsch trick, 289, 600
- Radford's formula, 541, 549, 562
- radical  
Jacobson, *see* Jacobson radical  
of a finite-dimensional Lie algebra, 256, 266  
of a representation, 63  
of the Killing form, 316  
semiprime (of an ideal), 49, 67, 599
- random walk, 202
- rank  
of a finitely generated projective, 83  
of a free module, 591  
of a linear map, 595  
of a root system, 342  
of a semisimple Lie algebra, 326, 332
- rational canonical form, 26
- reduced trace, 106
- reduced word, 538
- reduction system, 606
- reflection, 151, 344, 404
- simple, 354
- regular elements of a Lie algebra, 396
- representation  
absolutely irreducible, 61, 145, 160–162, 361, 375  
adjoint, 251, 311, 320  
of a group, 130, 133, 149, 497  
of a Hopf algebra, 493, 496, 548, 558  
of a Lie algebra, 247, 249, 251, 256, 283, 389, 394  
of an algebraic group, 530  
completely reducible, 51–53, 64, 141  
complex, 113  
defining  
of  $\mathfrak{sl}_2$ , 301  
of  $\mathfrak{sl}_{n+1}$ , 388  
deleted permutation, 128, 131  
faithful, 24, 64, 284, 302  
 $G$ -faithful, 479  
 $\mathfrak{g}$ -faithful, 269, 284, 479  
inner faithful (of a Hopf algebra), 479  
of a group, 479  
of a Lie algebra, 479  
finite-dimensional, 24  
finite-length, 33, 41, 52, 384  
finitely generated, 52  
fundamental (of a semisimple Lie algebra), 387  
of  $\mathfrak{sl}_{n+1}$ , 387  
indecomposable, 37, 91, 306  
induced, 123  
injective, 94, 110, 564  
injecture, 107  
irreducible, 30, 247  
degree of, 41, 105, 119, 159–162, 201, 205, 496, 497, 559–561  
finite-dimensional, 60–62  
Frobenius-Schur indicator of, 569, 571  
of  $\mathfrak{sl}_2$ , 302, 313, 314  
of  $\mathfrak{so}_5$ , 417  
of  $SL_2(\mathbb{F}_p)$  in characteristic  $p$ , 169  
of a  $p$ -group in characteristic  $p$ , 126  
of a commutative algebra, 43  
of a Hopf algebra, 480, 482, 484, 496  
of a Lie algebra in characteristic  $p$ , 278  
of a semisimple Lie algebra, 373–423  
of a solvable Lie algebra, 260  
of the 2-dimensional nonabelian Lie algebra, 265, 299  
of the alternating group  $\mathcal{A}_4$ , 156  
of the alternating group  $\mathcal{A}_5$ , 157–158

- of the cyclic group  $C_n$  over  $\mathbb{Q}$ , 125
- of the dihedral group  $\mathcal{D}_4$ , 127
- of the general linear group, 235–242
- of the Heisenberg Lie algebra, 252
- of the polynomial algebra, 31
- of the quantum plane, 50
- of the Sweedler algebra, 96
- of the symmetric group  $\mathcal{S}_3$ , 129
- of the symmetric group  $\mathcal{S}_4$ , 153
- of the symmetric group  $\mathcal{S}_5$ , 154, 159
- of the symmetric group  $\mathcal{S}_n$ , 131, 150, 187–242
- of the Weyl algebra, 30, 41, 252, 262
- locally finite, 303, 320, 396, 438, 443
- modular, 113, 121
- of a group, 113
- of a Lie algebra, 247, 257
- of an algebra, 24
- permutation, 130, 132, 137, 140, 141
- projective, 79, 107, 110, 168
- rational (of an affine algebraic group), 513, 529
- regular, 25, 30, 66, 130, 146
  - bimodule, 25, 97
  - right, 25
- self-dual, 137, 150, 197, 469
- semisimple, 51
- simple, 30
- standard
  - of  $\mathcal{S}_3$ , 147, 177
  - of  $\mathcal{S}_n$ , 128, 131, 150–153, 194, 197, 205, 216, 217, 219, 221, 222, 228, 392
  - of the Weyl algebra, 26, 30, 41, 265
- standard permutation (of  $\mathcal{S}_n$ ), 128, 130, 150, 217, 392
- trivial, 466
  - of a group, 117, 130
  - of a Hopf algebra, 466
  - of a Lie algebra, 279
  - of the representation algebra, 561
- representation algebra, 485, 556
- representation ring
  - of  $\mathfrak{sl}_2$ , 308
  - of a Hopf algebra, 485
  - of a Lie algebra, 286, 308, 390
- representative functions, 455, 462
- restitution, 183–185
- restriction functor, 27, 39, 44, 117, 166
- Reynolds operator, 40, 118, 566
- Rieffel's Theorem, 480
- ring of algebraic integers, 222
- ring of quotients
  - classical, 620
  - left, 619
  - maximal, 620
  - right, 619
  - symmetric, 295, 615, 619
- root, 328
  - negative, 350
  - positive, 350
  - simple, 350
- root lattice, 361
  - for  $B_n$ , 370
  - for  $D_n$ , 370
  - for the root system  $C_n$ , 370
- root space, 328
  - decomposition, 325, 328, 376
- root string, 328
- root system, 333, 342
  - irreducible, 331, 356
  - of rank 2, 343
  - of type  $A_1$ , 343
  - of type  $A_2$ , 337
- roots of unity, 506
- Schur division algebra, 36, 41, 56, 58, 124, 235, 288
- Schur functor, 239, 419
- Schur's Double Centralizer Theorem, 238, 239, 241, 242, 419
- Schur's Lemma, 35, 36, 55, 56, 58, 61, 92, 117, 143, 144, 194, 227, 288, 322, 324, 334, 529, 557, 569, 570, 618
- semi-invariant, 132, 279
- semidirect product, 278
  - of Lie algebras, 251, 286
- semisimplification, 63, 69
- Shephard-Todd-Chevalley Theorem, 404, 408
- short exact sequence, 18, 19, 33, 66, 81, 124, 446, 490, 589
  - split, 18
- sign representation, 128
  - of Weyl groups, 368
- skeleton (of a category), 582
- skew hook, 227
- skew Laurent polynomial algebra, 20, 23
- skew polynomial algebra, 20, 278
- skew shape, 222
- Skolem-Noether Theorem, 555
- $\mathfrak{sl}_2$ -triples, 188, 213, 300, 328, 336
- smash product, 286, 495

- snake relations, 433
- socle, 53, 108, 377
  - series, 110
- special linear group, 161, 507
- special linear Lie algebra, 249
- spectrum, 44–49, 520–522
  - action of an algebraic group on, 530–538
  - cofinite, 62
  - connectedness of, 508
  - of  $U(\mathfrak{g})$  for semisimple  $\mathfrak{g}$ , 406
  - of  $U(\mathfrak{sl}_2)$ , 310–312
  - of  $U\mathfrak{g}$  for nilpotent  $\mathfrak{g}$ , 292
  - of  $U\mathfrak{g}$  for the 2-dimensional nonabelian Lie algebra  $\mathfrak{g}$ , 290
  - of  $U\mathfrak{g}$  for the Heisenberg Lie algebra, 293
  - of  $\mathbb{k}[x, y]$ , 46
  - of  $\mathbb{k}[x]$ , 45
  - of a convolution algebra, 439
  - of quantum affine space, 533–536
  - of quantum matrices, 536–538
  - of the Gelfand-Zetlin algebra, 196–197, 211–214
  - of the quantum plane, 47
- splitting field, 36, 37, 59, 61, 65, 70, 74, 77, 92, 93, 117, 124, 131, 144, 148, 155, 219, 497, 557
- splitting map, 18
- splitting principle, 488
- stable isomorphism, 85, 96
- standard filtration (of an enveloping algebra), 270–272
- standard Young tableau, 200, 222
- Stirling numbers, 536
- Structure Theorem for Hopf Modules, 471–474, 476, 478
- subalgebra, 4
  - cofinite, 40
- subbialgebra, 447
- subcategory, 577
  - full, 577
- subcoalgebra, 428
- subcomodule, 442
- subgroup scheme, 506
- subrepresentation, 24, 247
- Sweedler (-Heyneman) notation, 431
- Sweedler (Hopf) algebra, 96, 109, 461, 474, 500, 566
- Sweedler dual, *see* finite dual
- Sweedler power, 491, 567
- symbol, 270, 273, 311
- symmetric polynomial, 170
  - complete, 170
  - elementary, 170, 392
- symmetrization map, 180, 284
- symmetrizer, 180, 484
- symmetry group, 127, 129, 176
- Taft Hopf algebra, 460, 484, 542, 543, 548
- tensor
  - algebra, 6–9, 138, 281, 494
  - antisymmetric, 179, 484
  - category, 280
  - power, 8, 138, 281, 494, 590, 592
  - product, 577, 587
    - of algebras, 5, 15
    - outer, 67, 77, 137, 140, 230
  - product formula (for group representations), 142
  - symmetric, 179, 484
- tensor category, 280
- tensor power, 6
- topological space
  - connected, 520
  - irreducible, 49, 520
- totally nonnegative, 554
- trace, 26, 59, 66, 100–101
  - form, 67–69, 106, 109, 120, 122, 486, 543, 548, 549
  - Hattori-Stallings, 83–84
  - map, 83, 249, 475, 480, 596–597
  - relative, 148, 566
  - universal, 68, 76, 100
- transporter, 248
- transpose of a linear map, 139, 579, 595
- triangular decomposition, 375, 376
- twist (of a representation), 29, 39, 108, 142, 150, 167, 423, 470, 475, 548
- unipotent, 258
- unit, 4
  - axioms (laws), 4, 576
  - of an adjunction, 267, 276
- universal property, 18, 114
  - of enveloping algebras, 266
  - of the free algebra, 9
  - of the polynomial algebra, 9
  - of the tensor algebra, 7
  - of the tensor product, 588
- Vandermonde determinant, 412
- vector partition function, 380
- Verma module, 381, 415
- walls, 353

- Wedderburn's Structure Theorem, 3, 30, 51,  
57, 59, 60, 62, 63, 91, 102, 103, 146,  
153, 154, 236, 316, 554, 561
- weight  
  dominant, 364  
  for  $D_n$ , 370  
  for the root system  $B_n$ , 417  
  for the root system  $C_n$ , 370  
  fundamental, 362, 374  
    for  $A_n$ , 363  
    for  $B_n$ , 370  
  strongly dominant, 364, 368
- weight diagram, 388
- weight lattice, 362, 365, 374, 378
- weight space, 54, 132, 142, 147, 260, 298,  
302, 377, 515  
  generalized, 303
- weight vector, 132, 196, 260, 279, 377
- weights (of a representation), 54, 196, 197,  
211–214, 217, 302, 307, 377
- Weyl algebra, 12–13, 23, 26, 31, 41, 205,  
262, 293, 314, 605, 608  
  standard representation of, 26, 30, 265
- Weyl chamber, 353  
  fundamental, 354, 364
- Weyl group, 345, 375, 398  
  of  $A_n$ , 346  
  of  $B_n$ , 348  
  of  $C_n$ , 348  
  of  $D_n$ , 349
- Weyl's Character Formula, 242, 368, 384,  
391, 408–410, 413, 414, 416–418
- Weyl's Theorem, 320, 323, 324, 373, 380,  
391, 405, 418, 529
- winding automorphism, 142, 401, 475
- Witt algebra, 253, 271
- words, 6, 605
- Young diagram, 187, 198
- Young graph, 187, 197–204
- Young module, 181
- Young subgroup, 152, 181, 230, 231, 239,  
422
- Young's orthogonal form, 188, 221, 225
- Zariski dense, 377, 603
- Zariski topology, 45, 182, 377, 399, 402,  
516, 521, 602, 603
- Zariski's Lemma, 600
- Zorn's Lemma, 19, 52, 565

---

# Index of Names

- Adams, J. Frank, 491  
Ado, Igor, 250  
Adámek, Jiří, 575  
Amitsur, Shimshon, 619  
Anan'in, Alexander, 441  
Artin, Emil, 19, 20  
Aschbacher, Michael, 165  
Auslander, Maurice, 79
- Bavula, Vladimir, 310  
Bergman, George, 50, 525, 605, 607  
Birkhoff, Garrett, 272  
Block, Richard, 30  
Borel, Armand, 376, 503  
Borho, Walter, 296, 297, 406  
Bourbaki, Nicolas, 263, 341, 366, 449  
Brauer, Richard, 121, 124, 164, 169  
Brown, Kenneth, 299, 459  
Burnside, William, 60, 134, 163, 164, 480
- Cartan, Élie, 263  
Cartan, Henri, 263, 287  
Cartier, Pierre, 496  
Casimir, Hendrik, 99, 100, 305, 320  
Catoiu, Stefan, 310  
Cauchon, Gérard, 536  
Cauchy, Augustin-Louis, 134  
Chevalley, Claude, 263, 399, 404, 483, 526, 529  
Chin, William, 531  
Clebsch, Alfred, 313  
Clifford, Alfred, 166  
Connell, Ian, 476
- Coxeter, Donald, 192  
Cuadra, Juan, 560  
Curtis, Charles, 79, 159
- Dedekind, Richard, 462  
Demazure, Michel, 505  
Derksen, Harm, 175  
Deuring, Max, 39  
Dixmier, Jacques, 293, 296, 297, 299, 538  
Drinfel'd, Vladimir, 474  
Duflo, Michel, 288, 394  
Dynkin, Eugene, 358
- Eilenberg, Samuel, 95, 287  
Engel, Friedrich, 258  
Erdős, Paul, 595  
Erdmann, Karin, 141, 341  
Etingof, Pavel, 554
- Ferrer Santos, Walter, 498  
Fowler, Kenneth A., 164  
Frame, J. Sutherland, 201  
Frobenius, Ferdinand Georg, 97, 98, 134, 160, 187, 568  
Fuchs, Jürgen, 568  
Fulton, William, 538
- Gabriel, Pierre, 296, 297, 310, 496, 505  
Ganchev, Alexander, 568  
Gelaki, Shlomo, 554  
Gelfand, Israel, 188, 189, 194  
Goodearl, Kenneth, 299, 459, 533, 538  
Goodman, Roe, 235, 418  
Gordan, Paul, 313

- Gorenstein, Daniel, 165  
 Green, James, 418  
 Greene, Curtis, 201  
 Grothendieck, Alexandre, 490, 498, 601  
  
 Harish-Chandra, 401  
 Hattori, Akio, 83  
 Heckenberger, Istvan, 566  
 Hermite, Charles, 313  
 Herrlich, Horst, 575  
 Hesse, Ludwig, 314  
 Higman, Donald, 100, 106  
 Hilbert, David, 19, 43, 175, 178, 497, 599  
 Hochschild, Gerhard, 287, 503, 529, 620  
 Hopf, Heinz, 451  
 Hopkins, Charles, 477  
 Humphreys, James, 341, 503  
 Hölder, Otto, 33  
  
 Irving, Ronald, 299  
 Itô, Noboru, 162  
  
 Jacobi, Carl, 246  
 Jacobson, Nathan, 45, 48, 222, 277, 287, 314, 601  
 Jantzen, Jens Carsten, 503  
 Jordan, Camille, 26, 33, 262, 263, 323  
 Jucys, Algimantas, 189  
  
 Kac, George, 561  
 Kaplansky, Irving, 258, 553, 559, 562, 595  
 Kashina, Yevgenia, 567  
 Kemper, Gregor, 175  
 Kharchenko, Vladislav, 615  
 Killing, Wilhelm, 316  
 Kirillov, Alexandre, 310  
 Klein, Felix, 153  
 Kock, Joachim, 434  
 Kolchin, Ellis, 258  
 Kostant, Bertram, 496  
 Koszul, Jean-Louis, 22  
 Kronecker, Leopold, 597  
 Krull, Wolfgang, 37  
  
 Larson, Richard, 541, 554, 555  
 Launois, Stéphane, 536  
 Leibniz, Gottfried Wilhelm, 246, 250, 253  
 Lenagan, Thomas, 538  
 Letzter, Edward, 533  
 Levi, Eugenio, 256, 266  
 Levitzki, Jacob, 258, 289, 477  
 Lie, Sophus, 246, 260  
 Linchenko, Vitaly, 568  
  
 Liu, Chia-Hsin, 476  
  
 Mac Lane, Saunders, 276, 575, 583  
 Manin, Yuri, 458  
 Markov, Andrey, 202  
 Martindale, Wallace, 619  
 Maschke, Heinrich, 143, 552  
 Masuoka, Akira, 562  
 Meir, Ehud, 560  
 Michler, Gerhard, 497  
 Molien, Theodor, 175, 176  
 Montgomery, M. Susan, 449, 568  
 Morita, Kiiti, 95  
 Morozov, Vladimir, 314  
 Murnaghan, Francis, 227  
 Murphy, Gwendolen, 189  
 Mœglin, Colette, 296, 299  
  
 Nakayama, Tadasi, 98, 108, 119, 227, 546  
 Newton, Isaac, 171  
 Nichols, Warren, 461, 563  
 Nijenhuis, Albert, 201  
 Noether, Emmy, 19, 39, 497, 555  
 Nouazé, Yvon, 310  
  
 Okounkov, Andrei, 187, 188  
 Olshanskiĭ, Grigoriĭ, 189  
  
 Passman, Donald, 168, 620  
 Poincaré, Henri, 175, 272  
 Procesi, Claudio, 183, 235, 418  
  
 Quillen, Daniel, 288  
  
 Radford, David, 541, 549, 554, 555  
 Rainich, George, 600  
 Reiner, Irving, 79  
 Reiten, Idun, 79  
 Remak, Robert, 37  
 Rentschler, Rudolf, 296, 297, 299  
 Reynolds, Osbourne, 40  
 Rieffel, Marc, 480  
 Robinson, Gilbert de Beauregard, 201  
 Rowen, Louis, 440  
  
 Schneider, Hans-Jürgen, 541, 547  
 Schur, Issai, 161, 168, 187, 235, 418, 568  
 Serre, Jean-Pierre, 178, 341, 481  
 Shephard, Geoffrey, 404  
 Sierra, Susan, 271  
 Skolem, Thoralf, 555  
 Smalø, Sverre, 79  
 Small, Lance, 299  
 Solomon, Ronald, 165

---

Sommerhäuser, Yorck, 567  
Springer, Tonny, 503  
Stallings, John, 83  
Strecker, George, 575  
Sweedler, Moss, 96, 428, 431, 436, 461, 491,  
567  
Szlachányi, Kornél, 568

Taft, Earl, 459  
Tate, John, 20, 161  
Thrall, Robert, 201  
Todd, John, 404

Vecsernyés, Péter, 568  
Verma, Daya-Nand, 381  
Vershik, Anatoly, 187, 188

Wallach, Nolan, 235, 418  
Walton, Chelsea, 271  
Waterhouse, William, 503  
Wedderburn, Joseph, 57  
Weyl, Hermann, 12, 183, 235, 320, 344, 353,  
408, 418  
Wildon, Mark, 341  
Wilf, Herbert, 201  
Witt, Ernst, 253, 271, 272

Yakimov, Milen, 536  
Young, Alfred, 152, 187

Zariski, Oscar, 45, 516, 521, 600, 602  
Zetlin, Michael, 188, 189, 194  
Zhang, James, 476  
Zhu, Shenglin, 560  
Zhu, Yongchang, 561, 562, 567  
Zoeller, M. Bettina, 563