
Index

- 1-factor model, 133
 - as graphical model, 323
 - identifiability, 373, 378
 - learning coefficients, 416, 418
 - sBIC, 420, 421
- $A \mid B$, 337
- $A \perp\!\!\!\perp B \mid C$, 72
- $A \triangle B$, 442
- A_Γ , 206
- α th moment, 105
- $\text{an}(v)$, 292
- B_Γ , 208
- \mathbb{B}_k , 14
- $\mathcal{M}_1 * \dots * \mathcal{M}_k$, 316
- $\text{cone}(A)$, 173
- $\text{cone}(V)$, 172
- $\text{conv}(S)$, 170
- $\text{Corr}[X, Y]$, 26
- Corr_m , 443
- Corr_m^\square , 443
- $\text{Cov}[X, Y]$, 25
- $\text{Cut}(G)$, 444
- Cut_m , 440
- Cut_m^\square , 440
- $\text{Cut}^\square(G)$, 444
- $d(x, y)$, 439
- $\text{deg}_v(G)$, 256
- $\text{de}(v)$, 291
- $\delta_{A|B}$, 440
- δ_A , 451
- Δ_r , 44
- $\text{Dist}(M)$, 270
- $E[X]$, 22
- EX_n , 320
- $EX_{n,k}$, 321
- $\exp(Qt)$, 342
- $E[X \mid Y]$, 27
- $\mathcal{F}(u)$, 192
- $\mathcal{F}(u, L, U)$, 215
- $\text{Flat}_{A|B}(P)$, 360
- $F_{m,s}$, 133
- $\mid \Gamma \mid$, 208
- γ_S , 459
- $\text{gap}(A, c)$, 243
- $\text{gcr}(L)$, 185
- \hat{G} , 349
- G^m , 292
- G^{sub} , 327
- $H(\mathbb{K}[x_1, \dots, x_m]/M; x)$, 283
- I_A , 123
- $I_{A \perp\!\!\!\perp B|C}$, 76
- $I_{A,h}$, 123
- I_C , 77
- $I : J$, 82, 139
- $I : J^\infty$, 82, 139
- $\text{in}_c(f)$, 235
- $\text{in}_c(I)$, 235
- $\text{in}_\prec(f)$, 51
- $IP(A, b, c)$, 233
- I_G^\square , 458
- $I(\theta)$, 165
- $I_{u,\tau}$, 242
- $I(W)$, 45
- $J_{A \perp\!\!\!\perp B|C}$, 78
- $\text{Jac}(I(V))$, 147

- J_C , 78
 $K(\mathbb{K}[x_1, \dots, x_m]/M; x)$, 283
 $\mathbb{K}[p]$, 42
 L^1 embeddable, 441
 \mathcal{L}_V , 149
 $LP(A, b, c)$, 233
 L^p embeddable, 440
 \mathcal{M}_G , 326
 $\mathcal{M}_{A \perp\!\!\!\perp B \mid C}$, 76
 $M(A, c)$, 242
 $\text{Met}(G)$, 446
 $\min(I)$, 130
 $\text{Mixt}^k(\mathcal{M})$, 314
 $\text{mlt}(L)$, 185
 NA , 173
 $\text{nd}(v)$, 292
 $NF_G(f)$, 52
 $\mathcal{N}_m(\mu, \Sigma)$, 30
 $O_p(1)$, 407
 p_1 model, 258
 Markov basis, 264
 $P(A)$, 12
 $P(A \mid B)$, 16
 $\text{pa}(v)$, 291
 $PD(B)$, 326
 PD_m , 78
 $P_{\mathcal{H}, n}$, 262
 π -supermodular, 318
 $\pi^1 \mid \dots \mid \pi^k$, 454
 π_S , 443
 p -value, 110
 $\mathfrak{P}(\Omega)$, 12
 Q^{CFN} , 343
 Q^{JC} , 343
 Q^{K2P} , 343
 $\text{Quad}(V_1, S, V_2)$, 211
 \mathbb{R} , 111
 $\text{rank}_+(A)$, 317
 $\text{RLCT}(f; \phi)$, 411
 S -polynomial, 53
 $\text{Sec}^k(V)$, 316
 $\Sigma'(T)$, 360
 $\Sigma(T)$, 338
 σ -algebra, 14
 \sqrt{I} , 46
 SR_Γ , 281
 $t_H(G)$, 261
 $\bar{t}_H(G)$, 261
 $TC_{\theta_0}(\Theta)$, 129
 \mathcal{T}_X , 453
 \mathcal{U}_X , 453
 \mathcal{V} -polyhedron, 172
 $V_1 * V_2 * \dots * V_k$, 316
 $\text{Var}[X]$, 24
 $V(S)$, 42
 V_{reg} , 147
 V_{sing} , 147
 $X^2(u)$, 112
 $X(A, \mathcal{D})$, 267
 $X_A \perp\!\!\!\perp X_B \mid X_C$, 72
 X -tree, 337
 binary, 337
 phylogenetic, 337
 \dashrightarrow , 45
 \prec , 50
 \prec_c , 50

acyclic, 291
adjacent minors, 220
affine semigroup, 173
affinely isomorphic, 171
Akaike information criterion (AIC), 401
algebraic exponential family, 117, 132
algebraic tangent cone, 130
algebraic torus, 150
algebraically closed field, 46
aliasing, 272
alignment, 340, 432
Allman-Rhodes-Draisma-Kuttler
 theorem, 322, 365
almost sure convergence, 33
almost surely, 15
alternative hypothesis, 110
ancestors, 292
Andrews' theorem, 434
aperiodic, 344
argmax, 6
arrangement complement, 154
ascending chain, 54, 69
associated prime, 80, 81

balanced minimum evolution, 457
basic closed semialgebraic set, 128
basic semialgebraic set, 128
Bayes' rule, 16
Bayesian information criterion (BIC),
 401, 407
 singular (sBIC), 420
Bayesian networks, 300
Bayesian statistics, 113
Bernoulli random variable, 20, 320
Bertini, 60
beta function, 115

- beta model, 256
- Betti numbers, 63
- bidirected edge, 326
- bidirected subdivision, 327
- binary graph model, 176, 186, 459
- binomial ideal, 83, 123
 - primary decomposition, 83
- binomial random variable, 18, 44, 46, 47, 100, 166
 - implicitization, 58
 - maximum likelihood estimate, 107
 - method of moments, 105
- Bonferroni bound, 247
- Borel σ -algebra, 14
- bounded in probability, 407
- bounds, 227
 - 2-way table, 229
 - 3-way table, 245
 - decomposable marginals, 247
- bow-free graph, 382
- branch length, 342, 450
- Buchberger's algorithm, 54
- Buchberger's criterion, 54
- Buchberger-Möller algorithm, 272
- canonical sufficient statistic, 118
- caterpillar, 308, 461
- Cavender-Farris-Neyman model, 343, 368, 459
- cdf, 18
- censored exponentials, 140, 148
- censored Gaussians, 332
- centered Gaussian model, 145
- central limit theorem, 36
- CFN model, 343, 352
- character
 - group theory, 348
- characteristic class, 150
- Chebyshev's inequality, 25
- Chern-Schwartz-Macpherson class, 150
- cherry, 449
- chi-square distribution, 32, 162
- chordal graph, 181, 306
- claw tree, 321
 - Gaussian, 323
- clique, 181, 295
- clique condition, 182
- collider, 291
- colon ideal, 82, 139
- combinatorially equivalent, 171
- compartment model
 - linear, 393
 - three, 393
 - two, 391, 398
- compatible splits, 338
 - pairwise, 338
- complete fan, 276
- complete independence, 17, 20, 402
 - and cdf, 21
 - and density, 21
- complete intersection, 150
- completeness of global Markov property, 290, 293
- concave function, 152
- concentration graph model, 180
- concentration matrix, 120
- conditional and marginal independence, 78
- conditional density, 72
- conditional distribution, 19
- conditional expectation, 27
- conditional independence, 72
- conditional independence axioms, 73
- conditional independence ideal, 76
- conditional independence inference rules, 73
- conditional independence model, 4
- conditional inference, 189, 192
- conditional Poisson distribution, 258
- conditional probability, 16
- cone generated by V , 172
- cone of sufficient statistics, 173
 - and existence of MLE, 173
- conformal decomposition, 216
- conjugate prior, 115
- consistent estimator, 104
- constructible sets, 56
- continuous random variable, 18
- contraction axiom, 73, 86
- control variables, 390
- convergence in distribution, 35
- convergence in probability, 33
- converging arborescence, 380
- convex function, 152
- convex hull, 134, 170
- convex set, 152, 169
- convolution, 350
- coordinate ring, 237
- corner cut ideal, 269
- correlation, 26
- correlation cone, 443
 - of simplicial complex, 446
- correlation polytope, 177, 443

- correlation vector, 443
- coset, 237
- covariance, 25
- covariance mapping, 443
- covariance matrix, 26
- critical equations, 138
- cumulants, 363
- cumulative distribution function, 18
- curved exponential families, 117
- cuspidal cubic, 143, 163
- cut cone, 440
 - of a graph, 444
- cut ideal, 458
- cut polytope, 177, 440, 458
 - of a graph, 444
- cut semimetric, 440
- cycle, 178
- cyclic split, 459
- cyclic split system, 459

- d-connected, 292
- d-separates, 292
- DAG, 291
- DAG model selection polytope, 405, 422
- De Finetti's theorem, 48, 103, 319
- decomposable graph, 181
- decomposable marginals, 247
- decomposable model
 - Markov basis, 213
 - urn scheme, 223
- decomposable simplicial complex, 208, 306
- decomposable tensor, 385
- decomposition axiom, 73
- defining ideal, 45
- degree
 - of a vertex, 256
- degree sequence, 256
- density function, 15
- descendants, 291
- design, 266
- design matrix, 267
- deterministic Laplace integral, 409–411
- Diaconis-Efron test, 194
- differential algebra, 391
- differential privacy, 233
- dimension, 55
- directed acyclic graph, 291, 403
 - maximum likelihood estimate, 404
 - model selection, 405
 - phylogenetic tree, 337
- directed cycle, 291

- Dirichlet distribution, 115
- disclosure limitation, 231
- discrete conditional independence
 - model, 76
- discrete linear model, 153
- discrete random variable, 18
- dissimilarity map, 439
- distance-based methods, 453
- distinguishability, 378
- distraction, 270
- distribution, 18
- distributive law, 428, 437
- division algorithm, 52
- dual group, 349

- edge, 170
- edge-triangle model, 253–255, 263, 264
- elimination ideal, 57, 377
- elimination order, 57, 63
- EM algorithm
 - discrete, 330
- EM algorithm, 329, 429
- embedded prime, 81
- emission matrix, 427
- empirical moment, 105
- entropy, 412
- equidistant tree metric, 450
- equivalent functions, 413
- equivariant phylogenetic model, 365
- Erdős-Gallai theorem, 256
- Erdős-Rényi random graphs, 252, 263
- estimable, 267
- estimable polynomial regression, 267
- estimator, 104
- Euclidean distance degree, 143
- Euler characteristic, 150
- event, 12
- exact test, 110, 193
- exchangeable, 103, 319
- exchangeable polytope, 320
- expectation, 22
- expected value, 22
- experimental design, 265
- exponential distribution, 38
- exponential family, 118, 169
 - discrete random variables, 119, 121
 - extended, 121
 - Gaussian random variables, 119, 125
 - likelihood function, 157
- exponential random graph model, 252
- exponential random variable, 116
- extreme rays, 172

- face, 170, 204
 facet, 171, 204
 factor analysis, 133
 identifiability, 397
 pentad, 324
 factorize, 295
 fan, 276
 Felsenstein model, 344, 368
 few inference function theorem, 435
 fiber, 192
 Fisher information matrix, 165, 166
 Fisher's exact test, 8, 193, 228, 253
 flattening, 360
 four-point condition, 447
 Fourier transform
 discrete, 348, 349
 fast, 350, 429
 fractional factorial design, 266
 free resolution, 285
 frequentist statistics, 113, 116
 full factorial design, 266
 fundamental theorem of Markov bases,
 196

 Gale-Ryser theorem, 257
 gamma random variable, 116
 Gaussian conditional independence
 ideal, 78
 Gaussian marginal independence
 ML-degree, 145
 Gaussian random variables
 marginal likelihood, 406
 maximum likelihood, 108, 142
 Gaussian random vector, 31
 Gaussoid axiom, 95
 general Markov model, 341, 358
 general time reversible model, 345, 347
 generalized hypergeometric distribution,
 193
 generators of an ideal, 45, 53
 generic, 139, 269
 weight order, 235
 generic completion rank, 185
 generic group-based model, 351
 Gröbner basis, 49, 51
 integer programming, 234
 to check identifiability, 377
 Gröbner cone, 275
 Gröbner fan, 274, 276
 Gröbner region, 275
 graph
 of a polynomial map, 57
 of a rational map, 59
 graph statistic, 252
 graphical model, 403
 directed, 291
 Gaussian, 180
 undirected, 288
 with hidden variables, 321, 388
 Grassmannian, 452
 Graver basis, 189, 216
 ground set, 208
 group, 347
 group-based phylogenetic models, 346,
 347, 459

 half-space, 169
 half-trek, 384
 criterion, 384
 Hammersley-Clifford theorem, 295–297
 Hardy-Weinberg equilibrium, 201
 Markov basis, 203
 Hasegawa-Kishino-Yano model, 344,
 347, 368
 hidden Markov model, 308, 426
 pair, 428
 hidden variable, 313
 hierarchical model, 159, 204, 241
 sufficient statistics, 207
 hierarchical set of monomials, 268
 hierarchy, 451, 454
 Hilbert basis theorem, 45
 Hilbert series, 283
 holes, 176
 holonomic gradient method, 333
 homogeneous polynomial, 66
 homogenization, 130
 of parametrization, 68
 Horn uniformization, 152
 hypercube, 170
 hypergeometric distribution, 193, 221
 hypersurface, 45
 hypothesis test, 109, 161
 asymptotic, 113

 i.i.d., 30, 102
 ideal, 45
 ideal membership problem, 49, 52
 ideal-variety correspondence, 48
 identifiability
 of phylogenetic models, 379, 449
 practical, 391
 structural, 391
 identifiable, 100, 372

- discrete parameters, 378
- generically, 372
- globally, 372
- locally, 372
- parameter, 374
- rationally, 372
- image of a rational map, 45
- implicitization problem, 46, 56
- importance sampling, 228
- importance weights, 228
- independence model, 76, 101
 - as exponential family, 124
 - as hierarchical model, 205
 - Euler characteristic, 151
 - Graver basis, 216
 - identifiability, 373
 - Markov basis, 199, 218
- independent and identically distributed (i.i.d.), 30, 102
- independent events, 17
- indeterminates, 42
- indicator random variable, 20
- induced subgraph, 178
- inference functions, 434
- information criterion, 401
- initial ideal, 51
- initial monomial, 51
- initial term, 51
- input/output equation, 391
- instrumental variable, 324, 397
 - as mixed graph, 328, 329
 - identifiability, 374, 383
- integer program, 233
- integer programming gap, 242, 243
- intersection axiom, 74, 87, 289
- intersection of ideals, 271
- interval of integers, 249
- inverse linear space, 126
- irreducible decomposition
 - of a variety, 79
 - of an ideal, 80
 - of monomial ideal, 242
- irreducible ideal, 80
- irreducible Markov chain, 344
- irreducible variety, 79
- Ising model, 176, 309
- isometric embedding, 440
- iterative proportional fitting, 156
- Jacobian, 147, 375
 - augmented, 148
- JC69, 343
- join variety, 316
- joint distribution, 18
- Jukes-Cantor model, 343, 368
 - linear invariants, 358, 368
- K-polynomial, 283
- K2P model, 344
- K3P model, 344, 352
- kernel, 64
- Kimura models, 343, 368
- Kruskal rank, 385
- Kruskal's theorem, 386
- Kullback-Leibler divergence, 412, 414
- Lagrange multipliers, 146
- Laplace approximation, 407
- latent variable, 313
- lattice basis ideal, 97
- lattice ideal, 83, 123
- law of total probability, 16
- Lawrence lifting, 225
- leading term, 51
- learning coefficient, 410
- least-squares phylogeny, 454
- lexicographic order, 50, 236, 249
- Lie Markov model, 346
- likelihood correspondence, 149
- likelihood function, 5, 106
- likelihood geometry, 146, 149
- likelihood ratio statistic, 161
- likelihood ratio test
 - asymptotic, 163
- linear invariants, 357
- linear model, 153
- linear program, 233
- linear programming relaxation, 233, 238
- log-affine model, 122
- log-likelihood function, 107
- log-linear model, 122
 - ML-degree, 166
- log-odds ratios, 119
- logistic regression, 225
- long tables, 214
- Macaulay2**, 59
- MAP, 114
- marginal
 - as sufficient statistics, 207
- marginal density, 19, 72
- marginal independence, 73, 76, 90
- marginal likelihood, 114, 406
- Markov basis, 189, 194, 215, 234, 257

- and toric ideal, 196
 - minimal, 199
 - Markov chain, 3, 103, 308
 - homogeneous, 308, 427
 - Markov chain Monte Carlo, 195
 - Markov equivalent, 294
 - Markov property, 288
 - directed global, 292
 - directed local, 292
 - directed pairwise, 292
 - global, 288
 - local, 288
 - pairwise, 288
 - Markov subbasis, 219
 - matrix exponential, 342
 - matrix Lie algebra, 346
 - matrix product variety, 366
 - maximum a posteriori estimation, 114, 423, 424
 - maximum likelihood, 400
 - maximum likelihood degree, 140
 - maximum likelihood estimate, 6, 106, 137
 - existence, 173, 255
 - maximum likelihood threshold, 185
 - mean, 22
 - measurable sets, 14
 - method of moments, 105, 157
 - metric, 439
 - metric cone, 440
 - of graph, 446
 - metric space, 439
 - L^p , 440
 - Metropolis-Hastings algorithm, 194
 - for uniform distribution, 196
 - minimal Gröbner basis, 70
 - minimal prime, 81
 - minimal sufficient statistic, 102
 - Minkowski sum, 172, 435
 - Minkowski-Weyl theorem, 172
 - mixed graph, 325
 - simple, 382
 - mixing time, 195
 - mixture model, 47, 314, 316, 399
 - mixture of binomial random variable, 47, 166
 - mixture of complete independence, 315, 317, 322, 333, 364
 - identifiability, 386, 387
 - mixture of independence model, 315, 333
 - EM algorithm, 332, 334
 - identifiability, 373
 - nonnegative rank, 317
 - mixture of known distributions, 154
 - ML-degree, 137, 140
 - ML-degree 1, 151
 - MLE, 106
 - model selection, 399
 - consistency of, 401
 - molecular clock, 450
 - moment, 105
 - moment polytope, 177
 - monomial, 42
 - Monte Carlo algorithm, 195
 - moralization, 292
 - most recent common ancestor, 450
 - moves, 194, 215
 - multigraded Hilbert series, 283
 - multiplicity, 415
 - multivariate normal distribution, 30
 - mutual independence, 17, 20
-
- natural parameter space, 118
 - neighbor joining, 454, 457
 - neighbors, 288
 - network connectivity, 280, 282, 286
 - Newton polyhedron, 415
 - Newton polytope, 276, 426, 433
 - no-3-way interaction, 159, 205, 402
 - Markov basis, 213
 - Markov basis, 214
 - nodal cubic, 130, 144, 164
 - Noetherian ring, 69, 80
 - nondescendants, 292
 - nonidentifiable, 372
 - generically, 372
 - nonnegative rank, 317
 - nonparametric statistical model, 100
 - nonsingular point, 147
 - normal distribution, 15
 - normal fan, 276, 433
 - normal form, 52
 - normal semigroup, 176, 248
 - normalized subgraph count statistic, 261
 - nuisance parameter, 9, 193
 - null hypothesis, 110
 - Nullstellensatz, 46
-
- occasionally dishonest casino, 427, 431, 437
 - output variables, 391

- pairwise marginal independence, 90
 parameter, 104, 374
 parametric directed graphical model, 300
 parametric inference, 423, 432
 parametric sets, 43
 parametric statistical model, 100
 parametrized undirected graphical model, 295
 parents, 291
 partition lattice, 454
 path, 288
 Pearson's X^2 statistic, 112
 penalty function, 401
 pentad, 324
 perfect elimination ordering, 247
 permutation test, 110
 Perron-Frobenius theorem, 344
 phylogenetic invariants, 336
 phylogenetic model, 335
 identifiability, 379
 model selection, 402
 phylogenetics
 and metrics, 447
 planar graph, 185
 plug-in estimator, 104
 pointed cone, 172
 pointwise convergence, 33
 polyhedral cell complex, 275
 polyhedral cone, 171
 polyhedron, 128, 170
 polynomial, 42
 polynomial regression models, 267
 polytope, 170
 polytope algebra, 435
 polytope of subgraph statistics, 262
 polytope propagation, 437
 positive definite, 78
 positive semidefinite, 26
 posterior distribution, 114
 posterior probability, 406
 potential function, 205, 295
 power set, 12
 precision matrix, 120
 primary decomposition, 81
 and graphical models, 306
 application to random walks, 219
 primary ideal, 80
 prime ideal, 79
 prior distribution, 114
 probability measure, 12, 14
 probability simplex, 44, 170
 as semialgebraic set, 128
 probability space, 14
 projective space, 66
 projective variety, 66
 pure difference binomial ideal, 83

 quartet, 449
 quotient ideal, 82, 139
 quotient ring, 237

 radical ideal, 46, 307
 random variable, 18
 random vector, 18
 rank one tensor, 385
 Rasch model, 256, 264
 rate matrix, 342
 rational map, 45
 real algebraic variety, 128
 real log-canonical threshold, 411
 of monomial map, 415
 real radical ideal, 69
 recession cone, 172
 recursive factorization theorem, 295, 300, 403
 reduced Gröbner basis, 70
 reducible decomposition, 181
 reducible graph, 181
 reducible model
 Markov basis, 212
 reducible simplicial complex, 208
 reducible variety, 79, 147
 regression coefficients, 31
 regular exponential family, 118
 regular point, 147
 resolution of singularities, 416
 reverse lexicographic order, 50, 236
 ring, 42
 ring of polynomials, 42
 rooted tree, 337

 sample space, 12
 saturated
 conditional independence statement, 89, 127
 lattice, 84
 polynomial regression, 278
 semigroup, 176
 saturation, 82, 139
 schizophrenic hospital patients, 191, 193
 score equations, 107, 138
 secant variety, 316, 389, 390

- Segre variety, 319, 389, 390
 semialgebraic set, 128
 semimetric, 439
 semiring, 430, 435
 separated, 288
 separator, 208
 sequential importance sampling, 227, 258
 shuttle algorithm, 248
 siblings, 384
 simplex, 170
 simplicial complex, 204, 280
Singular (software), 59
 singular, 147
 singular locus, 147
 sink component, 234
 SIR model, 397
 slim tables, 214
 smooth, 129, 147, 163
 spatial statistics, 103
 spine, 262
 split, 337
 valid, 337
 splits equivalence theorem, 338
 squarefree monomial ideal, 239, 248
 standard deviation, 24
 standard monomial, 237, 377
 standard normal distribution, 15
 Stanley-Reisner ideal, 281
 state polytope, 278
 state space model, 390
 state variables, 390
 stationary distribution, 344
 statistic, 101
 statistical model, 100
 stochastic block model, 252, 254
 strand symmetric model, 365
 strictly concave function, 153
 strong law of large numbers, 34
 strong maximum, 318, 334
 strongly connected, 234, 395
 strongly connected component, 234
 structural equation model, 325, 326
 global identifiability, 380
 identifiability, 379
 structural zeros, 219
 subgraph count statistic, 261
 subgraph density, 261
 sufficient statistic, 8, 101
 supermodular, 318
 suspension, 446
 symmetric difference, 442
 system inputs, 390
 system reliability, 280
 t-separates, 304
 tableau notation, 209
 tangent cone, 129, 163
 tangent vector, 129
 Tarski-Seidenberg theorem, 129
 tensor, 385
 tensor rank, 385
 term order, 50
 tie breaker, 235
 time series, 103
 topological ordering, 300
 toric fiber product, 213
 toric ideal, 84, 123
 toric model, 122
 toric variety, 122, 358
 trace trick, 108
 transition
 phylogenetics, 343
 transition matrix, 427
 transversion, 343, 345
 tree, 336
 tree cumulants, 363
 tree metric, 447
 trek, 304, 327
 trek rule, 327
 triangle inequality, 439
 tropical geometry, 452
 tropical Grassmannian, 452
 tropical semiring, 430
 true model, 400
 twisted cubic, 44, 123
 ultrametric, 450
 UPGMA, 454
 upstream variables, 323
 urn scheme, 221, 226
 Vandermonde's identity, 21
 vanishing ideal, 45
 variance, 24
 variety, 42
 vector of counts, 190
 vertex, 170
 very affine variety, 150
 Viterbi algorithm, 428, 429, 431, 437
 weak law of large numbers, 34
 weak union axiom, 73
 weight order, 50, 235, 274

weighted linear aberration, 279

Zariski closed, 47

Zariski closure, 47

zero set, 43

zeta function, 411