

---

# Index

- acyclic orientation, 6, 242, 263
  - unique source, 244
- acyclotope, 281
- admissible hyperplane, 66
- affine hull, 58
- affine linear combination, 99
- affine subspace, 53
  - skew, 101
- affinely independent, 63
- alcove, 252
- alcoved polytope, 252
- alcoved triangulation, 253
- Andrews, George, 144
- antichain, 14, 30, 204
- antistar, 188
- Appel, Kenneth, 2, 21
- Archimedes, 94
- arrangement of hyperplanes, 73
- ascent, 192, 214
  - 2-ascent, 259
  - big, 259
  - number of, 225
  
- Barlow, Peter, 144
- Barvinok, Alexander, 195
- barycentric subdivision, 196
- base orientation, 273
- Batyrev, Victor, 194
- Bell, Eric Temple, 45
- beneath, 91
- beneath-beyond method, 194
- Bernoulli number, 147
- Bernoulli polynomial, 147, 232
  
- Betke, Ulrich, 195
- beyond, 91, 168
- big ascent, 259
- Billera, Louis J., 95
- binomial coefficient, 108, 115
- binomial theorem, 32, 46, 108
- Birkhoff lattice, 30, 216
- Birkhoff's theorem, 38
- Birkhoff, Garrett, 45
- Birkhoff, George, 2, 21
- Boolean arrangement, 104
  - characteristic polynomial of, 247
- Boolean lattice, 34, 40, 143
- boundary, 59
- boundary complex, 183
- braid arrangement, 104
  - characteristic polynomial of, 247
- Brianchon, Charles Julien, 96
- Brianchon–Gram relation, 91, 175
- bridge, 8, 277
- Brion's theorem, 175
- Brion, Michel, 194
- Bruggesser, Heinz, 95
- $b$ -transshipments, 281
  
- calculus of finite differences, 109
- Cayley, Arthur, 144
- cell, 156
- chain, 12, 204
  - in a poset, 35
  - length, 35
  - maximal, 35
  - saturated, 35

- unrefineable, 35
- chain partition, 137, 187
  - reciprocity theorem, 140
- characteristic polynomial
  - of a graded poset, 88
  - of a graphical arrangement, 248
  - of a hyperplane arrangement, 90, 243
  - of the Boolean arrangement, 247
  - of the braid arrangement, 247
- chromatic polynomial, 3, 15, 39, 236
  - reciprocity theorem, 6
  - reciprocity theorem for, 250
- cographical arrangement, 277
- coin-exchange problem, 144
- coloring, 2
  - color gradient, 6
  - proper, 2
- comajor index, 226
- combinatorial reciprocity theorem, *x*
  - for  $P$ -partitions, 229
  - for binomial coefficients, *x*
  - for chain partitions, 140
  - for chromatic polynomials, 6, 238, 250
  - for compositions respecting a poset, 227
  - for flow polynomials, 12, 278
  - for half-open lattice polytopes, 173
  - for half-open lattice simplices, 172
  - for half-open rational cones, 174
  - for Hilbert series, 136, 175
  - for inside-out polytopes, 249
  - for integer-point transforms, 134, 174
  - for lattice polygons, 17
  - for lattice polytopes, 167
  - for order polynomials, 15, 36, 225
  - for plane partition diamonds, 148
  - for rational cones, 174
  - for rational polytopes, 167
  - for restricted partition functions, 122
  - for Stirling numbers, 48
  - for zeta polynomials of Eulerian posets, 39, 85
  - for zeta polynomials of finite distributive lattices, 38
- complete bipartite graph, 24
- complete graph, 24
- composition, 115, 226
  - part of, 115
  - strictly respects, 227
  - with odd parts, 116
  - with parts  $\geq 2$ , 116
- cone, 55, 61
  - finitely generated, 61
  - generators, 61
  - graded, 125
  - half-open, 133
  - order, 203
  - pointed, 58, 61, 79, 129
  - polar, 62, 98
  - polyhedral, 55
  - rational, 61, 129
  - simplicial, 64, 128
  - unimodular, 126
- conical hull, 61
- connected component, 8
- conservation of flow, 7, 274
- constituent, 122
- contraction, 3, 241
- convex, 16, 60
- convex epigraph, 159
- convex hull, 60
- convolution, 121, 149
- cover relation, 12, 204
- Coxeter arrangements, 280
- Cramer's rule, 150
- Crapo, Henry, 280
- cross polytope, 59, 197
- crosscut, 211
- cube, 59, 237
  - face lattice of, 71
  - pulling triangulation of, 190, 191
  - regular unimodular triangulation, 163
- cycle, 23, 269
  - basis, 275
  - fundamental, 275
- cyclotomic number, 11, 274
  
- Dedekind, Richard, 45
- Dehn, Max, 95
- Dehn–Sommerville relations, 86, 147, 186
  - generalized, 152
- Delaunay, Boris, 193
- deletion, 3
- delta function, 31
- derangement number, 49
- derivative, 110
- descent, 192, 213, 256
  - $\Pi$ -descents, 260
  - number of, 219
- descent-compatible permutation, 256
- difference operator, 85, 109
- dilate, 16

- dimension, 58, 63
  - of a polyhedron, 58
  - of an order cone, 205
  - of an abstract simplicial complex, 185
- directed cycle, 6
- directed path, 5
- disjoint union, 69, 132
- displacement, 53
- dissection, 156
  - unimodular, 178
- distributive lattice, 37, 72
- divisor, 47
- dual graph, 8
- dual order ideal, 30
- edge, 66
  - contraction of, 3
  - deletion of, 3
  - interior, 18
  - of a graph, 1
  - of a polygon, 16
  - of a polyhedron, 66
- edge cut, 277
- Ehrhart function, 17, 124, 155
- Ehrhart polynomial, 17, 126, 161, 269
  - of a lattice polytopal complex, 181
- Ehrhart series, 125, 176
  - of an open polytope, 137
- Ehrhart's theorem, 128, 161
- Ehrhart, Eugène, 144, 194
- Ehrhart–Macdonald reciprocity, 17, 167, 249, 276
- embedded sublattice, 231
- eta function, 32
- Euler characteristic, 77, 86, 162
- Euler, Leonhard, 95, 143, 229
- Euler–Mahonian statistic, 223
- Euler–Poincaré formula, 77
- Eulerian complex, 184
- Eulerian number, 192, 220
- Eulerian polynomial, 220, 258
- Eulerian poset, 38
- eventually polynomial, 114, 147
- face, 18, 66, 157
  - boundary, 18
  - figure, 103
  - interior, 18
  - numbers, 68
  - proper, 66
- face lattice, 67
- face poset
  - of a hyperplane arrangement, 264
  - of a polyhedron, 67
- facet, 66
- facet-defining hyperplane, 69
- fan, 156
- Feller, William, 144
- Fibonacci number, 112
- filter, 30, 207
  - connected, 208
  - neighbor closed chain, 255
  - neighborhood of, 255
- finite reflection group, 280
- finite-field method, 280
- Five-flow Conjecture, 11, 22
- fixed point, 49
- flag  $f$ -vector, 139
- flat, 88
  - of a graph, 42, 240
  - of a hyperplane arrangement, 88
- flow, 7
  - conservation of, 274
  - integral, 279, 286
  - nowhere zero, 273
- flow polynomial, 11, 273
  - reciprocity theorem, 12, 278
- flow space, 274
- forest, 269
- formal Laurent series, 126
- formal power series, 110
- Four-color Theorem, 2
- $f$ -polynomial, 180
- fractional part, 149
- Freudenthal, Hans, 193
- Frobenius number, 144
- Frobenius problem, 144
- Frobenius, Georg, 144
- fundamental cycle, 275
- fundamental parallelepiped, 134, 176
- fundamental theorem of calculus, 47
- $f$ -vector
  - of a polyhedron, 68
  - of a simplicial complex, 142
- Gelfand, Israel, 193
- general position, 104, 266
- generating function, 110
  - derivative, 110
  - formal reciprocity, 114
  - rational, 111
- generic relative to, 170
- geometric lattice, 280
- geometric series, 117

- Gorenstein polytope, 198, 258  
 Grünbaum, Branko, 194, 280  
 graded poset, 38  
   characteristic polynomial of, 88  
 Gram, Jørgen, 96  
 graph, 1  
   acyclic orientation, 263  
   chromatic polynomial of, 3  
   complete, 24  
   complete bipartite, 24  
   connected, 8  
   connected component of, 8  
   contraction, 241  
   dual, 8  
   flat, 240  
   flat of, 42, 240  
   flow space of, 274  
   isomorphic, 23  
   orientation on, 5  
   planar, 2  
   source, 242  
 graphical arrangement, 240  
   characteristic polynomial of, 248  
 graphical zonotope, 262  
   vertices of, 263  
 greater index, 229  
 greatest lower bound, 37  
 Greene, Curtis, 280  
*g*-Theorem, 95  
 Guthrie, Francis, 2  
  
 Haken, Wolfgang, 2, 21  
 half-open decomposition, 172  
 half-open polyhedron, 170  
 halfspace, 53  
   irredundant, 55  
   open, 74  
 Hall, Philip, 45  
 Hardy, Godfrey Harold, 143  
 Hasse diagram, 12  
 height  
   of a poset, 260  
 Hibi, Takayuki, 194  
 Hilbert function, 129  
 Hilbert series, 129, 175  
   reciprocity theorem, 136, 175  
 homogenization, 56, 125  
*H*-polyconvex set, 74  
*h*\*-polynomial, 152, 176  
 Huh, June, 22  
*h*-vector, 95, 143, 185  
 hyperplane, 53  
   admissible, 66  
   arrangement of, 73  
   facet-defining, 69  
   halfspace, 53  
   oriented, 53  
   separating, 62  
   supporting, 66  
 hyperplane arrangement, 73, 88, 96, 239  
   affine reflection, 280  
   affinization, 267  
   central, 89, 239  
   cographical, 277  
   Coxeter, 280  
   essential, 89  
   flat of, 88, 239  
   general position, 104  
   graphical, 240  
   lineality space of, 89  
   localization of, 243  
   rational, 245  
   real braid, 247  
   reflection, 280  
   region, 90  
   restriction of, 241  
   simple, 271  
   vertices, 272  
 hypersimplex, 94, 191, 252  
   ( $\Pi, k$ )-hypersimplex, 260  
   pulling triangulation of, 191  
  
 identity operator, 109  
 incidence algebra, 30, 41  
   invertible elements, 33  
   operating on functions, 41  
 inclusion–exclusion, 18, 39, 73, 156  
 incomparable, 210  
 indicator function, 91, 175  
 induced sublattice, 231  
 inner product, 53  
 inside-out polytope, 246  
   reciprocity theorem, 249  
 integer partition, 120  
 integer-point transform, 125  
   reciprocity theorem, 134, 174  
 integral flow, 279, 286  
 interior, 16, 58  
   relative, 58  
   topological, 58  
 interior point, 97  
 intersection poset, 43, 88, 239  
   closed set of, 43  
 interval, 35

- inversion, 231
- irredundant halfspace, 55
- isomorphic posets, 35
- isthmus, 8
  
- Jaeger, François, 22
- Jochemko, Katharina, 194
- join, 37, 71
- join irreducible, 48
- Jordan normal form, 145
- Jordan–Hölder set, 211
  
- Kapranov, Mikhail, 193
- Katz, Eric, 22
- Klee, Victor, 195
- Knuth, Donald, 229
- Köppe, Matthias, 194
- Koren, Michael, 281
  
- Lam, Thomas, 280
- lattice
  - (poset), 37
  - Birkhoff, 30
  - Boolean, 34
  - distributive, 37, 72
  - face, 67
  - integer, 16
  - of flats, 42, 243
  - of order ideals, 30
- lattice basis, 126, 150
- lattice length, 26
- lattice path, 202
- lattice polygon, 18
- lattice polytope, 60, 94
  - reciprocity theorem, 167
- lattice segment, 26
- Laurent series, 126
- least upper bound, 37
- Lee, Carl W., 95
- length
  - of a chain, 35, 44
  - of a poset, 35
- lexicographic ordering, 284
- Li, Nan, 281
- line free, 57
- line segment, 60, 261
- lineality space, 57
- linear extension, 33, 206
- linear optimization, 94
- linear programming, 94
- linear recurrence, 112
- linear subspace, 53
- linearly ordered, 12
- Lipschitz continuity, 254
- Lipschitz polytope, 255
- log concave, 23
- loop, 1
  
- Macdonald, I. G., 194
- MacMahon, Percy, 144, 229
- major index, 221
- Mani, Peter, 95
- map coloring, 21
- maximal chain, 38
- McMullen, Peter, 95, 194, 281
- meet, 37
- meet semilattice, 46, 68, 104
- Minkowski sum, 64, 261
- Minkowski, Hermann, 94, 193
- Minkowski–Weyl theorem, 64, 170
- Möbius function, 19, 33, 165
  - number theoretic, 47
  - of a face lattice, 81, 103
  - of order ideals, 35
  - of the lattice of flats, 243
- Möbius inversion, 41, 158, 246
- multichain, 30
- multiplicity, 249
- multisubset,  $x$ , 40
  
- $n$ -flow, 25
  - augmenting path, 25
- nilpotent, 46, 108
- node, 1
- normal, 53
- nowhere-zero flow, 8, 273, 286
  
- octahedron, 197
- order complex, 140, 216
- order cone, 203, 257
  - dimension of, 205
  - faces of, 207
  - irredundant representation of, 204
  - unimodular triangulation of, 212
- order ideal, 30
  - principal, 30
- order polynomial, 14, 32, 215
  - reciprocity theorem, 15, 36, 225
- order polytope, 214, 252
  - canonical triangulation of, 217
- order-preserving map, 13, 29, 225
  - ranked, 139
  - strictly, 13
  - surjective, 46

- orientation, 5
  - acyclic, 5, 242
  - base, 273
  - induced by a coloring, 6
  - totally cyclic, 11, 276
- oriented matroids, 281
- parallelepiped, 72, 127, 261
  - half-open, 127
- part, 120
- partially ordered set, 12
- partition, 45, 120, 226
  - function, 149
  - part of, 120
- path, 23
- Paule, Peter, 144
- periodic function, 119
- permutahedron, 281, 284
- permutation, 48, 162
  - 2-ascent of, 259
  - big ascent of, 259
  - descent of, 254
  - descent-compatible, 256
  - fixed point of, 49
  - inversion of, 231
  - major index of, 221
  - statistics, 223
- Petersen graph, 26
- Philip Hall's theorem, 44
- Pick, Georg, 22
- placing triangulation, 169
- plane partition, 117, 130, 226
  - diamond, 148
- Plato, 94
- Poincaré, Henri, 95
- pointed cone, 79
- polar cone, 98
- polyconvex, 72
- polygon, 16
  - lattice, 18
- polyhedral complex, 156, 188
  - dimension, 181
  - Eulerian, 184
  - of visible faces, 168
  - pure, 184
  - support of, 156
- polyhedral cone, 55
- polyhedron, 52
  - admissible hyperplane, 66
  - admissible projective transform, 97
  - convex, 60
  - direct sum, 101
  - face of, 66
  - free sum, 101
  - half-open, 170
  - join, 101
  - line free, 57
  - linearly isomorphic, 56
  - pointed, 66
  - product, 72, 101
  - projection, 65, 68
  - projectively isomorphic, 97
  - proper, 54, 68
  - rational, 52
  - supporting hyperplane, 66
  - unbounded, 55
  - wedge, 102
- polynomial, 14, 32, 107, 109, 122
  - basis, 14, 108
  - Bernoulli, 147
  - characteristic, 88, 243
  - chromatic, 3, 236
  - Ehrhart, 17, 126, 161, 269
  - Eulerian, 220, 258
  - $f$ , 180
  - flow, 11, 273
  - generating function of, 111
  - $h^*$ , 176
  - order, 13, 32, 215
  - zeta, 36, 108
- polytopal complex, 156
  - self-reciprocal, 182
- polytope, 16, 60
  - 0/1, 202, 215
  - 2-level, 202
  - alcoved, 252
  - centrally-symmetric, 257
  - compressed, 192, 202, 283
  - Gorenstein, 198, 258
  - inside-out, 246
  - lattice, 60, 94
  - Lipschitz, 255
  - order, 214
  - rational, 60, 132, 167
  - reflexive, 198
  - simplicial, 70, 85, 141, 188
  - vertex set, 61
  - vertices, 61
  - zonotope, 261
- poset, 12, 29, 203
  - anti-isomorphic, 264
  - connected, 206
  - direct product, 34, 46

- dual naturally labelled, 228
- Eulerian, 38, 48, 85, 140, 184
- from graph, 15
- graded, 38, 67, 183, 232
- intersection, 43
- interval, 35
- isomorphic, 35
- isomorphism, 13
- linear extension of, 206
- Lipschitz function on, 254
- maximum of, 32
- minimum of, 32
- naturally labelled, 204
- of partitions, 45
- rank of, 38
- rank of an element, 48
- ranked, 257
- refinement, 210
- rooted tree, 283
- Postnikov, Alexander, 280
- $P$ -partition, 228
  - reciprocity theorem, 229
- $(P, \omega)$ -partition, 233
- principal order ideal, 30
- product in an incidence algebra, 31
- product of simplices, 202
- projection, 65
- projective transformation, 97
- proper coloring, 2
- pulling triangulation, 189
  - of an order polytope, 216
- pushing triangulation, 169
- pyramid, 67, 71, 168, 197
- $q$ -factorial, 222
- $q$ -integer, 221
- quasipolynomial, 119
  - constituents of, 122
  - convolution of, 121, 149
  - degree of, 122
  - Ehrhart, 132, 167
  - period of, 122
- Rademacher, Hans, 143
- Ramanujan, Srinivasa, 143
- rank, 48
  - of a poset, 38
- rational cone, 61
  - reciprocity theorem, 174
- rational function, 111
  - improper, 114
- rational generating function, 111
- rational polytope, 60, 132
  - reciprocity theorem, 167
- ray, 66
- Read, Ronald, 22
- real braid arrangement, 104
- recession cone, 55
- reciprocal domain, 194
- refinement, 45
- reflection arrangements, 280
- reflexive polytope, 198
- region, 90
  - (relatively) bounded, 90
  - of an inside-out polytope, 249
- regular triangulation, 163
- relative boundary, 59
- relative interior, 58
- relative volume, 152
- restricted partition function, 120, 137
  - reciprocity theorem, 122
- ridge, 66
- Riese, Axel, 144
- Riordan, John, x
- root system, 280
- rooted tree, 283
- Rota's crosscut theorem, 35
- Rota, Gian-Carlo, 45, 280
- Sanyal, Raman, 194
- Schläfli, Ludwig, 95
- Schrijver, Alexander, 94
- self-reciprocal, 119, 182
- separating hyperplane, 62
- separation theorem, 62, 94
- Seymour, Paul, 11
- Shephard, Geoffrey, 281
- shift operator, 109
- simplex, 63
  - barycenter, 253
  - unimodular, 128
- simplicial complex, 141, 156
  - abstract, 141, 156, 184
  - canonical realization of, 185
  - dimension of, 185
  - face, 141
  - geometric, 156, 184
  - order complex, 141
  - pure, 141
- simplicial cone, 64, 128
- simplicial polytope, 70, 85, 95, 141
- solid partition, 229
- Sommerville, D. M. Y., 95
- source, 242

- spanning tree, 269, 275
- square, 54
- Stanley reciprocity, 134, 175
- Stanley, Richard, x, 5, 22, 45, 95, 144, 194, 229, 280
- Stanley–Reisner ring, 145
- Steiner, Jakob, 280
- Steinitz’s theorem, 95
- Steinitz, Ernst, 95
- Stirling number
  - of the first kind, 48
  - of the second kind, 14, 48
- strict order polynomial, 13
- strictly order-preserving map, 30
- Sturmfels, Bernd, 281
- subdivision, 157, 168
  - barycentric, 196
  - coherent, 161
  - proper, 157
  - regular, 161
- sublattice
  - embedded, 231
  - induced, 231
- support, 7, 141, 156
- supporting hyperplane, 66
- surjective order-preserving map, 46
- symmetric group, 163
  
- tangent cone, 82, 91, 165
- tiling, 265
  - regular, 266
  - zonotopal, 265
- total order, 12
- totally cyclic, 11, 276
- totally ordered, 12
- transversal, 249
- tree, 269
- triangle, 16, 126
  - unimodular, 27
- triangulation, 17, 157, 169, 174
  - alcoved, 253
  - lattice, 158
  - placing, 169
  - pulling, 189
  - pushing, 169
  - rational, 174
  - unimodular, 185
- Tutte polynomial, 22
- Tutte, William, 11
- Tutte–Grothendieck invariant, 22
  
- unimodal, 23
- unimodular
  - cone, 126
  - dissection, 178
  - simplex, 128
  - triangulation, 163
- unipotent, 107
- unit disc, 102
  
- valuation, 18, 73, 95, 155, 194
- vector space
  - of polynomials, 108, 145
  - of valuations, 104
- Verdoolaege, Sven, 194
- vertex, 61, 66
  - figure, 103
  - of a polygon, 16
  - of a polyhedron, 66
  - of a simplicial complex, 156
- visible, 91, 168
- volume, 152
  
- wedge, 57, 102
- Weyl, Hermann, 94
- wheel, 23
- Whitney, Hassler, 3, 21
- Wilf, Herbert, 22
  
- Young diagram, 233
- Young tableau, 233
  
- Zaslavsky’s theorem, 90, 243
- Zaslavsky, Thomas, 96, 280
- Zelevinsky, Andrei, 193
- zeta function, 31
- zeta polynomial, 36, 107, 137, 186
  - for Boolean lattices, 48
  - for Eulerian posets, 39
- $\mathbb{Z}_n$ -flow, 7, 273
- zonotopal tiling, 265
  - cubical, 265
  - fine, 265
- zonotope, 261
  - graphical, 262