
Index

- absolute value, **33**
 - non-archimedean, **34**
 - of a Berkovich point, **124**
 - p -adic, **36**
 - trivial, **33**
- action of ϕ
 - on connected affinoids, 155, 167
 - on \mathbb{P}_{an}^1 , 154
 - on Type II points, 154, 156–158
 - on Type III points, 154, 156–158
 - on Type IV points, 155
- affinoid
 - Berkovich, *see* Berkovich affinoid
 - connected, *see* connected affinoid
- algebraic number theory, 347
- analytic component, 429–436
- annulus, 61–64, 126, 133, 136, 145, 156–159, 188, 374–380
- Approximation Lemma, 213
- Arakelov–Green’s function, 344–346, 357, 358
 - normalized, 346
- Arzelà–Ascoli theorem, 24, 101, 106
- atomic measure, *see* measure, atomic
- attracting basin, **206**, 226, 243
 - immediate, **206**, 207, 244, 249
 - of a Type II point, **273**, 275, 277, 286
- attracting component, *see* component, attracting
- attracting periodic, *see* periodic, attracting
- Axiom of Choice, 295
- \mathcal{B} -component, 430–431, 435
- backward orbit, *see* orbit, backward
- backward wild, **313**, 314, 321, 322
- bad reduction, 4, **76**, 82, 92, 93
- Baker, Matthew, 2, 291, 303, 323, 326, 331, 334–336, 344, 351, 440
- Banach ring, 397, 437
- Banach space, 325
 - dual, 325
- BDV, *see* bounded differential variation
- Berkovich
 - affine line, 122–129
 - affinoid, 133–138, 141, 149, 151, 155, 156, 163, 167, 392, 394, 405, 409, 414, 418, 426
 - classification, 121, 128–129, 388
 - disk, 125–127, 387, 401, 438
 - as tree, 128–129, 143
 - boundary point, 127, 149, 245, 256
 - in \mathbb{P}_{an}^1 , **133**
 - path-connected, 124, 138–143, 399–405
 - interval, **141**, 144, 329, 406, 418
 - projective line, 2–4, 121, 129–138, 392–405, 440–443, 445–447
 - compact, 121, 137, 396–399
 - Hausdorff, 137, 397
 - locally path-connected, 141
 - path-connected, 121
 - types, 121, 123–124, **128**, 138, 446–447
- Berkovich, Vladimir, 2, 122, 397, 437

- between, 141–143, 150, 200, 222, 328, 403, 405, 408–410
 strictly, **141**, 319
 Bézivin, Jean-Paul, 1, 73, 313
 big model metric, *see* hyperbolic metric
 Borel measure, *see* measure, Borel
 Borel set, **324**, 335, 352
 Borel σ -algebra, **324**, 325
 Böttcher, Lucjan, 74
 bound
 a disk, *see* Berkovich disk boundary point
 a seminorm, *see* seminorm, bounded
 bounded differential variation, **331**
 bounded potentials, **330**, 333, 340
 bounded seminorm, *see* seminorm, bounded
 bout, *see* end
 Bryuno, Alexander, 75

 Call, Gregory, 3, 343
 Call–Silverman height, *see* height, canonical
 canonical height, *see* height, canonical
 canonical local height, *see* local height, canonical
 canonical measure, *see* equilibrium measure
 canonical point, *see* Gauss point
 Cantor set, 111, 195, 196, 206, 207, 226, 341, 432
 Cantor type, *see* domain of Cantor type
 Chambert-Loir, Antoine, 2, 323
 change of coordinates, **13**
 characteristic
 equal, **34**, 35, 36, 273
 mixed, **34**, 37, 235–240, 245, 271, 273, 318, 320
 Chebyshev polynomial, **14**, 27
 chordal metric, 24, *see also* spherical metric
 coherent system of measures, 335
 component
 analytic, *see* analytic component
 attracting, 25, 206–211, 220, 221, 226, 241, 243, 246, 251, 252
 indifferent, 211–221, 228, 229, 231–242, 247, 248, 251, 252
 of Berkovich Fatou set, 203–205, 221, 240, 241, 245, 249, 252, 267, 268, 339, 433–435
 parabolic, 25, 240
 wandering, *see* wandering domain
 connected affinoid, **60**, 61, 137, 171, 232, 253, 291, 295, 297, 298, 303, 305, 374, 383, 430
 continuous potentials, **330**, 333, 346, 350, 352
 converge weakly, **328**, 332, 336–338, 340, 341, 349, 351, 353
 convex hull, 54, **142**, 150, 151, 178, 279
 countably additive, **324**
 couronne, 446
 critical point, **19**, 20, 25, 94, 171, 178, 242–244, 249, 313
 order, *see* order of a critical point
 tame, **256**, 257, 260, 261
 totally ramified, *see* totally ramified
 wild, 6, **256**, 257, 259–261, 267, 272, 273, 287, 288, 312, 313
 cross ratio, 350, **353**
 cycle, *see* periodic cycle
 cylinder set, **31**, 250, 251

 D -component, 429–433, 436
 decreasing sequence of disks, 40, 121, 123, 128, 146, 149, 155, 175, 388–391, 395
 equivalent, **124**, 128, 146
 degree, **15**
 local, *see* local degree
 Weierstrass, *see* Weierstrass degree
 delta-mass, *see* delta-measure
 delta-measure, **324**, 329, 330, 341, 353, 356
 diameter, 39, 257, 260
 of a Berkovich point, **124**, 131, 147
 differential form, 18, 29
 Dirac mass, *see* delta-measure
 direction, **143**, 151, 157, 159, 160, 162, 164, 167, 169, 178, 231, 291, 319, 334, 421–426, 446
 bad, **168**, 169, 176, 187, 199
 directional derivative, **334**, 335
 Dirichlet pairing, **333**, 334, 349, 350
 discrepancy, **351**
 discretely valued, **34**, 35, 37, 39, 41, 43, 54, 261, 267, 271, 275, 277
 disk
 in \mathbb{C}_v , 38
 in Berkovich space, *see* Berkovich disk
 in $\mathbb{P}^1(\mathbb{C}_v)$, *see* $\mathbb{P}^1(\mathbb{C}_v)$ -disk
 irrational, 40

- rational closed, 40
- rational open, 40
- distortion, **249**, 257
- divisor (of a rational function), **332**, 343, 348, 357
- domain of Cantor type, 206–211, 226, 241, 243, 249, 432
- dynamical system, (discrete), **11**
- dynamically stable, **183**, 184, 190, 192, 198, 301, 433
 - on Type I points, 429–436
- Écalle, Jean, 240
- elliptic curve, 3, 80–85, 252
 - complex multiplication, 81
 - invariant differential, 85
 - multiplicative reduction, 115, 252
 - torsion, 82
 - Weierstrass form, 80
- end, 446
- energy integral, 346, 351, 352
- equal characteristic, *see* characteristic, equal
- equicontinuous, **24**, 100–102, 106, 116
- equidistribution, 2, 5, 323, 340, 349
- equilibrium measure, 2, 4–6, 327, 336, **338**, 340–342, 349, 356
- ergodic, 6, **338**
- evanescent chain, 446
- exceptional point, **20**
- exceptional set, 21–22, 105, 108, 109, 193, 194, 301, 313, 338, 340, 341
- explicit good reduction, *see* good reduction, explicit
- Fatou set
 - Berkovich, 2, 4, **183**
 - classical, 1, 4, **100**
 - complex, **24**
- Fatou, Pierre, 25, 302
- Favre, Charles, 2, 323, 349–350
- filled Julia set
 - Berkovich, **194**
 - classical, **110**
- finite positive measure, *see* measure, positive, finite
- fixed, **11**
- formal Laurent series, 30, 35
- forward orbit, *see* orbit, forward
- Frobenius map, 20
- Galois group, 347
- Galois theory, 347
- Galois-invariant, **349**, 351
- Gauss point, **132**, 156, 168, 169, 188, 192, 228, 297, 354
- Gel'fand topology, **122**, 125, 129, 131, 133–138, 145, 147, 148, 152, 249, 330, 354, 410, 412, 437, 438
 - basis, 134
 - homogeneous, **440**
- generalized Hsia kernel, **331**, 346, 355
- geometric sequence (of Trucco), 279
- global field, 347–349, 358
- global height, *see* Weil height
- globally unitary, 320–322
- good reduction, 4, 75–80, 92, 192–194, 273
 - explicit, **76**, 77–79, 82, 88, 90, 92, 93, 96, 98, 168, 178, 192, 193, 200, 229, 297, 350, 426, 436
 - potential, **76**, 77, 89, 95, 96, 103, 117, 193, 194, 249, 278, 338, 341, 430, 435
- grand orbit, **11**, 12, 13, 20, 26, 193, 277
- Gromov product, **328**, 331, 342, 353, 354, 357
- height
 - Call–Silverman, *see* height, canonical
 - canonical, 2, **348**, 350
 - global/Weil, *see* Weil height
 - local, *see* local height
- Hensel's lemma, 369, 383
- Herman ring, 25, 220, 231
- Herman, Michael, 1, 25, 74
- Holomorphic Fixed-Point Formula, **18**, 23, 28, 32, 72
- homoclinic orbit, **303**, 314
- homogeneous canonical local height, *see* local height, canonical, homogeneous
- homogeneous resultant, 78–80, 93, 344, 347
- Hsia kernel, *see* generalized Hsia kernel
- Hsia, Liang-Chung, 1, 106, 112, 310
- hyperbolic metric, 356
- hyperbolic metric, **144**, 158, 160, 174, 175, 186, 249, 250, 253, 330, 354, 356
 - is Lipschitz, 161
- hyperbolic space, **144**

- indifference domain, **211**, 220, 229, 231–240, 242
 indifferent, *see* periodic, indifferent
 indifferent component, *see* component, indifferent
 injectivity locus, **170**, 171, 179, 215, 218
 inner regular, **325**
 inseparable map, **19**, 103, 200, 241, 252, 313
 totally, *see* totally inseparable map
 integral, **325**
 interval (in Berkovich space), *see* Berkovich interval
 invariant measure, *see* equilibrium measure
 irrationally indifferent, *see* periodic, irrationally indifferent
 iterate, **11**
 iterative logarithm, 235–240

 Jonsson, Mattias, 323
 Jordan decomposition, **324**, 325, 333
 J -stability, 6
 Julia set
 Berkovich, 2, 4, **183**, 302–310
 classical, 1, 4, **100**, 310–318
 complex, **24**
 Julia, Gaston, 18, 25, 302

 Koenigs, Gabriel, 73

 λ -lemma, 6
 Laplacian, 331–336, 344, 346, 355
 largest common geometric level, 280
 Lattès map, 4, 80–85, 93, 115, 118, 165, 197, 202, 245, 252, 286, 342, 356
 flexible, 81, 93, 94, 252
 rigid, 81
 Laurent series, 3
 convergent, 61–64, 67, 68, 374–380
 formal, *see* formal Laurent series
 least upper bound, **140**, 142, 145, 150, 403, 404, 406, 408
 Leau–Fatou flower, 74
 lie above/below, **138**, 139, 140, 145, 150, 279, 281, 282, 289, 400, 402, 404
 lie between, *see* between
 Lie logarithm, 240
 lift, **344**, 345, 347, 351, 357, 358
 limit, ω , *see* ω -limit
 Lindahl, Karl-Olof, 74

 linear functional, 325, 326, 335
 local degree
 at a Berkovich point, 4, 162–170, 185, 274, 416–423
 in a Berkovich direction, 159–162, 164, 168, 174, 294, 295, 421–423
 local height, **342**, 343, 357, 358
 Call–Silverman, *see* local height, canonical
 canonical, 3, 343–346, 348, 357
 homogeneous, **344**, 357, 358
 standard, **343**, 347, 348
 system of, **347**, 348, 349
 local linearization, 1, 6, 24, **73**, 74, 75
 over \mathbb{C} , **74**
 locally conjugate, **73**
 locally expanding, **258**, 259–262, 268, 287, 288
 log cross ratio, **353**
 Lubin, Jonathan, 240

 Mandelbrot set
 complex, 112
 non-archimedean, 112, 117
 maximal ideal, 34, 35, 37, 40, 42, 440
 McMullen, Curtis, 273
 measurable cardinals, 326
 measurable function, **324**, 327
 measurable set, **323**, 327, 338
 measure
 atomic, **325**, 330, 336, 349, 350, 356
 Borel, **324**, 325, 326, 328
 canonical, *see* equilibrium measure
 delta, *see* delta-measure
 equilibrium, *see* equilibrium measure
 invariant, *see* equilibrium measure
 Lebesgue, 325, 336, 342, 353, 356
 positive, **324**, 325–327, 346, 352
 finite, **324**, 355
 probability, **324**, 326–328, 336–338, 340, 346, 349, 351–353, 355
 pull-back, **327**
 push-forward, **326**, 340
 Radon, **325**, 326, 336, 337, 341, 346, 355
 signed, **325**, 327–330, 336, 337, 352, 353
 signed, **324**, 326, 328
 total variation, **324**, 325, 332, 337
 metric
 chordal, *see* spherical metric
 hyperbolic, *see* hyperbolic metric

- spherical, *see* spherical metric
- metrizable space, 341, 352
- Misiurewicz bifurcation, 273
- Misiurewicz cascade, 273
- mixed characteristic, *see* characteristic, mixed
- mixing, **338**
- Montel's theorem, 105
- Montel–Carathéodory theorem, *see* Montel's theorem
- morphism, **13**
- Morton, Patrick, 98
- multiplicity
 - at a Berkovich point, *see* local degree
 - at a point x , *see also* ramification index, **19**
 - of ϕ fixing a direction, 231
 - of a fixed point, 15–16, 208, 232, 243
 - of a zero of f , *see also* order of vanishing, **53**
- multiplier, **17**
 - of a Berkovich point, **185**
- mutually singular, **324**
- neutral, *see* periodic, indifferent
- Newton copolygon, *see* valuation polygon
- Newton polygon, 52–57, 63, 65, 66, 85, 88, 187, 368–369, 371, 423, 425, 426
 - length of a segment, 54
 - pivotal radius, 54, 371
- non-archimedean field, **34**
 - complete, 34
- normal (family of functions), **24**, 102, 105, 247
- normal (topological space), **137**, 339, 352
- Northcott property, **348**, 350
- number field, 347
- ω -limit, **280**, 281–283
- open map, **155**, 184, 302, 310, 420, 421
- orbit
 - backward, **11**, 12, 13, 25, 26, 90, 108, 109, 184, 194, 195, 279, 301, 303, 321
 - forward, **11**, 12, 13, 26, 118, 246, 260, 267, 313, 436
 - grand, *see* grand orbit
 - homoclinic, *see* homoclinic orbit
- order of a critical point, **19**, 20, 30, 31, 317
- order of vanishing, 19, 30, **53**, 232, 256
 - in a direction, **232**
- outer regular, **325**
- p -adic integers (\mathbb{Z}_p), **37**
- p -adic rationals (\mathbb{Q}_p), **37**
- $\mathbb{P}^1(\mathbb{C}_v)$ -disk, **59**
- parabolic component, *see* component, parabolic
- path-connected, uniquely, *see* uniquely path-connected
- perfect set, 25, **109**, 116, 194, 195, 200
- period, **11**
 - exact, *see* minimal period
 - minimal, **12**
- periodic, **11**
 - attracting, **71**
 - cycle, **11**
 - indifferent, **71**
 - Berkovich point, **185**, 187
 - irrationally indifferent, 23
 - irrationally indifferent, **71**
 - neutral, *see* periodic, indifferent
 - rationally indifferent, 23, **71**, 238
 - repelling, 4, **71**, 104
 - Berkovich point, **185**, 187, 291, 295, 297, 298, 305
 - superattracting, 23, **71**, 103, 198, 199
- place (of a global field), 347, 349, 350
- Poincaré, Henri, 73
- point-mass, *see* delta-measure
- Portmanteau Theorem, 341
- positive measure, *see* measure, positive
- potential function, 329–337, 342, 343, 346, 350, 355
- potential good reduction, *see* good reduction, potential
- power series, 1, 3, 35, 48–59, 64, 66, 83, 85, 90, 91, 93, 94, 211, 226, 257, 286, 287, 361–373, 382, 383, 437
- preperiodic, **11**
- product formula, **347**, 358
- projective system, 446
- Prokhorov's theorem, 351, 352
- Puiseux series, 2, **36**, 44, 278
- pull-back measure, *see* measure, pull-back
- push-forward function, **327**
- push-forward measure, *see* measure, push-forward
- quasi-periodic, **235**

- quasi-periodicity domain, 235–240
quotient map, 392
- \mathbb{R} -tree, 143, 222, 323
- Radon measure, *see* measure, Radon
- ramification degree, **35**, 36, 43
ramification index, **19**, 313, 321
ramification locus, **170**, 173, 178
ramification point, *see* critical point
ramified, **19**
 totally, *see* totally ramified
- rationally indifferent, *see* periodic,
 rationally indifferent
- recurrent, 6, **267**, 272, 273
- reduction
 bad, *see* bad reduction
 good, *see* good reduction
 of a rational function, 168, 177, 187,
 196, 197, 199, 200, 218
- reduction map, **75**
- repelling periodic, *see* periodic,
 repelling
- residue characteristic, **34**, 52, 118, 242,
256, 271, 318
- residue class, 76, 88, 92, 107, 144, 151,
154, 156, 168, 199, 241, 242, 273,
436
 of a Berkovich point, *see* direction
- residue field, **34**, 35, 37, 40, 42–44, 127,
156, 267
- residue field extension degree, **35**, 43
- Residue Theorem, 18, 29
 Open Affinoids, 232
- resultant, **78**, 79, 93, 357
 homogeneous, *see* homogeneous
 resultant
- Riemann–Hurwitz formula, **19**, 31, 171,
298, 317
- Riesz representation theorem, **325**, 335,
352, 353
- rigid analysis, 47, 122, 374, 380–382
- ring of convergent power series, **49**
- ring of integers, **34**, 35, 37, 40, 156
- Rivera-Letelier’s approximation lemma,
see Approximation lemma
- Rivera-Letelier’s classification, 4, 87,
221
- Rivera-Letelier’s stable fixed-point
lemma, *see* stable fixed-point
lemma
- Rivera-Letelier, Juan, 1, 2, 121, 144,
168, 203, 211, 220, 221, 231, 235,
272, 291, 303, 311, 323, 349–350,
424, 445–447
- Rumely, Robert, 2, 291, 303, 323, 331,
334–336, 344, 351, 440
- saturated, 298
- second countable, 148
- semicontinuous, 131, **147**, 164, 249,
295, 355
- seminorm, **122**, 130, 173, 385–387,
440–443, 447
 bounded, **122**
 multiplicative, **122**, 146, 153, 173,
409, 437, 438, 447
- separable closure, 347
- separable map, **19**, 20, 30, 31, 242, 252,
288, 313, 349
- separable space, 148, 341, 352
- Shishikura, Mitsuhiro, 26
- Siegel disk, 25, 74, 220, 231
- Siegel, Carl, 25
- σ -algebra, **323**
 Borel, *see* Borel σ -algebra
- signed measure, *see* measure, signed
- signed Radon measure, *see* measure,
 Radon, signed
- Silverman, Joseph, 3, 98, 343
- singular (Type IV), 446
- skeleton, 136, **151**
- small denominators, 1, 6, *see also* local
 linearization, 75
- Smart, Nigel, 112
- space of potentials, **330**
- spherical metric, 24, 97–101, 106, 116
- spherically complete, **40**, 41, 123, 138
- stable fixed-point lemma, 222
- stable, dynamically, *see* dynamically
 stable
- standard local height, *see* local height,
 standard
- strong topology, 145
- strong-mixing, *see* mixing
- subharmonic function, 346
- submultiplicative norm, 437
- Sullivan, Dennis, 25, 253
- superattracting, *see* periodic,
 superattracting
- support of a measure, 26, **324**, 336,
341, 350, 356
- Sylvester matrix, **78**
- symbol sequence, **31**, 201, 246, 250

- symbolic dynamics, **31**, 196, 201, 250, 272
 system of local heights, *see* local height, system of
 tame map, 249, **274**, 275, 277, 278, 286, 289
 tame ramification, *see* critical point, tame
 tangent vector, 144, 151
 Tate, John, 380–382
 Thuillier, Amaury, 2, 323
 Tietze extension theorem, 352
 total variation measure, *see* measure, total variation
 totally disconnected, **38**, 60, 380, 429
 totally inseparable map, **19**, 20, 431, 436
 totally ramified, **19**, 20
 triangle inequality, 33, 386, 401
 ultrametric, 34
 trichotomy, 221
 Trucco, Eugenio, 277
 Type I diagonal, **333**, 345

 uniform boundedness principle, 353
 uniformizer, 30, **34**, 35, 37, 41, 42, 54, 261, 268, 275
 uniquely path-connected, **141**, 143, 403, 405
 unramified, **35**, 36

 vague convergence, 328
 valuation, 53, 54
 valuation polygon, 370–371
 value group, **34**, 35–37, 42, 44
 Vandermonde matrix, 351

 wandering domain, 4, 6, 26, 115, 199, 211, 221, 247, 248, **253**, 267, 271–278, 285–286, 432
 weak convergence, *see* converge weakly
 weak limit, *see* converge weakly
 weak topology, 145
 weak* convergence, 328
 Weierstrass degree
 inner, outer, *see* Weierstrass degree, on an annulus
 on a disk, **51**, 53, 57–59, 64, 66, 67, 85, 86, 95, 168, 213, 364–368, 376–378, 383
 on an annulus, 61–64, 67, 68, 157, 159, 214, 232, 375–380, 384

 Weierstrass division theorem, **365**
 Weierstrass form, *see* elliptic curve, Weierstrass form
 Weierstrass preparation theorem, 51–53, 57, **365**
 for open annuli, **375**, 383
 Weil height, 274, 289, 348–350, 358
 standard, **348**, 358
 Weil local height, *see* local height
 wild ramification, *see* critical point, wild, 271, 272
 Woodcock, Christopher, 112

 Yoccoz, Jean-Christophe, 1, 74, 75

 zero of a power series, **53**
 ZFC axioms, 326
 Zorn's lemma, 292, 295, 318