
Index

- Abel formula, 257
- Abel, Niels Henrik (1802–1829), 106, 257
- Adams methods, 129
 - explicit, 130
 - implicit, 132
- Adams, John Couch (1819–1892), 108, 154
- Adams–Bashforth method, 130, 373
- Adams–Moulton method, 132, 459
- adapted
 - box, 402
 - regular point, 403
 - stationary point, 403
 - norm, 227, 353, 357
- adaptive step size method, 98, 182, 194
- adjoint equation, 230, 255
- aerodynamic moment, 221
- affine
 - isomorphism, 487
 - map, 487
- Airy
 - equation, 74, 96, 346
 - function, 108, 346
- Airy, George Bidell (1801–1892), 108
- Alexander, James Waddell (1888–1971), 493
- algebraic multiplicity of an eigenvalue, 199
- Allendoerfer, Carl Barnett (1911–1974), 467
- almost diagonalizable linear map, 202, 203
- α -limit set, 385, 387
- alternate form, 480
- Ampère, André-Marie (1775–1836), 258
- Andronov, Aleksandr Aleksandrovich (1901–1952), 431
- angle differential form, 444
- area
 - differential form, 401, 482
 - measure, 401, 482
- Arnold, Vladimir Igorevich (1937–2010), 348, 380
- Arzelà, Cesare (1847–1912), 490
- Ascoli, Giulio (1843–1896), 490
- Ascoli–Arzelà theorem, 475
- asymptotic stability, 262, 263
- asymptotically
 - constant coefficients, 293
 - stable solution, 262, 263
 - globally, 275, 284
 - uniformly, 280, 284
- Atiyah, Michael (1929–2019), 435
- atlas
 - compatible, 477
 - C^r , 476
 - differentiable, 475
- attractive solution, 263
 - globally, 284
 - uniformly, 280, 284
- attractiveness, 263
- attractor
 - hyperbolic, 216
 - linear, 319, 338
 - Lorenz, 304, 419, 421

- Rössler, 377
autonomous equation, 3, 159
 linear, 195, 229
- Bôcher, Maxime (1867–1918), 75
backward differentiation methods, 145, 156, 459
Baire space, 478, 484
ball, 469
 closed, 469
Banach manifold, 475
Barbălat lemma, 277, 285
Barbălat, Ion (b. 1907), 277, 285, 311
Barbashin, Yevgeniy Alekseevich (1918–1969), 311
barrier
 Butcher, 155
 Dahlquist, 156
Bashforth, Francis (1819–1912), 153
basis
 dual, 481
 oriented, 479, 482
BDF method, 156
BDF method, 145, 459
Bellman, Richard (1920–1984), 107
Bendixson, Ivar Otto (1861–1935), 107
Bendixson, Ivar Otto (1861–1935), 190, 388, 398, 430
Bernoulli equation, 20, 24
Bernoulli, Daniel (1700–1782), 23, 72, 258
Bernoulli, Jacob (1654–1705), 20, 23, 25
Bernoulli, Jacob II (1759–1789), 23
Bernoulli, Johann (1667–1748), 23–25, 72, 258
Bernoulli, Johann II (1710–1790), 23
Bernoulli, Johann III (1744–1807), 23
Bernoulli, Nicolaus I (1687–1759), 23, 72
Bernoulli, Nicolaus II (1695–1726), 23, 72
Betti Glaoui, Enrico (1823–1892), 492
bi-asymptotic
 point, 343, 380
 trajectory, 343, 380
bi-Lipschitz map, 375
Bihari, Imre (1915–1998), 107
Bihari–LaSalle inequality, 107
Birkhoff, George David (1884–1944), 382
Bolzano, Bernard Placidus Johann Nepomuk (1781–1848), 193, 232
Bonnet, Pierre Ossian (1819–1892), 436, 456, 466
boundary
 condition, 258
 value problem, 340
bounded
 function, 470
 sequence, 471
 set, 471
brachistochrone problem, 25
Brouwer
 fixed point theorem, 232, 377
 invariance of domain theorem, 215, 232
Brouwer, Luitzen Egbertus Jan (1881–1966), 215, 232, 377
bundle
 cotangent, 480
 tangent, 479
 unit tangent, 485
Butcher
 barrier, 155
 tableau, 120, 146, 155
Butcher, John Charles (b. 1933), 120, 155
Cairns, Stewart Scott (1904–1982), 493
calculus of limits, 74
canonical
 charts, 483
 coordinates, 483
 Jordan form theorem, 201, 204
Carathéodory existence theorem, 76
Carathéodory, Constantin (1873–1950), 76
Cartan, Élie Joseph (1869–1951), 378
Cartan, Henri (1904–2008), 492
Cartwright, Mary (1900–1998), 433
Cauchy
 calculus of limits, 74
 sequence, 472
Cauchy, Augustin-Louis (1789–1857), 62, 74, 75, 153, 404, 465
Cauchy–Kowalevski theorem, 62
Cauchy–Riemann equations, 404
Cayley, Arthur (1821–1895), 230, 231
Cayley–Hamilton theorem, 225, 231
center
 (stationary point), 211
centre
 of mass, 374
Četaev theorem, 287

- Četaev, Nikolai Gur'yevich (1902–1959), 287, 311
- CFL condition, 156
- change
 - of coordinates, 476
 - of variables, 18
- Chapman cycle, 458
- Chapman, Sydney (1888–1970), 458, 468
- characteristic
 - curve, 58
 - exponent, 347
 - frequency, 228
 - mode, 228
 - polynomial, 199
- characteristics method, 76
- Charpit, Paul de Ville Coer (d. 1784), 76
- Chebyshev, Pafnuty Lvovich (1821–1894), 310
- Chern, Shiing-Shen (1911–2004), 468
- Chua circuit, 307, 313
- Chua, Leon Ong (b. 1936), 307, 313
- Clairaut
 - equation, 83, 104
 - phenomenon, 104
- Clairaut, Alexis Claude de (1713–1765), 73, 83, 104
- classical Runge–Kutta method, 121
- classification of surfaces, 436, 452
- closed
 - ball, 469
 - curve
 - inside, 385, 399
 - outside, 386, 399
 - theorem, 231, 385, 398
 - differential form, 482
 - set, 471
 - trajectory, 163
- closing lemma, 432
- closure of a set, 471
- coefficient
 - damping, 221
 - elasticity, 4, 221, 228, 302
 - friction, 377
- coefficients
 - asymptotically constant, 293
 - periodic, 234, 243, 294
 - Runge–Kutta method, 120, 146
- Cohn-Vossen, Stephan (1902–1936), 466, 467
- commuting flows, 427
- compact
 - set, 474
 - space, 474
- compatible atlas, 477
- complete
 - differential equation, 87, 161
 - flow, 160, 161, 398
 - solution, 104
- completely metrizable space, 478
- complexification of a Banach space, 214
- component, 386
 - connected, 471
 - minimal, 386, 401, 412
 - periodic, 386, 401, 410
- condition
 - boundary, 258
 - CFL, 156
 - diophantine, 347
 - initial, 29
 - nonresonance, 340, 347
 - Osgood, 102
- Condorcet, Marie Jean Antoine Nicolas de Caritat (1743–1794), 73
- conductivity constant, 349
- conjugate flows, 161, 174
 - C^* , 175
 - differentiably, 175, 211, 216, 334
 - linearly, 211, 216
 - topologically, 175, 216, 219, 320
- connected
 - component, 471
 - set, 471
 - space, 471, 476
 - sum of surfaces, 462
- connection
 - differential form, 489
 - anti-symmetric, 489
 - heteroclinic, 401
 - homoclinic, 401
 - of saddles, 401
- conservative
 - flow, 161, 177, 239
 - vector field, 161, 177, 239
- consistency, 126
- consistent method, 111, 126, 135, 150
 - of order p , 126, 150
- constant
 - conductivity, 349
 - gravitation, 372
 - Hölder, 334

- Lipschitz, 28, 473
 of integration, 22
 trajectory, 163
 continuation
 fixed point, 318, 343
 stationary point, 317, 318
 continuity modulus, 102
 continuous
 dependence, 47, 92
 on the parameter, 90
 on the parameter, 45
 map, 473
 contraction, 31, 473
 on fibres, 361
 convection, 419
 convergence
 of numerical method, 125
 to the boundary, 79, 85, 179
 convergent
 method, 111, 125, 134, 150
 of order p , 150
 sequence, 471
 converse Lyapunov theory, 288
 convex
 polyhedron, 449
 set, 49
 convolution, 40
 coordinates, 475
 canonical, 483
 change, 476
 on a manifold, 475
 polar, 173
 cotangent
 bundle, 480
 space, 480
 Coulomb law, 182
 Coulomb, Charles-Augustin de
 (1736–1806), 182
 Courant, Richard (1888–1972), 156
 C^r
 atlas, 476
 conjugacy, 175
 diffeomorphism, 477
 equivalence, 177
 manifold, 476
 map, 477
 submanifold, 477
 topology, 417, 477
 Crank, John (1916–2006), 313
 Crank–Nicolson method, 132, 308
 cross section, 168, 217, 402, 403, 405
 current function, 420
 curvature of Gauss, 436, 488, 490, 491
 curve
 characteristic, 58
 length, 484
 minimizing, 485
 cycle
 Chapman, 458
 limit, 279, 377
 of a vector field, 426
 oxygen–ozone, 458
 cycloid, 23
 Dahlquist
 barrier, 156
 theorem, 156
 Dahlquist, Germund (1925–2005), 156
 D’Alembert, Jean Le Rond
 (1717–1783), 73, 76, 258
 damping, 220, 248, 254
 coefficient, 221
 effective, 221
 matrix, 221
 negative, 221
 structural, 221
 D’Ancona, Umberto (1896–1964), 26
 Darboux theorem, 483
 Darboux, Jean-Gaston (1842–1917), 75,
 483
 de la Vallée-Poussin, Charles-Jean
 Étienne Gustave Nicolas
 (1866–1962), 76, 378
 de Rham, George (1903–1990), 493
 degree of a map, 444
 delay equation, 71
 δ -function of Kronecker, 488
 Denjoy, Arnaud (1884–1974), 400, 430
 dependent variable, 56
 derivative, 479
 along the flow, 272, 282
 exterior, 481
 Descartes theorem, 465
 Descartes, René (1596–1650), 465
 deviation function, 340
 diagonalizable linear map, 201
 diffeomorphism, 476, 477
 C^r , 477
 differentiable
 atlas, 475
 conjugacy, 175, 211, 216, 334
 dependence theorem, 54, 93
 on the parameter, 48

- embedding, 354
- equivalence, 177, 403
- immersion, 351, 354
- manifold, 475
- map, 477
- differentially
 - conjugate flows, 175, 211, 216
 - embedded space, 354
 - equivalent flows, 177, 403
 - immersed space, 351, 354
- differential equation
 - double pendulum, 308
- differential equation, 1, 2, 22
 - adjoint, 230, 255
 - Airy, 74, 96, 346
 - autonomous, 3, 159
 - Bernoulli, 20, 24
 - Cauchy–Riemann, 404
 - Clairaut, 83, 104
 - complete, 87, 161
 - dimension, 2
 - Duffing, 302
 - Euler–Lagrange, 25
 - exact, 18, 73
 - Hamiltonian, 308, 322
 - harmonic oscillator, 4, 248, 254
 - harmonic pendulum, 5, 11, 239, 271
 - heat, 346, 349
 - heat flow, 349
 - Hermite, 20, 106, 193
 - Hill, 253, 259
 - homogeneous, 18
 - Jacobi, 106
 - Kaps, 143
 - Laguerre, 106
 - Langevin, 377, 382
 - Laplace, 105
 - Legendre, 103, 105
 - Liénard, 182, 392
 - linear
 - autonomous, 195, 229
 - homogeneous, 19, 229, 233, 240
 - nonautonomous, 233, 255
 - nonhomogeneous, 229, 233, 241, 255
 - linearization, 49, 233, 265, 294, 347
 - logistic, 15
 - Lorenz, 304, 419
 - Lotka–Volterra, 15, 26
 - competitive, 15
 - predator–prey, 15, 148
 - Mathieu, 189, 243
 - on a manifold, 397
 - order, 2
 - ordinary, 1
 - parameterized family, 45, 379
 - partial, 2, 56
 - periodic coefficients, 347
 - quasi-linear, 57, 265
 - Riccati, 71
 - Rössler, 377
 - separable, 17
 - SIR, 151
 - solution, 2, 397
 - stiff, 139
 - stochastic, 377
 - structurally stable, 196
 - Sturm–Liouville, 258
 - van der Pol, 182, 386, 392, 431
 - vibrating string, 76, 258
 - wave, 70, 76
 - with delay, 71
- differential form, 481
 - angle, 444
 - area, 401, 482
 - closed, 482
 - connection, 489
 - anti-symmetric, 489
 - exact, 482
 - integration, 481
 - nondegenerate, 482
 - symplectic, 482
 - volume, 482, 488
- dimension
 - of a polyhedron, 486
 - of differential equation, 2
 - stable, 219
 - unstable, 219
- diophantine condition, 347
- dipole, 440, 462
- discrete distance, 470
- distance, 469
 - discrete, 470
 - Euclidean, 470
 - Riemannian, 484
 - uniform, 470
- divergence, 10, 239
- do Carmo, Manfredo Perdigão (1928–2018), 492
- domain
 - extension, 95
 - fundamental, 330

- of attraction, 275
- dominated function, 282
- double
 - orientable cover, 456
 - pendulum, 308
- drag force, 221
- dual
 - basis, 481
 - frame, 488
- Duffing
 - equation, 302
 - oscillator, 302
- Duffing, George (1861–1944), 313
- Duhamel principle, 256
- Duhamel, Jean-Marie Constant (1797–1872), 257, 258

- ecliptic, 374
- edge, 445
- effect of Perron, 299
- effective damping, 221
- eigenspace, 199
- eigenvalue, 199
- elasticity, 221
 - coefficient, 4, 221, 228, 302
 - matrix, 221
- elementary function, 6
- embedding
 - differentiable, 354
 - in a flow, 246
 - topological, 353
- energy, 272
 - kinetic, 272
 - potential, 272
- envelope of a family of curves, 84
- equicontinuity, 43, 475, 490
- equicontinuous set, 475
- equilibrium, 261
- equivalent flows, 161, 176
 - C^r , 177
 - differentiably, 177, 403
 - topologically, 177, 215, 219
- error
 - estimate, 124, 133
 - global, 111, 114, 124, 134
 - local, 114, 126, 135
 - rounding, 116
 - truncation, 114, 126, 135
- Euclidean
 - distance, 470
 - norm, 470
 - space, 469, 472, 476

- Euler
 - characteristic
 - manifold, 488
 - polyhedron, 436, 446, 486
 - surface, 450, 456
 - method, 16, 110, 139
 - arbitrary dimension, 122
 - implicit, 132, 144
 - perturbed, 117
 - theorem for polyhedra, 449
- Euler, Leonhard Paul (1707–1783), 24, 25, 73, 76, 104, 110, 111, 153, 255, 258, 449, 465
- Euler–Lagrange equation, 25
- Euler–Poincaré formula, 457
- event localization, 423
- exact
 - differential equation, 18, 73
 - differential form, 482
- example
 - Hahn, 305
 - Müller, 68, 75
 - Perron, 297
- existence and uniqueness theorem, 29, 75, 398
 - for any order, 55
- existence theorem, 39
 - for any order, 55
- explicit numerical method, 138
- exponent
 - characteristic, 347
 - Lyapunov, 296, 297
- exponential
 - map, 485
 - of a linear map, 195, 197
 - stability, 262, 263
- exponentially stable solution, 262, 263
 - globally, 276, 284
 - uniformly, 280, 284
- extension of domain, 95
- exterior derivative, 481

- face, 445, 486, 487
- factors vector, 15
- Faraday law, 182
- Faraday, Michael (1791–1867), 182
- Fehlberg, Erwin (1911–1990), 194
- Fenchel, Moritz Werner (1905–1988), 467
- fibre contraction, 361
- finite differences method, 110
- first

- integral, 21, 305, 372
- return
 - map, 172
 - time, 172
- fixed point, 318, 474
 - continuation, 318, 343
 - hyperbolic, 319, 323
 - simple, 318
 - theorem
 - Brouwer, 232, 377
 - for contractions, 31, 38
 - for fibre contractions, 362
- fixed step size method, 98
- Floquet theorem, 234, 244, 259, 347
- Floquet, Achille Marie Gaston (1847–1920), 243, 244, 259, 347
- flow, 160, 161, 190
 - complete, 160, 161, 398
 - component, 386
 - conservative, 161, 177, 239
 - embedding, 246
 - geodesic, 485
 - gradient-like, 418, 429
 - heat, 349
 - linear, 195
 - hyperbolic, 196, 212, 316, 318
 - minimal, 428
 - on a manifold, 398
 - structurally stable, 196
 - tubular, 167, 168
 - long, 186
 - volume-preserving, 161, 177, 239
- flows
 - conjugate, 161, 174
 - C^r -conjugate, 175
 - C^r -equivalent, 177
 - differentiably conjugate, 175, 211, 216
 - differentiably equivalent, 177, 403
 - equivalent, 161, 176
 - linearly conjugate, 211, 216
 - that commute, 427
 - topologically conjugate, 175, 216, 219, 320
 - topologically equivalent, 177, 215, 219
- flutter, 220, 221
- flux, 251
- focus
 - stable, 211
 - unstable, 211
- forcing, 248
 - periodic, 253
- form
 - alternate, 480
 - differential, 481
 - multilinear, 480
- formula
 - Abel, 257
 - Euler–Poincaré, 456, 457
 - Liouville–Ostrogradskii, 237, 257
 - Newton interpolation, 130
- Fourier law, 349
- Fourier, Jean-Baptiste Joseph (1768–1830), 258, 349
- Fröbenius, Ferdinand Georg (1849–1917), 310
- frame, 488
 - dual, 488
- Fredholm, Erik Ivar (1866–1927), 107
- frequency
 - characteristic, 228
 - natural, 220, 221
 - resonance, 247
- friction, 272, 274, 342
 - coefficient, 377
- Friedrichs, Kurt Otto (1901–1982), 156
- frozen Jacobian, 143
- Fuchs, Lazarus Immanuel (1833–1902), 193, 256
- function
 - Airy, 108, 346
 - bounded, 470
 - current, 420
 - deviation, 340
 - dominated, 282
 - elementary, 6
 - Hölder, 74, 475
 - harmonic, 251
 - Hölder continuous, 334
 - Lipschitz, 28, 74, 87, 475
 - locally Lipschitz, 28, 45
 - Lyapunov, 272, 282, 312
 - strict, 272, 282
 - Lyapunov exponent, 296, 300
 - negative definite, 272, 282
 - matrix-valued, 292
 - nonnegative, 272, 282
 - nonpositive, 272, 282
 - matrix-valued, 292
 - positive definite, 272, 282
 - semicontinuous, 92
- fundamental
 - domain, 330

- solution, 234, 236, 256, 289
 normal form, 244
 theorem
 multistep methods, 136, 156
 one-step methods, 128
 Riemannian geometry, 488
- Galle, Johann Gottfried (1812–1910),
 108, 154
- Galois, Évariste (1811–1832), 257
- Gama, Lélío (1892–1981), 432
- Gauss
 curvature, 436, 488, 490, 491
 normal map, 490, 491
 Teorema Egregium, 491
- Gauss, Johann Carl Friedrich
 (1777–1855), 105, 257, 436, 456,
 466, 467, 491
- Gauss–Bonnet theorem, 435, 436, 456
- Gauss–Ostrogradskii divergent theorem,
 257
- general solution, 83, 104, 229
- generalized saddle, 401, 403
 index, 440
 multiplicity, 403
- genus of a surface, 452, 456
- geodesic
 curve, 485
 flow, 485
- geometric multiplicity of an eigenvalue,
 199
- global
 error, 111, 114, 124, 134
 theory of differential equations, 385
- globally
 asymptotically stable solution, 275,
 284
 attractive solution, 284
 exponentially stable solution, 276,
 284
 stable solution, 267, 284
- gradient, 147
- gradient-like
 flow, 418, 429
 vector field, 418, 429
- graph transform, 357, 358, 378
- Grassmannian manifold, 476
- gravitation
 constant, 372
 law, 372
- grid, 109
 size, 109
- Grobman, David Matveevich (b. 1922),
 320, 332, 348
- Grobman–Hartman theorem
 for diffeomorphisms, 332
 for flows, 320
- Gronwall lemma, 87
- Gronwall, Thomas Hakon (1877–1932),
 107
- Gronwall, Thomas Hakon (1877–1932),
 87, 107
- group
 homomorphism, 165
 linear ($GL(d, \mathbb{R})$), 483
 one-parameter, 165
 special linear ($SL(d, \mathbb{R})$), 483
- Gutiérrez, Carlos (1944–2008), 432
- Hölder
 function, 475
 map, 475
- Hadamard
 lemma, 50, 75
 method, 378
- Hadamard, Jacques Salomon
 (1865–1963), 50, 75, 232, 378
- Hahn example, 305
- half-life, 3
- Hamilton, William Rowan (1805–1865),
 231
- Hamiltonian
 differential equation, 308, 322
 vector field, 308, 322
- handle, 451
- harmonic
 function, 251
 oscillator, 4
 with periodic forcing, 248, 254
 pendulum, 5, 11, 239, 271
 double, 308
- Hartman, Philip (1915–2015), 320, 332,
 348, 349
- Hauptvermutung*, 493
- Hausdorff, Felix (1868–1942), 108
- heat
 equation, 346, 349
 flow equation, 349
 problem, 346, 349
- Hermite equation, 20, 193
- Hermite, Charles (1822–1901), 20, 106,
 191, 193, 257
- heteroclinic connection, 401
- Heun method, 118, 119

- Heun, Karl (1859–1929), 155
 Hilbert, David (1862–1943), 190
 Hill equation, 253, 259
 Hill, George William (1838–1914), 259
 Hölder
 constant, 334
 function, 74, 334
 Hölder, Otto Ludwig (1859–1937), 74, 334
 homeomorphism
 piecewise affine, 449
 piecewise differentiable, 487
 homoclinic
 connection, 401
 point, 343, 380
 trajectory, 343, 380
 homogeneous equation, 18
 linear, 19, 229, 233, 240
 Hooke law, 3
 Hooke, Robert (1635–1703), 3
 Hopf, Heinz (1894–1971), 190, 436, 466, 467
 horseshoe, 433
 Hurwitz, Adolf (1859–1919), 435
 Huygens, Christiaan (1629–1695), 23
 hyperbolic
 attractor, 216
 fixed point, 319, 323
 linear
 flow, 196, 212, 316, 318
 map, 319
 vector field, 196, 212, 316, 318
 matrix, 60
 periodic trajectory, 352, 370
 repeller, 216
 stationary point, 316, 318, 323
 immersed submanifold, 481
 immersion
 differentiable, 351, 354
 topological, 351, 353
 implicit
 Adams method, 133
 Euler method, 132, 144
 numerical method, 143
 Runge–Kutta method, 156
 Runge–Kutta method, 146
 independent variable, 56
 index
 of a generalized saddle, 440
 of a stationary point, 435, 439, 441, 444, 445
 inertia, 221
 initial
 condition, 29
 value problem, 109
 inside of a closed curve, 385, 399
 instability, 266, 286
 integrating factor, 18, 19, 73, 255
 integration
 by quadratures, 7
 constant, 22
 numerical, 110
 of a differential form, 481
 interaction matrix, 15
 interior of a set, 471
 invariance of domain theorem, 215, 232
 invariant
 measure, 161, 177
 set, 276, 387
 theorem, 276, 277, 285, 311
 isochrone problem, 23
 isomorphism
 affine, 487
 piecewise affine, 487
 problem, 160, 174
 isoperimetric problem, 25
 iterates of Picard, 39, 63
 Jacobi, Carl Gustav Jakob (1804–1851), 106, 257
 Jordan
 canonical form theorem, 201, 204
 closed curve theorem, 231, 385, 399
 Jordan, Marie Ennemond Camille (1838–1922), 201, 204, 231, 232, 385
 Kapitza pendulum, 254
 Kaps equation, 143
 Keplerian approximation, 255, 379
 kernel of a linear map, 199
 Kirchhoff law, 182
 Kirchhoff, Gustav Robert (1824–1887), 182
 Klein bottle (\mathbb{K}^2), 399
 Kneser theorem, 69, 75, 400
 Kneser, Hellmuth (1898–1973), 69, 75, 400, 430
 Kolmogorov, Andrei Nikolaevich (1903–1987), 348, 380
 Kowalevski, Sophie (1850–1891), 62, 75, 193

- Krasovskii, Nikolay Nikolayevich (1924–2012), 277, 311
- Krasovskii–LaSalle theorem, 276, 277, 285
- Kronecker δ -function, 488
- Kronecker, Leopold, 488
- Kuratowski, Kazimierz (1896–1980), 108
- Kutta method, 121
- Kutta, Martin Wilhelm (1867–1944), 120, 155
- Lagrange multipliers method, 256
- Lagrange, Joseph-Louis (1736–1813), 25, 104, 255, 256, 259
- Laguerre, Edmond Nicolas (1834–1886), 106, 230, 231
- λ -lemma of Palis, 382
- Langevin equation, 377, 382
- Langevin, Paul (1872–1946), 377, 382
- Laplace equation, 105
- Laplace, Pierre-Simon de (1749–1827), 105
- LaSalle, Joseph Pierre (1916–1983), 107, 277, 311
- Laskar, Jacques (b. 1955), 382
- law
- Coulomb, 182
 - Faraday, 182
 - Fourier, 349
 - gravitation, 372
 - Hooke, 3
 - Kirchhoff, 182
 - Newton, 4, 5
 - Ohm, 182
- Lax equivalence theorem, 156
- Lax, Peter David (b. 1926), 156
- Lax–Richtmyer theorem, 156
- Le Verrier, Urbain Jean Joseph (1811–1877), 108, 154
- Lebesgue, Henri Léon (1875–1941), 75
- Lefschetz, Solomon (1884–1972), 431
- Legendre
- equation, 103, 105
 - polynomial, 103, 105
- Legendre, Adrien-Marie (1752–1833), 103, 105, 106, 465
- Leibniz, Gottfried Wilhelm (1646–1716), 22–25, 465
- lemma
- Barbălat, 277, 285
 - closing, 432
 - Gronwall, 87
 - Hadamard, 50, 75
 - Massera, 312
 - recurrence, 412
 - stability, 410
 - Zorn, 81, 107
- length of a curve, 484
- level curve, 146
- Levi-Civita theorem, 488
- Levi-Civita, Tullio (1873–1941), 492
- Levinson, Norman (1912–1975), 433
- Lewy, Hans (1904–1988), 74, 156
- L'Hôpital, Guillaume François Antoine (1661–1704), 24, 25
- Liénard
- equation, 182, 392
 - theorem, 392, 431
- Liénard, Alfred-Marie (1869–1958), 194, 392
- limit
- cycle, 279, 377
 - of a sequence, 472
 - set, 385
- Lindelöf, Ernst Leonard (1870–1946), 75
- Lindstedt series, 380
- Lindstedt, Anders (1854–1939), 379, 380
- Lindstedt–Poincaré method, 380
- linear
- attractor, 319, 338
 - conjugacy, 211, 216
 - equation, 5, 19, 20
 - autonomous, 195, 229
 - homogeneous, 19, 229, 233, 240
 - nonautonomous, 233, 255
 - nonhomogeneous, 233, 241, 255
 - with asymptotically constant coefficients, 293
 - with periodic coefficients, 234, 243, 294
 - flow, 195
 - hyperbolic, 196, 212, 316, 318
 - group ($GL(d, \mathbb{R})$), 483
 - group special ($SL(d, \mathbb{R})$), 483
- map
- almost diagonalizable, 202, 203
 - diagonalizable, 201
 - hyperbolic, 319
 - kernel, 199
 - nilpotent, 199, 205
 - spectrum, 199, 214

- multistep method, 133
- repeller, 319, 338
- saddle, 319
- vector field, 195
 - hyperbolic, 196, 212, 316, 318
- linearization, 49, 233, 265, 294, 347
 - method, 264, 265, 289
 - problem, 347
- linearized differential equation, 49, 233, 265, 294, 347
- linearly conjugate flows, 211, 216
- Liouville, Joseph (1809–1882), 74, 75, 237, 257, 258
- Liouville–Ostrogradskii formula, 237, 257
- Lipschitz
 - constant, 28, 473
 - function, 28, 74, 87, 475
 - map, 473, 475
- Lipschitz, Rudolf Otto Sigismund (1832–1903), 28, 74, 193
- Littlewood, John Edensor (1885–1977), 433
- local
 - chart, 475, 476
 - coordinates, 475, 476
 - error, 114, 126, 135
 - Lyapunov exponent, 301
 - stable manifold, 353, 354
 - theory of differential equations, 315
 - unstable manifold, 353, 354
- localization of events, 423
- locally Lipschitz function, 28, 45
- logarithm of a linear map, 244
- logistic equation, 15
- Lord Rayleigh (1842–1919), 419, 433
- Lorenz
 - attractor, 304, 419, 421
 - equation, 304, 419
- Lorenz, Edward Norton (1917–2008), 421, 433
- Lotka, Alfred James (1880–1949), 26
- Lotka–Volterra equation, 15, 26
 - competitive, 15
 - predator–prey, 15, 148
- lower bound, 472
- Lyapunov
 - converse theory, 288
 - direct method, 264, 273, 282
 - exponent, 296, 297
 - function, 296, 300
 - local, 301
 - multiplicity, 299
 - exponents method, 264, 296, 300
 - function, 272, 282, 312
 - strict, 272, 282
 - functions method, 264, 273, 282
 - matrix equation method, 291, 292
 - number, 301
 - regularity, 297, 299
 - stability, 262
 - theorem, 273, 282
 - theorem, 300
- Lyapunov, Aleksandr Mikhailovich (1857–1918), 262, 273, 282, 300, 310, 311, 378
- Maclaurin, Colin (1698–1746), 105
- manifold, 475
 - C^r , 476
 - Grassmannian, 476
 - local stable, 353, 354
 - local unstable, 353, 354
 - orientable, 479, 482
 - Riemannian, 484, 491
 - stable, 351, 354, 370, 380
 - unstable, 351, 354, 370, 380
- map
 - affine, 487
 - bi-Lipschitz, 375
 - continuous, 473
 - C^r , 477
 - degree, 444
 - derivative, 479
 - differentiable, 477
 - exponential, 485
 - first return, 172
 - Gauss normal, 490, 491
 - Hölder, 475
 - hyperbolic linear, 319
 - Lipschitz, 473, 475
 - multilinear, 363
 - piecewise affine, 449, 487
 - Poincaré, 160, 169, 170, 190
 - return, 172
 - time- t , 160, 161
- marginal stability, 262, 294
- marginally stable solution, 262, 294
- Markley, Nelson (1940–2019), 432
- mass matrix, 221
- Massera lemma, 312
- Massera, José Luis (1915–2002), 312
- Mather, John Norman (1942–2017), 494

- Mathieu equation, 189, 243
 Mathieu, Émile Léonard (1835–1890),
 189, 243, 259
 matrices space, 483
 matrix, 230
 damping, 221
 elasticity, 221
 function, 230
 hyperbolic, 60
 interaction, 15
 mass, 221
 Wronskian, 240, 256
 matrix-valued function
 negative definite, 292
 nonpositive, 292
 maximal
 invariant subset, 276
 solution, 79–81, 84
 maximum solution, 79
 Mayer theorem, 401
 Mayer, Artemiy Grigoryevich
 (1905–1951), 401, 431
 measure
 area, 401, 482
 invariant, 161, 177
 transverse, 405
 volume, 482
 method
 Adams
 explicit, 130
 implicit, 132
 Adams–Bashforth, 130, 373
 Adams–Moulton, 132, 459
 adaptive step size, 98, 182, 194
 backward differentiation, 156
 backward differentiation, 145, 459
 BDF, 145, 156, 459
 change of variables, 18
 characteristics, 76
 classical Runge–Kutta, 121
 consistent, 111, 126, 135, 150
 of order p , 126, 150
 convergent, 111, 125, 134, 150
 of order p , 125, 135, 150
 Crank–Nicolson, 132, 308
 domain extension, 95
 Euler, 16, 110, 139
 for arbitrary dimension, 122
 implicit, 132, 144
 perturbed, 117
 explicit, 138
 finite differences, 110
 fixed step size, 98
 graph transform, 378
 Hadamard, 378
 Heun, 118, 119, 133
 implicit, 143
 integrating factor, 18, 19, 73, 255
 k -step, 129
 Kutta of order 3, 121
 Lagrange multipliers, 256
 Lindstedt–Poincaré, 380
 linearization, 264, 265, 289
 Lyapunov (direct), 264, 273, 282
 Lyapunov exponents, 265, 296, 300
 Lyapunov functions, 264, 273, 282
 Lyapunov matrix equation, 291, 292
 multistep, 66, 110, 129, 133
 linear, 133
 numerical, 110
 ODE23s, 464
 of order p , 117, 121
 one-step, 66, 110, 124, 129
 order reduction, 11, 25, 72, 73
 Perron, 378
 Picard, 63
 power series expansion, 22, 74
 predictor–corrector, 119, 133
 RKF45, 183, 194
 Runge–Kutta, 110, 120
 Butcher tableau, 120
 classical, 121
 coefficients, 120, 146
 for arbitrary dimension, 122
 implicit, 146, 156, 459
 number of stages, 120, 146
 of order 2, 118, 119
 of order 3, 121
 of order 4, 121
 Runge–Kutta–Fehlberg (RKF45),
 182, 194
 separation of variables, 8, 17, 23, 24
 series expansion, 20
 shooting, 340
 stable, 111, 127, 135
 successive approximations, 75
 upper bounds, 74
 variable step size, 98, 182, 194
 variation of the parameter, 19, 24,
 234, 241, 255, 256
 metric
 Riemannian, 491

- space, 469
- subspace, 470
- Milne artifice, 154
- Milne, William Edmund (1890–1971), 154
- Milnor, John Willard (n. 1931), 493
- minimal
 - component, 386, 401, 412
 - flow, 428
 - set, 400, 426
- minimality, 426, 428
- minimizing curve, 485
- minimum period, 186
- Mittag-Leffler, Magnus Gustaf (Gösta) (1846–1927), 107
- Mittag-Leffler, Magnus Gustaf (Gösta) (1846–1927), 191, 193
- modulus of continuity, 102
- moment
 - aerodynamic, 221
 - inertia, 221
- Monge, Gaspard (1746–1818), 76
- monotone sequence, 472
- Morse, Harold Calvin Marston (1892–1977), 418
- Morse–Smale vector field, 418, 432
- Moser, Jürgen Kurt (1928–1999), 348, 380
- Moulton, Forest Ray (1872–1952), 154
- Muir, Thomas (1844–1934), 259
- Müller example, 68, 75
- Müller, David Eugene (1924–2008), 68, 75
- multilinear
 - form, 480
 - map, 363
- multiplicity
 - of a generalized saddle, 403
 - of a Lyapunov exponent, 299
 - of an eigenvalue
 - algebraic, 199
 - geometric, 199
- multistep method, 66, 110, 129, 133
 - linear, 133
 - recursive formula, 129
 - starting procedure, 129
- Nachbin, Leopoldo (1922–1993), 432
- Napier, John (1550–1617), 24
- Nash, John Forbes (1928–2015), 467
- natural frequency, 220, 221
- negative definite
 - function, 272, 282
 - matrix-valued function, 292
- Newton
 - interpolation formulas, 130, 152
 - law, 4, 5
- Newton, Isaac (1643–1727), 4, 5, 22, 25, 104, 105, 372, 379
- Nicolson, Phyllis (1917–1968), 314
- nilpotent linear map, 199, 205
- node
 - stable, 206, 209, 210
 - unstable, 206, 209, 210
- nonautonomous linear equation, 233, 255
- nondecreasing sequence, 472
- nondegenerate differential form, 482
- nonhomogeneous linear equation, 233, 241, 255
- nonincreasing sequence, 472
- nonnegative function, 272, 282
- nonpositive
 - function, 272, 282
 - matrix-valued function, 292
- nonresonance condition, 340, 347
- nonwandering
 - point, 418
 - set, 418
- norm, 470
 - adapted, 227, 353, 357
 - Euclidean, 470
 - operator, 196, 323, 356, 360, 363
 - uniform, 323, 356, 470
- normal form of fundamental solution, 244
- number
 - Lyapunov, 301
 - winding, 437
- numerical
 - analysis of differential equations, 12
 - integration, 110
 - method, 110
- Nyström, Evert Johannes (1895–1960), 154, 155
- ODE23s method, 464
- Ohm law, 182
- Ohm, George Simon (1789–1854), 182
- ω -limit set, 278, 385, 386
- one-parameter group, 165
- one-step method, 66, 110, 124, 129
- open
 - set, 471

- trajectory, 163
- operator
 - norm, 196, 323, 356, 360, 363
 - Picard, 33
- order
 - of differential equation, 2
 - of numerical method, 117, 121
 - partial, 80
 - reduction, 11, 25, 72, 73
 - total, 80
- ordinary differential equation, 1
- orientable
 - double cover, 456
 - manifold, 479
- orientation
 - of a basis, 479, 482
 - of a manifold, 479, 482
- oriented
 - basis, 479, 482
 - transverse section, 406
- oscillator
 - Duffing, 302
 - harmonic, 4
 - with periodic forcing, 248, 254
- Oseledets, Valery Iustynovich (b. 1940), 313
- Oseledets, Valery Iustynovich (b. 1940), 313
- Osgood condition, 102
- Osgood, William Fogg (1864–1943), 102
- Ostrogradskiĭ, Mikhail Vasilyevich (1801–1862), 237, 257
- outside of a closed curve, 385, 399
- oxygen–ozone cycle, 458
- Palis λ -lemma, 382
- Palis, Jacob (b. 1940), 382, 418, 433
- parameterized family
 - of differential equations, 45, 379
 - of vector fields, 317
- partial differential equation, 2, 56
 - solution, 57
- partial order, 80
- Peano existence theorem, 39, 76
 - for any order, 55
- Peano, Giuseppe (1858–1932), 39, 76, 230
- Peixoto theorem, 419, 429
- Peixoto, Maurício Matos (1921–2019), 432
- Peixoto, Maurício Matos (1921–2019), 419, 429
- pendulum
 - double, 308
 - harmonic, 5, 11, 239, 271
 - Kapitza, 254
 - with friction, 272, 274, 342
- periodic
 - coefficients, 234, 243, 294, 347
 - component, 386, 401, 410
 - forcing, 253
 - point, 163
 - trajectory, 163
 - hyperbolic, 352, 370
- Perron
 - effect, 299
 - example, 297
 - method, 378
- Perron, Oskar (1880–1975), 297, 299, 310, 378
- Perron–Fröbenius theorem, 310
- perturbed Euler method, 117
- phase space, 159
- Phragmén, Edvard (1863–1937), 191, 381
- Picard
 - existence and uniqueness theorem, 29, 75
 - for any order, 55
 - iterates, 39, 63
 - method, 63
 - operator, 33
 - theorem, 398
- Picard, Charles Émile (1856–1941), 29, 75, 398
- piecewise affine
 - homeomorphism, 449
 - isomorphism, 487
 - map, 449, 487
- piecewise differentiable
 - homeomorphism, 487
 - triangulation, 487
- Poincaré
 - map, 160, 169, 170, 190
 - recurrence theorem, 11, 178, 179
- Poincaré, Jules Henri (1854–1912), 7, 190, 347, 379–381, 388, 398, 430, 436, 465, 492, 493
- Poincaré–Bendixson theorem
 - in the plane, 388
 - in the projective space, 427
 - in the sphere, 398
- Poincaré–Hopf theorem, 435, 436

- point
- bi-asymptotic, 343, 380
 - fixed, 318
 - hyperbolic, 319, 323
 - simple, 318
 - homoclinic, 343, 380
 - nonwandering, 418
 - periodic, 163
 - recurrent, 178, 387
 - in the future, 387
 - in the past, 387
 - regular, 160, 163
 - nonperiodic, 163
 - stationary, 6, 163, 315
 - hyperbolic, 316, 318, 323
 - simple, 316
- pointwise bounded set, 475
- polar coordinates, 173
- polyhedron, 445, 486
 - convex, 449
 - dimension, 486
 - Euler characteristic, 436, 446, 486
 - subdivision, 446, 486
- polynomial
 - characteristic, 199
 - Legendre, 103, 105
- Pontryagin, Lev Semyonovich (1908–1988), 431, 432
- positive definite function, 272, 282
- power series expansion, 22, 74
- predictor–corrector method, 119, 133
- prime number theorem, 378
- problem
 - boundary value, 340
 - brachistochrone, 25
 - heat, 346, 349
 - initial value, 109
 - isochrone, 23
 - isomorphism, 160, 174
 - isoperimetric, 25
 - linearization, 347
 - quadrature of the hyperbola, 24
 - restricted 3-body, 191, 380
 - small denominators, 348, 380
 - stability of the Solar system, 379
 - Sturm–Liouville, 258
 - tangent inverse, 22
- product space, 470
- projective space
 - dimension 2 (\mathbb{P}^2), 399, 427
 - dimension d (\mathbb{P}^d), 476
- Pugh, Charles Chapman (b. 1940), 432
- quadrature of the hyperbola, 24
- quadratures, 7
- qualitative theory, 8, 190
- quasi-linear equation, 57, 265
- Rössler, Otto Eberhard (b. 1940), 382
- radioactive decay, 2
- rate
 - of contraction, 31
 - of reaction, 458
- reaction rate, 458
- rectangle rule, 65
- recurrence, 11, 178, 387
 - lemma, 412
 - theorem, 178, 179
- recurrent
 - point, 178, 387
 - solution, 11
 - trajectory, 178, 387
- recursive formula, 129
- reduction
 - of order, 11, 26, 72
 - to stationary case, 263
- regular
 - point, 160, 163
 - solution, 83
 - solution in the sense of Lyapunov, 297, 299, 300
 - trajectory, 163
 - value, 483
- relatively compact set, 276, 475
- reparameterization, 176
- repeller
 - hyperbolic, 216
 - linear, 319, 338
- residual set, 478, 484
- resonance, 220, 247
 - frequency, 247
- restricted 3-body problem, 191, 380
- return
 - map, 172
 - time, 172
- Riccati equation, 71
- Riccati, Jacopo Francesco (1676–1754), 71, 72
- Richardson extrapolation, 128, 155
- Richardson, Lewis Fry (1881–1953), 128, 155
- Richtmyer, Robert Davis (1910–2003), 156

- Riemann, Georg Friedrich Bernhard (1826–1866), 491
- Riemann, Georg Friedrich Bernhard (1826–1866), 75, 404, 435
- Riemannian
- distance, 484
 - exponential map, 485
 - manifold, 484
 - metric, 484, 491
 - submanifold, 484
 - volume, 488
- RKF45 method, 183, 194
- Roch, Gustav (1839–1866), 435
- root condition, 136
- Rössler
- attractor, 377
 - equation, 377
- rounding error, 116
- rule
- rectangle, 65
 - trapezium, 65
- Runge, Carl David Tolmé (1856–1927), 120, 154, 155, 193
- Runge–Kutta method
- implicit, 156
- Runge–Kutta method, 110, 120
- Butcher tableau, 120, 146
 - classical, 121
 - coefficients, 120, 146
 - for arbitrary dimension, 122
 - implicit, 146, 459
 - number of stages, 120, 146
 - of order 2, 118, 119
 - of order 3, 121
 - of order 4, 121
- Runge–Kutta–Fehlberg (RKF45)
- method, 182, 194
- saddle
- connection, 401
 - generalized, 401, 403, 440
 - linear, 319
 - point, 207, 216
- Saltzman, Barry (1931–2001), 420, 433, 434
- Sard theorem, 484
- Sard, Arthur (1909–1980), 484
- Schwartz theorem, 400
- Schwartz, Arthur (1900–1984), 400, 430, 431
- semicontinuous function, 92
- sensitivity to initial conditions, 421
- separable differential equation, 17
- separation of variables, 8, 17, 23, 24
- separatrix, 401–403
- stable, 401–403
 - unstable, 401–403
- sequence, 471
- bounded, 471
 - Cauchy, 472
 - convergent, 471
 - limit, 471, 472
 - monotone, 472
 - nondecreasing, 472
 - nonincreasing, 472
- series
- expansion, 20
 - Lindstedt, 380
- set
- α -limit, 385, 387
 - bounded, 471
 - closed, 471
 - compact, 474
 - connected, 471
 - convex, 49
 - equicontinuous, 475
 - invariant, 276, 387
 - limit, 385
 - minimal, 400, 426
 - nonwandering, 418
 - ω -limit, 278, 385, 386
 - open, 471
 - pointwise bounded, 475
 - relatively compact, 475
 - residual, 478, 484
 - totally ordered, 80
- Severini, Carlo (1872–1951), 350
- shear flow, 210
- shooting method, 340
- Siegel, Carl Ludwig (1896–1981), 347, 348
- similar linear maps, 211
- simple
- fixed point, 318
 - stationary point, 316
- simplex, 485, 487
- Singer, Isadore (b. 1924), 435
- singular solution, 84, 104
- SIR equation, 151
- size
- grid, 109
 - step, 109
- skew product, 361

- Smale, Stephen (b. 1930), 382, 418, 431, 432
- small denominators problem, 348, 380
- solution
- asymptotically stable, 262, 263
 - attractive, 263
 - complete, 104
 - exponentially stable, 262, 263
 - fundamental, 234, 236, 256, 289
 - normal form, 244
 - general, 83, 104, 229
 - globally
 - asymptotically stable, 275, 284
 - attractive, 284
 - exponentially stable, 276, 284
 - stable, 267
 - marginally stable, 262, 294
 - maximal, 79–81, 84
 - maximum, 79
 - of a differential equation, 397
 - of a partial differential equation, 57
 - of differential equation, 2
 - recurrent, 11
 - regular, 83
 - regular in the sense of Lyapunov, 297, 299, 300
 - singular, 84, 104
 - stable, 262, 263
 - stationary, 261
 - that goes to infinity, 11
 - uniformly
 - asymptotically stable, 280, 284
 - attractive, 280, 284
 - exponentially stable, 280, 284
 - stable, 280, 284
 - unstable, 266, 286
 - weak, 76
- space
- Baire, 478, 484
 - compact, 474
 - complete, 472
 - completely metrizable, 478
 - connected, 471, 476
 - cotangent, 480
 - differentiably embedded, 354
 - differentiably immersed, 351, 354
 - Euclidean, 469, 472, 476
 - metric, 469
 - of diffeomorphisms, 478
 - of differentiable maps, 478
 - of linear maps, 360
 - of matrices, 483
 - of multilinear maps, 363
 - phase, 159
 - product, 470
 - tangent, 478
 - topologically embedded, 353
 - topologically immersed, 351, 353
 - special linear group ($SL(d, \mathbb{R})$), 483
 - spectral map theorem, 225, 231
 - spectrum of a linear map, 199, 214
 - sphere, 217
 - dimension 2 (S^2), 398
 - dimension d (S^d), 476
 - stability, 222, 254, 263
 - asymptotic, 262, 263
 - exponential, 262, 263
 - global, 267, 284
 - lemma, 410
 - Lyapunov, 262
 - marginal, 262, 294
 - of numerical method, 127
 - of the Solar system, 379
 - structural, 196, 220, 227, 344, 386, 418
 - theorem of Lyapunov, 273, 282
 - uniform, 280, 284
 - stable
 - dimension, 219
 - focus, 211
 - manifold, 351, 354, 370, 380
 - local, 353, 354
 - method, 111, 127, 135
 - node, 206, 209, 210
 - separatrix, 401–403
 - solution, 262, 263
 - globally, 267
 - uniformly, 280, 284
 - subspace, 214, 319, 320, 371
 - stable manifold theorem
 - for fixed points, 355
 - for periodic trajectory, 371
 - for stationary points, 354
 - stages of Runge–Kutta method, 120, 146
 - starting procedure, 129
 - stationary
 - point, 6, 163, 315
 - continuation, 317, 318
 - hyperbolic, 316, 318, 323
 - index, 435, 439, 441, 444, 445
 - simple, 316

- solution, 261
- trajectory, 163, 261
- steep accumulation, 141
- Steiner, Jakob (1796–1863), 465
- step size, 109
- stereographic projection, 476
- Sternberg theorem, 339
- Sternberg, Shlomo Zvi (b. 1936), 339, 348
- stiffness, 111, 139, 156
 - detection, 143, 157
 - ratio, 142, 143
- stochastic differential equation, 377
- Stokes theorem, 440, 453, 465, 482
- Stokes, George Gabriel (1819–1903), 405, 440, 453, 465
- Strebel, Kurt (1921–2013), 431
- strict Lyapunov function, 272, 282
- structural
 - damping, 221
 - stability, 196, 220, 227, 344, 386, 418
- structurally stable
 - differential equation, 196
 - flow, 196
 - vector field, 196, 386, 418
- structure equations, 489
- Strutt, John William (1842–1919), 419, 433
- Sturm, Jacques Charles François (1803–1855), 258
- Sturm–Liouville
 - equation, 258
 - problem, 258
- subdivision of a polyhedron, 446, 486
- submanifold, 477
 - C^r , 477
 - immersed, 481
 - Riemannian, 484
- subsequence, 474
- subspace
 - metric, 470
 - stable, 214, 319, 320, 371
 - unstable, 214, 319, 320, 371
- successive approximations, 75
- surface, 475, 482
 - genus, 452, 456
- surfaces classification theorem, 436, 452
- Sylvester, James Joseph (1814–1897), 230
- symplectic form, 482
- tangent
 - bundle, 479
 - inverse problem, 22
 - space, 478
- Taylor, Brook (1685–1731), 104, 258
- tension, 5
- term of a sequence, 471
- theorem
 - Ascoli–Arzelà, 475
 - Carathéodory, 76
 - Cauchy–Kowalevski, 62, 74
 - Cayley–Hamilton, 225, 231
 - Četaev, 287
 - classification of surfaces, 436, 452
 - closed curve, 231
 - closed curve of Jordan, 385, 398
 - continuous dependence, 92
 - on the parameter, 90
 - continuous dependence, 47
 - on the parameter, 45
 - Dahlquist, 156
 - Darboux, 483
 - Descartes, 465
 - differentiable dependence, 93
 - differentiable dependence, 54
 - on the parameter, 48
 - divergent, 257
 - Egregium* of Gauss, 491
 - Euler for polyhedra, 449
 - existence, 39
 - Carathéodory, 76
 - for any order, 55
 - Peano, 76
 - existence and uniqueness, 29, 75, 398
 - for any order, 55
 - fixed point
 - Brouwer, 232, 377
 - for contractions, 31, 38, 474
 - for fiber contractions, 362
 - Floquet, 234, 244, 259, 347
 - fundamental
 - multistep methods, 136, 156
 - one-step methods, 128
 - Riemannian geometry, 488
 - Gauss–Bonnet, 435, 436, 456
 - Grobman–Hartman
 - for diffeomorphisms, 332
 - for flows, 320
 - invariance of domain, 215, 232
 - invariant set, 276, 277, 285, 311
 - Jordan canonical form, 201, 204
 - Kneser, 69, 75, 400

- Krasovskii–LaSalle, 276, 277, 285
- Lax equivalence, 156
- Lax–Richtmyer, 156
- Levi-Civita, 488
- Liénard, 392, 431
- Liouville–Ostrogradskii, 237
- Lyapunov, 300
- Lyapunov stability, 273, 282
- Mayer, 401
- Peano, 39, 76
 - for any order, 55
- Peixoto, 419, 429
- Perron–Fröbenius, 310
- Picard, 29, 75, 398
 - for any order, 55
- Poincaré recurrence, 11, 178, 179
- Poincaré–Bendixson
 - in the plane, 388
 - in the projective space, 427
 - in the sphere, 398
- Poincaré–Hopf, 435, 436
- prime number, 378
- Sard, 484
- Schwartz, 400
- spectral map, 225, 231
- stable manifold
 - for fixed points, 355
 - for periodic trajectory, 371
 - for stationary points, 354
- Sternberg, 339
- Stokes, 453, 465, 482
- Taylor, 104
- tubular flow, 167
 - long, 186
- Whitney embedding, 484, 494
- thermal convection, 419
- Thom, René Frédéric (1923–2002), 431, 494
- time
 - first return, 172
 - return, 172
- time- t map, 160, 161
- topological
 - conjugacy, 175, 216, 219, 320
 - embedding, 353
 - equivalence, 177, 215, 219
 - immersion, 351, 353
- topologically
 - conjugate flows, 175, 216, 219, 320
 - embedded space, 353
 - equivalent flows, 177, 215, 219
 - immersed space, 351, 353
 - topology C^r , 417, 477
 - torus
 - dimension 2 (\mathbb{T}^2), 399
 - dimension d (\mathbb{T}^d), 476
 - total order, 80
 - totally ordered set, 80
 - trajectory, 161, 261
 - bi-asymptotic, 343, 380
 - closed, 163
 - constant, 163
 - homoclinic, 343, 380
 - open, 163
 - periodic, 163
 - hyperbolic, 352, 370
 - recurrent, 178, 387
 - regular, 163
 - nonperiodic, 163
 - stationary, 163, 261
 - transversality, 483
 - transverse
 - measure, 405
 - section, 168, 217, 402, 403, 405
 - oriented, 406
 - trapezium rule, 65
 - triangle, 445
 - triangulation, 487, 493
 - piecewise differentiable, 487
 - truncation error, 114, 126, 135
 - tubular flow
 - box, 168
 - long, 186
 - theorem, 167
 - uniform
 - distance, 470
 - norm, 323, 356, 470
 - uniformly
 - asymptotically stable solution, 280, 284
 - attractive solution, 280, 284
 - exponentially stable solution, 280, 284
 - stable solution, 280, 284
 - uniqueness of solutions, 81
 - unit tangent bundle, 485
 - unstable
 - dimension, 219
 - focus, 211
 - manifold, 351, 354, 370, 380
 - local, 353, 354
 - node, 206, 209, 210

- separatrix, 401–403
- solution, 266, 286
- subspace, 214, 319, 320, 371
- upper bound, 472
- upper bounds method, 74
- van der Pol equation, 182, 386, 392, 431
- van der Pol, Balthasar (1889–1959), 386, 392, 431
- variable
 - change, 18
 - dependent, 57
 - independent, 57
 - step size method, 98, 182, 194
- variation of the parameter, 19, 24, 234, 241, 255, 256
- Veblen, Oswald (1880–1960), 232
- vector field, 159
 - conservative, 161, 177, 239
 - gradient-like, 418, 429
 - Hamiltonian, 308, 322
 - linear, 195
 - hyperbolic, 196, 212, 316, 318
 - Morse–Smale, 418, 432
 - on a manifold, 396
 - parameterized family, 317
 - structurally stable, 196, 386, 418
 - volume-preserving, 161, 177, 239
- vector of factors, 15
- vertex, 445, 486
- vibrating string equation, 76, 258
- Volterra, Vito (1860–1940), 26, 75, 76
- volume
 - differential form, 482, 488
 - measure, 482
 - Riemannian, 488
 - zero, 484
- volume-preserving
 - flow, 161, 177, 239
 - vector field, 161, 177, 239
- von Dick, Walther (1856–1934), 467
- von Lindemann, Carl Louis Ferdinand (1852–1939), 193
- von Neumann, John (1903–1957), 156
- wave equation, 70, 76
- weak solution, 76
- Weierstrass, Karl Wilhelm Theodor (1815–1897), 191, 193
- Whitehead, John Henry Constantine (1904–1960), 493
- Whitney embedding theorem, 484, 494
- Whitney, Hassler (1907–1989), 493, 494
- winding number, 437
- Wroński, Józef Maria Hoene (1776–1853), 259
- Wronskian, 240, 259
 - matrix, 240, 256
- zero volume set, 484
- Zorn lemma, 81
- Zorn, Max August (1906–1993), 81, 107, 108